



**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**

Results: 802.11a / 20 MHz / BPSK / 6 Mbps / 5.25-5.35 GHz band


Channel	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5260	19.3	24.0	4.7	Complied
Middle	5280	20.5	24.0	3.5	Complied
Top	5320	16.3	24.0	7.7	Complied



Bottom Channel



Middle Channel




Top Channel


**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**

Results: 802.11n / 20 MHz / BPSK / MCS0 / SISO / 5.25-5.35 GHz band


Channel	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5260	19.3	24.0	4.7	Complied
Middle	5280	20.4	24.0	3.6	Complied
Top	5320	16.2	24.0	7.8	Complied



Bottom Channel



Middle Channel





Top Channel

**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**

Results: 802.11n / 40 MHz / BPSK / MCS0 / SISO / 5.25-5.35 GHz band


Channel	Frequency (MHz)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5270	18.7	0.1	18.8	24.0	5.2	Complied
Top	5310	13.3	0.1	13.4	24.0	10.6	Complied



**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**

Results: 802.11ac / 80 MHz / BPSK / MCS0 / SISO / 5.25-5.35 GHz band

Channel	Frequency (MHz)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Single	5290	13.3	0.2	13.5	24.0	10.5	Complied






Single Channel

**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**

Results: 802.11n / 20 MHz / BPSK / MCS0 / MIMO / 5.25-5.35 GHz band


Channel	Frequency (MHz)	Conducted Peak Power Port 1 (dBm)	Conducted Peak Power Port 2 (dBm)	Combined Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5260	17.9	17.9	20.9	24.0	3.1	Complied
Middle	5280	17.9	17.9	20.9	24.0	3.1	Complied
Top	5320	16.5	16.3	19.4	24.0	4.6	Complied

Results: 802.11n / 20 MHz / BPSK / MCS0 / MIMO / 5.25-5.35 GHz band / Port 1




**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**


Results: 802.11n / 20 MHz / BPSK / MCS0 / MIMO / 5.25-5.35 GHz band / Port 2



Bottom Channel



Middle Channel



Top Channel


**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)****Results: 802.11n / 40 MHz / BPSK / MCS0 / MIMO / 5.25-5.35 GHz band**

Channel	Frequency (MHz)	Port 1			Port 2		
		Conducted Peak Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Peak Power (dBm)	Conducted Peak Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Peak Power (dBm)
Bottom	5270	17.8	0.1	17.9	17.7	0.1	17.8
Top	5310	12.9	0.1	13.0	12.5	0.1	12.6


Channel	Frequency (MHz)	Corrected Conducted Peak Power Port 1 (dBm)	Corrected Conducted Peak Power Port 2 (dBm)	Combined Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5270	17.9	17.8	20.9	24.0	3.1	Complied
Top	5310	13.0	12.6	15.8	24.0	8.2	Complied

**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**

Results: 802.11n / 40 MHz / BPSK / MCS0 / MIMO / 5.25-5.35 GHz band / Port 1




Bottom Channel




Top Channel

Results: 802.11n / 40 MHz / BPSK / MCS0 / MIMO / 5.25-5.35 GHz band / Port 2



Bottom Channel



Top Channel

**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**


Results: 802.11ac / 80 MHz / BPSK / MCS0x1 / MIMO / 5.25-5.35 GHz band

Channel	Frequency (MHz)	Port 1			Port 2		
		Conducted Peak Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Peak Power (dBm)	Conducted Peak Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Peak Power (dBm)
Single	5290	12.7	0.2	12.9	12.6	0.2	12.8

Channel	Frequency (MHz)	Corrected Conducted Peak Power Port 1 (dBm)	Corrected Conducted Peak Power Port 2 (dBm)	Combined Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Single	5290	12.9	12.8	15.9	24.0	8.1	Complied



Single Channel / Port 1




Single Channel / Port 2


**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**

Results: 802.11a / 20 MHz / BPSK / 6 Mbps / 5.47-5.725 GHz band

Channel	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5500	14.9	24.0	9.1	Complied
Middle	5580	20.2	24.0	3.8	Complied
Top	5700	14.7	24.0	9.3	Complied



Bottom Channel



Middle Channel




Top Channel


**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**

Results: 802.11n / 20 MHz / BPSK / MCS0 / SISO / 5.47-5.725 GHz band


Channel	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5500	15.0	24.0	9.0	Complied
Middle	5580	20.5	24.0	3.5	Complied
Top	5700	14.9	24.0	9.1	Complied



Bottom Channel



Middle Channel



Top Channel


**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**

Results: 802.11n / 40 MHz / BPSK / MCS0 / SISO / 5.47-5.725 GHz band


Channel	Frequency (MHz)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5510	13.6	0.1	13.7	24.0	10.3	Complied
Middle	5590	19.2	0.1	19.3	24.0	4.7	Complied
Top	5670	15.9	0.1	16.0	24.0	8.0	Complied



Bottom Channel



Middle Channel



Top Channel


**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**

Results: 802.11ac / 80 MHz / BPSK / MCS0 / SISO / 5.47-5.725 GHz band

Channel	Frequency (MHz)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5530	12.7	0.2	12.9	24.0	11.1	Complied
Top	5610	18.8	0.2	19.0	24.0	5.0	Complied



Bottom Channel






Top Channel

**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**

Results: 802.11n / 20 MHz / BPSK / MCS0 / MIMO / 5.47-5.725 GHz band


Channel	Frequency (MHz)	Conducted Peak Power Port 1 (dBm)	Conducted Peak Power Port 2 (dBm)	Combined Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5500	14.6	14.6	17.6	24.0	6.4	Complied
Middle	5580	18.0	18.0	21.0	24.0	3.0	Complied
Top	5700	14.0	14.0	17.0	24.0	7.0	Complied

Results: 802.11n / 20 MHz / BPSK / MCS0 / MIMO / 5.47-5.725 GHz band / Port 1




**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**


Results: 802.11n / 20 MHz / BPSK / MCS0 / MIMO / 5.47-5.725 GHz band / Port 2



Bottom Channel



Middle Channel



Top Channel

**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**


Results: 802.11n / 40 MHz / BPSK / MCS0 / MIMO / 5.47-5.725 GHz band

Channel	Frequency (MHz)	Port 1			Port 2		
		Conducted Peak Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Peak Power (dBm)	Conducted Peak Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Peak Power (dBm)
Bottom	5510	12.9	0.1	13.0	12.7	0.1	12.8
Middle	5590	19.1	0.1	19.2	19.1	0.1	19.2
Top	5670	14.2	0.1	14.3	14.0	0.1	14.1

Channel	Frequency (MHz)	Corrected Conducted Peak Power Port 1 (dBm)	Corrected Conducted Peak Power Port 2 (dBm)	Combined Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5510	13.0	12.8	15.9	24.0	8.1	Complied
Middle	5590	19.2	19.2	22.2	24.0	1.8	Complied
Top	5670	14.3	14.1	17.2	24.0	6.8	Complied


**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**

Results: 802.11n / 40 MHz / BPSK / MCS0 / MIMO / 5.47-5.725 GHz band / Port 1



Bottom Channel


Middle Channel




Top Channel

**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**


Results: 802.11n / 40 MHz / BPSK / MCS0 / MIMO / 5.47-5.725 GHz band / Port 2



Bottom Channel



Middle Channel



Top Channel

**Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands)
(continued)**


Results: 802.11ac / 80 MHz / BPSK / MCS0x1 / MIMO / 5.47-5.725 GHz band

Channel	Frequency (MHz)	Port 1			Port 2		
		Conducted Peak Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Peak Power (dBm)	Conducted Peak Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Peak Power (dBm)
Bottom	5530	12.4	0.2	12.6	12.6	0.2	12.8
Top	5610	18.6	0.2	18.8	18.6	0.2	18.8


Channel	Frequency (MHz)	Corrected Conducted Peak Power Port 1 (dBm)	Corrected Conducted Peak Power Port 2 (dBm)	Combined Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5530	12.6	12.8	15.7	24.0	8.3	Complied
Top	5610	18.8	18.8	21.8	24.0	2.2	Complied

Transmitter Maximum Conducted Output Power (5.25-5.35 GHz & 5.47-5.725 GHz bands) (continued)

Results: 802.11ac / 80 MHz / BPSK / MCS0x1 / MIMO / 5.47-5.725 GHz band / Port 1




Bottom Channel




Top Channel

Results: 802.11ac / 80 MHz / BPSK / MCS0x1 / MIMO / 5.47-5.725 GHz band / Port 2



Bottom Channel



Top Channel

Transmitter Maximum Conducted Output Power (Channels that straddle the U-NII-2C and U-NII-3 bands at 5725 MHz)

Test Summary:

Test Engineer:	Georgios Vrezas	Test Dates:	12 July 2016 to 22 July 2016
Test Sample Serial Number:	C39RW006HFML		

FCC Reference:	Part 15.407(a)(3)
Test Method Used:	KDB 789033 D02 Section II.E.2.b) and II.E.2.d)

Environmental Conditions:

Temperature (°C):	24 to 25
Relative Humidity (%):	40 to 43

Note(s):

1. Channels that straddle the U-NII-2C and U-NII-3 bands at 5725 MHz, need to meet requirements of both U-NII bands. Due to maximum conducted power limit being more stringent on U-NII-2C, compliance is shown against the limits of U-NII-2C. By default the EUT also complies on U-NII-3.
2. The FCC Part 15.407(a)(2) limit is the lesser of 250 mW (24.0 dBm) or $11 \text{ dBm} + 10 \log_{10} B$, where B is the previously measured 26 dB emission bandwidth in MHz. The 26 dB EBW is greater than 20 MHz:

$$\begin{aligned}
 \text{For } B > 20 \text{ MHz} \rightarrow \\
 \rightarrow \log_{10} B > \log_{10} 20 \rightarrow \\
 \rightarrow 10 \log_{10} B > 10 \log_{10} 20 \rightarrow \\
 \rightarrow 11 + 10 \log_{10} B > 11 + 10 \log_{10} 20 \rightarrow \\
 \rightarrow 11 + 10 \log_{10} B > 24.0 \text{ dBm}
 \end{aligned}$$

Therefore for measured emission bandwidths greater than 20 MHz, the lesser of the two limits is the fixed limit of 250 mW (24.0 dBm). This was applied to the results.

3. The EUT's directional antenna gain is < 6 dBi on both U-NII-2C and U-NII-3 bands. Please refer to the relevant sections of this test report for directional antenna gain calculations.