



CERTIFICATION TEST REPORT

Report Number. : 12124121-E7V3

Applicant : APPLE, INC.
1 APPLE PARK WAY
CUPERTINO, CA 95014, U.S.A.

Model : A1920, A2099, A2100

FCC ID : BCG-E3218A

EUT Description : SMARTPHONE

Test Standard(s) : CFR47 PART 22H, 24E, 27, 90S, and 90R

Date Of Issue:
JULY 09, 2018

Prepared by:
UL Verification Services Inc.
47173 Benicia Street
Fremont, CA 94538, U.S.A.
TEL: (510) 771-1000
FAX: (510) 661-0888



NVLAP LAB CODE 200065-0

Revision History

Rev.	Issue Date	Revisions	Revised By
V1	7/2/2018	Initial Review	Ellen Chu
V2	7/7/2018	Addressed TCB's Question	Mengistu Mekuria
V3	7/9/2018	Addressed TCB's Question	Chin Pang

TABLE OF CONTENTS

1. ATTESTATION OF TEST RESULTS	8
2. TEST METHODOLOGY	9
3. FACILITIES AND ACCREDITATION	9
4. CALIBRATION AND UNCERTAINTY	9
4.1. MEASURING INSTRUMENT CALIBRATION	9
4.2. SAMPLE CALCULATION	9
4.3. MEASUREMENT UNCERTAINTY	10
5. EQUIPMENT UNDER TEST	11
5.1. DESCRIPTION OF EUT	11
5.2. DIFFERENCE IN MODEL NUMBER	11
5.3. MAXIMUM OUTPUT POWER	11
5.4. SOFTWARE AND FIRMWARE	18
5.5. MAXIMUM ANTENNA GAIN	18
5.6. WORST-CASE CONFIGURATION AND MODE	20
5.7. DESCRIPTION OF TEST SETUP	21
6. TEST AND MEASUREMENT EQUIPMENT	23
7. RF OUTPUT POWER VERIFICATION	24
7.1. ANT 1, ANT 2, ANT 3 AND ANT 4	26
7.1.1. LTE BAND 2	26
7.1.2. LTE BAND 5	29
7.1.3. LTE BAND 7	31
7.1.4. LTE BAND 12	33
7.1.5. LTE BAND 13	35
7.1.6. LTE BAND 14	36
7.1.7. LTE BAND 17	37
7.1.8. LTE BAND 25	38
7.1.9. LTE BAND 26 (Part 90S)	41
7.1.10. LTE BAND 30	43
7.1.11. LTE BAND 41	44
7.1.12. LTE BAND 66	46
7.1.13. LTE BAND 71	49



8. CONDUCTED TEST RESULTS	51
8.1. OCCUPIED BANDWIDTH	51
8.1.1. LTE BAND 2.....	58
8.1.2. LTE BAND 5.....	61
8.1.3. LTE BAND 7.....	63
8.1.4. LTE BAND 12.....	65
8.1.5. LTE BAND 13.....	67
8.1.6. LTE BAND 14.....	68
8.1.7. LTE BAND 17.....	69
8.1.8. LTE BAND 25.....	70
8.1.9. LTE BAND 26 (PART 90S).....	73
8.1.10. LTE BAND 30	77
8.1.11. LTE BAND 41	78
8.1.12. LTE BAND 66	80
8.1.13. LTE BAND 71	83
8.2. BAND EDGE AND EMISSION MASK	87
8.2.1. LTE BAND 2 BANDEDGE	91
8.2.2. LTE BAND 5 BANDEDGE	99
8.2.3. LTE BAND 7 ADJACENT CHANNEL POWER	105
8.2.4. LTE BAND 12 BANDEDGE	117
8.2.5. LTE BAND 13 ADJACENT CHANNEL POWER	123
8.2.6. LTE BAND 14 ADJACENT CHANNEL POWER	126
8.2.7. LTE BAND 17 BANDEDGE	129
8.2.8. LTE BAND 25 BANDEDGE	132
8.2.9. LTE BAND 26 EMISSION MASK (PART 90S).....	140
8.2.10. LTE BAND 30 ADJACENT CHANNEL POWER	146
8.2.11. LTE BAND 41 ADJACENT CHANNEL POWER	149
8.2.12. LTE BAND 66 BANDEDGE	161
8.2.13. LTE BAND 71 BANDEDGE	169
8.3. OUT OF BAND EMISSIONS	175
8.3.1. ANT 1, LTE BAND 2.....	177
8.3.2. ANT 1, LTE BAND 5.....	183
8.3.3. ANT 1, LTE BAND 7.....	187
8.3.4. ANT 1, LTE BAND 12.....	191
8.3.5. ANT 1, LTE BAND 13.....	195

8.3.6.	ANT 1, LTE BAND 14	197
8.3.7.	ANT 1, LTE BAND 17	199
8.3.8.	ANT 1, LTE BAND 25	201
8.3.9.	ANT 1, LTE BAND 26 (PART 90S)	207
8.3.10.	ANT 1, LTE BAND 30	211
8.3.11.	ANT 1, LTE BAND 41	214
8.3.12.	ANT 1, LTE BAND 66	218
8.3.13.	ANT 1, LTE BAND 71	224
8.4.	FREQUENCY STABILITY	228
8.4.1.	LTE BAND 2	230
8.4.2.	LTE BAND 5	230
8.4.3.	LTE BAND 7	231
8.4.4.	LTE BAND 12	231
8.4.5.	LTE BAND 13	232
8.4.6.	LTE BAND 14	232
8.4.7.	LTE BAND 17	233
8.4.8.	LTE BAND 25	233
8.4.9.	LTE BAND 26 (PART 90S)	234
8.4.10.	LTE BAND 30	234
8.4.11.	LTE BAND 41	235
8.4.12.	LTE BAND 66	235
8.4.13.	LTE BAND 71	236
8.5.	PEAK-TO-AVERAGE POWER RATIO	237
8.5.1.	LTE BAND 2	238
8.5.2.	LTE BAND 5	240
8.5.3.	LTE BAND 7	242
8.5.4.	LTE BAND 12	244
8.5.5.	LTE BAND 13	246
8.5.6.	LTE BAND 14	247
8.5.7.	LTE BAND 17	248
8.5.8.	LTE BAND 25	249
8.5.9.	LTE BAND 26 (PART 90S)	251
8.5.10.	LTE BAND 30	253
8.5.11.	LTE BAND 41	254
8.5.12.	LTE BAND 66	254

8.5.13.	LTE BAND 71	257
9.	RADIATED TEST RESULTS	259
9.1.	FIELD STRENGTH OF SPURIOUS RADIATION, ANT 1	260
9.1.1.	LTE BAND 2.....	260
9.1.2.	LTE BAND 5.....	260
9.1.3.	LTE BAND 7.....	261
9.1.4.	LTE BAND 12.....	262
9.1.5.	LTE BAND 13.....	262
9.1.6.	LTE BAND 14.....	263
9.1.7.	LTE BAND 17.....	263
9.1.8.	LTE BAND 25.....	264
9.1.9.	LTE BAND 26 (PART 90S).....	264
9.1.10.	LTE BAND 30	265
9.1.11.	LTE BAND 41	265
9.1.12.	LTE BAND 66	266
9.1.13.	LTE BAND 71	267
9.2.	FIELD STRENGTH OF SPURIOUS RADIATION, ANT 2	268
9.2.1.	LTE BAND 2.....	268
9.2.2.	LTE BAND 5.....	268
9.2.3.	LTE BAND 7.....	269
9.2.4.	LTE BAND 12.....	270
9.2.5.	LTE BAND 13.....	270
9.2.6.	LTE BAND 14.....	271
9.2.7.	LTE BAND 17.....	271
9.2.8.	LTE BAND 25.....	272
9.2.9.	LTE BAND 26 (PART 90S).....	272
9.2.10.	LTE BAND 30	273
9.2.11.	LTE BAND 41	273
9.2.12.	LTE BAND 66	274
9.2.13.	LTE BAND 71	275
9.3.	FIELD STRENGTH OF SPURIOUS RADIATION, ANT 3	276
9.3.1.	LTE BAND 2.....	276
9.3.2.	LTE BAND 7.....	276
9.3.3.	LTE BAND 25.....	277

9.3.4.	LTE BAND 30.....	278
9.3.5.	LTE BAND 41.....	278
9.3.6.	LTE BAND 66.....	279
9.4.	FIELD STRENGTH OF SPURIOUS RADIATION, ANT 4	280
9.4.1.	LTE BAND 2.....	280
9.4.2.	LTE BAND 7.....	280
9.4.3.	LTE BAND 25.....	281
9.4.4.	LTE BAND 30.....	282
9.4.5.	LTE BAND 41.....	282
9.4.6.	LTE BAND 66.....	283
10.	SETUP PHOTOS.....	284

1. ATTESTATION OF TEST RESULTS

Applicant Name and Address	APPLE, INC. 1 APPLE PARK WAY CUPERTINO, CA 95014, U.S.A.
Model	A1920, A2099, A2100
FCC ID	BCG-E3218A
EUT Description	SMARTPHONE
Serial Number	C39WF00CJVX8
Date Tested	FEBRUARY 07, 2018 to JUNE 08, 2018
Applicable Standards	CFR47 PART 22H, 24E, 27, 90S, and 90R
Test Results	COMPLIES
UL Verification Services Inc. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by UL Verification Services Inc. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report. Note: The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. This document may not be altered or revised in any way unless done so by UL Verification Services Inc. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Verification Services Inc. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, any agency of the Federal Government, or any agency of any government (NIST Handbook 150, Annex A). This report is written to support regulatory compliance of the applicable standards stated above.	
Approved & Released By: 	Prepared By: 
Mengistu Mekuria Lead Test Engineer UL Verification Services Inc.	Lieu Nguyen Laboratory Engineer UL Verification Services Inc.

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with ANSI C63.26:2015, FCC CFR 47 Part 2, Part 22, Part 24, Part 27, Part 90S and 90R, FCC KDB 971168 D01 v03r01/ D02 v02r01, ANSI C63.26:2015.

3. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 47173 and 47266 Benicia Street, Fremont, California, USA. The following table identifies which facilities were utilized for radiated emission measurements documented in this report. Specific facilities are also identified in the test results sections.

47173 Benicia Street	47266 Benicia Street
☐ Chamber A (IC:2324B-1)	☐ Chamber D (IC:22541-1)
☐ Chamber B (IC:2324B-2)	☒ Chamber E (IC:22541-2)
☐ Chamber C (IC:2324B-3)	☐ Chamber F (IC:22541-3)
	☐ Chamber G (IC:22541-4)
	☐ Chamber H (IC:22541-5)

The above test sites and facilities are covered under FCC Test Firm Registration # 208313. UL Verification Services Inc. is accredited by NVLAP, Laboratory Code 200065-0. The full scope of accreditation can be viewed at [NVLAP Lab Search](#).

4. CALIBRATION AND UNCERTAINTY

4.1. MEASURING INSTRUMENT CALIBRATION

The measuring equipment utilized to perform the tests documented in this report has been calibrated in accordance with the manufacturer's recommendations, and is traceable to recognized national standards.

4.2. SAMPLE CALCULATION

Where relevant, the following sample calculation is provided:

$$\begin{aligned} \text{Field Strength (dBuV/m)} &= \text{Measured Voltage (dBuV)} + \text{Antenna Factor (dB/m)} + \text{Cable Loss (dB)} - \\ &\text{Preamp Gain (dB)} \\ 36.5 \text{ dBuV} + 18.7 \text{ dB/m} + 0.6 \text{ dB} - 26.9 \text{ dB} &= 28.9 \text{ dBuV/m} \end{aligned}$$

4.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	UNCERTAINTY
Conducted Disturbance, 9KHz to 0.15 MHz	3.84 dB
Conducted Disturbance, 0.15 to 30 MHz	3.65 dB
Radiated Disturbance, 9KHz to 30 MHz	3.15 dB
Radiated Disturbance, 30 to 1000 MHz	5.36 dB
Radiated Disturbance, 1000 to 18000 MHz	4.32 dB
Radiated Disturbance, 18000 to 26000 MHz	4.45 dB
Radiated Disturbance, 26000 to 40000 MHz	5.24 dB
Occupied Channel Bandwidth	±0.39 %
Temperature	±0.9 °C
Supply voltages	±0.45 %
Time	±0.02 %

Uncertainty figures are valid to a confidence level of 95%.

5. EQUIPMENT UNDER TEST

5.1. DESCRIPTION OF EUT

The Apple iPhone, is a smartphone with multimedia functions (music, application support, and video), cellular GSM, GPRS, EGPRS, UMTS, LTE, TD-SCDMA, CDMA, IEEE 802.11a/b/g/n/ac, Bluetooth, GPS and NFC. All models support at least one UICC based SIM. The second SIM is either UICC based, electronic SIM (e-SIM), or second SIM is not present. The device has a built-in inductive charging receiver which is not user accessible. The rechargeable battery is not user accessible.

5.2. DIFFERENCE IN MODEL NUMBER

Model A2099, A2100 is electrically identical to Model A1920. Three model numbers are allocated for marketing and logistic purposes only. A1920 was used to perform all final tests.

5.3. MAXIMUM OUTPUT POWER

ERP/EIRP LIMIT

\$2.1046, \$22.913, \$24.232, \$27.50, \$90.635 and \$90.541

EIRP/ERP TEST PROCEDURE

ANSI C63.26:2015

KDB 971168 D01 Section 5.6

$$\text{ERP/EIRP} = \text{PMeas} + \text{GT} - \text{LC}$$

where: ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the same units as PMeas, typically dBW or dBm);

PMeas = measured transmitter output power or PSD, in dBm or dBW;

GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

LC = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

EUT includes different power levels for head use configuration and body use configuration and the below tables contain the highest of all configurations average conducted and ERP/EIRP output powers as follows:

LTE BAND 2

Part 24								
EIRP Limit (W)		2.00						
Antenna Gain (dBi)		-3.60						
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (kHz)	Emission Designator
1.4	QPSK	1850.7	1909.3	25.5	21.89	0.154	1093	1M09G7W
	16QAM			24.8	21.24	0.133	1097.4	1M10D7W
	64QAM			24.2	20.63	0.116	1092.3	1M09D7W
3.0	QPSK	1851.5	1908.5	24.2	20.61	0.115	2703.8	2M70G7W
	16QAM			24.8	21.20	0.132	2709.7	2M71D7W
	64QAM			24.1	20.53	0.113	2707.8	2M71D7W
5.0	QPSK	1852.5	1907.5	25.5	21.90	0.155	4496.6	4M50G7W
	16QAM			25.0	21.40	0.138	4502.1	4M50D7W
	64QAM			24.3	20.69	0.117	4497.6	4M50D7W
10.0	QPSK	1855.0	1905.0	25.4	21.80	0.151	9008.3	9M01G7W
	16QAM			24.4	20.80	0.120	9019.6	9M02D7W
	64QAM			23.8	20.24	0.106	9012	9M01D7W
15.0	QPSK	1857.5	1902.5	25.3	21.73	0.149	13499	13M5G7W
	16QAM			24.2	20.63	0.115	13495	13M5D7W
	64QAM			23.9	20.35	0.108	13490	13M5D7W
20.0	QPSK	1860.0	1900.0	25.4	21.82	0.152	17966	18M0G7W
	16QAM			24.3	20.74	0.119	18021	18M0D7W
	64QAM			23.9	20.26	0.106	17862.6	17M9D7W

LTE BAND 5

Part 22H								
ERP Limit (W)		7.00						
Antenna Gain (dBi)		-5.50						
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (kHz)	Emission Designator
1.4	QPSK	824.7	848.3	25.5	17.85	0.061	1090.9	1M09G7W
	16QAM			24.4	16.79	0.048	1093.6	1M09D7W
	64QAM			24.3	16.62	0.046	1090.6	1M09D7W
3.0	QPSK	825.5	847.5	25.3	17.61	0.058	2702.9	2M70G7W
	16QAM			24.3	16.67	0.046	2713.5	2M71D7W
	64QAM			24.0	16.30	0.043	2712.6	2M71D7W
5.0	QPSK	826.5	846.5	25.4	17.71	0.059	4493.9	4M49G7W
	16QAM			24.4	16.79	0.048	4497.6	4M50D7W
	64QAM			24.2	16.54	0.045	4496.9	4M50D7W
10.0	QPSK	829.0	844.0	25.5	17.82	0.061	8995.9	9M00G7W
	16QAM			24.6	16.97	0.050	9016.8	9M02D7W
	64QAM			23.9	16.29	0.043	8935.9	8M94D7W

LTE BAND 7

Part 27								
EIRP Limit (W)		2.00						
Antenna Gain (dBi)		-1.50						
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (kHz)	Emission Designator
5.0	QPSK	2502.5	2567.5	25.3	23.82	0.241	4495.2	4M50G7W
	16QAM			24.7	23.22	0.210	4501.6	4M50D7W
	64QAM			24.4	22.86	0.193	4498.6	4M50D7W
10.0	QPSK	2505.0	2565.0	25.5	24.00	0.251	9011.8	9M01G7W
	16QAM			24.9	23.35	0.216	8994	8M99D7W
	64QAM			24.4	22.93	0.196	9027.7	9M03D7W
15.0	QPSK	2507.5	2562.5	25.5	23.96	0.249	13471	13M5G7W
	16QAM			24.8	23.31	0.214	13481	13M5D7W
	64QAM			24.3	22.79	0.190	13469	13M5D7W
20.0	QPSK	2510.0	2560.0	25.4	23.91	0.246	17955	18M0G7W
	16QAM			24.7	23.22	0.210	17943	17M9D7W
	64QAM			24.3	22.82	0.191	17853	17M9D7W

LTE BAND 12

Part 27								
ERP Limit (W)		3.00						
Antenna Gain (dBi)		-5.70						
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (kHz)	Emission Designator
1.4	QPSK	699.7	715.3	25.4	17.57	0.057	1093.2	1M09G7W
	16QAM			23.9	16.05	0.040	1091	1M09D7W
	64QAM			23.3	15.45	0.035	1091	1M09D7W
3.0	QPSK	700.5	714.5	25.5	17.65	0.058	2706.7	2M71G7W
	16QAM			24.4	16.55	0.045	2714.3	2M71D7W
	64QAM			24.1	16.25	0.042	2709.4	2M71D7W
5.0	QPSK	701.5	713.5	25.5	17.60	0.058	4506	4M51G7W
	16QAM			24.6	16.72	0.047	4505.7	4M51D7W
	64QAM			24.4	16.55	0.045	4005.8	4M01D7W
10.0	QPSK	704.0	711.0	25.3	17.40	0.055	9000	9M00G7W
	16QAM			24.2	16.36	0.043	9001.8	9M00D7W
	64QAM			24.0	16.11	0.041	8935.5	8M94D7W

LTE BAND 13

Part 27								
ERP Limit (W)		3.00						
Antenna Gain (dBi)		-4.20						
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (kHz)	Emission Designator
5.0	QPSK	779.5	784.5	25.4	19.07	0.081	4498.8	4M50G7W
	16QAM			24.5	18.20	0.066	4501.1	4M50D7W
	64QAM			24.4	18.00	0.063	4492.8	4M49D7W
10.0	QPSK	782.0	782.0	25.5	19.13	0.082	8983.5	8M98G7W
	16QAM			24.7	18.37	0.069	8983.1	8M98D7W
	64QAM			24.2	17.81	0.060	8920.9	8M92D7W

LTE BAND 14

Part 90R								
ERP Limit (W)		3.00						
Antenna Gain (dBi)		-5.00						
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (kHz)	Emission Designator
5.0	QPSK	790.5	795.5	25.5	18.32	0.068	4503.4	4M50G7W
	16QAM			24.2	17.00	0.050	4503.7	4M50D7W
	64QAM			23.8	16.69	0.047	4505.1	4M51D7W
10.0	QPSK	793.0	793.0	25.4	18.26	0.067	9032.2	9M03G7W
	16QAM			24.4	17.25	0.053	9022.6	9M02D7W
	64QAM			24.2	17.10	0.051	8938	8M94D7W

LTE BAND 17

Part 27								
ERP Limit (W)		3.00						
Antenna Gain (dBi)		-5.70						
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (kHz)	Emission Designator
5.0	QPSK	706.5	713.5	25.4	17.50	0.056	4506.1	4M51G7W
	16QAM			24.3	16.40	0.044	4500.7	4M50D7W
	64QAM			24.2	16.38	0.043	4498.6	4M50D7W
10.0	QPSK	709.0	711.0	25.5	17.61	0.058	9016.9	9M02G7W
	16QAM			24.2	16.39	0.044	9019	9M02D7W
	64QAM			24.0	16.19	0.042	8930.4	8M93D7W

LTE BAND 25

Part 24								
EIRP Limit (W)		2.00						
Antenna Gain (dBi)		-3.60						
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (kHz)	Emission Designator
1.4	QPSK	1850.7	1914.3	25.5	21.87	0.154	1090.7	1M09G7W
	16QAM			24.4	20.83	0.121	1092.3	1M09D7W
	64QAM			24.0	20.42	0.110	1092.2	1M09D7W
3.0	QPSK	1851.5	1913.5	25.3	21.67	0.147	2705.5	2M71G7W
	16QAM			24.4	20.81	0.120	2708.3	2M71D7W
	64QAM			24.2	20.60	0.115	2703.6	2M70D7W
5.0	QPSK	1852.5	1912.5	25.4	21.81	0.152	4502.5	4M50G7W
	16QAM			24.5	20.90	0.123	4500.2	4M50D7W
	64QAM			24.3	20.70	0.117	4498.1	4M50D7W
10.0	QPSK	1855.0	1910.0	25.5	21.90	0.155	9025	9M03G7W
	16QAM			24.5	20.94	0.124	9007.6	9M01D7W
	64QAM			24.4	20.79	0.120	9025.3	9M03D7W
15.0	QPSK	1857.5	1907.5	25.5	21.89	0.155	13489	13M5G7W
	16QAM			24.5	20.95	0.124	13492	13M5D7W
	64QAM			24.4	20.78	0.120	13486	13M5D7W
20.0	QPSK	1860.0	1905.0	25.3	21.68	0.147	17982	18M0G7W
	16QAM			24.2	20.59	0.115	17955	18M0D7W
	64QAM			24.2	20.59	0.115	17853	17M9D7W

LTE BAND 26 (Part 90S)

Part 90S								
ERP Limit (W)		100.00						
Antenna Gain (dBi)		-6.40						
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (kHz)	Emission Designator
1.4	QPSK	814.7	823.3	25.4	16.88	0.049	1090.3	1M09G7W
	16QAM			24.3	15.79	0.038	1094	1M09D7W
	64QAM			24.0	15.49	0.035	1095.2	1M10D7W
3.0	QPSK	815.5	822.5	25.5	16.97	0.050	2684.8	2M69G7W
	16QAM			24.4	15.87	0.039	2680.4	2M68D7W
	64QAM			24.3	15.72	0.037	2705.2	2M71D7W
5.0	QPSK	816.5	821.5	25.5	16.97	0.050	4466.5	4M47G7W
	16QAM			24.6	16.05	0.040	4470.8	4M47D7W
	64QAM			24.3	15.71	0.037	4488.5	4M49D7W
10.0	QPSK	819.0	819.0	25.4	16.81	0.048	8940.9	8M94G7W
	16QAM			24.4	15.89	0.039	8943	8M94D7W
	64QAM			24.4	15.88	0.039	8986.5	8M99D7W

LTE BAND 30

Part 27								
EIRP Limit (W)		0.25						
Antenna Gain (dBi)		-1.60						
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (kHz)	Emission Designator
5.0	QPSK	2307.5	2312.5	23.4	21.81	0.152	4496	4M50G7W
	16QAM			22.7	21.12	0.129	4497.1	4M50D7W
	64QAM			22.5	20.93	0.124	4499.5	4M50D7W
10.0	QPSK	2310.0	2310.0	23.5	21.90	0.155	9026.2	9M03G7W
	16QAM			22.5	20.90	0.123	9041.6	9M04D7W
	64QAM			22.4	20.83	0.121	8929.6	8M93D7W

LTE BAND 41

Part 27								
EIRP Limit (W)		2.00						
Antenna Gain (dBi)		-1.50						
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (kHz)	Emission Designator
5.0	QPSK	2498.5	2687.5	26.9	25.37	0.344	4460.4	4M46G7W
	16QAM			25.8	24.30	0.269	4502.6	4M50D7W
	64QAM			24.9	23.41	0.219	4490.2	4M49D7W
10.0	QPSK	2501.0	2685.0	26.9	25.38	0.345	8989.6	8M99G7W
	16QAM			25.9	24.39	0.274	8970.4	8M97D7W
	64QAM			24.9	23.38	0.218	8992.9	8M99D7W
15.0	QPSK	2503.5	2682.5	26.9	25.42	0.348	13360.1	13M4G7W
	16QAM			25.8	24.30	0.269	13432.4	13M4D7W
	64QAM			24.9	23.39	0.218	13480	13M5D7W
20.0	QPSK	2506.0	2680.0	27.0	25.50	0.355	17895	17M9G7W
	16QAM			26.0	24.49	0.281	17807.9	17M8D7W
	64QAM			25.0	23.50	0.224	17868.5	17M9D7W

LTE BAND 66

Part 27								
EIRP Limit (W)		1.00						
Antenna Gain (dBi)		-4.20						
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (kHz)	Emission Designator
1.4	QPSK	1710.7	1779.3	25.5	21.29	0.135	1085.6	1M09G7W
	16QAM			24.7	20.52	0.113	1087.7	1M09D7W
	64QAM			23.8	19.64	0.092	1086.5	1M09D7W
3.0	QPSK	1711.5	1778.5	25.5	21.30	0.135	2688.9	2M69G7W
	16QAM			24.9	20.65	0.116	2687.1	2M69D7W
	64QAM			23.7	19.49	0.089	2689.1	2M69D7W
5.0	QPSK	1712.5	1777.5	24.7	20.45	0.111	4498.3	4M50G7W
	16QAM			23.3	19.09	0.081	4504.8	4M50D7W
	64QAM			23.2	18.97	0.079	4496	4M50D7W
10.0	QPSK	1715.0	1775.0	24.6	20.40	0.110	9020.9	9M02G7W
	16QAM			23.3	19.10	0.081	9013.8	9M01D7W
	64QAM			23.2	18.98	0.079	9007.6	9M01D7W
15.0	QPSK	1717.5	1772.5	24.6	20.44	0.111	13463	13M5G7W
	16QAM			23.5	19.26	0.084	13501	13M5D7W
	64QAM			23.3	19.12	0.082	13466	13M5D7W
20.0	QPSK	1720.0	1770.0	24.5	20.35	0.108	17930	17M9G7W
	16QAM			23.5	19.31	0.085	17945	17M9D7W
	64QAM			23.3	19.10	0.081	17988	18M0D7W

LTE BAND 71

Part 27								
ERP Limit (W)		3.00						
Antenna Gain (dBi)		-5.70						
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (kHz)	Emission Designator
5.0	QPSK	665.5	695.5	25.5	17.65	0.058	4512	4M51G7W
	16QAM			24.2	16.35	0.043	4495.8	4M50D7W
	64QAM			24.2	16.35	0.043		0K00D7W
10.0	QPSK	668.0	693.0	25.4	17.55	0.057	9030.7	9M03G7W
	16QAM			24.3	16.45	0.044	9015	9M02D7W
	64QAM			24.2	16.35	0.043		0K00D7W
15.0	QPSK	670.5	690.5	25.4	17.55	0.057	13501	13M5G7W
	16QAM			24.3	16.45	0.044	13494	13M5D7W
	64QAM			24.1	16.25	0.042		0K00D7W
20.0	QPSK	673.0	688.0	25.4	17.55	0.057	17969	18M0G7W
	16QAM			24.3	16.45	0.044	18006	18M0D7W
	64QAM			24.2	16.35	0.043	17961	18M0D7W

5.4. SOFTWARE AND FIRMWARE

The EUT firmware installed during testing was version 0.26.01.

5.5. MAXIMUM ANTENNA GAIN

Please see table below:

Frequency (MHz)	Ant 1 Gain (dBi)	Ant 2 Gain (dBi)	Ant 3 Gain (dBi)	Ant 4 Gain (dBi)
660	-5.7	-7.9	N/A	N/A
670	-5.9	-7.9	N/A	N/A
680	-5.8	-7.8	N/A	N/A
690	-6.5	-8.3	N/A	N/A
700	-5.8	-7.7	N/A	N/A
710	-5.7	-7.6	N/A	N/A
720	-5.8	-7.5	N/A	N/A
770	-4.2	-7.4	N/A	N/A
780	-4.4	-8.1	N/A	N/A
790	-5.0	-9.0	N/A	N/A
810	-6.6	-6.7	N/A	N/A
820	-6.4	-6.9	N/A	N/A
830	-5.6	-6.7	N/A	N/A
840	-5.5	-6.7	N/A	N/A
850	-5.8	-6.8	N/A	N/A
860	-8.5	-6.8	N/A	N/A
1700	-4.2	-3.1	-6.3	-8.2
1720	-4.2	-3.4	-5.0	-7.5
1740	-4.5	-4.5	-4.2	-7.4

1760	-4.9	-4.9	-3.3	-7.0
1840	-3.6	-3.9	-3.4	-5.8
1860	-3.9	-3.9	-3.9	-4.8
1880	-4.0	-3.8	-4.2	-4.8
1900	-4.1	-3.5	-4.2	-4.8
1920	-4.4	-3.8	-4.4	-4.6
2300	-1.6	-5.0	-4.9	-2.7
2320	-1.7	-4.7	-4.8	-2.7
2500	-1.5	-5.0	-3.9	-2.7
2520	-1.6	-5.5	-3.9	-2.6
2540	-1.7	-5.7	-3.8	-2.5
2560	-1.9	-5.6	-3.9	-2.3
2580	-1.7	-5.4	-4.3	-2.2
2600	-1.8	-5.6	-4.9	-2.2
2620	-2.1	-5.9	-5.2	-2.4
2640	-2.1	-6.0	-5.5	-2.5
2660	-2.4	-6.5	-5.7	-2.5
2680	-2.7	-6.7	-6.1	-2.6
2700	-2.4	-6.9	-6.1	-2.1

5.6. WORST-CASE CONFIGURATION AND MODE

The EUT supports LTE Bands of:

Band 2, Band 4, Band 5, Band 7, Band 12, Band 13, Band 14, Band 17, Band 25, Band 26, Band 30, Band 41, Band 66 and Band 71.

LTE Band 4 (1710-1755MHz) is covered by LTE Band 66 because it is a subset of LTE band 66 and they have same output power.

FCC rule Part 22.905 of LTE Band 26 (824-849MHz) is covered by LTE Band 5 of same rule since they have the same output power and supported bandwidths.

According to the Tune-up procedure, power class 2 (PC2) used to measure LTE band 41 powers.

The worst-case scenario for all measurements is based on the average conducted output power measurement investigation results. Output power measurements were measured on QPSK, 16QAM and 64QAM modulations. It was found that QPSK and 16QAM results were worst case. All testing was performed using QPSK and 16QAM modulations to represent the worst case.

Conducted tests were performed on at Ant. 1 as worst case since it has higher output powers.

Radiated test was investigated in three orthogonal orientations X, Y and Z on ant 1/ant 2/ant 3/ant 4. it was determined that X (Flatbed) orientation was the worst-case orientation for cell bands; Z (Portrait) orientation was the worst-case orientation for pcs bands and Y (Landscape) orientation on Band 7, 30, and 41 without AC/DC adapter or earphone.

Radiated spurious emissions were investigated below 30MHz, 30MHz-1GHz and above 1GHz. There were no emissions found on below 30MHz and 30MHz-1GHz.

For simultaneous transmission of multiple channels in the 2.4 /5 GHz and Cellular bands, No noticeable emission was found.

5.7. DESCRIPTION OF TEST SETUP

SUPPORT EQUIPMENT

Support Equipment List			
Description	Manufacturer	Model	Serial Number
Laptop AC/DC adapter	Delta Electronic	A1343	ADP-85EBT V85
Laptop	Apple	MacBook Pro	73008ACB7XJ


I/O CABLES (RF Conducted Test)

I/O Cable List						
Cable No	Port	# of identical ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	AC	1	US 115V	Un-shielded	2.0m	N/A
2	USB	1	DC	Un-shielded	1.0m	N/A
3	RF In/Out	1	EUT	Un-shielded	0.6m	N/A
4	RF In/Out	1	Communication Test Set	Un-shielded	1.2m	N/A
5	RF In/Out	1	Barrel	N/A	N/A	N/A


I/O CABLES (RF Radiated Test)

I/O Cable List						
Cable No	Port	# of identical ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	RF In/Out	1	Antenna	Un-shielded	5.0m	N/A

CONDUCTED SETUP



RADIATED SETUP



6. TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment was utilized for the tests documented in this report:

TEST EQUIPMENT LIST				
Description	Manufacturer	Model	Asset	Cal Due
Antenna, Horn 1-18GHz	ETS Lindgren	3117	T712	02/08/2019
*Antenna, Broadband Hybrid, 30MHz	Sunol Sciences	JB3	T900	05/31/2018
*Antenna, Broadband Hybrid, 30MHz	Sunol Sciences	JB3	T899	06/15/2018
Amplifier, 1 to 18GHz	Miteq	AFS42-00101800-25-S-42	T741	12/30/2018
Amplifier, 1 to 8GHz	Miteq	AMF-4D-01000800-30-29P	T1169	12/30/2018
*Amplifier, 10KHz to 1GHz, 32dB	Sonoma	310N	T285	06/24/2018
Spectrum Analyzer, PXA 3Hz to	Keysight	N9030A	T906	02/16/2019
Antenna, Horn 1-18GHz	ETS Lindgren	3117	T712	02/08/2019
Antenna, Horn 1-18GHz	ETS Lindgren	3117	T119	04/03/2019
*Antenna, Broadband Hybrid, 30MHz to 2000MHz	Sunol Sciences	JB3	T407	04/14/2018
*Amplifier, 1 to 18GHz	Miteq	AFS42-00101800-25-S-42	T491	06/01/2018
*Amplifier, 10KHz to 1GHz, 32dB	Sonoma	310N	T834	06/01/2018
Spectrum Analyzer, PXA 3Hz to	Keysight	N9030A-544	T341	11/12/2018
Antenna, Horn 1-18GHz	ETS Lindgren	3117	T119	04/03/2019
Filter, HPF 4GHz	MICROTRONICS	HPM13351	T1239	08/11/2018
Power Meter, P-series single channel	Keysight	N1912A	T1272	05/1/2019
Power Sensor	Keysight	N1921A	T1225	04/10/2019
Directional Coupler	KRYTAR	152610	T1537	04/27/2019
Directional Coupler	KRYTAR	152613	T1536	04/27/2019
Wideband Communication Test Set,	Rohde &	CMW500	T979	02/17/2019
Wideband Communication Test Set,	Rohde &	CMW500	T959	02/17/2019
Wideband Communication Test Set,	Rohde &	CMW500	T956	06/22/2018
Wideband Communication Test Set,	Rohde &	CMW500	T979	02/17/2019
Chamber, Environmental	Cincinnati Sub Zero	ZPHS-8-3.5-SCT/WC	T754	09/05/2018

Note: * Indicates on equipment list above are past due of the calibration dates, However, all tests are completed before equipment expiration dates indicated above.

7. RF OUTPUT POWER VERIFICATION

CONDUCTED OUTPUT POWER MEASUREMENT PROCEDURE

All LTE bands conducted average power is obtained from the CMW500 telecommunication test set.

The following tests were conducted according to the test requirements outlined in section 6.2 of the 3GPP TS36.101 specification.

UE Power Class: 3 (23 +/- 2dBm). The allowed Maximum Power Reduction (MPR) for the maximum output power due to higher order modulation and transmit bandwidth configuration (resource blocks) is specified in Table 6.2.3-1 of the 3GPP TS36.101.

Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 1, 2 and 3

Modulation	Channel bandwidth / Transmission bandwidth (N_{RB})						MPR (dB)
	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz	
QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1
16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1
16 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2
64 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 2
64 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 3

The allowed A-MPR values specified below in Table 6.2.4-1 of 3GPP TS36.101 are in addition to the allowed MPR requirements. All the measurements below were performed with A-MPR disabled, by using Network Signaling Value of "NS_01".3

Table 6.2.4-1: Additional Maximum Power Reduction (A-MPR)

Network Signalling value	Requirements (sub-clause)	E-UTRA Band	Channel bandwidth (MHz)	Resources Blocks (N_{RB})	A-MPR (dB)
NS_01	6.6.2.1.1	Table 5.5-1	1.4, 3, 5, 10, 15, 20	Table 5.6-1	NA
NS_03	6.6.2.2.1	2, 4, 10, 23, 25, 35, 36	3	>5	≤ 1
			5	>6	≤ 1
			10	>6	≤ 1
			15	>8	≤ 1
			20	>10	≤ 1
NS_04	6.6.2.2.2	41	5	>6	≤ 1
			10, 15, 20	See Table 6.2.4-4	
NS_05	6.6.3.3.1	1	10, 15, 20	≥ 50	≤ 1
NS_06	6.6.2.2.3	12, 13, 14, 17	1.4, 3, 5, 10	Table 5.6-1	n/a
NS_07	6.6.2.2.3 6.6.3.3.2	13	10	Table 6.2.4-2	Table 6.2.4-2
NS_08	6.6.3.3.3	19	10, 15	> 44	≤ 3
NS_09	6.6.3.3.4	21	10, 15	> 40	≤ 1
				> 55	≤ 2
NS_10		20	15, 20	Table 6.2.4-3	Table 6.2.4-3
NS_11	6.6.2.2.1	23 ¹	1.4, 3, 5, 10	Table 6.2.4-5	Table 6.2.4-5
..					
NS_32	-	-	-	-	-

Note 1: Applies to the lower block of Band 23, i.e. a carrier placed in the 2000-2010 MHz region.

MODES TESTED

- LTE Band 2
- LTE Band 5
- LTE Band 7
- LTE Band 12
- LTE Band 13
- LTE Band 14
- LTE Band 17
- LTE Band 25
- LTE Band 26
- LTE Band 30
- LTE Band 41
- LTE Band 66
- LTE Band 71

RESULTS

EUT includes different power levels for head use configuration and body use configuration and the below tables contain the highest of all configurations average conducted output powers as follows:

7.1. ANT 1, ANT 2, ANT 3 AND ANT 4

7.1.1. LTE BAND 2

ID:	10646	Date:	2/9/18
-----	-------	-------	--------

OUTPUT POWER FOR LTE BAND 2 (1.4 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)		
				18607	18900	19193	18607	18900	19193	18607	18900	19193	18607	18900	19193
1.4	QPSK	1	0	25.3	25.5	25.3	18.4	18.5	18.3	24.7	24.9	24.6	20.3	20.5	20.2
		1	2	25.3	25.5	25.3	18.3	18.5	18.3	24.7	24.9	24.7	20.3	20.5	20.2
		1	5	25.4	25.4	25.3	18.3	18.4	18.3	24.7	24.9	24.7	20.3	20.4	20.3
		3	0	25.3	25.5	25.3	18.3	18.4	18.3	24.7	24.9	24.6	20.3	20.4	20.2
		3	1	25.2	25.4	25.3	18.3	18.4	18.3	24.6	24.9	24.6	20.3	20.4	20.2
		3	2	25.3	25.4	25.3	18.3	18.3	18.3	24.6	24.8	24.6	20.3	20.4	20.3
	16QAM	6	0	24.3	24.4	24.3	17.2	17.3	17.3	23.6	23.8	23.6	19.3	19.4	19.2
		1	0	24.6	24.8	24.5	17.1	17.4	17.1	23.7	23.9	23.5	19.3	19.6	19.3
		1	2	24.6	24.8	24.6	17.2	17.4	17.2	23.6	23.9	23.6	19.3	19.5	19.2
		1	5	24.7	24.8	24.6	17.3	17.4	17.1	23.7	23.9	23.7	19.3	19.5	19.3
		3	0	24.4	24.6	24.5	17.0	17.2	17.0	23.4	23.7	23.5	19.2	19.4	19.1
		3	1	24.4	24.6	24.4	17.0	17.1	17.0	23.4	23.7	23.5	19.2	19.4	19.1
	64QAM	3	2	24.5	24.5	24.4	17.0	17.1	16.9	23.5	23.7	23.5	19.2	19.3	19.1
		6	0	23.4	23.4	23.4	15.9	16.0	16.0	22.4	22.6	22.4	18.2	18.3	18.0
		1	0	24.1	24.2	24.1	17.1	17.2	17.2	23.9	24.0	23.7	19.0	19.2	18.8
		1	2	24.1	24.2	24.1	17.2	17.1	17.3	23.9	23.9	23.7	19.0	19.3	18.8
		1	5	24.2	24.1	24.1	17.1	17.2	17.2	23.9	23.8	23.6	19.1	19.2	18.9
		3	0	24.0	24.0	24.0	16.9	17.0	17.1	23.9	23.8	23.5	18.9	19.1	18.7
	64QAM	3	1	23.9	24.0	24.0	17.0	17.0	17.1	23.9	23.8	23.5	18.9	19.1	18.7
		3	2	24.0	24.0	24.0	17.0	16.9	17.1	23.8	23.7	23.5	18.9	19.0	18.7
		6	0	22.8	22.9	22.8	15.9	15.9	15.9	22.3	22.6	22.3	17.8	18.0	17.6

OUTPUT POWER FOR LTE BAND 2 (3.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)		
				18615	18900	19185	18615	18900	19185	18615	18900	19185	18615	18900	19185
3.0	QPSK	1	0	25.3	25.4	25.3	18.2	18.3	18.2	24.6	24.8	24.5	20.3	20.4	20.2
		1	7	25.4	25.4	25.3	18.2	18.2	18.2	24.7	24.8	24.5	20.4	20.4	20.2
		1	14	25.4	25.3	25.3	18.1	18.1	18.2	24.8	24.8	24.5	20.4	20.4	20.2
		8	0	24.3	24.4	24.3	17.1	17.3	17.1	23.6	23.8	23.5	19.3	19.5	19.2
		8	4	24.3	24.4	24.2	17.1	17.3	17.1	23.6	23.8	23.4	19.3	19.4	19.1
		8	7	24.4	24.4	24.2	17.1	17.2	17.1	23.6	23.8	23.4	19.3	19.4	19.1
	16QAM	15	0	24.4	24.4	24.2	17.3	17.2	17.1	23.6	23.8	23.5	19.3	19.4	19.2
		1	0	24.7	24.7	24.6	17.5	17.5	17.3	23.6	23.8	23.5	19.3	19.5	19.2
		1	7	24.8	24.8	24.6	17.5	17.5	17.3	23.7	23.8	23.5	19.4	19.5	19.2
		1	14	24.8	24.7	24.6	17.5	17.5	17.4	23.8	23.8	23.6	19.5	19.4	19.2
		8	0	23.4	23.5	23.3	16.1	16.3	16.1	22.4	22.6	22.3	18.2	18.3	18.0
		8	4	23.4	23.5	23.3	16.1	16.3	16.0	22.4	22.6	22.2	18.2	18.3	18.0
	64QAM	8	7	23.4	23.4	23.3	16.2	16.2	16.0	22.4	22.6	22.2	18.2	18.3	18.0
		15	0	23.4	23.4	23.3	16.1	16.1	16.1	22.4	22.5	22.2	18.1	18.2	18.0
		1	0	23.8	24.0	24.1	17.1	17.1	17.1	23.0	23.3	22.9	18.9	19.1	18.7
		1	7	24.0	24.1	24.0	17.2	17.1	17.1	23.1	23.3	23.0	19.0	19.0	18.7
		1	14	24.1	24.0	23.9	17.0	17.0	17.0	23.1	23.1	23.0	18.9	18.8	18.6
		8	0	22.8	22.9	22.8	15.8	15.9	15.8	21.8	22.1	21.7	17.8	17.9	17.5
	64QAM	8	4	22.8	22.9	22.8	15.8	15.9	15.8	21.8	22.1	21.7	17.8	17.9	17.5
		8	7	22.8	22.9	22.8	15.9	15.8	15.8	21.9	22.0	21.7	17.8	17.9	17.5
		15	0	22.8	22.8	22.7	15.8	15.8	15.8	21.8	22.0	21.6	17.8	17.8	17.5

OUTPUT POWER FOR LTE BAND 2 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)		
				18625	18900	19175	18625	18900	19175	18625	18900	19175	18625	18900	19175
5.0	QPSK	1	0	25.3	25.5	25.4	18.4	18.5	18.4	24.7	24.8	24.8	20.3	20.4	20.2
		1	12	25.4	25.4	25.4	18.4	18.4	18.4	24.9	24.8	24.7	20.4	20.3	20.1
		1	24	25.5	25.4	25.4	18.5	18.4	18.4	24.8	24.8	24.7	20.4	20.3	20.2
		12	0	24.5	24.5	24.4	17.3	17.4	17.4	23.8	23.9	23.7	19.3	19.5	19.3
		12	6	24.6	24.5	24.3	17.3	17.4	17.4	23.9	23.9	23.7	19.4	19.4	19.2
		12	11	24.6	24.5	24.3	17.4	17.4	17.3	23.9	23.8	23.6	19.5	19.4	19.1
		25	0	24.6	24.5	24.4	17.4	17.4	17.4	23.9	23.8	23.7	19.5	19.4	19.2
	16QAM	1	0	24.7	24.9	24.7	17.6	17.7	17.5	24.0	24.2	24.0	19.6	19.8	19.5
		1	12	24.9	24.9	24.7	17.6	17.6	17.5	24.1	24.2	23.9	19.7	19.7	19.4
		1	24	25.0	24.9	24.7	17.8	17.6	17.5	24.2	24.2	24.0	19.8	19.7	19.5
		12	0	23.6	23.6	23.6	16.3	16.4	16.3	22.8	22.9	22.8	18.5	18.5	18.4
		12	6	23.7	23.6	23.5	16.3	16.4	16.3	22.9	22.9	22.8	18.5	18.5	18.3
		12	11	23.7	23.6	23.5	16.3	16.4	16.3	23.0	22.8	22.7	18.6	18.5	18.3
		25	0	23.6	23.5	23.5	16.3	16.4	16.3	22.9	22.8	22.7	18.5	18.5	18.3
	64QAM	1	0	24.1	24.3	24.2	16.6	16.7	16.7	23.6	23.8	23.7	18.5	18.6	18.4
		1	12	24.2	24.3	24.1	16.7	16.6	16.8	23.8	23.8	23.6	19.1	19.1	18.9
		1	24	24.3	24.3	24.1	16.8	16.6	16.7	23.8	23.8	23.7	19.2	19.2	18.9
		12	0	23.0	23.1	23.0	15.4	15.5	15.4	22.5	22.6	22.5	17.9	18.1	17.8
		12	6	23.1	23.1	23.0	15.5	15.5	15.4	22.6	22.6	22.5	18.0	18.1	17.8
		12	11	23.1	23.0	22.9	15.5	15.5	15.3	22.7	22.6	22.5	18.1	18.1	17.7
		25	0	23.1	23.0	23.0	15.4	15.4	15.4	22.6	22.5	22.5	18.0	18.0	17.7

OUTPUT POWER FOR LTE BAND 2 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)		
				18650	18900	19150	18650	18900	19150	18650	18900	19150	18650	18900	19150
10.0	QPSK	1	0	25.1	25.3	25.4	18.0	18.1	18.3	24.7	24.9	24.9	20.3	20.4	20.3
		1	24	25.3	25.3	25.2	18.1	18.1	18.1	24.9	24.9	24.8	20.4	20.4	20.2
		1	49	25.3	25.2	25.2	18.1	18.1	18.1	24.9	24.9	24.7	20.4	20.3	20.1
		25	0	24.2	24.2	24.1	16.9	17.0	17.1	23.8	23.8	23.8	19.3	19.3	19.3
		25	12	24.2	24.2	24.1	17.0	17.0	17.0	23.8	23.9	23.7	19.3	19.3	19.1
		25	24	24.2	24.1	24.1	16.9	16.9	17.0	23.8	23.8	23.7	19.3	19.2	19.1
		50	0	24.2	24.1	24.0	16.9	16.9	16.9	23.8	23.8	23.7	19.3	19.2	19.1
	16QAM	1	0	24.1	24.1	24.4	17.8	17.9	17.8	24.0	24.2	24.2	19.5	19.8	19.7
		1	24	24.3	24.2	24.2	17.9	17.8	17.6	24.1	24.2	24.1	19.6	19.7	19.5
		1	49	24.3	24.1	24.1	17.8	17.8	17.6	24.3	24.2	24.1	19.7	19.7	19.4
		25	0	22.9	22.9	22.9	16.4	16.4	16.5	22.9	23.0	23.0	18.4	18.4	18.3
		25	12	22.9	22.9	22.8	16.4	16.5	16.5	22.9	23.0	22.8	18.4	18.4	18.2
		25	24	22.9	22.8	22.8	16.4	16.4	16.4	22.9	22.9	22.8	18.4	18.3	18.2
		50	0	22.8	22.7	22.7	16.3	16.3	16.3	22.8	22.8	22.8	18.3	18.3	18.1
	64QAM	1	0	23.6	23.8	23.8	17.1	17.1	17.4	23.6	23.6	23.6	19.0	19.1	19.1
		1	24	23.8	23.8	23.7	17.2	17.1	17.1	23.6	23.7	23.7	19.2	19.1	19.0
		1	49	23.8	23.8	23.7	17.1	17.1	17.2	23.6	23.6	23.7	19.3	19.1	18.9
		25	0	22.5	22.6	22.6	15.9	15.8	16.0	22.5	22.7	22.6	18.0	18.0	17.9
		25	12	22.6	22.6	22.5	16.0	15.9	15.9	22.5	22.7	22.5	18.0	18.0	17.8
		25	24	22.6	22.6	22.5	15.9	15.8	15.9	22.6	22.6	22.5	18.0	18.0	17.8
		50	0	22.4	22.5	22.5	15.8	15.7	15.8	22.5	22.5	22.4	17.9	18.0	17.7

OUTPUT POWER FOR LTE BAND 2 (15.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)		
				18675	18900	19125	18675	18900	19125	18675	18900	19125	18675	18900	19125
15.0	QPSK	1	0	25.2	25.3	25.3	18.1	18.2	18.2	24.7	24.8	25.0	20.1	20.2	20.1
		1	37	25.3	25.2	25.2	18.2	18.1	18.3	24.9	24.9	24.9	20.2	20.2	20.2
		1	74	25.1	25.2	25.1	18.0	18.3	18.1	24.8	24.8	24.7	20.1	20.0	20.0
		36	0	24.2	24.2	24.2	17.0	17.1	17.2	23.7	23.8	23.8	19.2	19.2	19.2
		36	16	24.2	24.1	24.1	17.0	17.1	17.1	23.7	23.9	23.8	19.2	19.2	19.2
		36	35	24.1	24.1	24.0	16.9	17.1	17.0	23.8	23.8	23.7	19.1	19.1	19.0
		75	0	24.2	24.1	24.1	17.0	17.0	17.1	23.7	23.8	23.8	19.2	19.1	19.1
	16QAM	1	0	23.9	24.2	24.2	17.5	17.7	17.8	24.0	24.1	24.2	19.6	19.6	19.6
		1	37	24.1	24.1	24.1	17.5	17.6	17.8	24.1	24.2	24.1	19.7	19.5	19.7
		1	74	24.0	24.1	23.9	17.3	17.7	17.6	24.1	24.1	24.0	19.6	19.4	19.4
		36	0	22.8	22.7	22.8	16.2	16.3	16.4	22.8	22.8	22.9	18.4	18.3	18.3
		36	16	22.8	22.7	22.7	16.2	16.3	16.3	22.8	23.0	23.0	18.3	18.3	18.3
		36	35	22.7	22.7	22.6	16.1	16.3	16.2	22.9	22.9	22.8	18.3	18.2	18.2
		75	0	22.7	22.6	22.7	16.1	16.2	16.3	22.8	22.9	22.9	18.3	18.2	18.2
	64QAM	1	0	23.7	23.8	23.9	17.2	17.1	17.2	23.7	23.8	23.9	19.0	19.1	19.0
		1	37	23.8	23.7	23.9	17.1	17.1	17.3	23.8	23.8	23.8	19.1	19.1	19.2
		1	74	23.8	23.7	23.7	16.9	17.2	17.2	23.8	23.9	23.7	19.1	19.1	18.9
		36	0	22.5	22.5	22.6	15.8	15.8	15.9	22.6	22.6	22.6	17.9	18.0	17.8
		36	16	22.5	22.6	22.6	15.8	15.8	15.9	22.6	22.6	22.6	17.9	18.0	17.8
		36	35	22.4	22.5	22.5	15.7	15.8	15.8	22.6	22.6	22.5	17.9	17.9	17.7
		75	0	22.4	22.3	22.5	15.7	15.7	15.9	22.5	22.5	22.5	17.8	17.8	17.8

OUTPUT POWER FOR LTE BAND 2 (20.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average (dBm)			Conducted Average			Conducted Average			Conducted Average (dBm)		
				18700	18900	19100	18700	18900	19100	18700	18900	19100	18700	18900	19100
20.0	QPSK	1	0	25.3	25.4	25.4	18.0	18.1	18.2	24.7	24.8	24.9	20.4	20.4	20.3
		1	49	25.3	25.4	25.4	18.0	18.1	18.3	24.8	24.9	24.9	20.4	20.5	20.4
		1	99	25.3	25.3	25.1	18.1	18.2	18.0	24.8	24.8	24.6	20.4	20.3	20.1
		50	0	24.3	24.2	24.3	17.0	17.0	17.0	23.7	23.7	23.7	19.4	19.4	19.3
		50	24	24.2	24.1	24.2	16.9	16.9	17.0	23.6	23.7	23.7	19.4	19.3	19.3
		50	49	24.1	24.1	24.1	16.8	17.0	16.9	23.5	23.7	23.6	19.3	19.3	19.2
		100	0	24.2	24.2	24.2	16.9	16.9	17.1	23.6	23.7	23.8	19.4	19.4	19.4
	16QAM	1	0	24.3	24.2	24.2	17.7	17.9	17.8	23.8	23.8	24.0	19.4	19.4	19.3
		1	49	24.3	24.1	24.2	17.6	17.9	17.8	23.9	24.0	24.0	19.5	19.3	19.3
		1	99	24.3	24.1	23.9	17.6	17.9	17.6	23.8	23.9	23.7	19.5	19.2	19.0
		50	0	22.9	22.8	22.9	16.3	16.3	16.4	22.5	22.6	22.6	18.1	18.0	17.9
		50	24	22.7	22.7	22.8	16.2	16.3	16.4	22.5	22.6	22.6	18.0	18.0	17.9
		50	49	22.6	22.7	22.7	16.2	16.3	16.3	22.4	22.6	22.5	17.9	17.9	17.8
		100	0	22.7	22.7	22.8	16.2	16.3	16.4	22.5	22.6	22.6	17.9	18.0	17.9
	64QAM	1	0	23.6	23.8	23.5	17.2	17.2	17.0	23.5	23.6	23.7	19.1	19.0	19.1
		1	49	23.8	23.8	23.6	17.1	17.2	17.1	23.6	23.6	23.6	19.2	19.0	19.2
		1	99	23.8	23.9	23.4	17.2	17.3	16.9	23.6	23.6	23.4	19.3	18.9	18.8
		50	0	22.4	22.4	22.4	15.8	15.7	15.8	22.1	22.2	22.3	17.9	17.9	17.8
		50	24	22.3	22.3	22.4	15.6	15.7	15.8	22.1	22.2	22.2	17.8	17.8	17.8
		50	49	22.3	22.3	22.3	15.6	15.8	15.8	22.0	22.2	22.1	17.8	17.8	17.7
		100	0	22.3	22.3	22.4	15.7	15.7	15.8	22.1	22.2	22.2	17.8	17.8	17.8

7.1.2. LTE BAND 5

ID:	50820	Date:	2/9/18
-----	-------	-------	--------

OUTPUT POWER FOR LTE BAND 5 (1.4 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average		
				20407	20525	20643	20407	20525	20643
1.4	QPSK	1	0	25.3	25.5	25.2	24.0	24.2	24.1
		1	2	25.3	25.5	25.2	24.0	24.2	24.0
		1	5	25.4	25.5	25.2	24.1	24.2	24.1
		3	0	25.3	25.5	25.2	24.0	24.2	24.0
		3	1	25.3	25.5	25.2	24.0	24.2	24.0
		3	2	25.3	25.5	25.2	24.0	24.2	24.0
	16QAM	6	0	24.3	24.4	24.2	23.0	23.2	23.0
		1	0	24.2	24.4	24.0	23.4	23.5	23.4
		1	2	24.1	24.4	24.0	23.3	23.4	23.3
		1	5	24.2	24.4	24.0	23.4	23.4	23.3
		3	0	24.0	24.1	23.9	23.2	23.4	23.2
		3	1	24.0	24.1	23.8	23.2	23.3	23.1
	64QAM	3	2	23.9	24.1	23.9	23.1	23.3	23.1
		6	0	22.9	23.0	22.9	22.0	22.3	22.1
		1	0	24.2	24.3	24.2	21.9	23.3	23.1
		1	2	24.1	24.2	24.2	23.0	23.3	23.1
		1	5	24.2	24.2	24.3	23.0	23.3	23.2
		3	0	24.0	24.0	24.1	23.1	23.1	22.9
	64QAM	3	1	24.0	24.0	24.0	22.9	23.1	22.9
		3	2	24.0	24.0	24.1	22.9	23.1	22.9
		6	0	22.8	23.0	22.9	22.9	22.9	21.8

OUTPUT POWER FOR LTE BAND 5 (3.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				20415	20525	20635	20415	20525	20635
3.0	QPSK	1	0	25.1	25.2	25.2	24.1	24.4	24.2
		1	7	25.2	25.3	25.1	24.2	24.3	24.1
		1	14	25.1	25.2	25.0	24.1	24.1	24.1
		8	0	24.1	24.3	24.1	23.1	23.3	23.1
		8	4	24.1	24.2	24.0	23.1	23.3	23.1
		8	7	24.1	24.3	24.0	23.1	23.3	23.1
	16QAM	15	0	24.1	24.2	24.0	23.1	23.3	23.1
		1	0	24.1	24.2	23.9	23.1	23.4	23.2
		1	7	24.2	24.3	24.0	23.1	23.3	23.1
		1	14	24.2	24.2	23.8	23.0	23.1	23.0
		8	0	22.8	22.9	22.8	21.8	22.0	21.9
		8	4	22.8	22.9	22.7	21.8	22.0	21.8
	64QAM	8	7	22.8	22.9	22.7	21.8	22.0	21.8
		15	0	22.8	22.9	22.7	21.7	21.9	21.7
		1	0	23.9	23.9	23.5	22.9	22.7	23.2
		1	7	24.0	23.9	23.7	22.8	22.7	23.3
		1	14	23.9	23.7	23.7	22.7	22.7	23.2
		8	0	22.7	22.6	22.4	21.6	21.5	22.0
	64QAM	8	4	22.7	22.5	22.5	21.6	21.4	22.0
		8	7	22.7	22.5	22.5	21.6	21.4	22.0
		15	0	22.6	22.4	22.4	21.6	21.3	21.9

OUTPUT POWER FOR LTE BAND 5 (5.0 MHz)

Bandwidth h (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				20425	20525	20625	20425	20525	20625
				826.5	836.5	846.5	826.5	836.5	846.5
5.0	QPSK	1	0	25.2	25.4	25.2	24.0	24.4	24.2
		1	12	25.1	25.3	25.1	24.0	24.2	24.1
		1	24	25.2	25.3	25.1	24.2	24.1	24.1
		12	0	24.2	24.3	24.2	23.2	23.3	23.1
		12	6	24.2	24.3	24.2	23.1	23.3	23.1
		12	11	24.2	24.3	24.1	23.1	23.2	23.0
		25	0	24.2	24.3	24.2	23.2	23.3	23.1
	16QAM	1	0	24.4	24.4	24.3	23.5	24.0	23.6
		1	12	24.3	24.4	24.3	23.5	23.8	23.5
		1	24	24.4	24.3	24.2	23.7	23.7	23.5
		12	0	23.1	23.2	23.1	22.4	22.6	22.4
		12	6	23.0	23.2	23.0	22.3	22.5	22.4
		12	11	23.0	23.2	23.0	22.3	22.4	22.3
		25	0	23.0	23.2	23.0	22.3	22.5	22.4
	64QAM	1	0	24.1	24.2	24.1	23.4	23.7	23.5
		1	12	24.1	24.2	24.2	23.4	23.5	23.5
		1	24	24.2	24.1	24.0	23.6	23.5	23.3
		12	0	22.9	23.0	22.9	22.2	22.4	22.3
		12	6	22.8	23.0	22.9	22.2	22.4	22.3
		12	11	22.9	23.0	22.8	22.2	22.3	22.2
		25	0	22.8	23.0	22.8	22.2	22.3	22.2

OUTPUT POWER FOR LTE BAND 5 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average		
				20450	20525	20600	20450	20525	20600
				829.0	836.5	844.0	829.0	836.5	844.0
10.0	QPSK	1	0	25.4	25.4	25.4	24.2	24.3	24.2
		1	24	25.4	25.4	25.4	24.2	24.3	24.2
		1	49	25.5	25.3	25.3	24.4	24.3	24.1
		25	0	24.3	24.4	24.3	23.1	23.3	23.1
		25	12	24.3	24.4	24.3	23.1	23.2	23.1
		25	24	24.3	24.3	24.3	23.2	23.1	23.1
		50	0	24.3	24.4	24.3	23.1	23.2	23.1
	16QAM	1	0	24.5	24.5	24.4	23.4	23.8	23.6
		1	24	24.4	24.6	24.4	23.6	23.7	23.5
		1	49	24.6	24.4	24.4	23.7	23.7	23.5
		25	0	23.1	23.2	23.1	22.2	22.5	22.2
		25	12	23.1	23.2	23.1	22.3	22.4	22.3
		25	24	23.1	23.1	23.1	22.3	22.3	22.3
		50	0	23.1	23.1	23.0	22.2	22.3	22.2
	64QAM	1	0	23.8	23.8	22.5	22.8	22.7	23.0
		1	24	23.9	23.8	22.7	22.8	22.7	23.2
		1	49	23.7	23.8	22.8	22.7	22.7	22.9
		25	0	22.7	22.5	21.4	21.6	21.5	21.9
		25	12	22.7	22.6	21.4	21.5	21.5	21.9
		25	24	22.6	22.6	21.5	21.4	21.5	21.8
		50	0	22.6	22.5	21.4	21.4	21.4	21.8

7.1.3. LTE BAND 7

ID:	50820	Date:	2/9/18
-----	-------	-------	--------

OUTPUT POWER FOR LTE BAND 7 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average (dBm)			Conducted Average			Conducted Average (dBm)			Conducted Average		
				20775	21100	21425	20775	21100	21425	20775	21100	21425	20775	21100	21425
5.0	QPSK	1	0	25.2	25.3	25.2	21.0	21.2	21.3	25.0	24.7	24.7	18.6	18.6	18.6
		1	12	25.2	25.3	25.2	21.1	21.2	21.2	24.9	24.6	24.6	18.6	18.5	18.6
		1	24	25.3	25.3	25.2	21.2	21.3	21.2	24.9	24.7	24.6	18.7	18.6	18.6
		12	0	24.2	24.2	24.2	20.0	20.1	20.2	24.0	23.6	23.6	17.5	17.5	17.6
		12	6	24.2	24.2	24.2	20.0	20.2	20.2	23.8	23.6	23.5	17.5	17.6	17.6
		12	11	24.2	24.2	24.2	20.0	20.2	20.2	23.9	23.5	23.5	17.5	17.5	17.6
		25	0	24.2	24.3	24.2	20.0	20.2	20.2	23.9	23.6	23.6	17.5	17.5	17.6
	16QAM	1	0	24.6	24.6	24.6	20.3	20.5	20.5	24.4	24.2	24.2	17.4	17.6	17.4
		1	12	24.6	24.6	24.5	20.3	20.5	20.5	24.4	24.1	24.1	17.4	17.5	17.3
		1	24	24.7	24.6	24.5	20.4	20.6	20.4	24.4	24.1	24.1	17.5	17.6	17.3
		12	0	23.1	23.2	23.1	18.8	19.1	19.0	23.1	22.8	22.8	16.0	16.1	16.0
		12	6	23.2	23.2	23.2	18.9	19.1	19.1	23.1	22.8	22.7	15.9	16.1	16.1
		12	11	23.2	23.2	23.2	18.9	19.1	19.1	23.1	22.7	22.7	15.9	16.0	16.1
		25	0	23.1	23.1	23.2	18.9	19.1	19.1	23.0	22.7	22.8	16.0	16.0	16.1
	64QAM	1	0	24.0	24.2	24.2	19.5	19.7	19.7	23.8	23.7	23.7	16.7	16.8	16.7
		1	12	24.1	24.2	24.1	19.5	19.7	19.6	23.8	23.6	23.7	16.5	16.7	16.6
		1	24	24.2	24.4	24.1	19.5	19.8	19.6	23.9	23.7	23.6	16.7	16.8	16.6
		12	0	22.8	22.8	22.7	18.0	18.3	18.3	22.5	22.2	22.3	15.2	15.3	15.3
		12	6	22.8	22.8	22.8	18.1	18.3	18.3	22.5	22.2	22.3	15.1	15.3	15.3
		12	11	22.8	22.8	22.8	18.0	18.3	18.3	22.5	22.2	22.3	15.2	15.2	15.3
		25	0	22.8	22.8	22.8	18.1	18.4	18.3	22.4	22.2	22.3	15.2	15.3	15.3

OUTPUT POWER FOR LTE BAND 7 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)		
				20800	21100	21400	20800	21100	21400	20800	21100	21400	20800	21100	21400
10.0	QPSK	1	0	25.3	25.3	25.4	21.1	21.3	21.3	24.7	24.4	24.4	18.6	18.6	18.6
		1	24	25.4	25.3	25.3	21.3	21.4	21.4	24.7	24.5	24.4	18.6	18.6	18.6
		1	49	25.5	25.3	25.3	21.5	21.5	21.4	24.7	24.4	24.3	18.7	18.6	18.6
		25	0	24.3	24.3	24.4	20.2	20.3	20.4	23.8	23.5	23.5	17.6	17.6	17.6
		25	12	24.3	24.4	24.3	20.2	20.3	20.3	23.6	23.5	23.4	17.5	17.6	17.6
		25	24	24.4	24.4	24.3	20.3	20.4	20.3	23.6	23.4	23.4	17.6	17.6	17.6
		50	0	24.4	24.3	24.3	20.2	20.3	20.3	23.6	23.4	23.4	17.5	17.5	17.6
	16QAM	1	0	24.7	24.6	24.6	20.2	20.4	20.4	23.5	23.3	23.2	17.9	17.9	17.8
		1	24	24.7	24.7	24.6	20.3	20.4	20.4	23.4	23.3	23.2	17.9	17.9	17.8
		1	49	24.9	24.7	24.5	20.5	20.6	20.3	23.6	23.2	23.1	17.9	17.9	17.9
		25	0	23.3	23.4	23.4	19.0	19.2	19.2	22.2	22.0	22.0	16.5	16.6	16.6
		25	12	23.3	23.4	23.4	19.0	19.2	19.2	22.1	22.0	22.0	16.6	16.7	16.6
		25	24	23.4	23.4	23.4	19.1	19.2	19.2	22.2	21.9	21.9	16.6	16.6	16.7
		50	0	23.3	23.4	23.4	19.0	19.2	19.1	22.1	21.9	21.9	16.5	16.6	16.6
	64QAM	1	0	24.1	24.1	24.1	19.5	19.6	19.7	23.4	23.0	23.1	17.2	17.2	17.2
		1	24	24.2	24.2	24.1	19.5	19.7	19.6	23.3	23.1	23.3	17.1	17.3	17.2
		1	49	24.4	24.2	24.1	19.8	19.8	19.7	23.4	23.1	23.2	17.3	17.2	17.3
		25	0	23.0	23.0	23.0	18.3	18.5	18.5	22.1	21.9	22.0	15.9	16.0	16.0
		25	12	23.0	23.0	23.0	18.3	18.5	18.5	22.2	21.9	22.0	16.0	16.0	16.0
		25	24	23.1	23.1	23.0	18.5	18.5	18.5	22.2	21.9	22.0	16.0	16.0	16.1
		50	0	23.0	23.0	23.0	18.3	18.5	18.5	22.1	21.8	22.0	15.9	15.9	16.0

OUTPUT POWER FOR LTE BAND 7 (15.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)		
				20825	21100	21375	20825	21100	21375	20825	21100	21375	20825	21100	21375
15.0	QPSK	1	0	25.3	25.2	25.2	21.0	21.1	21.0	25.0	24.7	24.6	18.6	18.5	18.4
		1	37	25.5	25.3	25.3	21.2	21.3	21.2	25.0	24.7	24.7	18.7	18.7	18.6
		1	74	25.3	25.2	25.2	21.2	21.3	21.1	24.7	24.6	24.6	18.7	18.6	18.6
		36	0	24.3	24.3	24.3	20.1	20.2	20.1	23.9	23.7	23.7	17.7	17.6	17.6
		36	16	24.4	24.3	24.3	20.2	20.2	20.2	23.9	23.8	23.7	17.7	17.6	17.6
		36	35	24.3	24.4	24.3	20.3	20.3	20.2	23.8	23.7	23.7	17.6	17.6	17.7
		75	0	24.4	24.3	24.4	20.2	20.2	20.2	23.9	23.7	23.7	17.6	17.6	17.7
	16QAM	1	0	24.6	24.6	24.4	20.0	20.1	20.0	23.9	23.5	23.5	17.6	17.7	17.6
		1	37	24.8	24.7	24.6	20.3	20.2	20.2	23.9	23.6	23.6	17.8	17.7	17.6
		1	74	24.7	24.6	24.4	20.3	20.3	20.1	23.7	23.5	23.5	17.7	17.7	17.6
		36	0	23.3	23.3	23.3	18.8	18.9	18.9	22.6	22.3	22.3	16.4	16.4	16.4
		36	16	23.4	23.4	23.4	18.9	18.9	19.0	22.5	22.4	22.4	16.5	16.5	16.5
		36	35	23.4	23.4	23.3	19.0	19.0	18.9	22.5	22.3	22.3	16.5	16.5	16.5
		75	0	23.4	23.4	23.3	18.9	18.9	19.0	22.5	22.3	22.4	16.5	16.4	16.5
	64QAM	1	0	24.0	24.0	24.1	19.3	19.5	19.4	23.6	23.3	23.3	17.2	17.1	17.0
		1	37	24.3	24.1	24.3	19.6	19.6	19.6	23.7	23.4	23.5	17.2	17.2	17.2
		1	74	24.3	24.1	24.2	19.7	19.7	19.6	23.7	23.4	23.5	17.2	17.2	17.2
		36	0	22.9	22.9	23.0	18.2	18.4	18.3	22.4	22.2	22.2	15.9	16.0	15.9
		36	16	23.1	23.0	23.0	18.4	18.4	18.4	22.4	22.3	22.3	16.0	16.1	16.0
		36	35	23.1	23.0	22.9	18.4	18.4	18.4	22.4	22.2	22.3	16.0	16.0	16.0
		75	0	23.1	22.9	23.0	18.3	18.4	18.4	22.4	22.2	22.3	15.9	15.9	16.0

OUTPUT POWER FOR LTE BAND 7 (20.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)		
				20850	21100	21350	20850	21100	21350	20850	21100	21350	20850	21100	21350
20.0	QPSK	1	0	25.3	25.3	25.2	21.1	21.2	21.2	24.9	24.6	24.5	18.6	18.4	18.3
		1	49	25.4	25.3	25.3	21.4	21.4	21.3	24.8	24.7	24.5	18.6	18.6	18.5
		1	99	25.3	25.3	25.2	21.3	21.5	21.3	24.6	24.5	24.5	18.6	18.5	18.6
		50	0	24.3	24.3	24.3	20.2	20.3	20.2	23.8	23.6	23.5	17.5	17.5	17.4
		50	24	24.3	24.3	24.3	20.3	20.3	20.3	23.7	23.6	23.6	17.5	17.5	17.5
		50	49	24.2	24.3	24.3	20.3	20.4	20.3	23.6	23.6	23.6	17.5	17.5	17.6
		100	0	24.3	24.4	24.4	20.3	20.3	20.4	23.7	23.6	23.6	17.6	17.5	17.6
	16QAM	1	0	24.6	24.6	24.6	20.0	20.2	20.2	23.6	23.2	23.2	17.7	17.6	17.5
		1	49	24.7	24.6	24.7	20.3	20.2	20.2	23.6	23.3	23.2	17.8	17.8	17.6
		1	99	24.6	24.6	24.6	20.3	20.4	20.2	23.3	23.2	23.2	17.7	17.6	17.7
		50	0	23.3	23.3	23.2	18.8	18.9	18.8	22.2	21.9	21.9	16.3	16.3	16.2
		50	24	23.3	23.4	23.3	18.9	18.9	18.9	22.1	21.9	21.9	16.4	16.3	16.3
		50	49	23.2	23.3	23.3	18.9	19.1	19.0	22.0	21.8	21.9	16.4	16.3	16.4
		100	0	23.3	23.4	23.4	18.9	19.0	19.0	22.1	21.9	22.0	16.4	16.4	16.4
	64QAM	1	0	24.0	24.2	24.2	19.3	19.5	19.4	23.4	23.2	22.9	17.3	17.2	17.1
		1	49	24.2	24.3	24.2	19.6	19.5	19.4	23.4	23.3	22.9	17.3	17.4	17.3
		1	99	24.1	24.3	24.3	19.6	19.7	19.6	23.4	23.3	23.1	17.4	17.4	17.4
		50	0	23.0	22.9	22.8	18.0	18.1	18.1	22.1	21.9	21.8	15.9	16.0	15.8
		50	24	23.0	23.0	22.9	18.2	18.2	18.1	22.0	21.9	21.9	16.0	16.0	15.9
		50	49	22.9	23.0	23.0	18.1	18.3	18.2	22.0	21.8	22.0	16.0	16.0	16.0
		100	0	23.0	23.0	23.0	18.2	18.2	18.2	22.1	21.9	22.0	16.0	16.0	16.0

7.1.4. LTE BAND 12

ID:	50820	Date:	2/12/18
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 12 (1.4 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average		
				23017	23095	23173	23017	23095	23173
1.4	QPSK	1	0	25.4	25.3	25.4	24.4	24.4	24.2
		1	2	25.4	25.3	25.3	24.4	24.4	24.2
		1	5	25.4	25.3	25.3	24.4	24.4	24.2
		3	0	25.4	25.3	25.3	24.4	24.4	24.2
		3	1	25.4	25.3	25.3	24.3	24.3	24.2
		3	2	25.4	25.3	25.3	24.3	24.3	24.2
	16QAM	6	0	24.4	24.3	24.3	23.4	23.3	23.2
		1	0	23.9	23.9	23.8	23.2	23.2	22.9
		1	2	23.9	23.8	23.7	23.2	23.1	23.0
		1	5	23.9	23.8	23.8	23.2	23.2	23.0
		3	0	23.7	23.6	23.6	23.1	23.0	22.9
		3	1	23.7	23.6	23.6	23.1	23.0	22.9
	64QAM	3	2	23.7	23.6	23.7	23.1	22.9	22.8
		6	0	22.7	22.5	22.6	22.0	21.9	21.8
		1	0	23.3	23.1	23.3	22.3	23.0	22.0
		1	2	23.2	23.1	23.3	22.3	22.9	22.1
		1	5	23.3	23.1	23.3	22.2	23.0	22.1
		3	0	23.1	23.0	23.1	22.0	22.9	21.9
	64QAM	3	1	23.1	23.0	23.1	22.0	22.9	21.9
		3	2	23.1	22.9	23.1	22.0	22.9	21.9
		6	0	22.0	21.9	22.0	21.0	21.8	20.8

OUTPUT POWER FOR LTE BAND 12 (3.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average			Conducted Average		
				23025	23095	23165	23025	23095	23165
3.0	QPSK	1	0	25.5	25.3	25.5	24.5	24.4	24.4
		1	7	25.5	25.3	25.5	24.5	24.5	24.3
		1	14	25.4	25.3	25.4	24.4	24.4	24.3
		8	0	24.5	24.4	24.4	23.5	23.4	23.4
		8	4	24.4	24.4	24.4	23.5	23.4	23.3
		8	7	24.5	24.4	24.4	23.5	23.4	23.3
	16QAM	15	0	24.5	24.4	24.4	23.5	23.4	23.3
		1	0	24.3	24.2	24.3	23.2	23.1	23.1
		1	7	24.4	24.3	24.2	23.2	23.1	23.0
		1	14	24.4	24.1	24.2	23.1	23.2	23.0
		8	0	23.1	22.9	23.0	22.0	21.9	21.9
		8	4	23.0	22.9	23.0	21.9	21.9	21.8
	64QAM	8	7	23.0	22.9	23.0	21.9	21.9	21.8
		15	0	23.0	22.9	23.0	21.9	21.9	21.7
		1	0	24.1	24.0	23.9	23.2	23.1	23.1
		1	7	24.1	24.1	24.1	23.1	23.2	23.0
		1	14	24.1	23.9	24.0	22.9	23.1	23.0
		8	0	22.9	22.9	22.9	22.0	21.9	21.9
	64QAM	8	4	22.9	22.9	22.9	22.0	21.9	21.8
		8	7	22.9	22.9	22.9	22.0	21.9	21.8
		15	0	22.9	22.8	22.9	21.9	21.9	21.7

OUTPUT POWER FOR LTE BAND 12 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average			Conducted Average		
				23035 701.5	23095 707.5	23155 713.5	23035 701.5	23095 707.5	23155 713.5
5.0	QPSK	1	0	25.3	25.5	25.2	24.2	24.2	24.2
		1	12	25.3	25.2	25.2	24.1	24.1	24.1
		1	24	25.3	25.2	25.2	24.3	24.2	24.1
		12	0	24.4	24.3	24.3	23.3	23.2	23.2
		12	6	24.3	24.2	24.3	23.2	23.2	23.2
		12	11	24.3	24.2	24.3	23.2	23.2	23.1
		25	0	24.4	24.3	24.4	23.3	23.3	23.3
	16QAM	1	0	24.5	24.5	24.3	23.4	23.2	23.3
		1	12	24.5	24.3	24.4	23.2	23.2	23.3
		1	24	24.6	24.2	24.3	23.3	23.3	23.2
		12	0	23.2	23.1	23.1	22.1	22.1	22.1
		12	6	23.2	23.1	23.2	22.1	22.1	22.1
		12	11	23.2	23.1	23.2	22.0	22.1	21.9
		25	0	23.2	23.1	23.1	22.0	22.0	22.0
	64QAM	1	0	24.3	24.4	24.2	23.3	23.0	23.2
		1	12	24.3	24.1	24.2	23.2	23.2	23.2
		1	24	24.4	24.2	24.2	23.3	23.3	23.1
		12	0	23.1	23.0	23.1	22.2	22.0	22.0
		12	6	23.1	23.0	23.1	22.0	22.0	22.0
		12	11	23.1	23.0	23.1	22.0	22.0	21.9
		25	0	23.1	23.0	23.0	22.0	22.0	22.0
		25	0	23.1	23.0	23.0	22.0	22.0	22.0

OUTPUT POWER FOR LTE BAND 12 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average			Conducted Average		
				23060 704.0	23095 707.5	23130 711.0	23060 704.0	23095 707.5	23130 711.0
10.0	QPSK	1	0	25.2	25.3	25.2	24.1	24.2	24.1
		1	24	25.2	25.1	25.0	24.1	24.1	24.0
		1	49	25.1	25.2	25.1	24.1	24.1	23.9
		25	0	24.2	24.2	24.1	23.0	23.1	23.0
		25	12	24.2	24.1	24.1	23.1	23.1	23.0
		25	24	24.1	24.1	24.1	23.1	23.1	23.0
		50	0	24.1	24.1	24.1	23.1	23.0	23.0
	16QAM	1	0	24.1	24.2	24.0	23.4	23.4	23.3
		1	24	24.0	24.0	23.9	23.3	23.3	23.4
		1	49	23.9	24.1	24.0	23.3	23.3	23.3
		25	0	22.8	22.9	22.7	22.0	22.1	22.1
		25	12	22.8	22.7	22.7	22.2	22.1	22.1
		25	24	22.8	22.7	22.7	22.1	22.1	22.1
		50	0	22.7	22.6	22.7	22.1	22.0	22.0
	64QAM	1	0	23.9	24.0	23.8	22.9	22.9	22.8
		1	24	24.0	23.8	23.7	22.9	22.8	22.9
		1	49	23.8	23.9	23.9	22.9	23.0	22.8
		25	0	22.7	22.8	22.6	21.7	21.7	21.7
		25	12	22.7	22.7	22.6	21.8	21.7	21.7
		25	24	22.7	22.7	22.7	21.7	21.7	21.7
		50	0	22.6	22.6	22.7	21.7	21.6	21.6
		50	0	22.6	22.6	22.7	21.7	21.6	21.6

7.1.5. LTE BAND 13

ID:	50820	Date:	2/12/18
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 13 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average			Conducted Average		
				23207	23230	23255	23207	23230	23255
				779.5	782.0	784.5	779.5	782.0	784.5
5.0	QPSK	1	0	25.3	25.4	25.3	24.4	24.5	24.5
		1	12	25.4	25.3	25.2	24.5	24.5	24.4
		1	24	25.3	25.3	25.2	24.4	24.3	24.4
		12	0	24.2	24.4	24.2	23.4	23.5	23.3
		12	6	24.3	24.3	24.2	23.4	23.4	23.3
		12	11	24.4	24.2	24.2	23.5	23.4	23.3
	16QAM	25	0	24.4	24.3	24.2	23.4	23.5	23.3
		1	0	24.5	24.4	24.4	23.6	23.7	23.6
		1	12	24.5	24.3	24.4	23.7	23.6	23.5
		1	24	24.5	24.3	24.3	23.6	23.5	23.4
		12	0	23.0	23.1	22.9	22.2	22.3	22.2
		12	6	23.2	23.0	23.0	22.2	22.2	22.2
		12	11	23.2	23.0	22.9	22.4	22.2	22.3
		25	0	23.1	23.0	22.9	22.3	22.3	22.1
	64QAM	1	0	24.1	24.4	24.2	23.0	23.2	23.1
		1	12	24.2	24.2	24.1	23.1	23.1	23.0
		1	24	24.1	24.2	24.1	23.1	23.0	23.0
		12	0	22.8	22.9	22.7	21.6	21.9	21.7
		12	6	22.9	22.8	22.8	21.7	21.8	21.7
		12	11	22.9	22.8	22.8	21.8	21.7	21.8
		25	0	22.8	22.8	22.8	21.8	21.8	21.7

OUTPUT POWER FOR LTE BAND 13 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average		
				N/A	23230	N/A	N/A	23230	N/A
				N/A	782.0	N/A	N/A	782.0	N/A
10.0	QPSK	1	0		25.4			24.4	
		1	24		25.5			24.4	
		1	49		25.4			24.4	
		25	0		24.6			23.5	
		25	12		24.5			23.4	
		25	24		24.5			23.4	
	16QAM	50	0		24.5			23.4	
		1	0		24.7			23.7	
		1	24		24.7			23.7	
		1	49		24.5			23.7	
		25	0		23.6			22.6	
		25	12		23.5			22.5	
	64QAM	25	24		23.4			22.5	
		50	0		23.5			22.5	
		1	0		24.2			23.1	
		1	24		24.1			23.1	
		1	49		24.1			23.1	
		25	0		23.1			22.0	
		25	12		23.1			21.9	
		25	24		23.0			21.9	
		50	0		23.1			22.0	

7.1.6. LTE BAND 14

ID:	10646	Date:	2/6/18
-----	-------	-------	--------

OUTPUT POWER FOR LTE BAND 14 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average		
				23305	23330	23355	23305	23330	23355
5.0	QPSK	1	0	25.4	25.4	25.5	24.4	24.4	24.5
		1	12	25.3	25.4	25.3	24.3	24.3	24.4
		1	24	25.3	25.3	25.4	24.3	24.4	24.4
		12	0	24.3	24.3	24.4	23.4	23.3	23.3
		12	6	24.3	24.3	24.3	23.3	23.2	23.3
		12	11	24.3	24.3	24.4	23.3	23.3	23.3
		25	0	24.3	24.4	24.3	23.3	23.3	23.4
	16QAM	1	0	24.1	24.1	23.3	23.3	23.1	23.3
		1	12	24.2	23.9	23.2	23.2	23.2	23.3
		1	24	24.1	24.0	23.2	23.3	23.3	23.3
		12	0	22.7	22.7	21.9	21.9	21.8	21.8
		12	6	22.7	22.7	21.9	21.8	21.9	21.8
		12	11	22.7	22.8	21.9	21.8	21.9	21.9
		25	0	22.7	22.7	21.9	21.8	21.9	21.9
	64QAM	1	0	23.7	23.8	23.7	22.5	22.6	22.6
		1	12	23.6	23.8	23.7	22.6	22.6	22.6
		1	24	23.7	23.8	23.7	22.6	22.6	22.6
		12	0	22.4	22.4	22.4	21.3	21.2	21.2
		12	6	22.4	22.4	22.3	21.3	21.2	21.3
		12	11	22.4	22.4	22.4	21.2	21.2	21.3
		25	0	22.4	22.4	22.4	21.3	21.2	21.3

OUTPUT POWER FOR LTE BAND 14 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				N/A	23330	N/A	N/A	23330	N/A
10.0	QPSK	1	0		25.4			24.4	
		1	24		25.3			24.4	
		1	49		25.4			24.5	
		25	0		24.3			23.5	
		25	12		24.3			23.4	
		25	24		24.3			23.5	
		50	0		24.3			23.4	
	16QAM	1	0		24.3			23.1	
		1	24		24.3			23.1	
		1	49		24.4			23.3	
		25	0		23.2			22.0	
		25	12		23.1			21.9	
		25	24		23.2			22.0	
		50	0		23.1			21.9	
	64QAM	1	0		24.1			23.0	
		1	24		24.2			23.0	
		1	49		24.2			23.1	
		25	0		23.0			21.9	
		25	12		23.0			21.8	
		25	24		23.0			22.0	
		50	0		23.0			21.8	

7.1.7. LTE BAND 17

ID:	50820	Date:	2/12/18
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 17 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				23755	23790	23825	23755	23790	23825
5.0	QPSK	1	0	706.5	710.0	713.5	706.5	710.0	713.5
				25.4	25.3	25.3	24.5	24.5	24.5
		1	12	25.3	25.2	25.3	24.4	24.5	24.5
		1	24	25.2	25.3	25.3	24.5	24.5	24.4
		12	0	24.5	24.3	24.4	23.6	23.5	23.5
		12	6	24.4	24.3	24.3	23.5	23.5	23.5
		12	11	24.4	24.3	24.4	23.5	23.5	23.4
	16QAM	25	0	24.4	24.3	24.4	23.6	23.6	23.6
		1	0	24.3	23.9	24.0	23.3	23.3	23.3
		1	12	24.0	23.8	24.0	23.2	23.3	23.2
		1	24	24.0	24.0	24.0	23.3	23.3	23.1
		12	0	23.0	22.7	22.8	22.1	22.1	22.1
		12	6	22.7	22.7	22.8	22.1	22.1	22.1
		12	11	22.7	22.7	22.8	22.1	22.1	21.9
	64QAM	25	0	22.8	22.7	22.8	22.1	22.0	22.0
		1	0	24.0	23.7	24.2	22.9	22.9	23.0
		1	12	23.8	23.7	24.2	22.8	22.9	22.9
		1	24	23.8	23.7	24.2	22.9	22.9	22.8
		12	0	22.7	22.5	23.1	21.7	21.7	21.7
		12	6	22.6	22.5	23.0	21.8	21.7	21.7
		12	11	22.6	22.5	23.2	21.7	21.7	21.6
		25	0	22.6	22.5	23.1	21.7	21.7	21.7

OUTPUT POWER FOR LTE BAND 17 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				23780	23790	23800	23780	23790	23800
10.0	QPSK	1	0	709.0	710.0	711.0	709.0	710.0	711.0
				25.5	25.4	25.3	24.4	24.4	24.4
		1	24	25.3	25.2	25.2	24.4	24.4	24.4
		1	49	25.3	25.3	25.3	24.4	24.3	24.3
		25	0	24.2	24.2	24.2	23.4	23.4	23.3
		25	12	24.2	24.2	24.2	23.4	23.4	23.3
		25	24	24.3	24.3	24.3	23.4	23.4	23.3
	16QAM	50	0	24.2	24.2	24.2	23.3	23.3	23.3
		1	0	24.2	24.2	24.0	23.3	23.3	23.2
		1	24	23.9	24.0	23.9	23.3	23.3	23.3
		1	49	24.1	24.1	24.0	23.3	23.2	23.2
		25	0	22.8	22.7	22.8	22.1	22.1	22.1
		25	12	22.7	22.7	22.7	22.1	22.1	22.1
		25	24	22.8	22.8	22.8	22.1	22.1	22.1
	64QAM	50	0	22.7	22.7	22.7	22.0	22.0	22.0
		1	0	24.0	24.0	23.9	22.9	22.9	22.9
		1	24	23.8	23.8	23.9	22.8	22.9	22.9
		1	49	23.9	24.0	24.0	22.9	22.8	22.8
		25	0	22.7	22.7	22.7	21.7	21.7	21.7
		25	12	22.7	22.7	22.7	21.7	21.7	21.7
		25	24	22.8	22.8	22.8	21.8	21.7	21.7
		50	0	22.7	22.6	22.7	21.6	21.6	21.6

7.1.8. LTE BAND 25

ID:	50820	Date:	2/12/18
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 25 (1.4 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average			Conducted Average (dBm)		
				26047	26365	26683	26047	26365	26683	26047	26365	26683	26047	26365	26683
1.4	QPSK	1	0	25.1	25.2	25.5	18.0	18.1	18.3	24.6	24.9	24.8	20.3	20.4	20.4
		1	2	25.1	25.1	25.4	18.0	18.1	18.2	24.6	24.8	24.8	20.3	20.4	20.4
		1	5	25.2	25.2	25.4	18.1	18.2	18.2	24.7	24.8	24.8	20.4	20.4	20.3
		3	0	25.1	25.2	25.4	18.0	18.1	18.2	24.6	24.8	24.8	20.3	20.4	20.4
		3	1	25.1	25.1	25.4	18.0	18.1	18.2	24.6	24.8	24.8	20.3	20.4	20.4
		3	2	25.2	25.2	25.4	18.0	18.1	18.2	24.6	24.8	24.8	20.3	20.3	20.4
	16QAM	6	0	24.1	24.2	24.4	17.0	17.1	17.1	23.6	23.8	23.7	19.3	19.3	19.4
		1	0	24.2	24.1	24.4	16.9	17.0	17.1	23.6	23.9	23.8	19.3	19.4	19.3
		1	2	24.2	24.1	24.4	16.9	17.0	17.0	23.6	23.8	23.7	19.3	19.3	19.3
		1	5	24.3	24.1	24.4	16.9	17.1	17.0	23.6	23.8	23.7	19.3	19.4	19.2
		3	0	23.9	24.0	24.3	16.7	16.8	16.9	23.5	23.7	23.6	19.0	19.2	19.2
		3	1	23.9	24.0	24.2	16.7	16.8	16.9	23.5	23.7	23.5	19.1	19.2	19.2
	64QAM	3	2	24.0	24.0	24.2	16.7	16.9	16.8	23.5	23.6	23.5	19.1	19.2	19.2
		6	0	22.9	23.0	23.2	15.7	15.8	15.8	22.4	22.6	22.5	18.0	18.2	18.1
		1	0	24.0	21.3	21.3	16.7	18.1	18.5	23.1	23.5	23.4	18.7	18.7	18.6
		1	2	24.0	21.2	21.4	16.6	18.2	18.4	23.1	23.3	23.5	18.6	18.8	18.7
		1	5	24.0	21.3	21.4	16.7	18.3	18.4	23.2	23.4	23.5	18.7	18.7	18.6
		3	0	23.8	21.2	21.2	16.5	18.0	18.3	23.0	23.2	23.3	18.5	18.6	18.5
		3	1	23.7	21.2	21.2	16.5	18.0	18.2	23.0	23.2	23.2	18.5	18.6	18.4
		3	2	23.7	21.2	21.2	16.5	18.0	18.2	23.0	23.1	23.3	18.5	18.6	18.4
		6	0	22.6	20.1	20.2	15.3	17.0	17.2	21.9	22.1	22.1	17.4	17.5	17.4

OUTPUT POWER FOR LTE BAND 25 (3.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)		
				26055	26365	26675	26055	26365	26675	26055	26365	26675	26055	26365	26675
3.0	QPSK	1	0	24.9	24.9	25.1	17.9	17.9	18.1	24.7	25.0	24.9	20.3	20.3	20.2
		1	7	25.0	25.0	25.3	18.0	18.0	18.1	24.8	24.9	25.0	20.4	20.4	20.4
		1	14	25.1	25.0	25.2	17.9	18.0	18.1	24.9	24.9	24.8	20.4	20.4	20.3
		8	0	23.9	23.9	24.1	16.8	16.9	17.0	23.7	23.9	23.8	19.3	19.4	19.2
		8	4	23.9	23.9	24.2	16.8	16.9	17.0	23.7	23.9	23.9	19.3	19.4	19.3
		8	7	23.9	24.0	24.2	16.9	17.0	17.0	23.7	23.9	23.9	19.3	19.4	19.3
	16QAM	15	0	23.9	24.0	24.2	16.9	17.0	17.0	23.7	23.9	23.9	19.3	19.4	19.3
		1	0	24.1	24.3	24.3	17.0	16.9	17.1	23.6	23.8	23.8	19.1	19.3	19.1
		1	7	24.2	24.4	24.4	17.1	17.0	17.1	23.6	23.8	23.9	19.2	19.3	19.3
		1	14	24.2	24.3	24.3	17.1	17.1	17.0	23.7	23.8	23.7	19.3	19.2	19.1
		8	0	22.8	22.9	23.0	15.6	15.7	15.8	22.4	22.6	22.5	17.9	18.1	17.9
		8	4	22.8	23.0	23.1	15.6	15.7	15.8	22.4	22.6	22.5	18.0	18.0	17.9
	64QAM	8	7	22.9	23.0	23.1	15.6	15.8	15.8	22.4	22.6	22.5	18.0	18.0	18.0
		15	0	22.9	23.0	23.0	15.6	15.8	15.7	22.4	22.6	22.5	17.9	18.0	17.9
		1	0	23.8	24.0	24.1	16.8	16.6	16.9	23.6	23.7	23.6	18.9	19.0	18.8
		1	7	24.0	24.1	24.2	16.9	16.8	17.0	23.6	23.8	23.7	18.9	19.0	19.0
		1	14	24.0	24.1	24.1	16.8	16.8	16.8	23.6	23.6	23.8	19.0	19.0	19.0
		8	0	22.8	22.9	22.9	15.5	15.5	15.6	22.3	22.6	22.4	17.8	17.9	17.7
		8	4	22.8	22.8	23.0	15.5	15.6	15.6	22.3	22.5	22.5	17.8	17.9	17.8
		8	7	22.8	22.9	23.0	15.6	15.6	15.7	22.3	22.6	22.5	17.8	17.9	17.9
		15	0	22.8	22.8	22.9	15.5	15.6	15.6	22.3	22.5	22.5	17.7	17.8	17.8

OUTPUT POWER FOR LTE BAND 25 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)		
				26065	26365	26665	26065	26365	26665	26065	26365	26665	26065	26365	26665
5.0	QPSK	1	0	25.0	25.2	25.2	18.1	18.2	18.1	24.7	24.9	24.7	20.3	20.4	20.2
		1	12	25.2	25.2	25.3	18.1	18.3	18.3	24.8	24.8	24.8	20.4	20.4	20.3
		1	24	25.2	25.2	25.4	18.2	18.3	18.3	24.8	24.9	24.8	20.5	20.4	20.4
		12	0	24.2	24.2	24.3	17.1	17.1	17.2	23.7	23.9	23.7	19.5	19.5	19.3
		12	6	24.2	24.1	24.3	17.1	17.1	17.2	23.8	23.9	23.8	19.6	19.5	19.3
		12	11	24.3	24.2	24.4	17.1	17.2	17.2	23.9	23.9	23.9	19.6	19.4	19.5
		25	0	24.3	24.2	24.3	17.1	17.2	17.2	23.9	23.9	23.9	19.5	19.5	19.4
	16QAM	1	0	24.2	24.4	24.3	17.4	17.3	17.3	23.7	23.9	23.7	19.2	19.3	19.0
		1	12	24.4	24.4	24.5	17.5	17.3	17.4	23.8	23.9	23.8	19.3	19.2	19.2
		1	24	24.4	24.4	24.5	17.6	17.3	17.4	23.9	23.9	23.9	19.3	19.2	19.2
		12	0	23.1	23.1	23.2	16.0	16.1	16.1	22.6	22.8	22.6	18.0	18.1	17.9
		12	6	23.1	23.0	23.2	16.0	16.1	16.1	22.7	22.8	22.6	18.1	18.1	18.0
		12	11	23.2	23.1	23.3	16.0	16.2	16.2	22.7	22.8	22.7	18.1	18.1	18.0
		25	0	23.1	23.1	23.2	16.0	16.2	16.1	22.6	22.7	22.6	18.0	18.1	17.9
	64QAM	1	0	24.0	24.2	24.1	17.0	16.8	16.9	23.7	23.9	23.7	19.0	19.1	18.8
		1	12	24.2	24.2	24.2	17.1	16.9	17.1	23.7	23.8	23.7	19.1	19.1	19.0
		1	24	24.3	24.2	24.3	17.1	16.9	17.1	23.8	23.9	23.9	19.2	19.1	19.0
		12	0	22.9	22.9	22.9	15.7	15.7	15.7	22.5	22.7	22.5	17.9	18.0	17.7
		12	6	23.0	22.9	23.0	15.7	15.7	15.8	22.6	22.6	22.5	18.0	18.0	17.8
		12	11	23.1	23.0	23.1	15.7	15.8	15.8	22.6	22.6	22.7	18.1	18.0	17.9
		25	0	23.0	23.0	23.0	15.7	15.7	15.7	22.5	22.6	22.6	18.0	18.0	17.8

OUTPUT POWER FOR LTE BAND 25 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average			Conducted Average			Conducted Average			Conducted Average		
				26090	26365	26640	26090	26365	26640	26090	26365	26640	26090	26365	26640
10.0	QPSK	1	0	25.3	25.4	25.3	18.0	18.2	18.1	24.7	24.9	24.8	20.2	20.4	20.1
		1	24	25.4	25.4	25.2	18.1	18.1	18.1	24.9	24.9	24.7	20.3	20.3	20.0
		1	49	25.4	25.4	25.5	18.1	18.3	18.3	24.9	24.9	24.9	20.4	20.3	20.3
		25	0	24.3	24.2	24.2	17.0	17.0	17.0	23.7	23.8	23.6	19.3	19.3	19.0
		25	12	24.3	24.2	24.2	17.0	17.0	17.0	23.7	23.7	23.6	19.3	19.2	19.0
		25	24	24.3	24.2	24.3	17.0	17.1	17.1	23.7	23.7	23.7	19.3	19.2	19.1
		50	0	24.3	24.2	24.2	17.0	17.1	17.1	23.7	23.7	23.7	19.2	19.2	19.1
	16QAM	1	0	24.2	24.4	24.3	17.2	17.2	17.2	23.7	23.9	23.8	19.4	19.6	19.3
		1	24	24.3	24.3	24.3	17.3	17.1	17.2	23.8	23.8	23.8	19.5	19.5	19.1
		1	49	24.3	24.4	24.5	17.2	17.3	17.4	23.9	23.8	23.9	19.5	19.4	19.5
		25	0	23.0	22.9	22.9	15.8	15.9	15.8	22.6	22.6	22.5	18.3	18.2	18.0
		25	12	23.0	22.9	22.9	15.8	15.8	15.8	22.6	22.6	22.5	18.3	18.2	18.0
		25	24	23.0	22.9	23.0	15.8	15.9	15.9	22.5	22.6	22.5	18.3	18.2	18.1
		50	0	22.9	22.9	22.9	15.8	15.8	15.8	22.5	22.5	22.5	18.2	18.1	18.0
	64QAM	1	0	23.9	24.2	24.1	16.9	16.8	16.9	23.6	23.8	23.7	19.1	19.2	18.9
		1	24	24.2	24.2	24.1	17.1	16.8	16.9	23.8	23.8	23.7	19.1	19.2	18.8
		1	49	24.2	24.2	24.4	16.9	16.9	17.1	23.9	23.8	23.9	19.2	19.1	19.1
		25	0	23.0	22.9	23.0	15.7	15.6	15.7	22.6	22.6	22.5	18.0	18.0	17.7
		25	12	23.0	22.9	23.0	15.7	15.6	15.7	22.5	22.6	22.5	18.0	18.0	17.7
		25	24	23.0	23.0	23.1	15.7	15.7	15.8	22.6	22.6	22.5	18.0	18.0	17.8
		50	0	22.9	22.9	22.8	15.6	15.6	15.6	22.5	22.5	22.4	17.9	17.9	17.7

OUTPUT POWER FOR LTE BAND 25 (15.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average			Conducted Average			Conducted Average			Conducted Average		
				26115	26365	26615	26115	26365	26615	26115	26365	26615	26115	26365	26615
				1857.5	1882.5	1907.5	1857.5	1882.5	1907.5	1857.5	1882.5	1907.5	1857.5	1882.5	1907.5
15.0	QPSK	1	0	25.3	25.4	25.5	18.2	18.3	18.3	24.7	24.9	24.9	20.3	20.4	20.3
		1	37	25.5	25.4	25.2	18.3	18.3	18.1	24.8	24.8	24.6	20.4	20.4	20.1
		1	74	25.3	25.3	25.4	18.1	18.3	18.3	24.7	24.9	24.8	20.3	20.2	20.4
		36	0	24.3	24.2	24.1	17.1	17.2	17.1	23.8	23.8	23.7	19.4	19.4	19.1
		36	16	24.3	24.2	24.2	17.1	17.1	17.1	23.8	23.8	23.6	19.4	19.3	19.1
		36	35	24.2	24.2	24.2	17.0	17.2	17.1	23.8	23.7	23.6	19.3	19.2	19.2
		75	0	24.3	24.2	24.2	17.0	17.2	17.2	23.7	23.8	23.6	19.3	19.3	19.2
	16QAM	1	0	24.4	24.4	24.4	17.2	17.3	17.3	23.8	24.0	23.9	19.1	19.2	19.1
		1	37	24.5	24.4	24.2	17.3	17.3	17.0	23.9	23.9	23.7	19.2	19.2	18.9
		1	74	24.4	24.4	24.4	17.1	17.3	17.1	23.8	24.0	23.9	19.2	19.0	19.2
		36	0	23.1	23.0	23.0	15.8	15.9	15.8	22.7	22.7	22.6	18.0	18.0	17.8
		36	16	23.1	22.9	23.0	15.8	15.8	15.8	22.6	22.6	22.5	18.0	18.0	17.8
		36	35	23.0	23.0	23.0	15.7	15.9	15.8	22.6	22.6	22.6	18.0	17.9	17.8
		75	0	23.0	22.9	23.0	15.7	15.8	15.8	22.5	22.6	22.5	17.9	17.9	17.8
	64QAM	1	0	24.2	24.2	24.3	16.9	17.0	17.1	23.6	23.9	23.9	19.0	19.2	19.1
		1	37	24.3	24.3	24.2	17.0	17.0	16.9	23.8	23.9	23.7	19.2	19.2	18.9
		1	74	24.2	24.3	24.4	16.8	17.0	17.2	23.7	23.9	23.9	19.2	19.1	19.1
		36	0	23.0	23.0	22.9	15.7	15.6	15.7	22.6	22.7	22.5	18.0	18.0	17.8
		36	16	23.0	22.9	22.9	15.6	15.6	15.7	22.6	22.6	22.5	18.0	18.0	17.7
		36	35	22.9	23.0	22.9	15.5	15.7	15.7	22.6	22.6	22.5	18.0	17.9	17.7
		75	0	22.9	22.9	22.9	15.5	15.6	15.7	22.5	22.6	22.4	17.8	17.8	17.7

OUTPUT POWER FOR LTE BAND 25 (20.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average			Conducted Average			Conducted Average			Conducted Average		
				26140	26365	26590	26140	26365	26590	26140	26365	26590	26140	26365	26590
				1860.0	1882.5	1905.0	1860.0	1882.5	1905.0	1860.0	1882.5	1905.0	1860.0	1882.5	1905.0
20.0	QPSK	1	0	25.1	25.2	25.3	18.1	18.2	18.3	24.7	24.9	25.0	20.3	20.4	20.2
		1	49	25.2	25.1	25.1	18.1	18.1	18.1	24.9	24.9	24.8	20.4	20.4	20.2
		1	99	25.2	25.2	25.3	18.1	18.2	18.2	24.8	25.0	25.0	20.4	20.3	20.5
		50	0	24.2	24.1	24.1	17.0	17.1	17.1	23.8	23.8	23.8	19.3	19.4	19.2
		50	24	24.0	24.0	24.0	16.9	17.1	17.0	23.7	23.8	23.7	19.3	19.3	19.1
		50	49	23.9	24.0	24.0	16.9	17.1	17.0	23.6	23.7	23.7	19.3	19.2	19.2
		100	0	24.0	24.1	24.0	16.9	17.1	17.0	23.7	23.8	23.8	19.3	19.3	19.2
	16QAM	1	0	23.8	23.9	24.1	17.1	17.2	17.5	23.7	23.9	24.0	19.1	19.2	19.1
		1	49	23.9	23.8	23.9	17.0	17.1	17.2	23.8	23.9	23.8	19.2	19.2	19.0
		1	99	23.9	23.9	24.2	17.1	17.2	17.4	23.8	24.0	23.9	19.2	19.1	19.3
		50	0	22.6	22.5	22.6	15.8	15.8	15.9	22.5	22.6	22.6	17.9	17.9	17.8
		50	24	22.5	22.5	22.4	15.7	15.9	15.7	22.4	22.5	22.5	17.8	17.8	17.7
		50	49	22.4	22.5	22.5	15.6	15.9	15.8	22.3	22.5	22.4	17.8	17.8	17.8
		100	0	22.5	22.5	22.5	15.7	15.8	15.8	22.4	22.5	22.5	17.8	17.8	17.7
	64QAM	1	0	23.7	24.0	24.1	16.7	16.8	16.6	23.5	23.7	23.8	18.9	18.9	18.8
		1	49	23.8	24.0	23.9	16.7	16.7	16.4	23.6	23.7	23.6	19.0	19.0	18.8
		1	99	23.8	24.1	24.2	16.7	16.8	16.7	23.6	23.8	23.7	19.1	18.9	19.0
		50	0	22.6	22.6	22.6	15.3	15.3	15.4	22.2	22.3	22.3	17.6	17.7	17.5
		50	24	22.6	22.6	22.5	15.2	15.3	15.3	22.2	22.3	22.2	17.6	17.6	17.4
		50	49	22.5	22.6	22.6	15.2	15.4	15.4	22.0	22.2	22.2	17.6	17.5	17.4
		100	0	22.5	22.6	22.5	15.2	15.3	15.3	22.2	22.2	22.2	17.5	17.6	17.4

7.1.9. LTE BAND 26 (Part 90S)

ID:	10646	Date:	2/15/18
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 26 (1.4 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average			Conducted Average		
				26697	26740	26783	26697	26740	26783
1.4	QPSK	1	0	25.4	25.4	25.3	24.4	24.5	24.3
		1	2	25.3	25.4	25.3	24.4	24.5	24.3
		1	5	25.3	25.4	25.3	24.5	24.5	24.4
		3	0	25.3	25.4	25.3	24.4	24.4	24.2
		3	1	25.3	25.4	25.3	24.3	24.4	24.2
		3	2	25.3	25.3	25.3	24.4	24.5	24.2
		6	0	24.3	24.3	24.3	23.4	23.5	23.2
	16QAM	1	0	24.1	24.3	24.1	23.3	23.4	23.2
		1	2	24.1	24.3	24.1	23.2	23.4	23.1
		1	5	24.1	24.3	24.2	23.3	23.4	23.3
		3	0	24.0	24.1	24.0	23.1	23.3	23.0
		3	1	23.9	24.1	23.9	23.1	23.2	23.0
		3	2	23.9	24.0	23.9	23.1	23.3	23.0
	64QAM	6	0	22.9	22.9	22.9	22.1	22.2	22.0
		1	0	24.0	24.0	23.9	23.0	23.0	22.8
		1	2	24.0	24.0	23.9	22.9	22.9	22.7
		1	5	24.0	24.0	23.9	22.9	23.1	22.9
		3	0	23.8	23.8	23.8	22.7	22.8	22.7
		3	1	23.8	23.9	23.8	22.7	22.8	22.6
		3	2	23.8	23.8	23.8	22.7	22.9	22.6
		6	0	22.7	22.8	22.7	21.6	21.7	21.5

OUTPUT POWER FOR LTE BAND 26 (3.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average			Conducted Average		
				26705	26740	26775	26705	26740	26775
3.0	QPSK	1	0	25.4	25.5	25.4	24.3	24.3	24.2
		1	7	25.5	25.5	25.4	24.3	24.3	24.2
		1	14	25.5	25.4	25.4	24.2	24.2	24.1
		8	0	24.4	24.5	24.4	23.2	23.2	23.2
		8	4	24.4	24.5	24.4	23.2	23.2	23.1
		8	7	24.4	24.4	24.4	23.2	23.3	23.1
		15	0	24.4	24.4	24.4	23.2	23.3	23.1
	16QAM	1	0	24.2	24.3	24.1	23.4	23.3	23.3
		1	7	24.3	24.3	24.1	23.4	23.5	23.2
		1	14	24.4	24.3	24.1	23.4	23.3	23.2
		8	0	22.9	23.0	22.9	22.1	22.1	22.0
		8	4	22.9	23.0	22.9	22.1	22.1	22.0
		8	7	23.0	22.9	22.9	22.1	22.2	22.0
	64QAM	15	0	22.9	22.9	22.8	22.0	22.1	21.9
		1	0	24.2	24.2	24.1	23.1	23.2	23.0
		1	7	24.1	24.1	24.2	23.1	23.3	23.0
		1	14	24.3	24.1	24.0	23.2	23.1	22.8
		8	0	22.9	23.0	22.9	21.8	21.9	21.8
		8	4	23.0	23.0	22.9	21.8	21.9	21.8
		8	7	23.0	22.9	22.9	21.9	21.9	21.8
		15	0	22.9	22.9	22.8	21.8	21.8	21.7

OUTPUT POWER FOR LTE BAND 26 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average			Conducted Average		
				26715	26740	26765	26715	26740	26765
				816.5	819.0	821.5	816.5	819.0	821.5
5.0	QPSK	1	0	25.5	25.5	25.4	24.3	24.3	24.3
		1	12	25.5	25.3	25.4	24.2	24.3	24.1
		1	24	25.4	25.3	25.4	24.3	24.2	24.1
		12	0	24.4	24.5	24.4	23.3	23.3	23.3
		12	6	24.5	24.5	24.3	23.3	23.3	23.2
		12	11	24.5	24.4	24.3	23.3	23.4	23.2
		25	0	24.5	24.4	24.4	23.3	23.4	23.3
	16QAM	1	0	24.5	24.6	24.4	23.7	23.6	23.6
		1	12	24.6	24.4	24.3	23.6	23.7	23.5
		1	24	24.6	24.4	24.3	23.7	23.6	23.5
		12	0	23.2	23.3	23.1	22.4	22.4	22.4
		12	6	23.3	23.2	23.1	22.4	22.4	22.3
		12	11	23.3	23.2	23.1	22.4	22.4	22.2
		25	0	23.2	23.1	23.1	22.3	22.3	22.2
	64QAM	1	0	24.1	24.1	24.1	23.0	23.0	23.1
		1	12	24.3	24.1	24.0	23.0	23.0	22.8
		1	24	24.2	24.1	24.1	22.9	22.8	22.8
		12	0	22.9	22.9	22.8	21.7	21.7	21.7
		12	6	23.0	22.9	22.8	21.7	21.7	21.7
		12	11	23.0	22.9	22.8	21.7	21.7	21.6
		25	0	23.0	22.8	22.8	21.7	21.7	21.6

OUTPUT POWER FOR LTE BAND 26 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average			Conducted Average		
				N/A	26740	N/A	N/A	26740	N/A
				N/A	819.0	N/A	N/A	819.0	N/A
10.0	QPSK	1	0		25.4			24.5	
		1	24		25.3			24.4	
		1	49		25.2			24.3	
		25	0		24.3			23.4	
		25	12		24.2			23.4	
		25	24		24.1			23.3	
		50	0		24.1			23.4	
	16QAM	1	0		24.4			23.4	
		1	24		24.4			23.5	
		1	49		24.3			23.3	
		25	0		23.1			22.2	
		25	12		23.1			22.2	
		25	24		23.0			22.2	
		50	0		22.9			22.2	
	64QAM	1	0		24.3			23.1	
		1	24		24.4			23.1	
		1	49		24.3			23.0	
		25	0		23.2			21.9	
		25	12		23.1			21.9	
		25	24		23.1			21.9	
		50	0		23.0			21.8	

7.1.10. LTE BAND 30

ID:	10646	Date:	2/12/18
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 30 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average			Conducted Average			Conducted Average			Conducted Average		
				27685	27710	27735	27685	27710	27735	27685	27710	27735	27685	27710	27735
				2307.5	2310.0	2312.5	2307.5	2310.0	2312.5	2307.5	2310.0	2312.5	2307.5	2310.0	2312.5
5.0	QPSK	1	0	23.3	23.4	23.4	20.1	20.2	20.2	23.4	23.5	23.5	19.4	19.3	19.3
		1	12	23.3	23.3	23.3	20.2	20.2	20.1	23.5	23.5	23.5	19.3	19.3	19.4
		1	24	23.3	23.3	23.3	20.2	20.2	20.1	23.5	23.5	23.4	19.3	19.4	19.5
		12	0	22.1	22.2	22.2	18.9	19.1	19.0	22.3	22.4	22.4	18.2	18.2	18.2
		12	6	22.2	22.2	22.1	19.1	19.1	19.1	22.4	22.4	22.4	18.2	18.2	18.3
		12	11	22.2	22.2	22.1	19.1	19.1	19.0	22.4	22.4	22.3	18.2	18.2	18.2
	16QAM	25	0	22.2	22.2	22.1	19.1	19.1	19.0	22.4	22.4	22.4	18.2	18.2	18.2
		1	0	22.5	22.7	22.6	19.1	19.2	19.1	22.5	22.7	22.5	18.5	18.6	18.4
		1	12	22.6	22.6	22.4	19.2	19.2	19.1	22.5	22.6	22.5	18.5	18.6	18.5
		1	24	22.6	22.6	22.5	19.2	19.2	19.0	22.5	22.6	22.4	18.6	18.6	18.5
		12	0	21.0	21.1	21.1	17.5	17.6	17.6	21.0	21.1	21.1	17.0	17.0	17.0
		12	6	21.1	21.2	21.1	17.7	17.7	17.6	21.0	21.1	21.0	17.0	17.0	17.0
	64QAM	12	11	21.1	21.2	21.1	17.6	17.7	17.6	21.0	21.0	21.0	17.0	17.0	17.1
		25	0	21.1	21.1	21.0	17.7	17.7	17.6	21.0	21.0	21.0	17.0	17.0	17.0
		1	0	22.3	22.5	22.4	18.9	19.0	19.0	22.2	22.4	22.3	18.1	18.2	18.1
		1	12	22.4	22.4	22.3	19.1	19.0	19.0	22.3	22.4	22.2	18.1	18.1	18.1
		1	24	22.4	22.4	22.4	19.1	19.1	19.1	22.2	22.3	22.2	18.1	18.1	18.1
		12	0	20.9	20.9	21.0	17.5	17.6	17.6	20.7	20.8	20.9	16.6	16.7	16.7
		12	6	21.0	20.9	20.9	17.7	17.6	17.7	20.9	20.9	20.8	16.7	16.7	16.7
		12	11	20.9	21.0	20.9	17.6	17.7	17.6	20.9	20.9	20.8	16.7	16.6	16.7
		25	0	21.0	21.0	20.9	17.7	17.6	17.7	20.9	20.9	20.9	16.7	16.6	16.7

OUTPUT POWER FOR LTE BAND 30 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average			Conducted Average			Conducted Average			Conducted Average		
				N/A	27710	N/A	N/A	27710	N/A	N/A	27710	N/A	N/A	27710	N/A
				N/A	2310.0	N/A	N/A	2310.0	N/A	N/A	2310.0	N/A	N/A	2310.0	N/A
10.0	QPSK	1	0		23.5			20.4			23.4			19.4	
		1	24		23.5			20.5			23.4			19.5	
		1	49		23.4			20.5			23.4			19.5	
		25	0		22.4			19.5			22.4			18.4	
		25	12		22.4			19.4			22.4			18.4	
		25	24		22.3			19.4			22.4			18.4	
	16QAM	50	0		22.4			19.4			22.4			18.4	
		1	0		22.5			19.2			22.9			18.7	
		1	24		22.5			19.3			22.9			18.7	
		1	49		22.5			19.3			22.8			18.8	
		25	0		21.3			18.1			21.7			17.4	
		25	12		21.3			18.1			21.7			17.4	
	64QAM	25	24		21.2			18.1			21.6			17.4	
		50	0		21.2			18.0			21.7			17.4	
		1	0		22.3			19.0			22.1			18.2	
		1	24		22.3			19.1			22.3			18.2	
		1	49		22.4			19.1			22.2			18.2	
		25	0		21.3			17.9			21.0			17.0	
		25	12		21.2			17.9			21.0			17.0	
		25	24		21.2			17.9			21.0			17.0	
		50	0		21.2			17.9			21.0			17.0	

7.1.11. LTE BAND 41

ID:	10646	Date:	2/16/18
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 41 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average			Conducted Average			Conducted Average			Conducted Average		
				39675	40620	41565	39675	40620	41565	39675	40620	41565	39675	40620	41565
5.0	QPSK	1	0	24.0	26.7	26.7	19.4	22.1	22.3	23.3	25.6	25.5	18.6	21.5	21.4
		1	12	26.9	26.6	26.6	22.3	22.1	22.2	26.4	25.5	25.5	21.7	21.4	21.3
		1	24	26.9	26.6	26.6	22.3	22.2	22.2	26.5	25.6	25.5	21.7	21.5	21.3
		12	0	22.9	25.7	25.6	18.3	21.1	21.2	22.4	24.6	24.5	17.7	20.5	20.4
		12	6	22.9	25.6	25.6	18.3	21.2	21.2	22.4	24.6	24.5	17.7	20.5	20.3
		12	11	25.8	25.6	25.6	21.2	21.2	21.2	25.4	24.6	24.5	20.6	20.5	20.3
		25	0	22.9	25.6	25.6	18.3	21.2	21.2	22.4	24.6	24.5	17.6	20.5	20.4
	16QAM	1	0	23.0	25.6	25.7	18.8	21.3	21.6	22.4	24.6	24.7	18.0	20.7	20.7
		1	12	25.8	25.5	25.7	21.6	21.4	21.5	25.5	24.6	24.5	20.9	20.6	20.6
		1	24	25.8	25.5	25.5	21.6	21.4	21.5	25.5	24.6	24.5	21.0	20.7	20.5
		12	0	21.9	24.6	24.6	17.3	20.2	20.3	21.4	23.6	23.5	16.7	19.6	19.4
		12	6	21.9	24.6	24.6	17.3	20.2	20.3	21.4	23.6	23.5	16.7	19.5	19.4
		12	11	24.8	24.6	24.6	20.3	20.2	20.3	24.4	23.6	23.5	19.7	19.5	19.4
		25	0	21.9	24.6	24.6	17.3	20.2	20.3	21.5	23.6	23.5	16.7	19.5	19.4
	64QAM	1	0	22.2	24.8	24.9	17.7	20.4	20.6	21.4	23.6	23.6	17.0	19.8	19.8
		1	12	24.9	24.6	24.6	20.6	20.4	20.5	24.4	23.6	23.5	19.8	19.8	19.7
		1	24	24.9	24.6	24.7	20.6	20.4	20.5	24.5	23.6	23.5	19.9	19.8	19.7
		12	0	21.0	23.7	23.7	16.2	19.2	19.3	20.4	22.6	22.5	15.7	18.5	18.5
		12	6	21.0	23.6	23.7	16.2	19.2	19.3	20.5	22.6	22.4	15.7	18.5	18.4
		12	11	23.9	23.7	23.7	19.2	19.2	19.3	23.4	22.6	22.4	18.6	18.5	18.4
		25	0	20.9	23.7	23.7	16.1	19.2	19.3	20.5	22.6	22.4	15.7	18.5	18.4

OUTPUT POWER FOR LTE BAND 41 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average			Conducted Average			Conducted Average			Conducted Average		
				39700	40620	41540	39700	40620	41540	39700	40620	41540	39700	40620	41540
10.0	QPSK	1	0	22.1	26.9	26.9	17.6	22.2	22.3	21.5	25.6	25.7	16.9	21.6	21.6
		1	24	26.9	26.7	26.7	22.3	22.2	22.3	26.5	25.5	25.5	21.7	21.5	21.5
		1	49	26.8	26.7	26.6	22.3	22.2	22.3	26.4	25.5	25.5	21.5	21.5	21.4
		25	0	23.0	25.8	25.8	18.4	21.2	21.3	22.6	24.6	24.6	17.8	20.5	20.5
		25	12	25.9	25.7	25.7	21.3	21.3	21.2	25.5	24.6	24.6	20.7	20.5	20.4
		25	24	24.9	25.7	25.7	20.3	21.3	21.2	24.5	24.5	24.5	19.6	20.5	20.4
		50	0	22.9	25.8	25.7	18.4	21.3	21.2	22.5	24.6	24.5	17.7	20.5	20.4
	16QAM	1	0	21.3	25.8	25.8	17.1	21.5	21.7	20.7	24.6	24.7	16.3	20.8	20.8
		1	24	25.9	25.6	25.7	21.7	21.5	21.5	25.4	24.5	24.5	20.9	20.7	20.7
		1	49	25.8	25.6	25.6	21.6	21.4	21.5	25.4	24.5	24.6	20.7	20.8	20.6
		25	0	22.1	24.9	24.9	17.6	20.4	20.5	21.6	23.7	23.7	16.9	19.6	19.6
		25	12	25.0	24.8	24.8	20.5	20.4	20.4	24.6	23.6	23.7	19.8	19.6	19.5
		25	24	24.0	24.8	24.8	19.4	20.4	20.4	23.5	23.6	23.7	18.7	19.6	19.5
		50	0	22.0	24.8	24.8	17.5	20.3	20.4	21.5	23.6	23.6	16.8	19.6	19.5
	64QAM	1	0	20.3	24.8	24.9	16.2	20.5	20.7	19.7	23.6	23.6	15.4	19.8	20.7
		1	24	24.9	24.6	24.7	20.7	20.4	20.5	24.4	23.5	23.5	19.9	19.7	20.6
		1	49	24.8	24.6	24.6	20.6	20.4	20.5	24.4	23.4	23.5	19.6	19.7	20.4
		25	0	21.1	23.9	24.0	16.6	19.4	19.5	20.7	22.7	22.6	15.9	18.7	19.6
		25	12	24.0	23.9	23.9	19.5	19.4	19.4	23.5	22.7	22.6	18.8	18.7	19.6
		25	24	23.0	23.9	23.9	18.5	19.4	19.4	22.5	22.7	22.6	17.7	18.7	19.6
		50	0	21.0	23.8	23.8	16.5	19.3	19.4	20.6	22.7	22.5	15.8	18.6	19.5

OUTPUT POWER FOR LTE BAND 41 (15.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average			Conducted Average			Conducted Average			Conducted Average		
				39725	40620	41515	39725	40620	41515	39725	40620	41515	39725	40620	41515
				2503.5	2593.0	2682.5	2503.5	2593.0	2682.5	2503.5	2593.0	2682.5	2503.5	2593.0	2682.5
15.0	QPSK	1	0	22.1	26.9	26.9	17.6	22.2	22.4	21.5	25.7	25.7	16.9	21.5	21.6
		1	37	26.8	26.7	26.7	22.3	22.3	22.4	26.4	25.5	25.4	21.5	21.5	21.4
		1	74	26.8	26.7	26.5	22.2	22.3	22.4	26.1	25.5	25.4	21.1	21.4	21.3
		36	0	22.0	25.9	25.8	17.4	21.3	21.5	21.5	24.6	24.5	16.8	20.5	20.5
		36	16	25.9	25.8	25.7	21.3	21.4	21.5	25.4	24.6	24.5	20.7	20.5	20.5
		36	35	22.9	25.8	25.7	18.3	21.4	21.5	22.3	24.5	24.5	17.4	20.5	20.4
	16QAM	75	0	22.0	25.8	25.7	17.4	21.4	21.4	21.4	24.5	24.5	16.5	20.5	20.5
		1	0	21.2	25.8	25.7	17.1	21.6	21.9	20.7	24.6	24.5	16.2	20.8	20.8
		1	37	25.7	25.6	25.5	21.6	21.6	21.8	25.3	24.4	24.4	20.7	20.7	20.6
		1	74	25.7	25.5	25.4	21.4	21.6	21.7	25.0	24.3	24.3	20.2	20.7	20.5
		36	0	21.1	24.9	24.8	16.6	20.4	20.5	20.6	23.7	23.6	15.9	19.6	19.7
		36	16	25.0	24.8	24.8	20.4	20.5	20.5	24.5	23.6	23.5	19.7	19.6	19.6
	64QAM	36	35	22.0	24.8	24.7	17.4	20.5	20.5	21.4	23.6	23.5	16.5	19.6	19.6
		75	0	21.0	24.8	24.8	16.4	20.5	20.5	20.5	23.6	23.5	15.6	19.5	19.5
		1	0	20.4	24.9	24.9	16.2	20.6	20.9	19.7	23.8	23.7	15.2	19.8	19.9
		1	37	24.9	24.7	24.7	20.7	20.6	20.8	24.4	23.7	23.5	19.7	19.7	19.8
		1	74	24.8	24.7	24.5	20.6	20.6	20.8	24.1	23.5	23.5	19.2	19.7	19.6
		36	0	20.1	23.9	23.9	15.6	19.4	19.6	19.7	22.7	22.6	14.9	18.6	18.6
		36	16	24.0	23.9	23.8	19.4	19.5	19.6	23.6	22.6	22.6	18.7	18.6	18.6
		36	35	21.0	23.9	23.8	16.4	19.5	19.6	20.5	22.6	22.5	15.5	18.6	18.6
		75	0	20.0	23.9	23.8	15.4	19.5	19.6	19.5	22.6	22.5	14.6	18.6	18.5

OUTPUT POWER FOR LTE BAND 41 (20.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average			Conducted Average			Conducted Average			Conducted Average		
				39750	40620	41490	39750	40620	41490	39750	40620	41490	39750	40620	41490
				2506.0	2593.0	2680.0	2506.0	2593.0	2680.0	2506.0	2593.0	2680.0	2506.0	2593.0	2680.0
20.0	QPSK	1	0	22.1	27.0	27.0	17.6	22.3	22.5	21.6	25.7	25.7	17.0	21.6	21.7
		1	49	26.7	26.7	26.8	22.3	22.4	22.5	26.3	25.6	25.5	21.4	21.5	21.6
		1	99	26.6	26.6	26.7	22.3	22.5	22.4	25.8	25.6	25.4	20.8	21.6	21.5
		50	0	21.9	25.7	25.9	17.4	21.3	21.5	21.5	24.5	24.6	16.7	20.5	20.6
		50	24	25.7	25.6	25.8	21.3	21.4	21.5	25.2	24.5	24.5	20.4	20.5	20.5
		50	49	22.7	25.6	25.7	18.2	21.4	21.5	22.0	24.4	24.4	17.0	20.5	20.5
	16QAM	100	0	21.8	25.7	25.8	17.4	21.4	21.5	21.3	24.5	24.5	16.4	20.5	20.5
		1	0	21.2	25.8	26.0	17.3	21.6	21.9	20.7	24.6	24.9	16.5	20.9	21.0
		1	49	25.7	25.6	25.8	21.7	21.7	21.8	25.3	24.5	24.6	20.7	20.8	20.9
		1	99	25.6	25.5	25.6	21.7	21.8	21.7	24.8	24.5	24.5	20.1	20.9	20.7
		50	0	20.9	24.8	25.0	16.5	20.4	20.5	20.6	23.6	23.7	15.9	19.6	19.7
		50	24	24.7	24.7	24.9	20.4	20.5	20.5	24.3	23.6	23.6	19.5	19.5	19.6
	64QAM	50	49	21.8	24.7	24.8	17.3	20.5	20.5	21.1	23.5	23.5	16.2	19.5	19.6
		100	0	20.8	24.7	24.9	16.4	20.5	20.5	20.4	23.5	23.6	15.5	19.5	19.6
		1	0	20.3	24.8	25.0	16.3	20.7	20.8	19.8	23.7	23.8	15.5	20.0	20.1
		1	49	24.7	24.6	24.8	20.5	20.7	20.8	24.2	23.5	23.5	19.6	19.9	20.0
		1	99	24.6	24.5	24.7	20.5	20.9	20.8	23.8	23.5	23.4	19.1	19.9	19.8
		50	0	20.0	23.9	24.0	15.6	19.4	19.6	19.7	22.7	22.7	14.9	18.6	18.7
		50	24	23.8	23.8	23.9	19.4	19.5	19.6	23.4	22.7	22.6	18.5	18.6	18.6
		50	49	20.8	23.8	23.8	16.3	19.5	19.6	20.2	22.6	22.5	15.2	18.6	18.6
		100	0	19.9	23.8	23.9	15.4	19.5	19.6	19.4	22.6	22.6	14.5	18.5	18.6

7.1.12. LTE BAND 66

ID:	10646	Date:	2/14/18
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 66 (1.4 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average			Conducted Average			Conducted Average			Conducted Average		
				13197	13232	13266	13197	13232	13266	13197	13232	13266	13197	13232	13266
1.4	QPSK	1	0	25.3	25.5	25.4	20.0	20.2	20.2	24.8	24.9	24.9	22.1	22.5	22.4
		1	2	25.3	25.4	25.4	20.0	20.2	20.2	24.8	24.9	24.9	22.1	22.5	22.4
		1	5	25.3	25.5	25.4	20.0	20.2	20.2	24.9	24.9	24.9	22.2	22.5	22.4
		3	0	25.3	25.5	25.4	20.1	20.1	20.1	24.8	24.9	24.9	22.2	22.5	22.3
		3	1	25.3	25.5	25.4	20.0	20.1	20.1	24.8	24.9	24.9	22.2	22.5	22.4
		3	2	25.3	25.5	25.4	20.1	20.1	20.1	24.9	24.9	24.9	22.1	22.4	22.4
	16QAM	6	0	24.3	24.5	24.4	19.0	19.1	19.1	23.8	23.8	23.9	21.2	21.5	21.3
		1	0	24.6	24.7	24.7	19.3	19.5	19.5	24.0	24.1	24.3	21.4	21.8	21.8
		1	2	24.6	24.7	24.7	19.2	19.4	19.5	24.0	24.1	24.2	21.4	21.7	21.8
		1	5	24.6	24.7	24.7	19.3	19.5	19.5	24.1	24.2	24.2	21.4	21.8	21.8
		3	0	24.4	24.6	24.6	19.1	19.3	19.3	23.9	24.0	24.0	21.3	21.6	21.5
		3	1	24.4	24.6	24.6	19.1	19.3	19.3	23.9	24.0	24.0	21.3	21.6	21.5
	64QAM	3	2	24.4	24.6	24.5	19.1	19.3	19.3	23.9	24.0	24.0	21.3	21.6	21.5
		6	0	23.4	23.6	23.5	18.1	18.3	18.2	22.9	22.9	22.9	20.2	20.5	20.4
		1	0	23.5	23.8	23.6	18.5	18.5	18.4	23.0	23.2	23.3	20.4	20.7	20.8
		1	2	23.4	23.8	23.7	18.4	18.4	18.5	23.0	23.2	23.2	20.4	20.8	20.6
		1	5	23.5	23.8	23.7	18.4	18.4	18.5	23.0	23.2	23.2	20.4	20.7	20.7
		3	0	23.3	23.7	23.5	18.3	18.3	18.3	22.9	23.1	23.1	20.3	20.5	20.6
	64QAM	3	1	23.3	23.6	23.5	18.3	18.3	18.3	22.9	23.1	23.0	20.3	20.5	20.6
		3	2	23.4	23.7	23.5	18.3	18.3	18.3	22.9	23.0	22.9	20.3	20.5	20.6
		6	0	22.4	22.5	22.5	17.2	17.3	17.2	21.9	21.9	21.9	19.2	19.5	19.4

OUTPUT POWER FOR LTE BAND 66 (3.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)			Conducted Average (dBm)		
				131987	132322	132657	131987	132322	132657	131987	132322	132657	131987	132322	132657
3.0	QPSK	1	0	25.3	25.5	25.4	20.0	20.1	20.1	24.8	24.8	25.0	22.1	22.4	22.4
		1	7	25.4	25.4	25.4	20.1	20.2	20.2	24.9	24.9	24.9	22.2	22.5	22.3
		1	14	25.3	25.5	25.3	20.1	20.2	20.0	24.9	24.8	24.9	22.2	22.4	22.3
		8	0	24.3	24.5	24.4	19.0	19.2	19.1	23.9	23.8	24.0	21.2	21.4	21.4
		8	4	24.3	24.5	24.4	19.0	19.2	19.1	23.8	23.8	23.9	21.2	21.4	21.3
		8	7	24.3	24.5	24.4	19.0	19.2	19.1	23.9	23.8	23.9	21.2	21.4	21.3
	16QAM	15	0	24.3	24.5	24.4	19.0	19.2	19.1	23.9	23.8	23.9	21.2	21.4	21.3
		1	0	24.5	24.7	24.7	19.3	19.5	19.3	24.1	24.1	24.2	21.5	21.7	21.7
		1	7	24.6	24.9	24.8	19.4	19.5	19.4	24.1	24.1	24.2	21.5	21.9	21.6
		1	14	24.6	24.8	24.7	19.4	19.4	19.4	24.2	24.0	24.1	21.6	21.8	21.5
		8	0	23.4	23.5	23.5	18.1	18.2	18.2	22.9	22.9	23.0	20.2	20.5	20.4
		8	4	23.4	23.5	23.5	18.1	18.2	18.2	22.9	22.9	23.0	20.2	20.5	20.4
	64QAM	8	7	23.4	23.5	23.5	18.1	18.2	18.2	22.9	22.9	22.9	20.2	20.6	20.4
		15	0	23.4	23.5	23.5	18.1	18.2	18.1	22.9	22.9	22.9	20.2	20.5	20.3
		1	0	23.5	23.7	23.6	18.3	18.5	18.4	23.0	23.0	23.1	20.4	20.7	20.6
		1	7	23.5	23.7	23.6	18.4	18.5	18.4	23.1	23.1	23.1	20.5	20.7	20.5
		1	14	23.5	23.6	23.7	18.4	18.5	18.3	23.1	23.0	22.9	20.6	20.7	20.5
		8	0	22.4	22.5	22.5	17.1	17.3	17.2	21.9	21.9	22.0	19.2	19.6	19.4
	64QAM	8	4	22.4	22.5	22.5	17.1	17.3	17.2	21.9	21.9	21.9	19.2	19.5	19.4
		8	7	22.4	22.5	22.5	17.1	17.3	17.2	21.9	21.9	21.9	19.2	19.6	19.4
		15	0	22.3	22.5	22.4	17.1	17.2	17.1	21.8	21.9	21.9	19.2	19.5	19.3

OUTPUT POWER FOR LTE BAND 66 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average			Conducted Average			Conducted Average			Conducted Average		
				131997	132322	132647	131997	132322	132647	131997	132322	132647	131997	132322	132647
				1712.5	1745.0	1777.5	1712.5	1745.0	1777.5	1712.5	1745.0	1777.5	1712.5	1745.0	1777.5
5.0	QPSK	1	0	24.5	24.6	24.6	19.0	19.0	19.2	24.2	24.3	24.3	21.3	21.5	21.4
		1	12	24.5	24.6	24.6	19.1	19.1	19.2	24.2	24.3	24.3	21.3	21.5	21.4
		1	24	24.5	24.7	24.6	19.1	19.2	19.2	24.3	24.3	24.2	21.4	21.6	21.4
		12	0	23.5	23.7	23.6	18.1	18.1	18.2	23.3	23.3	23.3	20.4	20.6	20.5
		12	6	23.6	23.7	23.6	18.1	18.1	18.2	23.3	23.3	23.0	20.4	20.6	20.5
		12	11	23.6	23.7	23.7	18.1	18.1	18.2	23.3	23.3	23.0	20.5	20.6	20.4
		25	0	23.7	23.7	23.6	18.1	18.1	18.3	23.3	23.3	23.0	20.5	20.7	20.5
	16QAM	1	0	23.1	23.3	23.2	18.1	18.1	18.3	23.0	23.0	23.1	20.2	20.5	20.6
		1	12	23.1	23.2	23.1	18.1	18.1	18.2	22.9	22.8	23.0	20.3	20.6	20.6
		1	24	23.1	23.3	23.1	18.2	18.2	18.3	23.0	23.1	22.9	20.4	20.6	20.5
		12	0	21.9	22.0	22.0	17.0	16.9	17.1	21.8	21.8	21.9	19.1	19.4	19.2
		12	6	21.9	22.0	22.0	17.0	17.0	17.1	21.8	21.8	21.9	19.2	19.4	19.2
		12	11	21.9	21.9	22.0	17.0	17.0	17.1	21.8	21.8	21.8	19.2	19.4	19.1
		25	0	21.9	21.9	21.9	16.9	16.9	17.0	21.8	21.8	21.9	19.1	19.3	19.2
	64QAM	1	0	22.8	23.1	23.0	17.5	17.6	17.7	22.8	23.0	23.0	20.2	20.5	20.4
		1	12	22.9	23.1	22.9	17.6	17.6	17.7	22.9	22.9	22.9	20.3	20.5	20.4
		1	24	22.9	23.2	22.9	17.7	17.6	17.7	22.9	23.0	22.9	20.3	20.6	20.3
		12	0	21.8	21.8	21.8	16.4	16.4	16.5	21.8	21.7	21.8	19.0	19.3	19.2
		12	6	21.8	21.8	21.8	16.4	16.4	16.5	21.8	21.8	21.8	19.1	19.3	19.2
		12	11	21.8	21.9	21.7	16.4	16.4	16.5	21.8	21.8	21.7	19.1	19.3	19.1
		25	0	21.7	21.8	21.8	16.4	16.4	16.5	21.7	21.7	21.8	19.1	19.3	19.2

OUTPUT POWER FOR LTE BAND 66 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average			Conducted Average			Conducted Average			Conducted Average		
				132022	132322	132622	132022	132322	132622	132022	132322	132622	132022	132322	132622
				1715.0	1745.0	1775.0	1715.0	1745.0	1775.0	1715.0	1745.0	1775.0	1715.0	1745.0	1775.0
10.0	QPSK	1	0	24.4	24.5	24.5	19.1	19.1	19.1	23.9	23.8	24.0	21.2	21.4	21.3
		1	24	24.5	24.6	24.6	19.2	19.1	19.3	23.9	23.9	24.0	21.3	21.5	21.4
		1	49	24.5	24.6	24.5	19.2	19.2	19.2	23.9	23.9	23.9	21.4	21.6	21.4
		25	0	23.5	23.5	23.5	18.1	18.0	18.1	22.9	22.9	22.9	20.3	20.4	20.3
		25	12	23.5	23.5	23.5	18.1	18.0	18.1	22.8	22.8	22.9	20.3	20.5	20.3
		25	24	23.5	23.5	23.5	18.1	18.1	18.2	22.8	22.9	22.9	20.4	20.5	20.4
		50	0	23.5	23.5	23.5	18.1	18.0	18.1	22.8	22.8	22.9	20.3	20.4	20.3
	16QAM	1	0	23.1	23.1	23.2	18.1	18.1	18.1	23.1	23.1	23.1	20.3	20.5	20.3
		1	24	23.2	23.1	23.2	18.2	18.1	18.3	23.0	23.1	23.1	20.4	20.6	20.4
		1	49	23.3	23.2	23.3	18.2	18.1	18.2	23.1	23.1	23.1	20.4	20.6	20.4
		25	0	21.9	21.9	21.9	16.9	16.8	17.0	22.0	21.9	22.0	19.1	19.3	19.1
		25	12	21.9	21.9	21.9	16.9	16.9	17.0	21.9	21.9	22.0	19.1	19.3	19.2
		25	24	21.9	21.9	21.9	17.0	16.9	17.0	21.9	22.0	22.0	19.2	19.3	19.2
		50	0	21.8	21.8	21.8	16.9	16.8	16.9	21.9	21.9	21.9	19.0	19.2	19.1
	64QAM	1	0	22.9	23.1	22.9	17.6	17.6	17.6	23.0	23.0	22.9	20.3	20.4	20.3
		1	24	23.1	23.1	23.0	17.7	17.6	17.8	23.0	23.0	23.0	20.3	20.6	20.4
		1	49	23.2	23.1	22.9	17.7	17.7	17.8	23.0	23.0	23.0	20.4	20.6	20.4
		25	0	21.8	21.8	21.8	16.4	16.4	16.5	21.9	21.9	21.9	19.1	19.3	19.1
		25	12	21.8	21.8	21.8	16.4	16.4	16.5	21.9	21.9	21.9	19.1	19.3	19.2
		25	24	21.9	21.8	21.8	16.5	16.4	16.5	21.9	22.0	21.9	19.1	19.3	19.2
		50	0	21.7	21.8	21.8	16.4	16.3	16.4	21.9	21.8	21.9	19.1	19.2	19.1

OUTPUT POWER FOR LTE BAND 66 (15.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average			Conducted Average			Conducted Average			Conducted Average		
				132047	132322	132597	132047	132322	132597	132047	132322	132597	132047	132322	132597
15.0	QPSK	1	0	24.5	24.6	24.5	18.9	18.9	18.9	23.9	23.8	23.9	21.7	21.8	21.7
		1	37	24.6	24.6	24.6	19.1	19.0	19.1	23.9	23.9	23.9	21.8	22.0	21.8
		1	74	24.5	24.6	24.6	19.1	19.0	19.1	23.7	23.9	23.8	21.8	22.0	21.8
		36	0	23.6	23.6	23.5	18.0	17.9	17.9	22.8	22.8	22.8	20.7	20.8	20.7
		36	16	23.6	23.6	23.5	18.0	17.9	18.0	22.8	22.8	22.9	20.8	20.9	20.7
		36	35	23.6	23.6	23.5	18.0	18.0	18.0	22.8	22.8	22.8	20.8	20.9	20.7
		75	0	23.6	23.6	23.6	18.0	17.9	18.0	22.9	22.8	22.9	20.8	20.9	20.8
	16QAM	1	0	22.9	23.2	23.1	18.1	18.1	17.9	23.1	23.0	23.0	20.1	20.3	20.2
		1	37	23.1	23.5	23.2	18.1	18.2	18.2	23.2	23.2	23.0	20.3	20.5	20.3
		1	74	23.0	23.2	23.2	18.1	18.1	18.2	23.0	23.1	22.9	20.3	20.5	20.3
		36	0	21.8	21.8	21.8	16.8	16.8	16.8	21.8	21.7	21.8	19.0	19.1	18.9
		36	16	21.9	21.8	21.8	16.9	16.8	16.9	21.8	21.8	21.8	19.0	19.2	19.1
		36	35	21.8	21.8	21.8	16.9	16.9	16.9	21.8	21.8	21.8	19.1	19.3	19.1
		75	0	21.8	21.8	21.8	16.9	16.8	16.9	21.8	21.8	21.8	19.0	19.2	19.0
	64QAM	1	0	23.3	23.3	23.2	17.5	17.6	17.5	23.0	22.9	22.9	20.2	20.4	20.3
		1	37	23.1	23.0	23.0	17.7	17.7	17.7	23.1	23.0	23.1	20.3	20.5	20.4
		1	74	22.9	23.1	23.1	17.7	17.7	17.8	23.0	23.0	23.0	20.3	20.5	20.4
		36	0	23.1	22.2	22.0	16.4	16.3	16.3	21.8	21.7	21.7	19.0	19.1	19.0
		36	16	22.2	22.2	22.2	16.5	16.4	16.4	21.8	21.8	21.8	19.1	19.3	19.1
		36	35	22.2	22.2	22.2	16.4	16.4	16.5	21.8	21.8	21.8	19.1	19.3	19.1
		75	0	22.1	22.1	22.1	16.4	16.3	16.4	21.8	21.7	21.8	19.0	19.2	19.1

OUTPUT POWER FOR LTE BAND 66 (20.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2			Ant 3			Ant 4		
				Conducted Average			Conducted Average			Conducted Average			Conducted Average		
				132072	132322	132572	132072	132322	132572	132072	132322	132572	132072	132322	132572
20.0	QPSK	1	0	24.5	24.5	24.5	19.1	19.1	19.1	24.2	24.1	24.3	21.2	21.3	21.4
		1	49	24.5	24.5	24.4	19.2	19.1	19.1	24.2	24.2	24.1	21.4	21.5	21.3
		1	99	24.5	24.5	24.5	19.2	19.2	19.3	23.9	24.3	24.1	21.3	21.5	21.3
		50	0	23.5	23.5	23.4	18.1	18.0	17.9	23.1	23.1	23.1	20.2	20.3	20.2
		50	24	23.5	23.5	23.4	18.1	18.0	18.0	23.1	23.2	23.1	20.2	20.4	20.2
		50	49	23.4	23.5	23.4	18.0	18.0	18.1	23.0	23.1	23.1	20.2	20.4	20.2
		100	0	23.6	23.5	23.5	18.1	18.1	18.1	23.2	23.2	23.1	20.3	20.4	20.2
	16QAM	1	0	23.2	23.3	23.5	18.3	18.3	18.3	23.2	23.1	23.2	20.2	20.3	20.4
		1	49	23.3	23.4	23.4	18.3	18.3	18.3	23.1	23.0	23.1	20.4	20.5	20.3
		1	99	23.3	23.4	23.5	18.4	18.4	18.5	23.2	23.1	23.1	20.3	20.6	20.4
		50	0	22.0	22.0	21.9	17.0	16.9	16.9	22.3	22.1	22.2	19.0	19.1	18.9
		50	24	22.0	22.0	22.0	17.0	17.0	17.0	22.2	22.2	22.1	19.0	19.2	19.0
		50	49	21.9	22.0	22.0	17.0	17.0	17.1	22.0	22.2	22.2	19.0	19.2	19.1
		100	0	22.0	22.0	22.0	17.0	17.0	17.0	22.2	22.2	22.2	19.0	19.2	19.0
	64QAM	1	0	23.1	23.3	22.8	17.3	17.4	17.3	23.1	23.1	23.1	20.3	20.5	20.5
		1	49	23.3	23.3	22.9	17.5	17.5	17.4	23.1	23.1	23.1	20.5	20.6	20.4
		1	99	23.3	23.3	22.9	17.5	17.6	17.7	23.0	23.1	23.1	20.4	20.7	20.5
		50	0	21.8	21.8	21.7	16.0	16.0	15.9	22.2	22.1	22.0	19.0	19.1	19.0
		50	24	21.9	21.8	21.7	16.0	16.0	16.0	22.2	22.2	22.1	19.1	19.2	19.0
		50	49	21.9	21.8	21.8	16.0	16.0	16.1	22.1	22.1	22.2	19.0	19.2	19.1
		100	0	21.9	21.8	21.8	16.0	16.0	16.0	22.2	22.2	22.1	19.0	19.2	19.0

7.1.13. LTE BAND 71

ID:	10646	Date:	2/6/18
-----	-------	-------	--------

OUTPUT POWER FOR LTE BAND 71 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average			Conducted Average		
				133147	133297	133447	133147	133297	133447
				665.5	680.5	695.5	665.5	680.5	695.5
5.0	QPSK	1	0	25.3	25.5	25.3	24.2	24.2	24.3
		1	12	25.4	25.4	25.2	24.1	24.1	24.1
		1	24	25.3	25.3	25.2	24.3	24.2	24.2
		12	0	25.3	25.3	25.3	24.0	24.1	24.2
		12	6	25.3	25.3	25.2	24.1	24.1	24.1
		12	11	25.3	25.2	25.2	24.1	24.1	24.1
		25	0	25.4	25.3	25.2	24.1	24.1	24.1
	16QAM	1	0	24.2	24.1	24.1	23.4	23.4	23.6
		1	12	24.2	24.1	24.0	23.4	23.4	23.4
		1	24	24.2	24.0	24.0	23.5	23.4	23.4
		12	0	23.7	23.7	23.6	22.8	22.9	23.0
		12	6	23.6	23.7	23.6	22.8	22.9	22.9
		12	11	23.7	23.6	23.5	22.9	22.8	22.8
		25	0	23.7	23.7	23.6	22.9	22.9	22.9
	64QAM	1	0	24.1	24.2	24.2	23.1	23.1	23.2
		1	12	24.2	24.2	24.1	23.0	23.0	23.0
		1	24	24.2	24.2	24.1	23.1	23.0	23.0
		12	0	23.7	23.8	23.8	22.6	22.6	22.7
		12	6	23.8	23.8	23.7	22.5	22.6	22.7
		12	11	23.8	23.8	23.7	22.6	22.6	22.6
		25	0	23.8	23.8	23.8	22.6	22.6	22.7

OUTPUT POWER FOR LTE BAND 71 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average			Conducted Average		
				133172	133297	133422	133172	133297	133422
				668.0	680.5	693.0	668.0	680.5	693.0
10.0	QPSK	1	0	25.2	25.3	25.1	24.3	24.4	24.4
		1	24	25.3	25.3	25.2	24.5	24.3	24.4
		1	49	25.4	25.2	25.1	24.5	24.4	24.4
		25	0	25.3	25.3	25.2	24.3	24.4	24.3
		25	12	25.2	25.2	25.2	24.4	24.3	24.3
		25	24	25.3	25.1	25.1	24.4	24.3	24.3
		50	0	25.3	25.2	25.2	24.4	24.3	24.4
	16QAM	1	0	24.1	24.2	24.1	23.3	23.3	23.3
		1	24	24.1	24.2	24.2	23.5	23.4	23.4
		1	49	24.3	24.2	24.1	23.5	23.4	23.4
		25	0	23.9	23.9	23.8	23.0	23.1	23.1
		25	12	23.8	23.9	23.8	23.2	23.0	23.1
		25	24	23.9	23.7	23.8	23.1	23.0	23.1
		50	0	23.9	23.8	23.8	23.2	23.0	23.1
	64QAM	1	0	24.1	24.1	24.0	22.9	23.0	23.0
		1	24	24.1	24.1	24.1	23.1	23.0	23.0
		1	49	24.2	24.1	24.1	23.2	23.1	23.0
		25	0	23.9	23.9	23.8	22.7	22.8	22.8
		25	12	23.9	23.9	23.9	22.9	22.8	22.8
		25	24	24.0	23.8	23.9	22.8	22.8	22.7
		50	0	23.9	23.9	23.9	22.9	22.7	22.8

OUTPUT POWER FOR LTE BAND 71 (15.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Port A			Port B		
				Conducted Average			Conducted Average		
				133197	133297	133397	133197	133297	133397
				670.5	680.5	690.5	670.5	680.5	690.5
15.0	QPSK	1	0	25.2	25.4	25.1	24.3	24.3	24.3
		1	37	25.3	25.2	25.2	24.4	24.3	24.3
		1	74	25.2	25.1	25.1	24.3	24.3	24.3
		36	0	25.2	25.3	25.2	24.4	24.4	24.3
		36	16	25.3	25.2	25.2	24.4	24.3	24.3
		36	35	25.3	25.0	25.1	24.4	24.4	24.4
		75	0	25.4	25.2	25.2	24.4	24.3	24.4
	16QAM	1	0	24.1	24.2	24.1	23.3	23.4	23.3
		1	37	24.3	24.2	24.1	23.4	23.4	23.3
		1	74	24.1	24.0	24.0	23.2	23.3	23.2
		36	0	23.9	23.8	23.8	23.1	23.1	23.0
		36	16	23.9	23.8	23.8	23.1	23.0	23.1
		36	35	23.9	23.7	23.8	23.1	23.1	23.1
		75	0	24.0	23.8	23.8	23.1	23.0	23.1
	64QAM	1	0	23.9	24.1	23.9	22.8	22.8	22.8
		1	37	24.1	24.0	24.0	23.0	22.9	22.9
		1	74	24.0	24.0	24.0	22.8	22.9	22.8
		36	0	23.8	23.8	23.8	22.7	22.7	22.6
		36	16	23.9	23.8	23.8	22.8	22.7	22.7
		36	35	23.9	23.7	23.8	22.8	22.7	22.8
		75	0	23.9	23.8	23.8	22.7	22.6	22.7

OUTPUT POWER FOR LTE BAND 71 (20.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Port A			Port B		
				Conducted Average			Conducted Average		
				133222	133297	133372	133222	133297	133372
				673.0	680.5	688.0	673.0	680.5	688.0
20.0	QPSK	1	0	25.2	25.4	25.2	24.3	24.4	24.3
		1	49	25.3	25.1	25.1	24.4	24.3	24.3
		1	99	25.2	25.2	25.1	24.4	24.5	24.4
		50	0	25.3	25.3	25.1	24.5	24.3	24.3
		50	24	25.3	25.2	25.2	24.4	24.3	24.4
		50	49	25.2	25.3	25.2	24.3	24.3	24.3
		100	0	25.4	25.3	25.3	24.4	24.4	24.4
	16QAM	1	0	24.2	24.3	24.3	23.4	23.5	23.4
		1	49	24.2	24.0	24.2	23.5	23.3	23.3
		1	99	24.1	24.2	24.2	23.5	23.6	23.4
		50	0	23.9	23.9	23.7	23.2	23.0	23.1
		50	24	23.9	23.8	23.8	23.1	23.0	23.1
		50	49	23.9	23.9	23.8	23.1	23.1	23.1
		100	0	24.0	23.9	23.9	23.1	23.1	23.2
	64QAM	1	0	24.0	24.2	24.1	23.2	23.3	23.2
		1	49	24.2	24.1	24.2	23.3	23.1	23.1
		1	99	24.1	24.2	24.1	23.3	23.4	23.2
		50	0	24.0	24.1	23.8	23.0	22.8	22.8
		50	24	24.0	23.9	24.0	22.9	22.8	22.9
		50	49	24.0	24.0	24.0	22.9	22.9	22.9
		100	0	24.1	24.0	24.1	23.0	22.9	23.0