







2TX Antenna 6 + Antenna 5 OFDMA MODE – 26 Tones, RU Index 36

Antenna Gain and Limit

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBm)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Mid	5755	-3.83	-1.02	30.00	30.00
138	5690	-3.83	-1.02	30.00	30.00





Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd Power
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Antenna 5 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5755	19.79	19.81	22.81	30.00	-7.19

PSD Results

Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/ 1MHz)	Antenna 5 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Mid	5755	17.81	17.42	20.63	30.00	-9.37
138	5690	3.36	3.57	6.47	30.00	-23.53



END OF CONDUCTED TEST REPORT