







2TX Antenna 6 + Antenna 5 OFDMA MODE – 26 Tones, RU Index 36

Antenna Gain and Limit

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBm)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Mid	5755	-3.83	-1.02	30.00	30.00
138	5690	-3.83	-1.02	30.00	30.00

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd Power
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	ANT 6 Meas Power (dBm)	ANT 5 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5755	19.69	19.67	22.69	30.00	-7.31
138	5690	8.40	8.48	11.45	30.00	-18.55

PSD Results

Channel	Frequency (MHz)	ANT 6 Meas PSD (dBm/ 1MHz)	ANT 5 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Mid	5755	14.224	14.059	17.153	30.00	-12.85
138	5690	3.222	3.209	6.226	30.00	-23.77

