






2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 4





Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5260	19.70	18.40
Mid	5300	19.90	18.40
High	5320	19.75	18.35







2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5260	20.90	19.95
Mid	5300	21.15	20.00
High	5320	20.90	20.20







8.2.11. 802.11ax HE40 MODE IN THE 5.3 GHz



1TX UAT 2 MODE – 484 Tones, RU Index 65

Channel	Frequency (MHz)	26dB Bandwidth (MHz)
Low	5270	41.70
High	5310	41.60





1TX UAT 2 MODE – 26 Tones, RU Index 0

Channel	Frequency (MHz)	26dB Bandwidth (MHz)
Low	5270	20.60
High	5310	20.40





1TX UAT 2 MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	26dB Bandwidth (MHz)
Low	5270	22.50
High	5310	23.20





1TX UAT 2 MODE – 26 Tones, RU Index 17

Channel	Frequency (MHz)	26dB Bandwidth (MHz)
Low	5270	20.10
High	5310	20.70





1TX LAT 3 MODE – 484 Tones, RU Index 65

Channel	Frequency (MHz)	26dB Bandwidth (MHz)
Low	5270	41.50
High	5310	41.70





1TX LAT 3 MODE – 26 Tones, RU Index 0

Channel	Frequency (MHz)	26dB Bandwidth (MHz)
Low	5270	20.80
High	5310	20.80





1TX LAT 3 MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	26dB Bandwidth (MHz)
Low	5270	22.90
High	5310	22.70







1TX LAT 3 MODE – 26 Tones, RU Index 17

Channel	Frequency (MHz)	26dB Bandwidth (MHz)
Low	5270	20.70
High	5310	20.40







2TX UAT 2 + LAT 3 OFDMA MODE – 484 Tones, RU Index 65

Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5270	41.80	41.70
High	5310	41.50	41.50







2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth	
		UAT 2 (MHz)	LAT 3 (MHz)
Low	5270	20.70	19.90
High	5310	20.50	19.70







2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth	26 dB Bandwidth
		UAT 2 (MHz)	LAT 3 (MHz)
Low	5270	22.70	21.70
High	5310	22.70	23.50



2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 17


Channel	Frequency (MHz)	26 dB Bandwidth	26 dB Bandwidth
		UAT 2 (MHz)	LAT 3 (MHz)
Low	5270	20.60	19.30
High	5310	20.50	19.50



8.2.12. 802.11ax HE80 MODE IN THE 5.3 GHz BAND


1TX UAT 2 MODE – 996 Tones, RU Index 67

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5290	84.00




1TX UAT 2 MODE – 26 Tones, RU Index 0

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5290	20.20




1TX UAT 2 MODE – 26 Tones, RU Index 18

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5290	40.40




1TX UAT 2 MODE – 26 Tones, RU Index 36

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5290	21.00




1TX LAT 3 MODE – 996 Tones, RU Index 67

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5290	83.40


**1TX LAT 3 MODE – 26 Tones, RU Index 0**

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5290	20.00




1TX LAT 3 MODE – 26 Tones, RU Index 18

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5290	38.20





1TX LAT 3 MODE – 26 Tones, RU Index 36

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5290	20.00





2TX UAT 2 + LAT 3 CDD MODE – 996 Tones, RU Index 67

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2	LAT 3
		(MHz)	(MHz)
Mid	5290	84.20	83.60




2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 0

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2	LAT 3
		(MHz)	(MHz)
Mid	5290	20.40	20.20




2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 18

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2	LAT 3
		(MHz)	(MHz)
Mid	5290	41.20	39.00



2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 36


Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2	LAT 3
		(MHz)	(MHz)
Mid	5290	21.00	20.20




8.2.13. 802.11n HT20 MODE IN THE 5.6 GHz BAND

1TX UAT 2 MODE


Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5500	22.10
Mid	5580	22.00
High	5700	21.95
144	5720	21.95



LOW CHANNEL



MID CHANNEL



HIGH CHANNEL




CHANNEL 144

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5500	22.10
Mid	5580	22.10
High	5700	22.15
144	5720	22.20




LOW CHANNEL



MID CHANNEL











HIGH CHANNEL



CHANNEL 144

Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5500	22.00	21.70
Mid	5580	22.05	21.65
High	5700	22.15	21.60
144	5720	22.00	21.85







8.2.14. 802.11n HT40 MODE IN THE 5.6 GHz BAND

1TX UAT 2 MODE


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5510	42.10
Mid	5550	41.90
High	5670	42.10
142	5710	42.00



LOW CHANNEL



MID CHANNEL



HIGH CHANNEL




CHANNEL 142


Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5510	42.10
Mid	5550	42.10
High	5670	42.00
142	5710	41.80




LOW CHANNEL



MID CHANNEL











HIGH CHANNEL



CHANNEL 142

Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5510	41.90	41.50
Mid	5550	41.90	41.60
High	5670	41.90	41.50
142	5710	41.80	41.70






8.2.15. 802.11ac VHT80 MODE IN THE 5.6 GHz BAND

1TX UAT 2 MODE


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5530	84.20
High	5610	84.20
138	5690	83.80



LOW CHANNEL




HIGH CHANNEL








CHANNEL 138

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5530	84.00
High	5610	84.40
138	5690	84.20



Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2 (MHz)	LAT 3 (MHz)
Low	5530	84.20	83.80
High	5610	84.00	84.00
138	5690	84.20	84.20






8.2.16. 802.11ax HE20 MODE IN THE 5.6 GHz BAND

1TX UAT 2 MODE – 242 Tones, RU Index 61


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5500	21.70
Mid	5580	22.00
High	5700	21.95
144	5720	21.90




LOW CHANNEL



MID CHANNEL







HIGH CHANNEL



CHANNEL 144




1TX UAT 2 MODE – 26 Tones, RU Index 0

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5500	20.45
Mid	5580	20.45
High	5700	20.45
144	5720	20.25

**LOW CHANNEL****MID CHANNEL****HIGH CHANNEL****CHANNEL 144**


1TX UAT 2 MODE – 26 Tones, RU Index 4

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5500	19.75
Mid	5580	19.75
High	5700	19.85
144	5720	19.65


**LOW CHANNEL****MID CHANNEL****HIGH CHANNEL****CHANNEL 144**

1TX UAT 2 MODE – 26 Tones, RU Index 8


Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5500	21.00
Mid	5580	20.65
High	5700	20.85
144	5720	21.10




LOW CHANNEL



MID CHANNEL






HIGH CHANNEL



CHANNEL 144


1TX LAT 3 MODE – 242 Tones, RU Index 61

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5500	21.90
Mid	5580	21.75
High	5700	21.80
144	5720	21.85


**LOW CHANNEL****MID CHANNEL****HIGH CHANNEL****CHANNEL 144**

1TX LAT 3 MODE – 26 Tones, RU Index 0


Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5500	20.40
Mid	5580	20.50
High	5700	20.45
144	5720	20.35




LOW CHANNEL



MID CHANNEL





HIGH CHANNEL



CHANNEL 144





1TX LAT 3 MODE – 26 Tones, RU Index 4

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5500	19.55
Mid	5580	19.70
High	5700	19.60
144	5720	19.75

**LOW CHANNEL****MID CHANNEL****HIGH CHANNEL****CHANNEL 144**





1TX LAT 3 MODE – 26 Tones, RU Index 8





Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5500	21.00
Mid	5580	21.05
High	5700	21.05
144	5720	20.85

**LOW CHANNEL****MID CHANNEL****HIGH CHANNEL****CHANNEL 144**

2TX UAT 2 + LAT 3 OFDMA MODE – 242 Tones, RU Index 61





Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5500	21.80	21.75
Mid	5580	22.00	21.70
High	5700	21.85	21.65
144	5720	21.95	21.55









2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 0





Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2	LAT 3
	(MHz)	(MHz)	(MHz)
Low	5500	20.40	19.90
Mid	5580	20.45	19.90
High	5700	20.40	20.25
144	5720	20.30	19.70









2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 4





Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5500	19.75	18.40
Mid	5580	19.50	18.10
High	5700	19.60	18.40
144	5720	19.55	18.20









2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5500	21.05	19.90
Mid	5580	21.00	19.80
High	5700	20.95	20.00
144	5720	20.90	20.00






8.2.17. 802.11ax HE40 MODE IN THE 5.6 GHz BAND

1TX UAT 2 MODE – 484 Tones, RU Index 65


Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5510	41.90
Mid	5550	42.10
High	5670	41.80
142	5710	41.60



LOW CHANNEL



MID CHANNEL






HIGH CHANNEL



CHANNEL 142





1TX UAT 2 MODE – 26 Tones, RU Index 0

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5510	20.40
Mid	5550	20.70
High	5670	20.50
142	5710	20.60

**LOW CHANNEL****MID CHANNEL****HIGH CHANNEL****CHANNEL 142**




1TX UAT 2 MODE – 26 Tones, RU Index 8

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5510	22.10
Mid	5550	23.00
High	5670	22.60
142	5710	23.00

**LOW CHANNEL****MID CHANNEL****HIGH CHANNEL****CHANNEL 142**




1TX UAT 2 MODE – 26 Tones, RU Index 17

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5510	20.30
Mid	5550	20.20
High	5670	20.50
142	5710	20.10

**LOW CHANNEL****MID CHANNEL****HIGH CHANNEL****CHANNEL 142**





1TX LAT 3 MODE – 484 Tones, RU Index 65

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5510	41.90
Mid	5550	41.70
High	5670	41.70
142	5710	41.90

**LOW CHANNEL****MID CHANNEL****HIGH CHANNEL****CHANNEL 142**


1TX LAT 3 MODE – 26 Tones, RU Index 0

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5510	20.70
Mid	5550	20.70
High	5670	20.70
142	5710	20.50


**LOW CHANNEL****MID CHANNEL****HIGH CHANNEL****CHANNEL 142**

1TX LAT 3 MODE – 26 Tones, RU Index 8

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5510	22.80
Mid	5550	22.90
High	5670	23.10
142	5710	22.10




LOW CHANNEL



MID CHANNEL







HIGH CHANNEL



CHANNEL 142





1TX LAT 3MODE – 26 Tones, RU Index 17





Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5510	20.80
Mid	5550	20.70
High	5670	20.30
142	5710	20.20

**LOW CHANNEL****MID CHANNEL****HIGH CHANNEL****CHANNEL 142**

2TX UAT 2 + LAT 3 CDD MODE – 484 Tones, RU Index 65

Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5510	41.70	41.40
Mid	5550	42.10	41.30
High	5670	41.80	41.50
142	5710	41.90	41.40





2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5510	20.40	20.00
Mid	5550	20.80	19.90
High	5670	20.90	19.90
142	5710	20.40	19.70

