



2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 18

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2	LAT 3
		(MHz)	(MHz)
Mid	5290	40.00	40.40



2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 36


Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2	LAT 3
		(MHz)	(MHz)
Mid	5290	21.20	21.40



8.2.13. 802.11n HT20 MODE IN THE 5.6 GHz BAND


1TX UAT 2 MODE

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5500	21.85
Mid	5580	21.85
High	5700	21.85
144	5720	21.75







1TX LAT 3 MODE





Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5500	22.00
Mid	5580	22.05
High	5700	22.10
144	5720	22.15



2TX UAT 2 + LAT 3 CDD MODE

Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
5500	22.05	21.70
5580	22.05	21.95
5700	22.00	21.70
5720	22.00	21.70






8.2.14. 802.11n HT40 MODE IN THE 5.6 GHz BAND


1TX UAT 2 MODE

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5510	41.80
Mid	5550	41.90
High	5670	41.60
142	5710	41.90







1TX LAT 3 MODE





Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5510	42.00
Mid	5550	42.40
High	5670	42.20
142	5710	42.20



2TX UAT 2 + LAT 3 CDD MODE

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2 (MHz)	LAT 3 (MHz)
Low	5510	42.20	41.60
Mid	5550	42.00	41.80
High	5670	42.00	41.90
142	5710	42.00	41.70






8.2.15. 802.11ac VHT80 MODE IN THE 5.6 GHz BAND


1TX UAT 2 MODE

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5530	83.40
High	5610	83.60
138	5690	83.60







1TX LAT 3 MODE



Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5530	84.50
High	5610	84.60
138	5690	84.60



2TX UAT 2 + LAT 3 CDD MODE

Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5530	84.60	84.20
High	5610	84.40	84.20
138	5690	84.60	84.00






8.2.16. 802.11ax HE20 MODE IN THE 5.6 GHz BAND


1TX UAT 2 MODE – 242 Tones, RU Index 61

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5500	22.35
Mid	5580	21.65
High	5700	21.75
144	5720	21.85




1TX UAT 2 MODE – 26 Tones, RU Index 0

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5500	20.30
Mid	5580	20.45
High	5700	20.20
144	5720	20.30




1TX UAT 2 MODE – 26 Tones, RU Index 4

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5500	19.60
Mid	5580	19.85
High	5700	19.65
144	5720	19.50




1TX UAT 2 MODE – 26 Tones, RU Index 8

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5500	21.00
Mid	5580	20.95
High	5700	20.95
144	5720	20.95




1TX LAT 3 MODE – 242 Tones, RU Index 61

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5500	21.90
Mid	5580	21.75
High	5700	22.00
144	5720	22.20




1TX LAT 3 MODE – 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5500	20.35
Mid	5580	20.35
High	5700	20.45
144	5720	20.05




1TX LAT 3 MODE – 26 Tones, RU Index 4

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5500	19.70
Mid	5580	19.50
High	5700	19.85
144	5720	19.75







1TX LAT 3 MODE – 26 Tones, RU Index 8





Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5500	21.05
Mid	5580	20.85
High	5700	21.00
144	5720	20.95



2TX UAT 2 + LAT 3 OFDMA MODE – 242 Tones, RU Index 61





Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5500	21.75	21.70
Mid	5580	21.80	22.00
High	5700	21.75	21.75
144	5720	21.80	21.85









2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 0





Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5500	20.40	20.00
Mid	5580	20.40	20.00
High	5700	20.35	19.90
144	5720	20.50	20.05









2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 4





Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5500	19.55	18.48
Mid	5580	19.50	18.45
High	5700	19.75	18.50
144	5720	19.60	18.30









2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5500	20.75	19.90
Mid	5580	20.90	20.20
High	5700	21.00	20.05
144	5720	20.95	20.10






8.2.17. 802.11ax HE40 MODE IN THE 5.6 GHz BAND


1TX UAT 2 MODE – 484 Tones, RU Index 65

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5510	41.90
Mid	5550	41.70
High	5670	42.00
142	5710	41.60




1TX UAT 2 MODE – 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5510	20.50
Mid	5550	20.70
High	5670	20.30
142	5710	20.40




1TX UAT 2 MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5510	22.50
Mid	5550	22.20
High	5670	22.80
142	5710	23.20




1TX UAT 2 MODE – 26 Tones, RU Index 17


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5510	20.30
Mid	5550	20.50
High	5670	20.30
142	5710	20.20




LOW CHANNEL



MID CHANNEL




HIGH CHANNEL



CHANNEL 142


1TX LAT 3 MODE – 484 Tones, RU Index 65

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5510	41.80
Mid	5550	41.60
High	5670	42.60
142	5710	41.40




1TX LAT 3 MODE – 26 Tones, RU Index 0

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5510	20.50
Mid	5550	20.60
High	5670	20.60
142	5710	20.60




1TX LAT 3 MODE – 26 Tones, RU Index 8


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5510	22.60
Mid	5550	22.60
High	5670	22.70
142	5710	22.40




LOW CHANNEL



MID CHANNEL







HIGH CHANNEL



CHANNEL 142





1TX LAT 3 MODE – 26 Tones, RU Index 17





Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5510	20.30
Mid	5550	20.30
High	5670	20.30
142	5710	20.50



2TX UAT 2 + LAT 3 CDD MODE – 484 Tones, RU Index 65





Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5510	41.30	41.60
Mid	5550	41.30	41.10
High	5670	41.50	41.60
142	5710	41.60	41.70









2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 0





Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2 (MHz)	LAT 3 (MHz)
Low	5510	20.40	20.00
Mid	5550	20.70	19.50
High	5670	20.90	19.90
142	5710	20.80	20.80









2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 8





Channel	Frequency (MHz)	26 dB Bandwidth	
		UAT 2 (MHz)	LAT 3 (MHz)
Low	5510	22.90	22.10
Mid	5550	22.50	21.80
High	5670	23.00	22.40
142	5710	23.10	22.70









2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 17

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2 (MHz)	LAT 3 (MHz)
Low	5510	20.60	19.40
Mid	5550	20.50	19.40
High	5670	20.40	18.50
142	5710	20.40	19.70






8.2.18. 802.11ax HE80 MODE IN THE 5.6 GHz BAND

1TX UAT 2 MODE – 996 Tones, RU Index 67


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5530	84.00
High	5610	82.80
138	5690	83.00



LOW CHANNEL



HIGH CHANNEL



CHANNEL 138


1TX UAT 2 MODE – 26 Tones, RU Index 0

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5530	20.00
High	5610	20.20
138	5690	20.20




1TX UAT 2 MODE – 26 Tones, RU Index 18

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5530	41.20
High	5610	41.20
138	5690	39.60




1TX UAT 2 MODE – 26 Tones, RU Index 36

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5530	20.40
High	5610	20.40
138	5690	21.40




1TX LAT 3 MODE – 996 Tones, RU Index 67

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5530	83.60
High	5610	84.20
138	5690	85.00




1TX LAT 3 MODE – 26 Tones, RU Index 0

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5530	20.20
High	5610	20.20
138	5690	20.60




1TX LAT 3 MODE – 26 Tones, RU Index 18

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5530	40.00
High	5610	41.00
138	5690	40.00







1TX LAT 3 MODE – 26 Tones, RU Index 36



Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5530	21.40
High	5610	21.20
138	5690	21.20



2TX UAT 2 + LAT 3 OFDMA MODE – 996 Tones, RU Index 67





Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5530	84.20	84.60
High	5610	83.60	84.40
138	5690	84.60	83.60






2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 0





Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5530	20.20	20.00
High	5610	20.00	20.40
138	5690	20.20	20.20






2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 18





Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5530	40.80	40.80
High	5610	39.60	40.80
138	5690	40.20	38.00






2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 36

Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5530	21.20	21.40
High	5610	21.20	21.40
138	5690	20.80	20.20






8.2.19. 802.11n HT20 MODE IN THE 5.8 GHz BAND


1TX UAT 2 MODE

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5745	21.80
Mid	5785	21.70
High	5825	21.90







1TX LAT 3 MODE



Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5745	22.15
Mid	5785	22.25
High	5825	22.15



2TX UAT 2 + LAT 3 CDD MODE

Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5745	22.20	21.70
Mid	5785	22.05	21.70
High	5825	22.10	21.70






8.2.20. 802.11n HT40 MODE IN THE 5.8 GHz BAND


1TX UAT 2 MODE

Channel	Frequency	26dB Bandwidth
	(MHz)	(MHz)
Low	5755	41.70
High	5795	42.30







1TX LAT 3 MODE

Channel	Frequency	26dB Bandwidth
	(MHz)	(MHz)
Low	5755	42.10
High	5795	42.40



2TX UAT 2 + LAT 3 CDD MODE


Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2 (MHz)	LAT 3 (MHz)
Low	5755	42.20	41.60
High	5795	42.10	41.70



8.2.21. 802.11ac VHT80 MODE IN THE 5.8 GHz BAND


1TX UAT 2 MODE

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5775	83.20





1TX LAT 3 MODE

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5775	85.00



2TX UAT 2 + LAT 3 CDD MODE


Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2	LAT 3
		(MHz)	(MHz)
Mid	5775	84.20	84.60



8.2.22. 802.11ax HE20 MODE IN THE 5.8 GHz BAND


1TX UAT 2 MODE – 242 Tones, RU Index 61

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5745	21.75
Mid	5785	21.75
High	5825	21.70




1TX UAT 2 MODE – 26 Tones, RU Index 0


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5745	20.45
Mid	5785	20.40
High	5825	20.25



LOW CHANNEL




MID CHANNEL




HIGH CHANNEL

1TX UAT 2 MODE – 26 Tones, RU Index 4


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5745	19.60
Mid	5785	19.80
High	5825	19.65



LOW CHANNEL




MID CHANNEL



HIGH CHANNEL

1TX UAT 2 MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5745	20.95
Mid	5785	21.10
High	5825	21.05




1TX LAT 3 MODE – 242 Tones, RU Index 61

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5745	22.00
Mid	5785	21.95
High	5825	21.85



1TX LAT 3 MODE – 26 Tones, RU Index 0


Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5745	20.40
Mid	5785	20.40
High	5825	20.00



LOW CHANNEL




MID CHANNEL




HIGH CHANNEL

1TX LAT 3 MODE – 26 Tones, RU Index 4

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)
Low	5745	19.90
Mid	5785	19.65
High	5825	19.65



LOW CHANNEL




MID CHANNEL



HIGH CHANNEL





1TX LAT 3 MODE – 26 Tones, RU Index 8



Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Low	5745	21.80
Mid	5785	20.90
High	5825	21.10



2TX UAT 2 + LAT 3 OFDMA MODE – 242 Tones, RU Index 61

Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5745	21.55	22.05
Mid	5785	21.85	21.55
High	5825	21.70	21.65





2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 0

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2 (MHz)	LAT 3 (MHz)
Low	5745	20.30	19.90
Mid	5785	20.35	19.85
High	5825	20.35	19.95

