


9.7.2. AC Power Line With AC/DC Adapter

LINE 1 RESULTS




Range 1: Line-L1 .15 - 30MHz

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	PRE018644 6 L1	LC Cables C1&C3 dB	TekBox Limiter TBFL1 Model 207	Corrected Reading dBuV	CFR 47 Part 15 Class B QP	QP Margin (dB)	CFR 47 Part 15 Class B Avg	Av(CISPR)M argin (dB)
1	.18375	40.89	Qp	0	0	9.4	50.29	64.31	-14.02	-	-
2	.1815	26.26	Ca	0	0	9.4	35.66	-	-	54.42	-18.76
3	.24675	37.17	Qp	0	0	9.3	46.47	61.87	-15.4	-	-
4	.24225	22.08	Ca	0	0	9.3	31.38	-	-	52.02	-20.64
5	.3075	33.4	Qp	0	0	9.3	42.7	60.04	-17.34	-	-
6	.303	17.55	Ca	0	0	9.3	26.85	-	-	50.16	-23.31
7	.3705	29.83	Qp	0	0	9.3	39.13	58.49	-19.36	-	-
8	.36375	14.21	Ca	0	0	9.3	23.51	-	-	48.64	-25.13
9	.43125	27.82	Qp	0	0	9.3	37.12	57.23	-20.11	-	-
10	.4245	13	Ca	0	0	9.3	22.3	-	-	47.36	-25.06
11	.492	27.21	Qp	0	0	9.3	36.51	56.13	-19.62	-	-
12	.4875	12.23	Ca	0	0	9.3	21.53	-	-	46.21	-24.68
13	.555	26.26	Qp	0	0	9.3	35.56	56	-20.44	-	-
14	.54825	10.32	Ca	0	0	9.3	19.62	-	-	46	-26.38

Qp - Quasi-Peak detector

Ca - CISPR average detection

LINE 2 RESULTS



Range 2: Line-L2 .15 - 30MHz

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	PRE018644 6 L2	LC Cables C2&C3 dB	TekBox Limiter TBFL1 Model 207	Corrected Reading dBuV	CFR 47 Part 15 Class B QP	QP Margin (dB)	CFR 47 Part 15 Class B Avg	Av(CISPR)M argin (dB)
15	.18375	40.44	Qp	0	0	9.4	49.84	64.31	-14.47	-	-
16	.1815	26.04	Ca	0	0	9.4	35.44	-	-	54.42	-18.98
17	.24675	36.85	Qp	0	0	9.3	46.15	61.87	-15.72	-	-
18	.24225	21.95	Ca	0	0	9.3	31.25	-	-	52.02	-20.77
19	.3075	33.11	Qp	0	0	9.3	42.41	60.04	-17.63	-	-
20	.303	17.4	Ca	0	0	9.3	26.7	-	-	50.16	-23.46
21	.36825	29.53	Qp	0	0	9.3	38.83	58.54	-19.71	-	-
22	.36375	13.87	Ca	0	0	9.3	23.17	-	-	48.64	-25.47
23	.43125	27.57	Qp	0	0	9.3	36.87	57.23	-20.36	-	-
24	.4245	12.88	Ca	0	0	9.3	22.18	-	-	47.36	-25.18
25	.492	26.89	Qp	0	0	9.3	36.19	56.13	-19.94	-	-
26	.4875	12.16	Ca	0	0	9.3	21.46	-	-	46.21	-24.75
27	.555	25.92	Qp	0	0	9.3	35.22	56	-20.78	-	-
28	.54825	10.24	Ca	0	0	9.3	19.54	-	-	46	-26.46

Qp - Quasi-Peak detector

Ca - CISPR average detection

END OF REPORT

10. SETUP PHOTOS

Please refer to 13573771-EP21V1 for setup photos.