



ANT M2, 100 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 1CC, QPSK

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M1	100	L	1/0	24.75	-20.83	-5	-15.83
				24.74	-26.47	-13	-13.47
M2				24.75	-16.28	-5	-11.28
				24.74	-26.43	-13	-13.43
M3				24.75	-18.32	-5	-13.32
				24.74	-28.27	-13	-15.27
M1	100	L	64/0	24.75	-23.67	-5	-18.67
				24.74	-24.94	-13	-11.94
M2				24.75	-21.57	-5	-16.57
				24.74	-25.93	-13	-12.93
M3				24.75	-20.05	-5	-15.05
				24.74	-24.69	-13	-11.69
M1	100	H	1/65	25.25	-20.26	-5	-15.26
				25.26	-24.49	-13	-11.49
M2				25.25	-16.81	-5	-11.81
				25.26	-25.58	-13	-12.58
M3				25.25	-21.58	-5	-16.58
				25.26	-27.70	-13	-14.70
M1	100	H	64/2	25.25	-24.02	-5	-19.02
				25.26	-23.44	-13	-10.44
M2				25.25	-23.91	-5	-18.91
				25.26	-21.30	-13	-8.30
M3				25.25	-19.27	-5	-14.27
				25.26	-19.16	-13	-6.16

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M2	100	L	64/0	24.75	-22.40	-5	-17.40
				24.74	-27.39	-13	-14.39
M3				24.75	-19.45	-5	-14.45
				24.74	-25.67	-13	-12.67
M2	100	H	64/2	25.25	-24.40	-5	-19.40
				25.26	-25.70	-13	-12.70
M3				25.25	-18.85	-5	-13.85
				25.26	-23.61	-13	-10.61

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, 16QAM

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M2	100	L	64/0	24.75	-27.20	-5	-22.20
				24.74	-25.17	-13	-12.17
M3				24.75	-21.33	-5	-16.33
				24.74	-20.86	-13	-7.86
M2	100	H	64/2	25.25	-21.52	-5	-16.52
				25.26	-23.56	-13	-10.56
M3				25.25	-21.90	-5	-16.90
				25.26	-25.69	-13	-12.69


ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, 64QAM

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M2	100	L	64/0	24.75	-26.13	-5	-21.13
				24.74	-27.54	-13	-14.54
M3				24.75	-24.56	-5	-19.56
				24.74	-24.37	-13	-11.37
M2	100	H	64/2	25.25	-26.79	-5	-21.79
				25.26	-27.19	-13	-14.19
M3				25.25	-26.47	-5	-21.47
				25.26	-25.79	-13	-12.79


8.3.10. BAND EDGE n258 SB2 SISO-DUAL 2CC

ANT M2, 50 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 50 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB



ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 2CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	24.75	-24.09	-5	-19.09
				24.745	-26.14	-13	-13.14
M2				24.75	-21.61	-5	-16.61
				24.745	-28.42	-13	-15.42
M3				24.75	-21.02	-5	-16.02
				24.745	-28.54	-13	-15.54
M1	50	L	32/0	24.75	-25.30	-5	-20.30
				24.745	-26.53	-13	-13.53
M2				24.75	-26.91	-5	-21.91
				24.745	-27.64	-13	-14.64
M3				24.75	-24.77	-5	-19.77
				24.745	-26.48	-13	-13.48
M1	50	H	1/31	25.25	-22.40	-5	-17.40
				25.255	-25.29	-13	-12.29
M2				25.25	-21.36	-5	-16.36
				25.255	-27.48	-13	-14.48
M3				25.25	-21.65	-5	-16.65
				25.255	-27.49	-13	-14.49
M1	50	H	32/0	25.25	-23.63	-5	-18.63
				25.255	-24.18	-13	-11.18
M2				25.25	-24.54	-5	-19.54
				25.255	-25.27	-13	-12.27
M3				25.25	-23.79	-5	-18.79
				25.255	-25.56	-13	-12.56

ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-24.48	-5	-19.48
				24.745	-29.18	-13	-16.18
M3				24.75	-19.97	-5	-14.97
				24.745	-28.75	-13	-15.75
M2	50	H	1/31	25.25	-21.26	-5	-16.26
				25.255	-27.68	-13	-14.68
M3				25.25	-22.46	-5	-17.46
				25.255	-28.22	-13	-15.22

ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, 16QAM


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-21.08	-5	-16.08
				24.745	-28.59	-13	-15.59
M3				24.75	-21.37	-5	-16.37
				24.745	-28.57	-13	-15.57
M2	50	H	1/31	25.25	-24.25	-5	-19.25
				25.255	-28.55	-13	-15.55
M3				25.25	-24.62	-5	-19.62
				25.255	-28.38	-13	-15.38

ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, 64QAM


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-22.54	-5	-17.54
				24.745	-28.00	-13	-15.00
M3				24.75	-22.56	-5	-17.56
				24.745	-28.72	-13	-15.72
M2	50	H	1/31	25.25	-24.00	-5	-19.00
				25.255	-27.62	-13	-14.62
M3				25.25	-23.97	-5	-18.97
				25.255	-27.67	-13	-14.67

ANT M2, 100 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 100 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 2CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-25.10	-5	-20.10
				24.74	-25.96	-13	-12.96
M2				24.75	-21.15	-5	-16.15
				24.74	-26.66	-13	-13.66
M3				24.75	-24.32	-5	-19.32
				24.74	-28.73	-13	-15.73
M1	100	L	64/0	24.75	-26.00	-5	-21.00
				24.74	-26.54	-13	-13.54
M2				24.75	-24.62	-5	-19.62
				24.74	-26.46	-13	-13.46
M3				24.75	-23.31	-5	-18.31
				24.74	-25.01	-13	-12.01
M1	100	H	1/65	25.25	-23.33	-5	-18.33
				25.26	-24.75	-13	-11.75
M2				25.25	-20.79	-5	-15.79
				25.26	-26.25	-13	-13.25
M3				25.25	-22.26	-5	-17.26
				25.26	-28.18	-13	-15.18
M1	100	H	64/2	25.25	-24.52	-5	-19.52
				25.26	-24.76	-13	-11.76
M2				25.25	-24.93	-5	-19.93
				25.26	-24.18	-13	-11.18
M3				25.25	-24.45	-5	-19.45
				25.26	-25.45	-13	-12.45


8.3.11. BAND EDGE n258 SB2 SISO-DUAL 3CC

ANT M2, 50 MHz, SISO-DUAL, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB



ANT M2, 50 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB



ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 3CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	24.75	-24.79	-5	-19.79
				24.745	-26.06	-13	-13.06
M2				24.75	-23.89	-5	-18.89
				24.745	-28.52	-13	-15.52
M3				24.75	-24.53	-5	-19.53
				24.745	-29.28	-13	-16.28
M1	50	L	32/0	24.75	-25.61	-5	-20.61
				24.745	-25.27	-13	-12.27
M2				24.75	-25.19	-5	-20.19
				24.745	-24.45	-13	-11.45
M3				24.75	-25.76	-5	-20.76
				24.745	-24.57	-13	-11.57
M1	50	H	1/31	25.25	-24.57	-5	-19.57
				25.255	-25.31	-13	-12.31
M2				25.25	-23.71	-5	-18.71
				25.255	-28.57	-13	-15.57
M3				25.25	-23.74	-5	-18.74
				25.255	-28.96	-13	-15.96
M1	50	H	32/0	25.25	-24.43	-5	-19.43
				25.255	-25.03	-13	-12.03
M2				25.25	-24.49	-5	-19.49
				25.255	-24.87	-13	-11.87
M3				25.25	-23.83	-5	-18.83
				25.255	-23.60	-13	-10.60

ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-23.84	-5	-18.84
				24.745	-28.96	-13	-15.96
M3				24.75	-23.17	-5	-18.17
				24.745	-28.52	-13	-15.52
M2	50	H	1/31	25.25	-22.54	-5	-17.54
				25.255	-28.84	-13	-15.84
M3				25.25	-24.13	-5	-19.13
				25.255	-27.58	-13	-14.58

ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, 16QAM


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-22.57	-5	-17.57
				24.745	-28.96	-13	-15.96
M3				24.75	-22.23	-5	-17.23
				24.745	-28.52	-13	-15.52
M2	50	H	1/31	25.25	-24.51	-5	-19.51
				25.255	-28.17	-13	-15.17
M3				25.25	-23.91	-5	-18.91
				25.255	-28.35	-13	-15.35

ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, 64QAM


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-26.89	-5	-21.89
				24.745	-29.20	-13	-16.20
M3				24.75	-26.37	-5	-21.37
				24.745	-28.85	-13	-15.85
M2	50	H	1/31	25.25	-24.84	-5	-19.84
				25.255	-28.72	-13	-15.72
M3				25.25	-24.53	-5	-19.53
				25.255	-28.98	-13	-15.98

ANT M2, 100 MHz, SISO-DUAL, 3CC, QPSK


Low-side, Single RB



Low-side, Full RB



ANT M2, 100 MHz, SISO-DUAL, 3CC, QPSK




ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 3CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-24.97	-5	-19.97
				24.74	-26.02	-13	-13.02
M2				24.75	-23.17	-5	-18.17
				24.74	-27.62	-13	-14.62
M3				24.75	-26.13	-5	-21.13
				24.74	-29.23	-13	-16.23
M1	100	L	64/0	24.75	-25.46	-5	-20.46
				24.74	-25.67	-13	-12.67
M2				24.75	-27.74	-5	-22.74
				24.74	-27.28	-13	-14.28
M3				24.75	-27.79	-5	-22.79
				24.74	-25.93	-13	-12.93
M1	100	H	1/65	25.25	-23.28	-5	-18.28
				25.26	-25.03	-13	-12.03
M2				25.25	-23.21	-5	-18.21
				25.26	-26.50	-13	-13.50
M3				25.25	-24.45	-5	-19.45
				25.26	-27.98	-13	-14.98
M1	100	H	64/2	25.25	-24.24	-5	-19.24
				25.26	-24.70	-13	-11.70
M2				25.25	-25.83	-5	-20.83
				25.26	-23.86	-13	-10.86
M3				25.25	-24.95	-5	-19.95
				25.26	-25.19	-13	-12.19

8.3.12. BAND EDGE n258 SB2 SISO-DUAL 4CC

ANT M2, 50 MHz, SISO-DUAL, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 50 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB



ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 4CC, QPSK

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M1	50	L	1/0	24.75	-24.43	-5	-19.43
				24.745	-26.43	-13	-13.43
M2				24.75	-22.33	-5	-17.33
				24.745	-28.92	-13	-15.92
M3				24.75	-24.52	-5	-19.52
				24.745	-28.92	-13	-15.92
M1	50	L	32/0	24.75	-25.98	-5	-20.98
				24.745	-24.63	-13	-11.63
M2				24.75	-24.99	-5	-19.99
				24.745	-24.03	-13	-11.03
M3				24.75	-24.53	-5	-19.53
				24.745	-25.83	-13	-12.83
M1	50	H	1/31	25.25	-23.96	-5	-18.96
				25.255	-24.62	-13	-11.62
M2				25.25	-23.98	-5	-18.98
				25.255	-28.61	-13	-15.61
M3				25.25	-24.20	-5	-19.20
				25.255	-27.87	-13	-14.87
M1	50	H	32/0	25.25	-24.44	-5	-19.44
				25.255	-24.86	-13	-11.86
M2				25.25	-23.88	-5	-18.88
				25.255	-24.04	-13	-11.04
M3				25.25	-21.60	-5	-16.60
				25.255	-22.04	-13	-9.04

ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, Pi/2 BPSK

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M2	50	L	1/0	24.75	-23.79	-5	-18.79
				24.745	-28.88	-13	-15.88
M3				24.75	-27.69	-5	-22.69
				24.745	-29.55	-13	-16.55
M2	50	H	1/31	25.25	-24.77	-5	-19.77
				25.255	-28.66	-13	-15.66
M3				25.25	-25.32	-5	-20.32
				25.255	-28.21	-13	-15.21

ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, 16QAM


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-22.81	-5	-17.81
				24.745	-29.20	-13	-16.20
M3				24.75	-25.09	-5	-20.09
				24.745	-29.18	-13	-16.18
M2	50	H	1/31	25.25	-23.88	-5	-18.88
				25.255	-28.10	-13	-15.10
M3				25.25	-24.04	-5	-19.04
				25.255	-28.54	-13	-15.54

ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, 64QAM


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-24.02	-5	-19.02
				24.745	-28.85	-13	-15.85
M3				24.75	-27.15	-5	-22.15
				24.745	-30.07	-13	-17.07
M2	50	H	1/31	25.25	-24.23	-5	-19.23
				25.255	-27.86	-13	-14.86
M3				25.25	-26.42	-5	-21.42
				25.255	-28.24	-13	-15.24

ANT M2, 100 MHz, SISO-DUAL, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 100 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 4CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-25.51	-5	-20.51
			1/0	24.74	-25.94	-13	-12.94
M2			1/0	24.75	-23.59	-5	-18.59
			1/0	24.74	-27.25	-13	-14.25
M3			1/0	24.75	-25.22	-5	-20.22
			1/0	24.74	-29.09	-13	-16.09
M1	100	L	64/0	24.75	-25.45	-5	-20.45
			64/0	24.74	-25.17	-13	-12.17
M2			64/0	24.75	-26.19	-5	-21.19
			64/0	24.74	-27.95	-13	-14.95
M3			64/0	24.75	-25.13	-5	-20.13
			64/0	24.74	-24.02	-13	-11.02
M1	100	H	1/65	25.25	-23.90	-5	-18.90
			1/65	25.26	25.07	-13	38.07
M2			1/65	25.25	-24.91	-5	-19.91
			1/65	25.26	-28.63	-13	-15.63
M3			1/65	25.25	-26.45	-5	-21.45
			1/65	25.26	-28.23	-13	-15.23
M1	100	H	64/2	25.25	-24.28	-5	-19.28
			64/2	25.26	-24.33	-13	-11.33
M2			64/2	25.25	-26.46	-5	-21.46
			64/2	25.26	-24.22	-13	-11.22
M3			64/2	25.25	-24.82	-5	-19.82
			64/2	25.26	-24.86	-13	-11.86


8.3.13. BAND EDGE n258 SB2 MIMO 1CC

ANT M2, 50 MHz, MIMO, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 50 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M3, 50 MHz, MIMO, 1CC, QPSK


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	24.75	-20.87	-5	-15.87
				24.745	-28.03	-13	-15.03
M2				24.75	-17.78	-5	-12.78
				24.745	-27.64	-13	-14.64
M3				24.75	-18.03	-5	-13.03
				24.745	-27.94	-13	-14.94
M1	50	L	32/0	24.75	-25.84	-5	-20.84
				24.745	-25.23	-13	-12.23
M2				24.75	-20.97	-5	-15.97
				24.745	-20.78	-13	-7.78
M3				24.75	-22.00	-5	-17.00
				24.745	-20.84	-13	-7.84
M1	50	H	1/31	25.25	-22.08	-5	-17.08
				25.255	-27.43	-13	-14.43
M2				25.25	-19.51	-5	-14.51
				25.255	-26.05	-13	-13.05
M3				25.25	-18.09	-5	-13.09
				25.255	-26.54	-13	-13.54
M1	50	H	32/0	25.25	-24.01	-5	-19.01
				25.255	-25.59	-13	-12.59
M2				25.25	-17.17	-5	-12.17
				25.255	-20.68	-13	-7.68
M3				25.25	-19.67	-5	-14.67
				25.255	-22.00	-13	-9.00

ANT M2, 100 MHz, MIMO, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 100 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M3, 100 MHz, MIMO, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-22.71	-5	-17.71
				24.74	-28.94	-13	-15.94
M2				24.75	-16.94	-5	-11.94
				24.74	-28.22	-13	-15.22
M3				24.75	-17.43	-5	-12.43
				24.74	-28.74	-13	-15.74
M1	100	L	66/0	24.75	-25.30	-5	-20.30
				24.74	-25.53	-13	-12.53
M2				24.75	-20.85	-5	-15.85
				24.74	-25.30	-13	-12.30
M3				24.75	-17.37	-5	-12.37
				24.74	-23.49	-13	-10.49
M1	100	H	1/65	25.25	-23.42	-5	-18.42
				25.26	-28.64	-13	-15.64
M2				25.25	-20.27	-5	-15.27
				25.26	-27.73	-13	-14.73
M3				25.25	-19.23	-5	-14.23
				25.26	-27.68	-13	-14.68
M1	100	H	66/0	25.25	-28.06	-5	-23.06
				25.26	-28.79	-13	-15.79
M2				25.25	-18.71	-5	-13.71
				25.26	-20.99	-13	-7.99
M3				25.25	-17.70	-5	-12.70
				25.26	-19.96	-13	-6.96


8.3.14. BAND EDGE n258 SB2 MIMO 2CC

ANT M2, 50 MHz, MIMO, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 50 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M3, 50 MHz, MIMO, 2CC, QPSK

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M1	50	L	1/0	24.75	-25.62	-5	-20.62
				24.745	-28.35	-13	-15.35
M2				24.75	-20.22	-5	-15.22
				24.745	-27.79	-13	-14.79
M3				24.75	-21.01	-5	-16.01
				24.745	-28.35	-13	-15.35
M1	50	L	32/0	24.75	-28.75	-5	-23.75
				24.745	-27.81	-13	-14.81
M2				24.75	-26.05	-5	-21.05
				24.745	-26.99	-13	-13.99
M3				24.75	-24.03	-5	-19.03
				24.745	-25.33	-13	-12.33
M1	50	H	1/31	25.25	-26.70	-5	-21.70
				25.255	-28.95	-13	-15.95
M2				25.25	-21.85	-5	-16.85
				25.255	-27.93	-13	-14.93
M3				25.25	-23.14	-5	-18.14
				25.255	-27.60	-13	-14.60
M1	50	H	32/0	25.25	-27.79	-5	-22.79
				25.255	-28.10	-13	-15.10
M2				25.25	-23.64	-5	-18.64
				25.255	-24.71	-13	-11.71
M3				25.25	-26.04	-5	-21.04
				25.255	-26.16	-13	-13.16

ANT M2, 100 MHz, MIMO, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 100 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M3, 100 MHz, MIMO, 2CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-27.31	-5	-22.31
				24.74	-29.48	-13	-16.48
M2				24.75	-25.92	-5	-20.92
				24.74	-28.94	-13	-15.94
M3				24.75	-24.84	-5	-19.84
				24.74	-29.04	-13	-16.04
M1	100	L	66/0	24.75	-28.57	-5	-23.57
				24.74	-27.78	-13	-14.78
M2				24.75	-27.64	-5	-22.64
				24.74	-28.19	-13	-15.19
M3				24.75	-24.06	-5	-19.06
				24.74	-26.44	-13	-13.44
M1	100	H	1/65	25.25	-28.76	-5	-23.76
				25.26	-29.19	-13	-16.19
M2				25.25	-23.31	-5	-18.31
				25.26	-28.64	-13	-15.64
M3				25.25	-22.35	-5	-17.35
				25.26	-28.23	-13	-15.23
M1	100	H	66/0	25.25	-28.53	-5	-23.53
				25.26	-28.47	-13	-15.47
M2				25.25	-26.96	-5	-21.96
				25.26	-27.60	-13	-14.60
M3				25.25	-26.16	-5	-21.16
				25.26	-24.98	-13	-11.98


8.3.15. BAND EDGE n258 SB2 MIMO 3CC

ANT M2, 50 MHz, MIMO, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 50 MHz, MIMO, 3CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M3, 50 MHz, MIMO, 3CC, QPSK


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	24.75	-26.75	-5	-21.75
				24.745	-28.99	-13	-15.99
M2				24.75	-24.83	-5	-19.83
				24.745	-28.50	-13	-15.50
M3				24.75	-21.98	-5	-16.98
				24.745	-28.74	-13	-15.74
M1	50	L	32/0	24.75	-27.92	-5	-22.92
				24.745	-28.63	-13	-15.63
M2				24.75	-26.61	-5	-21.61
				24.745	-27.81	-13	-14.81
M3				24.75	-27.12	-5	-22.12
				24.745	-27.72	-13	-14.72
M1	50	H	1/31	25.25	-26.06	-5	-21.06
				25.255	-28.60	-13	-15.60
M2				25.25	-23.80	-5	-18.80
				25.255	-28.54	-13	-15.54
M3				25.25	-24.10	-5	-19.10
				25.255	-28.29	-13	-15.29
M1	50	H	32/0	25.25	-28.37	-5	-23.37
				25.255	-28.72	-13	-15.72
M2				25.25	-25.74	-5	-20.74
				25.255	-27.48	-13	-14.48
M3				25.25	-26.41	-5	-21.41
				25.255	-27.36	-13	-14.36

ANT M2, 100 MHz, MIMO, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 100 MHz, MIMO, 3CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M3, 100 MHz, MIMO, 3CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-27.47	-5	-22.47
				24.74	-28.79	-13	-15.79
M2				24.75	-25.67	-5	-20.67
				24.74	-29.55	-13	-16.55
M3				24.75	-25.99	-5	-20.99
				24.74	-29.48	-13	-16.48
M1	100	L	66/0	24.75	-29.20	-5	-24.20
				24.74	-29.40	-13	-16.40
M2				24.75	-27.10	-5	-22.10
				24.74	-27.52	-13	-14.52
M3				24.75	-25.80	-5	-20.80
				24.74	-26.00	-13	-13.00
M1	100	H	1/65	25.25	-27.69	-5	-22.69
				25.26	-28.73	-13	-15.73
M2				25.25	-24.76	-5	-19.76
				25.26	-28.49	-13	-15.49
M3				25.25	-22.99	-5	-17.99
				25.26	-28.49	-13	-15.49
M1	100	H	66/0	25.25	-28.75	-5	-23.75
				25.26	-28.16	-13	-15.16
M2				25.25	-25.78	-5	-20.78
				25.26	-27.18	-13	-14.18
M3				25.25	-25.90	-5	-20.90
				25.26	-25.36	-13	-12.36


8.3.16. BAND EDGE n258 SB2 MIMO 4CC

ANT M2, 50 MHz, MIMO, 2CC, QPSK




ANT M2, 50 MHz, MIMO, 4CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M3, 50 MHz, MIMO, 4CC, QPSK


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	24.75	-27.09	-5	-22.09
				24.745	-29.03	-13	-16.03
M2				24.75	-24.11	-5	-19.11
				24.745	-29.07	-13	-16.07
M3				24.75	-22.58	-5	-17.58
				24.745	-29.19	-13	-16.19
M1	50	L	32/0	24.75	-28.38	-5	-23.38
				24.745	-28.62	-13	-15.62
M2				24.75	-25.65	-5	-20.65
				24.745	-26.49	-13	-13.49
M3				24.75	-26.22	-5	-21.22
				24.745	-26.93	-13	-13.93
M1	50	H	1/31	25.25	-27.60	-5	-22.60
				25.255	-29.24	-13	-16.24
M2				25.25	-25.13	-5	-20.13
				25.255	-28.34	-13	-15.34
M3				25.25	-23.81	-5	-18.81
				25.255	-28.59	-13	-15.59
M1	50	H	32/0	25.25	-28.69	-5	-23.69
				25.255	-29.25	-13	-16.25
M2				25.25	-25.64	-5	-20.64
				25.255	-25.38	-13	-12.38
M3				25.25	-25.28	-5	-20.28
				25.255	-26.31	-13	-13.31

ANT M2, 100 MHz, MIMO, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 100 MHz, MIMO, 4CC, QPSK

High-side, Single RB



High-side, Full RB





ANT M1, M2 & M3, 100 MHz, MIMO, 4CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-27.80	-5	-22.80
				24.74	-28.88	-13	-15.88
M2				24.75	-26.09	-5	-21.09
				24.74	-29.38	-13	-16.38
M3				24.75	-25.72	-5	-20.72
				24.74	-28.97	-13	-15.97
M1	100	L	66/0	24.75	-28.58	-5	-23.58
				24.74	-28.89	-13	-15.89
M2				24.75	-26.74	-5	-21.74
				24.74	-25.96	-13	-12.96
M3				24.75	-26.32	-5	-21.32
				24.74	-26.09	-13	-13.09
M1	100	H	1/65	25.25	-26.13	-5	-21.13
				25.26	-28.45	-13	-15.45
M2				25.25	-24.79	-5	-19.79
				25.26	-28.14	-13	-15.14
M3				25.25	-24.19	-5	-19.19
				25.26	-28.12	-13	-15.12
M1	100	H	66/0	25.25	-28.55	-5	-23.55
				25.26	-28.80	-13	-15.80
M2				25.25	-26.62	-5	-21.62
				25.26	-26.75	-13	-13.75
M3				25.25	-25.49	-5	-20.49
				25.26	-25.33	-13	-12.33


8.3.17. BAND EDGE n261 SISO-DUAL 1CC

ANT M2, 50 MHz, SISO-DUAL, 1CC, QPSK




ANT M2, 50 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 1CC, QPSK

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M1	50	L	1/0	27.5	-21.22	-5	-16.22
				27.495	-24.19	-13	-11.19
M2				27.5	-17.21	-5	-12.21
				27.495	-25.01	-13	-12.01
M3				27.5	-16.64	-5	-11.64
				27.495	-24.03	-13	-11.03
M1	50	L	32/0	27.5	-23.56	-5	-18.56
				27.495	-24.91	-13	-11.91
M2				27.5	-21.27	-5	-16.27
				27.495	-21.75	-13	-8.75
M3				27.5	-20.02	-5	-15.02
				27.495	-19.98	-13	-6.98
M1	50	H	1/31	28.35	-19.19	-5	-14.19
				28.355	-23.99	-13	-10.99
M2				28.35	-15.98	-5	-10.98
				28.355	-24.61	-13	-11.61
M3				28.35	-15.32	-5	-10.32
				28.355	-23.46	-13	-10.46
M1	50	H	32/0	28.35	-22.77	-5	-17.77
				28.355	-23.56	-13	-10.56
M2				28.35	-16.96	-5	-11.96
				28.355	-18.46	-13	-5.46
M3				28.35	-17.54	-5	-12.54
				28.355	-20.55	-13	-7.55

ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M2	50	L	1/0	27.5	-17.13	-5	-12.13
				27.495	-24.38	-13	-11.38
M3				27.5	-16.01	-5	-11.01
				27.495	-24.65	-13	-11.65
M2	50	L	32/0	27.5	-22.67	-5	-17.67
				27.495	-25.13	-13	-12.13
M3				27.5	-21.07	-5	-16.07
				27.495	-22.51	-13	-9.51
M2	50	H	1/31	28.35	-15.29	-5	-10.29
				28.355	-23.16	-13	-10.16
M3				28.35	-16.84	-5	-11.84
				28.355	-23.96	-13	-10.96
M2	50	H	32/0	28.35	-18.49	-5	-13.49
				28.355	-23.00	-13	-10.00
M3				28.35	-19.73	-5	-14.73
				28.355	-23.07	-13	-10.07

ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, 16QAM


Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M2	50	L	1/0	27.5	-17.08	-5	-12.08
				27.495	-23.98	-13	-10.98
M3				27.5	-15.91	-5	-10.91
				27.495	-24.52	-13	-11.52
M2	50	L	32/0	27.5	-23.28	-5	-18.28
				27.495	-24.60	-13	-11.60
M3				27.5	-20.42	-5	-15.42
				27.495	-21.98	-13	-8.98
M2	50	H	1/31	28.35	-16.50	-5	-11.50
				28.355	-23.48	-13	-10.48
M3				28.35	-16.87	-5	-11.87
				28.355	-24.61	-13	-11.61
M2	50	H	32/0	28.35	-20.36	-5	-15.36
				28.355	-21.08	-13	-8.08
M3				28.35	-21.96	-5	-16.96
				28.355	-23.41	-13	-10.41

ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, 64QAM


Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M2	50	L	1/0	27.5	-18.18	-5	-13.18
				27.495	-25.35	-13	-12.35
M3				27.5	-19.93	-5	-14.93
				27.495	-25.75	-13	-12.75
M2	50	L	32/0	27.5	-24.36	-5	-19.36
				27.495	-26.23	-13	-13.23
M3				27.5	-24.09	-5	-19.09
				27.495	-24.56	-13	-11.56
M2	50	H	1/31	28.35	-18.00	-5	-13.00
				28.355	-24.74	-13	-11.74
M3				28.35	-19.84	-5	-14.84
				28.355	-24.33	-13	-11.33
M2	50	H	32/0	28.35	-22.52	-5	-17.52
				28.355	-25.05	-13	-12.05
M3				28.35	-24.04	-5	-19.04
				28.355	-24.98	-13	-11.98

ANT M2, 100 MHz, SISO-DUAL, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 100 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-22.18	-5	-17.18
				27.49	-25.29	-13	-12.29
M2				27.5	-17.04	-5	-12.04
				27.49	-25.50	-13	-12.50
M3				27.5	-18.48	-5	-13.48
				27.49	-25.55	-13	-12.55
M1	100	L	64/0	27.5	-23.97	-5	-18.97
				27.49	-24.97	-13	-11.97
M2				27.5	-21.33	-5	-16.33
				27.49	-22.41	-13	-9.41
M3				27.5	-20.02	-5	-15.02
				27.49	-21.65	-13	-8.65
M1	100	H	1/65	28.35	-20.55	-5	-15.55
				28.36	-24.35	-13	-11.35
M2				28.35	-20.35	-5	-15.35
				28.36	-26.03	-13	-13.03
M3				28.35	-17.56	-5	-12.56
				28.36	-25.52	-13	-12.52
M1	100	H	64/2	28.35	-23.62	-5	-18.62
				28.36	-24.23	-13	-11.23
M2				28.35	-23.04	-5	-18.04
				28.36	-22.10	-13	-9.10
M3				28.35	-22.48	-5	-17.48
				28.36	-21.30	-13	-8.30

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	27.5	-23.07	-5	-18.07
				27.49	-24.81	-13	-11.81
M3				27.5	-20.81	-5	-15.81
				27.49	-23.17	-13	-10.17
M2	100	H	64/2	28.35	-22.96	-5	-17.96
				28.36	-24.68	-13	-11.68
M3				28.35	-17.74	-5	-12.74
				28.36	-22.73	-13	-9.73

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	27.5	-24.37	-5	-19.37
				27.49	-23.98	-13	-10.98
M3				27.5	-23.67	-5	-18.67
				27.49	-24.09	-13	-11.09
M2	100	H	64/2	28.35	-23.77	-5	-18.77
				28.36	-24.39	-13	-11.39
M3				28.35	-22.88	-5	-17.88
				28.36	-21.90	-13	-8.90


ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	27.5	-25.57	-5	-20.57
				27.49	-26.48	-13	-13.48
M3				27.5	-24.31	-5	-19.31
				27.49	-24.35	-13	-11.35
M2	100	H	64/2	28.35	-24.85	-5	-19.85
				28.36	-24.97	-13	-11.97
M3				28.35	-25.09	-5	-20.09
				28.36	-23.90	-13	-10.90


8.3.18. BAND EDGE n261 SISO-DUAL 2CC

ANT M2, 50 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 50 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB



ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 2CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-23.91	-5	-18.91
				27.495	-25.01	-13	-12.01
M2				27.5	-22.08	-5	-17.08
				27.495	-26.38	-13	-13.38
M3				27.5	-21.48	-5	-16.48
				27.495	-26.41	-13	-13.41
M1	50	L	32/0	27.5	-24.61	-5	-19.61
				27.495	-24.78	-13	-11.78
M2				27.5	-24.17	-5	-19.17
				27.495	-26.05	-13	-13.05
M3				27.5	-24.02	-5	-19.02
				27.495	-24.24	-13	-11.24
M1	50	H	1/31	28.35	-23.75	-5	-18.75
				28.355	-24.74	-13	-11.74
M2				28.35	-19.61	-5	-14.61
				28.355	-25.98	-13	-12.98
M3				28.35	-20.41	-5	-15.41
				28.355	-25.88	-13	-12.88
M1	50	H	32/0	28.35	-23.70	-5	-18.70
				28.355	-24.63	-13	-11.63
M2				28.35	-22.77	-5	-17.77
				28.355	-22.81	-13	-9.81
M3				28.35	-21.91	-5	-16.91
				28.355	-22.62	-13	-9.62

ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-22.43	-5	-17.43
				27.495	-26.30	-13	-13.30
M3				27.5	-23.64	-5	-18.64
				27.495	-26.43	-13	-13.43
M2	50	H	1/31	28.35	-19.57	-5	-14.57
				28.355	-25.60	-13	-12.60
M3				28.35	-22.44	-5	-17.44
				28.355	-25.59	-13	-12.59

ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, 16QAM


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-22.83	-5	-17.83
				27.495	-26.18	-13	-13.18
M3				27.5	-22.40	-5	-17.40
				27.495	-26.20	-13	-13.20
M2	50	H	1/31	28.35	-20.07	-5	-15.07
				28.355	-25.58	-13	-12.58
M3				28.35	-23.30	-5	-18.30
				28.355	-25.80	-13	-12.80

ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, 64QAM


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-22.88	-5	-17.88
				27.495	-26.62	-13	-13.62
M3				27.5	-23.56	-5	-18.56
				27.495	-26.07	-13	-13.07
M2	50	H	1/31	28.35	-21.27	-5	-16.27
				28.355	-26.29	-13	-13.29
M3				28.35	-23.41	-5	-18.41
				28.355	-26.56	-13	-13.56

ANT M2, 100 MHz, SISO-DUAL, 2CC, QPSK



Low-side, Single RB



Low-side, Full RB



ANT M2, 100 MHz, SISO-DUAL, 2CC, QPSK




ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 2CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-23.11	-5	-18.11
				27.49	-25.19	-13	-12.19
M2				27.5	-23.50	-5	-18.50
				27.49	-25.81	-13	-12.81
M3				27.5	-22.99	-5	-17.99
				27.49	-27.05	-13	-14.05
M1	100	L	64/0	27.5	-24.73	-5	-19.73
				27.49	-24.42	-13	-11.42
M2				27.5	-24.78	-5	-19.78
				27.49	-25.34	-13	-12.34
M3				27.5	-24.38	-5	-19.38
				27.49	-23.60	-13	-10.60
M1	100	H	1/65	28.35	-23.64	-5	-18.64
				28.36	-24.87	-13	-11.87
M2				28.35	-22.10	-5	-17.10
				28.36	-26.12	-13	-13.12
M3				28.35	-21.78	-5	-16.78
				28.36	-25.78	-13	-12.78
M1	100	H	64/2	28.35	-24.09	-5	-19.09
				28.36	-24.83	-13	-11.83
M2				28.35	-25.17	-5	-20.17
				28.36	-26.27	-13	-13.27
M3				28.35	-23.62	-5	-18.62
				28.36	-23.77	-13	-10.77


8.3.19. BAND EDGE n261 SISO-DUAL 3CC

ANT M2, 50 MHz, SISO-DUAL, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 50 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB



ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 3CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-23.73	-5	-18.73
				27.495	-24.73	-13	-11.73
M2				27.5	-22.15	-5	-17.15
				27.495	-26.19	-13	-13.19
M3				27.5	-22.46	-5	-17.46
				27.495	-26.58	-13	-13.58
M1	50	L	32/0	27.5	-24.92	-5	-19.92
				27.495	-24.50	-13	-11.50
M2				27.5	-25.20	-5	-20.20
				27.495	-25.19	-13	-12.19
M3				27.5	-23.63	-5	-18.63
				27.495	-24.79	-13	-11.79
M1	50	H	1/31	28.35	-23.23	-5	-18.23
				28.355	-24.22	-13	-11.22
M2				28.35	-21.39	-5	-16.39
				28.355	-26.26	-13	-13.26
M3				28.35	-21.02	-5	-16.02
				28.355	-25.98	-13	-12.98
M1	50	H	32/0	28.35	-24.58	-5	-19.58
				28.355	-24.29	-13	-11.29
M2				28.35	-24.11	-5	-19.11
				28.355	-25.14	-13	-12.14
M3				28.35	-24.65	-5	-19.65
				28.355	-25.15	-13	-12.15

ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-23.06	-5	-18.06
				27.495	-26.11	-13	-13.11
M3				27.5	-23.95	-5	-18.95
				27.495	-26.22	-13	-13.22
M2	50	H	1/31	28.35	-23.17	-5	-18.17
				28.355	-25.74	-13	-12.74
M3				28.35	-23.47	-5	-18.47
				28.355	-26.07	-13	-13.07

ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, 16QAM


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-22.30	-5	-17.30
				27.495	-26.38	-13	-13.38
M3				27.5	-21.34	-5	-16.34
				27.495	-26.46	-13	-13.46
M2	50	H	1/31	28.35	-21.67	-5	-16.67
				28.355	-25.32	-13	-12.32
M3				28.35	-24.76	-5	-19.76
				28.355	-26.76	-13	-13.76

ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, 64QAM


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-22.73	-5	-17.73
				27.495	-26.80	-13	-13.80
M3				27.5	-23.69	-5	-18.69
				27.495	-26.03	-13	-13.03
M2	50	H	1/31	28.35	-21.48	-5	-16.48
				28.355	-26.00	-13	-13.00
M3				28.35	-22.26	-5	-17.26
				28.355	-26.62	-13	-13.62

ANT M2, 100 MHz, SISO-DUAL, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 100 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 3CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-23.61	-5	-18.61
				27.49	-24.69	-13	-11.69
M2				27.5	-23.53	-5	-18.53
				27.49	-26.16	-13	-13.16
M3				27.5	-24.37	-5	-19.37
				27.49	-26.57	-13	-13.57
M1	100	L	64/0	27.5	-24.55	-5	-19.55
				27.49	-24.72	-13	-11.72
M2				27.5	-25.21	-5	-20.21
				27.49	-25.02	-13	-12.02
M3				27.5	-24.05	-5	-19.05
				27.49	-25.19	-13	-12.19
M1	100	H	1/65	28.35	-23.79	-5	-18.79
				28.36	-24.86	-13	-11.86
M2				28.35	-22.53	-5	-17.53
				28.36	-26.28	-13	-13.28
M3				28.35	-23.88	-5	-18.88
				28.36	-25.95	-13	-12.95
M1	100	H	64/2	28.35	-24.70	-5	-19.70
				28.36	-24.79	-13	-11.79
M2				28.35	-24.84	-5	-19.84
				28.36	-24.11	-13	-11.11
M3				28.35	-24.82	-5	-19.82
				28.36	-25.76	-13	-12.76


8.3.20. BAND EDGE n261 SISO-DUAL 4CC

ANT M2, 50 MHz, SISO-DUAL, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 50 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB



ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 4CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-23.01	-5	-18.01
				27.495	-24.85	-13	-11.85
M2				27.5	-22.64	-5	-17.64
				27.495	-26.56	-13	-13.56
M3				27.5	-23.52	-5	-18.52
				27.495	-26.58	-13	-13.58
M1	50	L	32/0	27.5	-25.07	-5	-20.07
				27.495	-24.57	-13	-11.57
M2				27.5	-24.61	-5	-19.61
				27.495	-24.87	-13	-11.87
M3				27.5	-23.20	-5	-18.20
				27.495	-23.70	-13	-10.70
M1	50	H	1/31	28.35	-23.31	-5	-18.31
				28.355	-24.73	-13	-11.73
M2				28.35	-22.05	-5	-17.05
				28.355	-26.12	-13	-13.12
M3				28.35	-21.65	-5	-16.65
				28.355	-26.44	-13	-13.44
M1	50	H	32/0	28.35	-23.90	-5	-18.90
				28.355	-23.93	-13	-10.93
M2				28.35	-22.43	-5	-17.43
				28.355	-22.53	-13	-9.53
M3				28.35	-24.46	-5	-19.46
				28.355	-23.93	-13	-10.93

ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-21.03	-5	-16.03
				27.495	-26.07	-13	-13.07
M3				27.5	-22.79	-5	-17.79
				27.495	-26.23	-13	-13.23
M2	50	H	1/31	28.35	-22.01	-5	-17.01
				28.355	-26.33	-13	-13.33
M3				28.35	-21.71	-5	-16.71
				28.355	-25.83	-13	-12.83

ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, 16QAM


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-23.03	-5	-18.03
				27.495	-26.01	-13	-13.01
M3				27.5	-22.49	-5	-17.49
				27.495	-25.63	-13	-12.63
M2	50	H	1/31	28.35	-22.47	-5	-17.47
				28.355	-26.40	-13	-13.40
M3				28.35	-22.25	-5	-17.25
				28.355	-26.58	-13	-13.58

ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, 64QAM


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-23.17	-5	-18.17
				27.495	-26.19	-13	-13.19
M3				27.5	-22.73	-5	-17.73
				27.495	-26.51	-13	-13.51
M2	50	H	1/31	28.35	-23.54	-5	-18.54
				28.355	-26.07	-13	-13.07
M3				28.35	-23.40	-5	-18.40
				28.355	-26.23	-13	-13.23

ANT M2, 100 MHz, SISO-DUAL, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 100 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 4CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-24.27	-5	-19.27
				27.49	-24.86	-13	-11.86
M2				27.5	-24.07	-5	-19.07
				27.49	-25.97	-13	-12.97
M3				27.5	-24.49	-5	-19.49
				27.49	-25.86	-13	-12.86
M1	100	L	64/0	27.5	-24.58	-5	-19.58
				27.49	-25.23	-13	-12.23
M2				27.5	-24.33	-5	-19.33
				27.49	-25.57	-13	-12.57
M3				27.5	-24.01	-5	-19.01
				27.49	-24.68	-13	-11.68
M1	100	H	1/65	28.35	-23.73	-5	-18.73
				28.36	-25.00	-13	-12.00
M2				28.35	-23.22	-5	-18.22
				28.36	-26.37	-13	-13.37
M3				28.35	-24.37	-5	-19.37
				28.36	-26.58	-13	-13.58
M1	100	H	64/2	28.35	-24.41	-5	-19.41
				28.36	-24.29	-13	-11.29
M2				28.35	-24.99	-5	-19.99
				28.36	-24.14	-13	-11.14
M3				28.35	-23.73	-5	-18.73
				28.36	-23.37	-13	-10.37


8.3.21. BAND EDGE n261 MIMO 1CC

ANT M2, 50 MHz, MIMO, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 50 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M3, 50 MHz, MIMO, 1CC, QPSK


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-24.21	-5	-19.21
				27.495	-28.07	-13	-15.07
M2				27.5	-17.27	-5	-12.27
				27.495	-24.74	-13	-11.74
M3				27.5	-15.36	-5	-10.36
				27.495	-25.04	-13	-12.04
M1	50	L	32/0	27.5	-28.23	-5	-23.23
				27.495	-28.38	-13	-15.38
M2				27.5	-20.26	-5	-15.26
				27.495	-22.06	-13	-9.06
M3				27.5	-21.77	-5	-16.77
				27.495	-21.77	-13	-8.77
M1	50	H	1/31	28.35	-23.53	-5	-18.53
				28.355	-27.35	-13	-14.35
M2				28.35	-15.10	-5	-10.10
				28.355	-24.61	-13	-11.61
M3				28.35	-16.50	-5	-11.50
				28.355	-24.38	-13	-11.38
M1	50	H	32/0	28.35	-26.81	-5	-21.81
				28.355	-27.03	-13	-14.03
M2				28.35	-17.47	-5	-12.47
				28.355	-19.48	-13	-6.48
M3				28.35	-18.24	-5	-13.24
				28.355	-21.69	-13	-8.69

ANT M2, 100 MHz, MIMO, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 100 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M3, 100 MHz, MIMO, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-26.02	-5	-21.02
				27.49	-28.83	-13	-15.83
M2				27.5	-18.64	-5	-13.64
				27.49	-25.44	-13	-12.44
M3				27.5	-19.93	-5	-14.93
				27.49	-25.76	-13	-12.76
M1	100	L	66/0	27.5	-27.47	-5	-22.47
				27.49	-27.93	-13	-14.93
M2				27.5	-23.54	-5	-18.54
				27.49	-22.59	-13	-9.59
M3				27.5	-22.75	-5	-17.75
				27.49	-21.11	-13	-8.11
M1	100	H	1/65	28.35	-24.44	-5	-19.44
				28.36	-28.37	-13	-15.37
M2				28.35	-19.06	-5	-14.06
				28.36	-26.25	-13	-13.25
M3				28.35	-19.73	-5	-14.73
				28.36	-26.06	-13	-13.06
M1	100	H	66/0	28.35	-26.45	-5	-21.45
				28.36	-28.43	-13	-15.43
M2				28.35	-18.88	-5	-13.88
				28.36	-21.50	-13	-8.50
M3				28.35	-19.60	-5	-14.60
				28.36	-19.62	-13	-6.62


8.3.22. BAND EDGE n261 MIMO 2CC

ANT M2, 50 MHz, MIMO, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 50 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M2, 50 MHz, MIMO, 2CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-26.88	-5	-21.88
				27.495	-28.56	-13	-15.56
M2				27.5	-21.98	-5	-16.98
				27.495	-26.38	-13	-13.38
M3				27.5	-22.57	-5	-17.57
				27.495	-26.61	-13	-13.61
M1	50	L	32/0	27.5	-28.62	-5	-23.62
				27.495	-28.35	-13	-15.35
M2				27.5	-24.62	-5	-19.62
				27.495	-25.71	-13	-12.71
M3				27.5	-24.34	-5	-19.34
				27.495	-25.77	-13	-12.77
M1	50	H	1/31	28.35	-25.48	-5	-20.48
				28.355	-27.88	-13	-14.88
M2				28.35	-21.12	-5	-16.12
				28.355	-26.04	-13	-13.04
M3				28.35	-20.70	-5	-15.70
				28.355	-25.94	-13	-12.94
M1	50	H	32/0	28.35	-28.24	-5	-23.24
				28.355	-27.78	-13	-14.78
M2				28.35	-24.69	-5	-19.69
				28.355	-24.88	-13	-11.88
M3				28.35	-23.20	-5	-18.20
				28.355	-24.24	-13	-11.24

ANT M2, 100 MHz, MIMO, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 100 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M2, 100 MHz, MIMO, 2CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-27.77	-5	-22.77
				27.49	-28.15	-13	-15.15
M2				27.5	-22.23	-5	-17.23
				27.49	-26.00	-13	-13.00
M3				27.5	-23.21	-5	-18.21
				27.49	-26.24	-13	-13.24
M1	100	L	66/0	27.5	-28.52	-5	-23.52
				27.49	-28.11	-13	-15.11
M2				27.5	-25.29	-5	-20.29
				27.49	-25.14	-13	-12.14
M3				27.5	-25.55	-5	-20.55
				27.49	-25.98	-13	-12.98
M1	100	H	1/65	28.35	-26.43	-5	-21.43
				28.36	-27.85	-13	-14.85
M2				28.35	-21.59	-5	-16.59
				28.36	-26.28	-13	-13.28
M3				28.35	-21.94	-5	-16.94
				28.36	-26.85	-13	-13.85
M1	100	H	66/0	28.35	-27.82	-5	-22.82
				28.36	-28.53	-13	-15.53
M2				28.35	-25.12	-5	-20.12
				28.36	-26.08	-13	-13.08
M3				28.35	-24.20	-5	-19.20
				28.36	-25.54	-13	-12.54


8.3.23. BAND EDGE n261 MIMO 3CC

ANT M2, 50 MHz, MIMO, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB



ANT M2, 50 MHz, MIMO, 3CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M3, 50 MHz, MIMO, 3CC, QPSK


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-26.78	-5	-21.78
				27.495	-29.12	-13	-16.12
M2				27.5	-22.34	-5	-17.34
				27.495	-26.24	-13	-13.24
M3				27.5	-22.30	-5	-17.30
				27.495	-26.40	-13	-13.40
M1	50	L	32/0	27.5	-28.40	-5	-23.40
				27.495	-29.00	-13	-16.00
M2				27.5	-24.70	-5	-19.70
				27.495	-25.93	-13	-12.93
M3				27.5	-24.37	-5	-19.37
				27.495	-24.59	-13	-11.59
M1	50	H	1/31	28.35	-26.21	-5	-21.21
				28.355	-28.08	-13	-15.08
M2				28.35	-21.58	-5	-16.58
				28.355	-25.72	-13	-12.72
M3				28.35	-21.88	-5	-16.88
				28.355	-26.33	-13	-13.33
M1	50	H	32/0	28.35	-28.81	-5	-23.81
				28.355	-28.30	-13	-15.30
M2				28.35	-24.45	-5	-19.45
				28.355	-25.42	-13	-12.42
M3				28.35	-26.01	-5	-21.01
				28.355	-25.71	-13	-12.71

ANT M2, 100 MHz, MIMO, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 100 MHz, MIMO, 3CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M3, 100 MHz, MIMO, 3CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-26.89	-5	-21.89
				27.49	-28.70	-13	-15.70
M2				27.5	-24.62	-5	-19.62
				27.49	-25.81	-13	-12.81
M3				27.5	-24.03	-5	-19.03
				27.49	-26.66	-13	-13.66
M1	100	L	66/0	27.5	-28.24	-5	-23.24
				27.49	-28.62	-13	-15.62
M2				27.5	-25.79	-5	-20.79
				27.49	-25.30	-13	-12.30
M3				27.5	-25.23	-5	-20.23
				27.49	-25.36	-13	-12.36
M1	100	H	1/65	28.35	-26.66	-5	-21.66
				28.36	-28.12	-13	-15.12
M2				28.35	-23.08	-5	-18.08
				28.36	-26.48	-13	-13.48
M3				28.35	-24.55	-5	-19.55
				28.36	-26.00	-13	-13.00
M1	100	H	66/0	28.35	-28.50	-5	-23.50
				28.36	-28.25	-13	-15.25
M2				28.35	-25.49	-5	-20.49
				28.36	-25.91	-13	-12.91
M3				28.35	-24.33	-5	-19.33
				28.36	-25.03	-13	-12.03


8.3.24. BAND EDGE n261 MIMO 4CC

ANT M2, 50 MHz, MIMO, 4CC, QPSK

Low-side, Single RB



Low-side, Full RB




ANT M1, M2 & M3, 50 MHz, MIMO, 4CC, QPSK


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-27.88	-5	-22.88
				27.495	-28.69	-13	-15.69
M2				27.5	-22.77	-5	-17.77
				27.495	-26.48	-13	-13.48
M3				27.5	-21.92	-5	-16.92
				27.495	-25.72	-13	-12.72
M1	50	L	32/0	27.5	-28.28	-5	-23.28
				27.495	-28.78	-13	-15.78
M2				27.5	-25.36	-5	-20.36
				27.495	-26.19	-13	-13.19
M3				27.5	-24.57	-5	-19.57
				27.495	-24.34	-13	-11.34
M1	50	H	1/31	28.35	-25.99	-5	-20.99
				28.355	-28.60	-13	-15.60
M2				28.35	-23.21	-5	-18.21
				28.355	-26.56	-13	-13.56
M3				28.35	-23.03	-5	-18.03
				28.355	-26.56	-13	-13.56
M1	50	H	32/0	28.35	-27.57	-5	-22.57
				28.355	-28.08	-13	-15.08
M2				28.35	-25.23	-5	-20.23
				28.355	-25.07	-13	-12.07
M3				28.35	-25.43	-5	-20.43
				28.355	-25.78	-13	-12.78

ANT M2, 100 MHz, MIMO, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 100 MHz, MIMO, 4CC, QPSK

High-side, Single RB



High-side, Full RB




ANT M1, M2 & M3, 100 MHz, MIMO, 4CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-27.56	-5	-22.56
				27.49	-28.98	-13	-15.98
M2				27.5	-23.30	-5	-18.30
				27.49	-25.94	-13	-12.94
M3				27.5	-22.76	-5	-17.76
				27.49	-26.00	-13	-13.00
M1	100	L	66/0	27.5	-28.72	-5	-23.72
				27.49	-28.66	-13	-15.66
M2				27.5	-25.58	-5	-20.58
				27.49	-25.55	-13	-12.55
M3				27.5	-25.28	-5	-20.28
				27.49	-25.04	-13	-12.04
M1	100	H	1/65	28.35	-26.59	-5	-21.59
				28.36	-27.92	-13	-14.92
M2				28.35	-23.12	-5	-18.12
				28.36	-26.25	-13	-13.25
M3				28.35	-24.12	-5	-19.12
				28.36	-26.66	-13	-13.66
M1	100	H	66/0	28.35	-28.69	-5	-23.69
				28.36	-27.89	-13	-14.89
M2				28.35	-25.41	-5	-20.41
				28.36	-24.81	-13	-11.81
M3				28.35	-25.35	-5	-20.35
				28.36	-25.08	-13	-12.08


8.3.25. BAND EDGE n260 SISO-DUAL 1CC

ANT M2, 50 MHz, SISO-DUAL, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 50 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	37	-24.94	-5	-19.94
				36.995	-29.28	-13	-16.28
M2				37	-15.87	-5	-10.87
				36.995	-24.67	-13	-11.67
M3				37	-17.40	-5	-12.40
				36.995	-27.66	-13	-14.66
M1	50	L	32/0	37	-28.41	-5	-23.41
				36.995	-28.56	-13	-15.56
M2				37	-20.26	-5	-15.26
				36.995	-24.93	-13	-11.93
M3				37	-21.47	-5	-16.47
				36.995	-24.86	-13	-11.86
M1	50	H	1/31	40	-24.83	-5	-19.83
				40.005	-30.71	-13	-17.71
M2				40	-13.08	-5	-8.08
				40.005	-23.33	-13	-10.33
M3				40	-11.40	-5	-6.40
				40.005	-23.92	-13	-10.92
M1	50	H	32/0	40	-28.63	-5	-23.63
				40.005	-29.68	-13	-16.68
M2				40	-21.17	-5	-16.17
				40.005	-23.05	-13	-10.05
M3				40	-18.56	-5	-13.56
				40.005	-18.12	-13	-5.12

ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	37	-16.30	-5	-11.30
				36.995	-25.64	-13	-12.64
M3				37	-17.84	-5	-12.84
				36.995	-27.96	-13	-14.96
M2	50	L	32/0	37	-24.45	-5	-19.45
				36.995	-26.71	-13	-13.71
M3				37	-23.18	-5	-18.18
				36.995	-26.99	-13	-13.99
M2	50	H	1/31	40	-14.77	-5	-9.77
				40.005	-24.18	-13	-11.18
M3				40	-14.35	-5	-9.35
				40.005	-24.32	-13	-11.32
M2	50	H	32/0	40	-22.05	-5	-17.05
				40.005	-25.44	-13	-12.44
M3				40	-19.01	-5	-14.01
				40.005	-21.15	-13	-8.15

ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, 16QAM


Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M2	50	L	1/0	37	-17.82	-5	-12.82
				36.995	-26.40	-13	-13.40
M3				37	-19.28	-5	-14.28
				36.995	-28.42	-13	-15.42
M2	50	L	32/0	37	-24.35	-5	-19.35
				36.995	-27.95	-13	-14.95
M3				37	-25.41	-5	-20.41
				36.995	-26.36	-13	-13.36
M2	50	H	1/31	40	-16.22	-5	-11.22
				40.005	-26.21	-13	-13.21
M3				40	-16.10	-5	-11.10
				40.005	-23.96	-13	-10.96
M2	50	H	32/0	40	-22.78	-5	-17.78
				40.005	-25.57	-13	-12.57
M3				40	-20.95	-5	-15.95
				40.005	-23.04	-13	-10.04

ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, 64QAM


Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M2	50	L	1/0	37	-19.01	-5	-14.01
				36.995	-27.62	-13	-14.62
M3				37	-20.97	-5	-15.97
				36.995	-29.32	-13	-16.32
M2	50	L	32/0	37	-26.99	-5	-21.99
				36.995	-29.17	-13	-16.17
M3				37	-28.00	-5	-23.00
				36.995	-29.93	-13	-16.93
M2	50	H	1/31	40	-17.94	-5	-12.94
				40.005	-26.49	-13	-13.49
M3				40	-18.33	-5	-13.33
				40.005	-25.89	-13	-12.89
M2	50	H	32/0	40	-25.22	-5	-20.22
				40.005	-27.25	-13	-14.25
M3				40	-25.70	-5	-20.70
				40.005	-26.71	-13	-13.71

ANT M2, 100 MHz, SISO-DUAL, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




ANT M2, 100 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	37	-26.99	-5	-21.99
				36.99	-30.23	-13	-17.23
M2				37	-19.87	-5	-14.87
				36.99	-30.58	-13	-17.58
M3				37	-19.58	-5	-14.58
				36.99	-30.44	-13	-17.44
M1	100	L	64/0	37	-28.97	-5	-23.97
				36.99	-29.59	-13	-16.59
M2				37	-23.52	-5	-18.52
				36.99	-23.71	-13	-10.71
M3				37	-20.57	-5	-15.57
				36.99	-24.00	-13	-11.00
M1	100	H	1/65	40	-25.74	-5	-20.74
				40.01	-30.68	-13	-17.68
M2				40	-17.80	-5	-12.80
				40.01	-27.25	-13	-14.25
M3				40	-18.81	-5	-13.81
				40.01	-26.90	-13	-13.90
M1	100	H	64/2	40	-29.77	-5	-24.77
				40.01	-30.21	-13	-17.21
M2				40	-20.57	-5	-15.57
				40.01	-20.71	-13	-7.71
M3				40	-18.06	-5	-13.06
				40.01	-19.25	-13	-6.25

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	37	-24.15	-5	-19.15
				36.99	-29.50	-13	-16.50
M3				37	-22.28	-5	-17.28
				36.99	-28.34	-13	-15.34
M2	100	H	64/2	40	-22.25	-5	-17.25
				40.01	-25.09	-13	-12.09
M3				40	-20.53	-5	-15.53
				40.01	-24.68	-13	-11.68

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	37	-27.30	-5	-22.30
				36.99	-28.50	-13	-15.50
M3				37	-25.72	-5	-20.72
				36.99	-28.55	-13	-15.55
M2	100	H	64/2	40	-24.94	-5	-19.94
				40.01	-26.22	-13	-13.22
M3				40	-23.22	-5	-18.22
				40.01	-23.90	-13	-10.90


ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	37	-29.09	-5	-24.09
				36.99	-31.33	-13	-18.33
M3				37	-29.47	-5	-24.47
				36.99	-31.17	-13	-18.17
M2	100	H	64/2	40	-26.50	-5	-21.50
				40.01	-27.81	-13	-14.81
M3				40	-25.99	-5	-20.99
				40.01	-26.98	-13	-13.98

8.3.26. BAND EDGE n260 SISO-DUAL 2CC

ANT M2, 50 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB



Low-side, Full RB

