



100 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB





100 MHz, SISO-DUAL, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-15.27	-5	-10.27
			24.74	-25.04	-13	-12.04
	L	64/0	24.75	-21.30	-5	-16.30
			24.74	-22.44	-13	-9.44
	H	1/65	25.25	-13.56	-5	-8.56
			25.26	-24.05	-13	-11.05
	H	64/2	25.25	-22.74	-5	-17.74
			25.26	-22.84	-13	-9.84


8.3.11. BAND EDGE n258 SB2 SISO-DUAL 3CC

50 MHz, SISO-DUAL, 3CC, QPSK



50 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-13.57	-5	-8.57
			24.745	-24.59	-13	-11.59
	L	32/0	24.75	-20.37	-5	-15.37
			24.745	-20.54	-13	-7.54
	H	1/31	25.25	-14.54	-5	-9.54
			25.255	-23.76	-13	-10.76
	H	32/0	25.25	-22.12	-5	-17.12
			25.255	-22.59	-13	-9.59

50 MHz, SISO-DUAL, 3CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-15.48	-5	-10.48
			24.745	-24.75	-13	-11.75
	H	1/31	25.25	-14.94	-5	-9.94
			25.255	-23.99	-13	-10.99

50 MHz, SISO-DUAL, 3CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-15.84	-5	-10.84
			24.745	-25.09	-13	-12.09
	H	1/31	25.25	-15.74	-5	-10.74
			25.255	-24.08	-13	-11.08

50 MHz, SISO-DUAL, 3CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-17.79	-5	-12.79
			24.745	-24.56	-13	-11.56
	H	1/31	25.25	-16.27	-5	-11.27
			25.255	-23.99	-13	-10.99

100 MHz, SISO-DUAL, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, SISO-DUAL, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.67	-5	-11.67
			24.74	-24.77	-13	-11.77
	L	64/0	24.75	-22.07	-5	-17.07
			24.74	-22.45	-13	-9.45
	H	1/65	25.25	-16.12	-5	-11.12
			25.26	-24.26	-13	-11.26
	H	64/2	25.25	-22.83	-5	-17.83
			25.26	-22.80	-13	-9.80

8.3.12. BAND EDGE n258 SB2 SISO-DUAL 4CC

50 MHz, SISO-DUAL, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-14.12	-5	-9.12
			24.745	-24.89	-13	-11.89
	L	32/0	24.75	-20.81	-5	-15.81
			24.745	-20.69	-13	-7.69
	H	1/31	25.25	-13.99	-5	-8.99
			25.255	-23.47	-13	-10.47
	H	32/0	25.25	-21.20	-5	-16.20
			25.255	-21.84	-13	-8.84

50 MHz, SISO-DUAL, 4CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-15.98	-5	-10.98
			24.745	-24.24	-13	-11.24
	H	1/31	25.25	-15.94	-5	-10.94
			25.255	-24.17	-13	-11.17

50 MHz, SISO-DUAL, 4CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-18.53	-5	-13.53
			24.745	-25.01	-13	-12.01
	H	1/31	25.25	-17.93	-5	-12.93
			25.255	-24.24	-13	-11.24

50 MHz, SISO-DUAL, 4CC, 64QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-19.05	-5	-14.05
			24.745	-24.78	-13	-11.78
	H	1/31	25.25	-18.37	-5	-13.37
			25.255	-24.25	-13	-11.25

100 MHz, SISO-DUAL, 4CC, QPSK

Low-side, Single RB



Low-side, Full RB




100 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, SISO-DUAL, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-17.28	-5	-12.28
			24.74	-24.60	-13	-11.60
	L	64/0	24.75	-22.24	-5	-17.24
			24.74	-22.59	-13	-9.59
	H	1/65	25.25	-18.09	-5	-13.09
			25.26	-24.35	-13	-11.35
	H	64/2	25.25	-20.68	-5	-15.68
			25.26	-21.64	-13	-8.64


8.3.13. BAND EDGE n258 SB2 MIMO 1CC

50 MHz, MIMO, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB




50 MHz, MIMO, 1CC, QPSK


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-10.12	-5	-5.12
			24.745	-23.66	-13	-10.66
	L	32/0	24.75	-17.10	-5	-12.10
			24.745	-19.13	-13	-6.13
	H	1/31	25.25	-8.56	-5	-3.56
			25.255	-23.10	-13	-10.10
	H	32/0	25.25	-17.09	-5	-12.09
			25.255	-18.55	-13	-5.55

100 MHz, MIMO, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, MIMO, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-10.27	-5	-5.27
			24.74	-24.74	-13	-11.74
	L	66/0	24.75	-18.85	-5	-13.85
			24.74	-20.65	-13	-7.65
	H	1/65	25.25	-12.91	-5	-7.91
			25.26	-23.74	-13	-10.74
	H	66/0	25.25	-16.34	-5	-11.34
			25.26	-18.02	-13	-5.02


8.3.14. BAND EDGE n258 SB2 MIMO 2CC

50 MHz, MIMO, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB




50 MHz, MIMO, 2CC, QPSK


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-14.28	-5	-9.28
			24.745	-24.04	-13	-11.04
	L	32/0	24.75	-20.77	-5	-15.77
			24.745	-21.89	-13	-8.89
	H	1/31	25.25	-13.02	-5	-8.02
			25.255	-24.00	-13	-11.00
	H	32/0	25.25	-21.59	-5	-16.59
			25.255	-22.34	-13	-9.34

100 MHz, MIMO, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB



100 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, MIMO, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-13.67	-5	-8.67
			24.74	-24.95	-13	-11.95
	L	66/0	24.75	-21.82	-5	-16.82
			24.74	-23.28	-13	-10.28
	H	1/65	25.25	-15.34	-5	-10.34
			25.26	-24.42	-13	-11.42
	H	66/0	25.25	-22.23	-5	-17.23
			25.26	-22.55	-13	-9.55


8.3.15. BAND EDGE n258 SB2 MIMO 3CC

50 MHz, MIMO, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB



50 MHz, MIMO, 3CC, QPSK

High-side, Single RB



High-side, Full RB




50 MHz, MIMO, 3CC, QPSK


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-15.27	-5	-10.27
			24.745	-24.30	-13	-11.30
	L	32/0	24.75	-22.17	-5	-17.17
			24.745	-22.65	-13	-9.65
	H	1/31	25.25	-12.41	-5	-7.41
			25.255	-23.80	-13	-10.80
	H	32/0	25.25	-21.44	-5	-16.44
			25.255	-22.28	-13	-9.28

100 MHz, MIMO, 3CC, QPSK

Low-side, Single RB



Low-side, Full RB




100 MHz, MIMO, 3CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, MIMO, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-15.07	-5	-10.07
			24.74	-24.45	-13	-11.45
	L	66/0	24.75	-23.16	-5	-18.16
			24.74	-23.14	-13	-10.14
	H	1/65	25.25	-15.96	-5	-10.96
			25.26	-24.00	-13	-11.00
	H	66/0	25.25	-22.32	-5	-17.32
			25.26	-23.45	-13	-10.45


8.3.16. BAND EDGE n258 SB2 MIMO 4CC

50 MHz, MIMO, 4CC, QPSK




50 MHz, MIMO, 4CC, QPSK

High-side, Single RB



High-side, Full RB




50 MHz, MIMO, 4CC, QPSK


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-15.32	-5	-10.32
			24.745	-24.59	-13	-11.59
	L	32/0	24.75	-22.67	-5	-17.67
			24.745	-23.44	-13	-10.44
	H	1/31	25.25	-15.21	-5	-10.21
			25.255	-14.31	-13	-1.31
	H	32/0	25.25	-22.32	-5	-17.32
			25.255	-22.59	-13	-9.59

100 MHz, MIMO, 4CC, QPSK

Low-side, Single RB



Low-side, Full RB



100 MHz, MIMO, 4CC, QPSK

High-side, Single RB



High-side, Full RB





100 MHz, MIMO, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-19.13	-5	-14.13
			24.74	-24.53	-13	-11.53
	L	66/0	24.75	-22.83	-5	-17.83
			24.74	-23.28	-13	-10.28
	H	1/65	25.25	-17.72	-5	-12.72
			25.26	-24.24	-13	-11.24
	H	66/0	25.25	-22.16	-5	-17.16
			25.26	-23.73	-13	-10.73


8.3.17. BAND EDGE n261 SISO-DUAL 1CC

50 MHz, SISO-DUAL, 1CC, QPSK




50 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-7.30	-5	-2.30
			27.495	-24.24	-13	-11.24
	L	32/0	27.5	-19.89	-5	-14.89
			27.495	-22.12	-13	-9.12
	H	1/31	28.35	-8.79	-5	-3.79
			28.355	-23.51	-13	-10.51
	H	32/0	28.35	-16.19	-5	-11.19
			28.355	-17.69	-13	-4.69

50 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-8.31	-5	-3.31
			27.495	-24.57	-13	-11.57
	L	32/0	27.5	-21.17	-5	-16.17
			27.495	-22.45	-13	-9.45
	H	1/31	28.35	-9.36	-5	-4.36
			28.355	-24.11	-13	-11.11
	H	32/0	28.35	-17.82	-5	-12.82
			28.355	-21.72	-13	-8.72

50 MHz, SISO-DUAL, 1CC, 16QAM


BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP (dBm)	Margin (dB)
50	L	1/0	27.5	-15.10	-5	-10.10
			27.495	-25.92	-13	-12.92
	L	32/0	27.5	-20.79	-5	-15.79
			27.495	-21.21	-13	-8.21
	H	1/31	28.35	-12.78	-5	-7.78
			28.355	-24.72	-13	-11.72
	H	32/0	28.35	-21.23	-5	-16.23
			28.355	-24.78	-13	-11.78

50 MHz, SISO-DUAL, 1CC, 64QAM


BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP (dBm)	Margin (dB)
50	L	1/0	27.5	-17.87	-5	-12.87
			27.495	-26.28	-13	-13.28
	L	32/0	27.5	-23.48	-5	-18.48
			27.495	-24.39	-13	-11.39
	H	1/31	28.35	-12.72	-5	-7.72
			28.355	-24.98	-13	-11.98
	H	32/0	28.35	-23.96	-5	-18.96
			28.355	-26.25	-13	-13.25

100 MHz, SISO-DUAL, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, SISO-DUAL, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	27.5	-7.80	-5	-2.80
			27.49	-25.45	-13	-12.45
	L	64/0	27.5	-19.22	-5	-14.22
			27.49	-22.00	-13	-9.00
	H	1/65	28.35	-8.36	-5	-3.36
			28.36	-25.26	-13	-12.26
	H	64/2	28.35	-18.12	-5	-13.12
			28.36	-18.98	-13	-5.98

100 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	64/0	27.5	-21.04	-5	-16.04
			27.49	-24.04	-13	-11.04
	H	64/2	28.35	-20.99	-5	-15.99
			28.36	-25.65	-13	-12.65

100 MHz, SISO-DUAL, 1CC, 16QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	64/0	27.5	-22.29	-5	-17.29
			27.49	-24.26	-13	-11.26
	H	64/2	28.35	-22.59	-5	-17.59
			28.36	-25.61	-13	-12.61


100 MHz, SISO-DUAL, 1CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	64/0	27.5	-24.17	-5	-19.17
			27.49	-25.77	-13	-12.77
	H	64/2	28.35	-24.18	-5	-19.18
			28.36	-24.91	-13	-11.91


8.3.18. BAND EDGE n261 SISO-DUAL 2CC

50 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-14.02	-5	-9.02
			27.495	-26.26	-13	-13.26
	L	32/0	27.5	-22.27	-5	-17.27
			27.495	-25.49	-13	-12.49
	H	1/31	28.35	-14.48	-5	-9.48
			28.355	-25.91	-13	-12.91
	H	32/0	28.35	-22.13	-5	-17.13
			28.355	-22.77	-13	-9.77

50 MHz, SISO-DUAL, 2CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-12.94	-5	-7.94
			27.495	-26.33	-13	-13.33
	H	1/31	28.35	-13.70	-5	-8.70
			28.355	-25.74	-13	-12.74

50 MHz, SISO-DUAL, 2CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-14.12	-5	-9.12
			27.495	-26.00	-13	-13.00
	H	1/31	28.35	-13.47	-5	-8.47
			28.355	-25.57	-13	-12.57

50 MHz, SISO-DUAL, 2CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-19.16	-5	-14.16
			27.495	-26.37	-13	-13.37
	H	1/31	28.35	-14.33	-5	-9.33
			28.355	-25.82	-13	-12.82

100 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB



100 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, SISO-DUAL, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	27.5	-14.22	-5	-9.22
			27.49	-26.55	-13	-13.55
	L	64/0	27.5	-22.66	-5	-17.66
			27.49	-24.03	-13	-11.03
	H	1/65	28.35	-15.65	-5	-10.65
			28.36	-26.12	-13	-13.12
	H	64/2	28.35	-23.80	-5	-18.80
			28.36	-25.44	-13	-12.44


8.3.19. BAND EDGE n261 SISO-DUAL 3CC

50 MHz, SISO-DUAL, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB



50 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-16.10	-5	-11.10
			27.495	-26.46	-13	-13.46
	L	32/0	27.5	-23.45	-5	-18.45
			27.495	-23.49	-13	-10.49
	H	1/31	28.35	-19.08	-5	-14.08
			28.355	-26.02	-13	-13.02
	H	32/0	28.35	-23.73	-5	-18.73
			28.355	-25.59	-13	-12.59

50 MHz, SISO-DUAL, 3CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-17.13	-5	-12.13
			27.495	-26.83	-13	-13.83
	H	1/31	28.35	-19.01	-5	-14.01
			28.355	-26.30	-13	-13.30

50 MHz, SISO-DUAL, 3CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-17.78	-5	-12.78
			27.495	-26.19	-13	-13.19
	H	1/31	28.35	-22.89	-5	-17.89
			28.355	-26.34	-13	-13.34

50 MHz, SISO-DUAL, 3CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-18.27	-5	-13.27
			27.495	-26.32	-13	-13.32
	H	1/31	28.35	-17.94	-5	-12.94
			28.355	-26.17	-13	-13.17

100 MHz, SISO-DUAL, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, SISO-DUAL, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	27.5	-19.27	-5	-14.27
			27.49	-26.89	-13	-13.89
	L	64/0	27.5	-24.25	-5	-19.25
			27.49	-26.05	-13	-13.05
	H	1/65	28.35	-19.13	-5	-14.13
			28.36	-26.47	-13	-13.47
	H	64/2	28.35	-23.37	-5	-18.37
			28.36	-25.01	-13	-12.01


8.3.20. BAND EDGE n261 SISO-DUAL 4CC

50 MHz, SISO-DUAL, 4CC, QPSK



50 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-16.14	-5	-11.14
			27.495	-26.21	-13	-13.21
	L	32/0	27.5	-22.79	-5	-17.79
			27.495	-23.01	-13	-10.01
	H	1/31	28.35	-16.74	-5	-11.74
			28.355	-26.21	-13	-13.21
	H	32/0	28.35	-24.10	-5	-19.10
			28.355	-25.52	-13	-12.52

50 MHz, SISO-DUAL, 4CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-15.25	-5	-10.25
			27.495	-26.63	-13	-13.63
	H	1/31	28.35	-17.76	-5	-12.76
			28.355	-26.05	-13	-13.05

50 MHz, SISO-DUAL, 4CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-15.84	-5	-10.84
			27.495	-25.98	-13	-12.98
	H	1/31	28.35	-17.79	-5	-12.79
			28.355	-26.32	-13	-13.32

50 MHz, SISO-DUAL, 4CC, 64QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-17.44	-5	-12.44
			27.495	-26.40	-13	-13.40
	H	1/31	28.35	-22.28	-5	-17.28
			28.355	-26.48	-13	-13.48

100 MHz, SISO-DUAL, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, SISO-DUAL, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	27.5	-16.86	-5	-11.86
			27.49	-26.65	-13	-13.65
	L	64/0	27.5	-24.20	-5	-19.20
			27.49	-25.85	-13	-12.85
	H	1/65	28.35	-19.50	-5	-14.50
			28.36	-26.91	-13	-13.91
	H	64/2	28.35	-23.87	-5	-18.87
			28.36	-23.20	-13	-10.20


8.3.21. BAND EDGE n261 MIMO 1CC

50 MHz, MIMO, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB




50 MHz, MIMO, 1CC, QPSK


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-11.10	-5	-6.10
			27.495	-24.76	-13	-11.76
	L	32/0	27.5	-19.62	-5	-14.62
			27.495	-21.17	-13	-8.17
	H	1/31	28.35	-11.07	-5	-6.07
			28.355	-23.88	-13	-10.88
	H	32/0	28.35	-17.58	-5	-12.58
			28.355	-17.73	-13	-4.73

100 MHz, MIMO, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, MIMO, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	27.5	-9.12	-5	-4.12
			27.49	-26.31	-13	-13.31
	L	66/0	27.5	-20.71	-5	-15.71
			27.49	-23.20	-13	-10.20
	H	1/65	28.35	-11.82	-5	-6.82
			28.36	-25.60	-13	-12.60
	H	66/0	28.35	-19.92	-5	-14.92
			28.36	-22.53	-13	-9.53


8.3.22. BAND EDGE n261 MIMO 2CC

50 MHz, MIMO, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB




50 MHz, MIMO, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-13.28	-5	-8.28
			27.495	-26.32	-13	-13.32
	L	32/0	27.5	-24.50	-5	-19.50
			27.495	-25.93	-13	-12.93
	H	1/31	28.35	-15.26	-5	-10.26
			28.355	-25.63	-13	-12.63
	H	32/0	28.35	-23.58	-5	-18.58
			28.355	-26.26	-13	-13.26

100 MHz, MIMO, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB



100 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, MIMO, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	27.5	-13.62	-5	-8.62
			27.49	-26.68	-13	-13.68
	L	66/0	27.5	-25.89	-5	-20.89
			27.49	-26.34	-13	-13.34
	H	1/65	28.35	-13.72	-5	-8.72
			28.36	-26.32	-13	-13.32
	H	66/0	28.35	-24.07	-5	-19.07
			28.36	-24.67	-13	-11.67

8.3.23. BAND EDGE n261 MIMO 3CC

50 MHz, MIMO, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB



50 MHz, MIMO, 3CC, QPSK

High-side, Single RB



High-side, Full RB




50 MHz, MIMO, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-18.12	-5	-13.12
			27.495	-26.43	-13	-13.43
	L	32/0	27.5	-24.13	-5	-19.13
			27.495	-24.69	-13	-11.69
	H	1/31	28.35	-18.95	-5	-13.95
			28.355	-26.72	-13	-13.72
	H	32/0	28.35	-24.05	-5	-19.05
			28.355	-24.09	-13	-11.09

100 MHz, MIMO, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB



A100 MHz, MIMO, 3CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, MIMO, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	27.5	-19.43	-5	-14.43
			27.49	-26.68	-13	-13.68
	L	66/0	27.5	-25.66	-5	-20.66
			27.49	-25.40	-13	-12.40
	H	1/65	28.35	-18.01	-5	-13.01
			28.36	-25.86	-13	-12.86
	H	66/0	28.35	-24.70	-5	-19.70
			28.36	-25.72	-13	-12.72


8.3.24. BAND EDGE n261 MIMO 4CC

50 MHz, MIMO, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, MIMO, 4CC, QPSK

High-side, Single RB



High-side, Full RB




50 MHz, MIMO, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-15.32	-5	-10.32
			27.495	-26.57	-13	-13.57
	L	32/0	27.5	-24.64	-5	-19.64
			27.495	-24.47	-13	-11.47
	H	1/31	28.35	-18.15	-5	-13.15
			28.355	-26.20	-13	-13.20
	H	32/0	28.35	-25.35	-5	-20.35
			28.355	-25.65	-13	-12.65

100 MHz, MIMO, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB



100 MHz, MIMO, 4CC, QPSK

High-side, Single RB



High-side, Full RB





100 MHz, MIMO, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	27.5	-18.65	-5	-13.65
			27.49	-26.53	-13	-13.53
	L	66/0	27.5	-25.61	-5	-20.61
			27.49	-25.41	-13	-12.41
	H	1/65	28.35	-19.53	-5	-14.53
			28.36	-26.28	-13	-13.28
	H	66/0	28.35	-25.36	-5	-20.36
			28.36	-25.70	-13	-12.70


8.3.25. BAND EDGE n260 SISO-DUAL 1CC

50 MHz, SISO-DUAL, 1CC, QPSK




50 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-7.33	-5	-2.33
			36.995	-24.48	-13	-11.48
	L	32/0	37	-18.04	-5	-13.04
			36.995	-23.63	-13	-10.63
	H	1/31	40	-9.61	-5	-4.61
			40.005	-23.13	-13	-10.13
	H	32/0	40	-13.42	-5	-8.42
			40.005	-16.46	-13	-3.46

50 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-7.94	-5	-2.94
			36.995	-24.10	-13	-11.10
	L	32/0	37	-20.12	-5	-15.12
			36.995	-24.50	-13	-11.50
	H	1/31	40	-9.88	-5	-4.88
			40.005	-24.42	-13	-11.42
	H	32/0	40	-16.45	-5	-11.45
			40.005	-20.85	-13	-7.85

50 MHz, SISO-DUAL, 1CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-7.64	-5	-2.64
			36.995	-24.17	-13	-11.17
	L	32/0	37	-20.32	-5	-15.32
			36.995	-24.67	-13	-11.67
	H	1/31	40	-13.92	-5	-8.92
			40.005	-26.70	-13	-13.70
	H	32/0	40	-18.83	-5	-13.83
			40.005	-22.51	-13	-9.51

50 MHz, SISO-DUAL, 1CC, 64QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-10.86	-5	-5.86
			36.995	-25.64	-13	-12.64
	L	32/0	37	-21.60	-5	-16.60
			36.995	-28.49	-13	-15.49
	H	1/31	40	-13.23	-5	-8.23
			40.005	-26.79	-13	-13.79
	H	32/0	40	-23.51	-5	-18.51
			40.005	-26.45	-13	-13.45

100 MHz, SISO-DUAL, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, SISO-DUAL, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	37	-8.31	-5	-3.31
			36.99	-27.69	-13	-14.69
	L	64/0	37	-15.94	-5	-10.94
			36.99	-15.71	-13	-2.71
	H	1/65	40	-9.37	-5	-4.37
			40.01	-26.78	-13	-13.78
	H	64/2	40	-17.45	-5	-12.45
			40.01	-21.11	-13	-8.11

100 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	64/0	37	-17.74	-5	-12.74
			36.99	-27.16	-13	-14.16
	H	64/2	40	-21.60	-5	-16.60
			40.01	-24.04	-13	-11.04

100 MHz, SISO-DUAL, 1CC, 16QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	64/0	37	-20.89	-5	-15.89
			36.99	-20.77	-13	-7.77
	H	64/2	40	-23.72	-5	-18.72
			40.01	-23.24	-13	-10.24


100 MHz, SISO-DUAL, 1CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	64/0	37	-26.04	-5	-21.04
			36.99	-29.85	-13	-16.85
	H	64/2	40	-24.85	-5	-19.85
			40.01	-28.05	-13	-15.05


8.3.26. BAND EDGE n260 SISO-DUAL 2CC

50 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-14.50	-5	-9.50
			36.995	-28.25	-13	-15.25
	L	32/0	37	-24.62	-5	-19.62
			36.995	-28.37	-13	-15.37
	H	1/31	40	-13.18	-5	-8.18
			40.005	-27.20	-13	-14.20
	H	32/0	40	-22.54	-5	-17.54
			40.005	-25.18	-13	-12.18

50 MHz, SISO-DUAL, 2CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-15.19	-5	-10.19
			36.995	-29.03	-13	-16.03
	H	1/31	40	-15.21	-5	-10.21
			40.005	-27.56	-13	-14.56

50 MHz, SISO-DUAL, 2CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-15.07	-5	-10.07
			36.995	-28.21	-13	-15.21
	H	1/31	40	-15.31	-5	-10.31
			40.005	-27.47	-13	-14.47

50 MHz, SISO-DUAL, 2CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-17.39	-5	-12.39
			36.995	-28.86	-13	-15.86
	H	1/31	40	-19.57	-5	-14.57
			40.005	-28.50	-13	-15.50

100 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB



100 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, SISO-DUAL, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	37	-19.04	-5	-14.04
			36.99	-30.50	-13	-17.50
	L	64/0	37	-24.20	-5	-19.20
			36.99	-28.36	-13	-15.36
	H	1/65	40	-12.62	-5	-7.62
			40.01	-28.52	-13	-15.52
	H	64/2	40	-24.50	-5	-19.50
			40.01	-25.67	-13	-12.67


8.3.27. BAND EDGE n260 SISO-DUAL 3CC

50 MHz, SISO-DUAL, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB



50 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-11.96	-5	-6.96
			36.995	-29.04	-13	-16.04
	L	32/0	37	-24.03	-5	-19.03
			36.995	-26.41	-13	-13.41
	H	1/31	40	-13.29	-5	-8.29
			40.005	-27.80	-13	-14.80
	H	32/0	40	-23.02	-5	-18.02
			40.005	-23.93	-13	-10.93

50 MHz, SISO-DUAL, 3CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-14.95	-5	-9.95
			36.995	-28.51	-13	-15.51
	H	1/31	40	-16.95	-5	-11.95
			40.005	-27.71	-13	-14.71

SISO-DUAL, 3CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-19.18	-5	-14.18
			36.995	-29.33	-13	-16.33
	H	1/31	40	-19.99	-5	-14.99
			40.005	-28.05	-13	-15.05

SISO-DUAL, 3CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-20.52	-5	-15.52
			36.995	-30.10	-13	-17.10
	H	1/31	40	-18.41	-5	-13.41
			40.005	-28.25	-13	-15.25

100 MHz, SISO-DUAL, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB



100 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, SISO-DUAL, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	37	-15.18	-5	-10.18
			36.99	-30.03	-13	-17.03
	L	64/0	37	-25.57	-5	-20.57
			36.99	-25.41	-13	-12.41
	H	1/65	40	-16.45	-5	-11.45
			40.01	-28.91	-13	-15.91
	H	64/2	40	-25.30	-5	-20.30
			40.01	-25.15	-13	-12.15