




9.5.10. 802.11be MIMO CDD MODE IN THE UNII-1 BAND

UNII-1 (MIMO CDD)	20MHz		40MHz			80MHz		160MHz	
	SU	106T	SU	242T	106T	SU	242T	SU	242T
DCCF (MCS0) (dB)	0.00	0.00	0.13	0.00	0.00	0.15	0.00	0.15	0.00
Un-Correlated Gain (dBi)	-2.19								
Correlated Gain (dBi)	0.55								

UNII-2a (MIMO CDD)	
Straddle Channel	
Un-Corr. Gain (dBi)	-1.53
Corr. Gain (dBi)	1.28

UNII-2a (MIMO CDD)	Freq (MHz)	Ch. #	Tone	RU Index	Min BW (MHz)	Power Limit (dBm)	Output Power (Gated) (dBm)		Total MIMO Corrected Power (dBm)	PSD Limit (dBm/MHz)	PSD (dBm/MHz)		Total MIMO Corrected PSD (dBm/MHz)
							Ant 6	Ant 5			Ant 6	Ant 5	
EHT20 (FCC)	5180	36	SU	--	--	24	16.90	16.98	19.95	11	6.538	6.828	9.696
			106T	53			14.95	14.99	17.98		6.658	6.719	9.699
				54			14.90	14.85	17.89		6.652	6.607	9.640
	5200	40	SU	--			16.88	16.95	19.93		6.511	6.600	9.566
			106T	53			14.95	14.85	17.91		6.750	6.545	9.659
				54			14.97	14.90	17.95		6.873	6.733	9.814
	5240	48	SU	--			16.92	16.96	19.95		6.397	6.451	9.434
			106T	53			14.95	14.97	17.97		6.776	6.892	9.845
				54			14.90	14.87	17.90		6.561	6.538	9.560
	5190	38	SU	--			15.90	15.97	18.95		2.451	2.868	5.805
			242T	61			16.80	16.87	19.85		5.231	5.617	8.439
				62			16.93	16.96	19.96		5.743	5.923	8.844
				53			13.71	13.59	16.66		5.492	5.264	8.390
			106T	54			13.74	13.60	16.68		5.512	5.283	8.409
				56			13.66	13.62	16.65		5.370	5.308	8.349
		46	SU	--			19.92	19.97	22.96		6.159	6.269	9.355
			242T	61			16.93	16.99	19.97		5.668	5.976	8.835
				62			16.86	16.97	19.93		5.643	5.906	8.787
				53			13.68	13.64	16.67		5.245	5.130	8.198
			106T	54			13.73	13.61	16.68		5.344	5.063	8.216
				56			13.70	13.65	16.69		5.321	5.190	8.266
EHT80 (FCC)	5210	42	SU	--	--	24	15.89	15.95	18.93	11	-0.127	0.130	3.164
				61			16.85	16.79	19.83		6.040	5.855	8.959
			242T	62			16.81	16.88	19.86		5.998	6.205	9.113
				64			16.96	16.92	19.95		6.345	6.340	9.353
EHT160 (FCC)	5250 (Straddle)	50	SU	--	--	24	15.46	15.43	18.46	11	-3.129	-3.470	-0.136
				61			16.90	16.93	19.93		5.560	5.742	8.662
			242T	62			16.83	16.85	19.85		5.435	5.466	8.461
				S64			16.81	16.87	19.85		5.411	5.506	8.469






9.5.11. 802.11be SISO MODE IN THE UNII-2A BAND

UNII-2a (SISO)	20MHz		40MHz			80MHz		160MHz	
	SU	106T	SU	242T	52T	SU	484T	SU	242T
DCCF (MCSO) (dB)	0.00	0.00	0.13	0.00	0.00	0.15	0.00	0.15	0.00
Ant 6 (dBi)	0.00								
Ant 5 (dBi)	-3.90								

UNII-1 (SISO)	
Straddle Channel	
Ant 6 (dBi)	-0.50
Ant 5 (dBi)	-5.00

UNII-2a (SISO)	Freq (MHz)	Ch. #	Tone	RU Index	Minimum Bandwidth (MHz)		Power Limit (dBm)		Output Power (Gated) (dBm)		Total Corrected Power (dBm)		PSD Limit (dBm/MHz)		PSD (dBm/MHz)		Total Corrected PSD (dBm/MHz)	
					Ant 6	Ant 5	Ant 6	Ant 5	Ant 6	Ant 5	Ant 6	Ant 5	Ant 6	Ant 5	Ant 6	Ant 5	Ant 6	Ant 5
EHT20 (FCC)	5260	52	SU	--	20.80	20.95	24.00	24.00	19.94	19.90	19.94	19.90	11.00	11.00	9.576	9.462	9.576	9.462
			106T	53	20.64	20.66	24.00	24.00	16.73	16.65	16.73	16.65			8.658	8.489	8.658	8.489
				54	20.93	21.01	24.00	24.00	16.70	16.71	16.70	16.71			8.544	8.560	8.544	8.560
	5300	60	SU	--	21.13	20.98	24.00	24.00	19.87	19.93	19.87	19.93			9.523	9.716	9.523	9.716
			106T	53	20.58	20.58	24.00	24.00	16.67	16.71	16.67	16.71			8.544	8.620	8.544	8.620
				54	20.91	20.92	24.00	24.00	16.60	16.65	16.60	16.65			8.449	8.509	8.449	8.509
	5320	64	SU	--	21.33	22.29	24.00	24.00	18.48	18.43	18.48	18.43			8.590	8.354	8.590	8.354
			106T	53	19.99	20.76	24.00	24.00	16.68	16.70	16.68	16.70			8.396	8.512	8.396	8.512
				54	20.96	20.94	24.00	24.00	16.73	16.67	16.73	16.67			8.577	8.392	8.577	8.392
	5270	54	SU	--	41.24	41.15	24.00	24.00	20.49	20.37	20.49	20.37			7.445	7.098	7.575	7.228
			242T	61	30.47	31.63	24.00	24.00	19.90	19.86	19.90	19.86			8.095	8.077	8.095	8.077
				62	29.47	28.84	24.00	24.00	19.93	19.97	19.93	19.97			8.166	8.256	8.166	8.256
			52T	37	19.94	19.92	24.00	23.99	10.73	10.64	10.73	10.64			4.944	4.755	4.944	4.755
				41	23.84	24.83	24.00	24.00	10.70	10.71	10.70	10.71			4.911	4.912	4.911	4.912
				44	21.43	21.36	24.00	24.00	10.60	10.66	10.60	10.66			4.722	4.886	4.722	4.886
EHT40 (FCC)	5310	62	SU	--	43.52	43.07	24.00	24.00	16.40	16.43	16.40	16.43			3.004	3.086	3.134	3.216
			242T	61	31.21	29.32	24.00	24.00	17.90	17.81	17.90	17.81			6.360	6.233	6.360	6.233
				62	30.54	30.60	24.00	24.00	17.91	17.96	17.91	17.96			6.390	6.440	6.390	6.440
			52T	37	19.90	19.71	23.99	23.95	10.65	10.62	10.65	10.62			4.679	4.610	4.679	4.610
				41	23.73	22.92	24.00	24.00	10.72	10.71	10.72	10.71			4.833	4.832	4.833	4.832
				44	20.52	21.41	24.00	24.00	10.68	10.74	10.68	10.74			4.707	4.984	4.707	4.984
EHT80 (FCC)	5290	58	SU	--	84.32	82.33	24.00	24.00	15.38	15.42	15.38	15.42	11.00	11.00	-0.832	-0.718	-0.682	-0.568
			484T	65	46.70	45.18	24.00	24.00	15.95	15.80	15.95	15.80			2.637	2.359	2.637	2.359
				66	47.95	47.27	24.00	24.00	15.84	15.99	15.84	15.99			2.519	2.656	2.519	2.656
EHT160 (FCC)	5250 (Straddle)	50	SU	-	163.60	165.00	24.00	24.00	15.92	15.86	15.92	15.86	11.00	11.00	-2.948	-3.265	-2.798	-3.115
			242T	61	29.73	29.88	24.00	24.00	17.95	17.99	17.95	17.99			6.959	7.028	6.959	7.028
				62	32.52	31.23	24.00	24.00	17.88	17.81	17.88	17.81			6.265	6.100	6.265	6.100
				564	27.75	27.26	24.00	24.00	17.93	17.90	17.93	17.90			6.908	6.709	6.908	6.709




9.5.12. 802.11be MIMO CDD MODE IN THE UNII-2A BAND


UNII-2a (MIMO CDD)	20MHz		40MHz			80MHz		160MHz	
	SU	106T	SU	242T	52T	SU	484T	SU	242T
DCCF (MCS0) (dB)	0.00	0.00	0.13	0.00	0.00	0.15	0.00	0.15	0.00
Un-Correlated Gain (dBi)	-1.53								
Correlated Gain (dBi)	1.28								

UNII-1 (MIMO CDD)	
Straddle Channel	
Un-Corr. Gain (dBi)	-2.19
Corr. Gain (dBi)	0.55


UNII-2a (MIMO CDD)	Freq (MHz)	Ch. #	Tone	RU Index	Min BW (MHz)	Power Limit (dBm)	Output Power (Gated) (dBm)		Total MIMO Corrected Power (dBm)	PSD Limit (dBm/MHz)	PSD (dBm/MHz)		Total MIMO Corrected PSD (dBm/MHz)
							Ant 6	Ant 5			Ant 6	Ant 5	
EHT20 (FCC)	5260	52	SU	--	20.85	24.00	16.95	16.90	19.94	11.00	6.379	6.236	9.318
			106T	53	20.04	24.00	14.87	14.95	17.92		7.031	7.179	10.116
				54	20.08	24.00	14.97	14.90	17.95		7.223	7.067	10.156
	5300	60	SU	--	21.03	24.00	16.97	16.96	19.98		6.421	6.404	9.423
			106T	53	20.09	24.00	14.85	14.95	17.91		7.034	7.250	10.154
				54	20.12	24.00	14.99	14.91	17.96		7.371	7.228	10.310
	5320	64	SU	--	21.33	24.00	16.87	16.96	19.93		6.336	6.591	9.476
			106T	53	19.72	23.95	14.90	14.83	17.88		7.182	6.997	10.101
				54	20.03	24.00	14.98	14.88	17.94		7.448	7.059	10.268
EHT40 (FCC)	5270	54	SU	--	40.96	24.00	19.90	19.95	22.94	11.00	6.631	6.759	9.836
			242T	61	26.88	24.00	16.86	16.90	19.89		5.169	5.267	8.229
				62	25.48	24.00	16.83	16.94	19.90		5.109	5.315	8.224
				37	19.50	23.90	10.68	10.60	13.65		4.922	4.753	7.849
			52T	41	22.93	24.00	10.73	10.71	13.73		5.167	5.064	8.126
				44	19.53	23.91	10.65	10.62	13.65		4.869	4.888	7.889
	5310	62	SU	--	42.40	24.00	15.97	15.93	18.96		5.279	5.175	8.368
			242T	61	28.36	24.00	16.80	16.89	19.86		5.052	5.129	8.101
				62	28.09	24.00	16.85	16.87	19.87		5.091	5.100	8.106
				37	19.65	23.93	10.60	10.65	13.64		4.734	4.786	7.770
			52T	41	22.71	24.00	10.62	10.71	13.68		4.757	4.938	7.859
EHT80 (FCC)	5290	58	SU	--	81.20	24.00	14.49	14.40	17.46	11.00	-1.536	-1.670	1.558
			484T	65	42.99	24.00	15.47	15.45	18.47		2.146	2.142	5.154
				66	43.18	24.00	15.37	15.40	18.40		1.896	1.918	4.917
EHT160 (FCC)	5250 (Straddle)	50	SU	--	81.20	24.00	15.46	15.43	18.46	11.00	-3.129	-3.470	-0.136
			242T	61	25.39	24.00	16.90	16.93	19.93		5.560	5.742	8.662
				62	27.63	24.00	16.83	16.85	19.85		5.435	5.466	8.461
				564	25.68	24.00	16.81	16.87	19.85		5.411	5.506	8.469




40MHz - Low Channel - SU (UNII-2a) - Ant 6




40MHz - Low Channel - SU (UNII-2a) - Ant 5




40MHz - Low Channel – 242T-RU62
(UNII-2a) – Ant 6



40MHz - Low Channel – 242T-RU62
(UNII-2a) – Ant 5



40MHz - Low Channel – 52T-RU44
(UNII-2a) – Ant 6




40MHz - Low Channel – 52T-RU44
(UNII-2a) – Ant 5

9.5.13. 802.11be SISO MODE IN THE UNII-2C BAND

UNII-2c (SISO)	20MHz		40MHz			80MHz		160MHz	
	SU	106T	SU	242T	52T	SU	484T	SU	242T
DCCF (MCS0) (dB)	0.00	0.00	0.13	0.00	0.00	0.15	0.00	0.15	0.00
Ant 6 (dBi)	0.80								
Ant 5 (dBi)	-2.70								

UNII-3 (SISO)	
Straddle Channel	
Ant 6 (dBi)	0.50
Ant 5 (dBi)	-2.30


UNII-2c (SISO)	Freq (MHz)	Ch. #	Tone	RU Index	Minimum Bandwidth (MHz)		Power Limit (dBm)		Output Power (Gated) (dBm)		Total Corrected Power (dBm)		PSD Limit (dBm/MHz)		PSD (dBm/MHz)		Total Corrected PSD (dBm/MHz)	
					Ant 6	Ant 5	Ant 6	Ant 5	Ant 6	Ant 5	Ant 6	Ant 5	Ant 6	Ant 5	Ant 6	Ant 5	Ant 6	Ant 5
EHT20 (FCC)	5500	100	SU	--	22.29	22.72	24.00	24.00	18.47	18.41	18.47	18.41	11.00	11.00	7.816	7.757	7.816	7.757
			106T	53	20.62	20.69	24.00	24.00	16.71	16.68	16.71	16.68			8.683	8.498	8.683	8.498
				54	20.83	21.06	24.00	24.00	16.61	16.74	16.61	16.74			8.302	8.420	8.302	8.420
	5580	116	SU	--	21.06	21.00	24.00	24.00	19.93	19.88	19.93	19.88			9.149	8.952	9.149	8.952
			106T	53	20.62	20.67	24.00	24.00	16.70	16.65	16.70	16.65			8.490	8.433	8.490	8.433
				54	21.00	20.97	24.00	24.00	16.68	16.73	16.68	16.73			8.457	8.567	8.457	8.567
	5700	140	SU	--	22.42	20.85	24.00	24.00	16.37	16.44	16.37	16.44			6.319	6.584	6.319	6.584
			106T	53	20.90	20.75	24.00	24.00	15.97	15.99	15.97	15.99			7.553	7.630	7.553	7.630
				54	20.92	20.76	24.00	24.00	15.93	15.95	15.93	15.95			7.286	7.544	7.286	7.544
	5720 (Straddle)	144	SU	--	15.71	15.54	22.96	22.91	19.95	19.85	19.95	19.85			9.166	8.870	9.166	8.870
			106T	53	15.33	15.31	22.86	22.85	16.65	16.73	16.65	16.73			8.050	8.205	8.050	8.205
				54	15.37	15.44	22.87	22.89	16.70	16.68	16.70	16.68			8.197	8.147	8.197	8.147
EHT40 (FCC)	5510	102	SU	--	41.11	42.28	24.00	24.00	15.94	15.87	15.94	15.87	11.00	11.00	2.160	1.960	2.290	2.090
			242T	61	31.24	30.74	24.00	24.00	17.90	17.95	17.90	17.95			5.658	5.712	5.658	5.712
				62	32.08	29.24	24.00	24.00	17.85	17.99	17.85	17.99			5.606	6.002	5.606	6.002
			52T	37	19.82	19.93	23.97	24.00	10.68	10.59	10.68	10.59			5.200	4.845	5.200	4.845
				41	23.42	24.42	24.00	24.00	10.61	10.65	10.61	10.65			5.084	5.184	5.084	5.184
	5550	110		44	21.32	21.18	24.00	24.00	10.73	10.71	10.73	10.71			5.278	5.272	5.278	5.272
			SU	--	40.95	41.36	24.00	24.00	20.43	20.47	20.43	20.47			6.105	6.340	6.235	6.470
			242T	61	31.39	30.89	24.00	24.00	19.85	19.90	19.85	19.90			7.702	7.712	7.702	7.712
				62	32.19	27.91	24.00	24.00	19.88	19.95	19.88	19.95			7.692	7.911	7.692	7.911
			52T	37	19.87	19.89	23.98	23.99	10.62	10.58	10.62	10.58			4.853	4.670	4.853	4.670
	5670	134		41	24.10	24.33	24.00	24.00	10.69	10.60	10.69	10.60			4.955	4.850	4.955	4.850
				44	21.40	20.56	24.00	24.00	10.74	10.72	10.74	10.72			5.103	5.080	5.103	5.080
			SU	--	44.25	41.22	24.00	24.00	18.95	18.98	18.95	18.98			4.248	4.458	4.378	4.588
			242T	61	33.14	29.46	24.00	24.00	19.83	19.87	19.83	19.87			7.542	7.601	7.542	7.601
				62	29.61	30.55	24.00	24.00	19.99	19.86	19.99	19.86			7.948	7.810	7.948	7.810
	5710 (Straddle)	142	52T	37	19.99	19.97	24.00	24.00	10.67	10.61	10.67	10.61			4.914	4.578	4.914	4.578
				41	24.02	24.30	24.00	24.00	10.68	10.65	10.68	10.65			4.936	4.898	4.936	4.898
				44	21.03	21.48	24.00	24.00	10.71	10.74	10.71	10.74			5.165	5.289	5.165	5.289
			SU	--	41.27	41.09	24.00	24.00	20.47	20.43	20.47	20.43			6.243	6.135	6.373	6.265
			242T	61	29.22	29.87	24.00	24.00	15.88	15.80	15.88	15.80			3.092	2.888	3.092	2.888
EHT80 (FCC)	5530	106	SU	--	84.99	84.29	24.00	24.00	15.48	15.40	15.48	15.40	11.00	11.00	0.075	-0.269	0.225	-0.119
			484T	65	46.92	46.47	24.00	24.00	15.45	15.38	15.45	15.38			1.478	1.095	1.478	1.095
				66	56.18	54.42	24.00	24.00	15.47	15.40	15.47	15.40			1.571	1.279	1.571	1.279
	5610	122	SU	--	81.21	83.94	24.00	24.00	20.45	20.47	20.45	20.47			4.108	4.226	4.258	4.376
			484T	65	44.35	45.95	24.00	24.00	20.37	20.30	20.37	20.30			6.820	6.578	6.820	6.578
				66	54.48	54.10	24.00	24.00	20.49	20.41	20.49	20.41			6.873	6.822	6.822	6.822
	5690 (Straddle)	138	SU	--	81.72	82.24	24.00	24.00	20.41	20.48	20.41	20.48			4.161	3.809	4.311	3.959
			484T	65	46.38	48.03	24.00	24.00	18.85	18.90	18.85	18.90			4.902	4.912	4.902	4.912
				66	53.32	50.30	24.00	24.00	18.99	18.95	18.99	18.95			5.157	5.060	5.157	5.060
	5570	106	SU	--	163.20	165.10	24.00	24.00	15.90	15.95	15.90	15.95	11.00	11.00	-3.698	-3.646	-3.548	-3.496
			242T	61	27.43	28.48	24.00	24.00	17.80	17.94	17.80	17.94			6.254	6.760	6.254	6.760
				62	32.89	30.66	24.00	24.00	17.96	17.90	17.96	17.90			6.761	6.615	6.761	6.615
				564	30.33	26.85	24.00	24.00	17.78	17.85	17.78	17.85			6.106	6.411	6.106	6.411



9.5.14. 802.11be MIMO CDD MODE IN THE UNII-2C BAND

UNII-2c (MIMO CDD)		20MHz		40MHz			80MHz		160MHz		UNII-3 (MIMO CDD)		
		SU	106T	SU	242T	52T	SU	484T	SU	242T			
DCCF (MCS0) (dB)		0.00	0.00	0.13	0.00	0.00	0.15	0.00	0.15	0.00			
Un-Correlated Gain (dBi)		-0.61											
Correlated Gain (dBi)		2.24											
												Straddle Channel	
												Un-Corr. Gain (dBi)	-0.68
												Corr. Gain (dBi)	2.22


UNII-2c (MIMO CDD)	Freq (MHz)	Ch. #	Tone	RU Index	Min BW (MHz)	Power Limit (dBm)	Output Power (Gated) (dBm)		Total MIMO Corrected Power (dBm)	PSD Limit (dBm/MHz)	PSD (dBm/MHz)		Total MIMO Corrected PSD (dBm/MHz)
							Ant 6	Ant 5			Ant 6	Ant 5	
EHT20 (FCC)	5500	100	SU	--	21.12	24.00	16.96	16.94	19.96	11.00	6.208	6.169	9.199
			106T	53	19.54	23.91	14.85	14.97	17.92		6.495	6.886	9.705
				54	19.94	24.00	14.87	14.90	17.90		6.498	6.544	9.531
	5580	116	SU	--	20.91	24.00	16.99	16.90	19.96		6.396	6.004	9.215
			106T	53	20.05	24.00	14.86	14.82	17.85		6.295	6.223	9.269
				54	19.98	24.00	14.90	14.95	17.94		6.349	6.583	9.478
	5700	140	SU	--	22.68	24.00	16.40	16.46	19.44		5.210	5.321	8.276
			106T	53	19.68	23.94	14.96	14.90	17.94		6.543	6.447	9.506
				54	19.92	23.99	14.81	14.92	17.88		6.380	6.470	9.436
	5720 (Straddle)	144	SU	--	15.43	22.88	16.98	16.88	19.94		6.366	6.036	9.214
			106T	53	15.02	22.77	14.93	14.96	17.96		6.382	6.658	9.532
				54	14.95	22.75	14.87	14.91	17.90		6.426	6.598	9.523
EHT40 (FCC)	5510	102	SU	--	41.34	24.00	15.44	15.47	18.47	11.00	1.783	1.841	4.952
			242T	61	29.26	24.00	16.95	16.98	19.98		5.013	5.132	8.083
				62	27.29	24.00	16.90	16.88	19.90		4.963	4.861	7.923
			52T	37	19.54	23.91	10.68	10.63	13.67		5.211	5.114	8.173
				41	22.25	24.00	10.73	10.70	13.73		5.298	5.293	8.306
	5550	110	44	19.65	23.93	10.65	10.60	13.64	5.172		4.885	8.041	
			SU	--	41.08	24.00	19.90	19.94	22.93		5.910	5.971	9.081
			242T	61	29.56	24.00	16.90	16.87	19.90		4.751	4.707	7.739
				62	27.57	24.00	16.93	16.82	19.89		4.754	4.683	7.729
			52T	37	19.60	23.92	10.61	10.71	13.67		4.718	4.946	7.844
	5670	134	41	21.95	24.00	10.74	10.65	13.71	4.981		4.723	7.864	
			44	19.48	23.90	10.70	10.68	13.70	4.826		4.758	7.802	
			SU	--	41.84	24.00	18.43	18.32	21.39		4.179	3.880	7.172
			242T	61	29.03	24.00	16.90	16.99	19.96		5.058	5.399	8.242
				62	27.67	24.00	16.82	16.86	19.85		5.034	5.200	8.128
	5710 (Straddle)	142	52T	37	19.76	23.96	10.72	10.65	13.70		5.230	4.958	8.106
			41	22.60	24.00	10.70	10.68	13.70	5.050		5.006	8.038	
			44	19.66	23.94	10.63	10.61	13.63	4.956		4.990	7.983	
			SU	--	40.97	24.00	19.90	19.94	22.93		6.302	6.306	9.444
			242T	61	26.77	24.00	15.41	15.36	18.40		3.676	3.418	6.559
EHT80 (FCC)	5530	106	62	26.98	24.00	15.45	15.47	18.47	11.00	3.690	3.827	6.769	
			484T	65	38.35	24.00	14.93	14.89		17.92	4.873	4.924	7.909
			66	45.61	24.00	14.95	14.97	17.97		5.425	5.161	8.305	
	5610	122	SU	--	84.53	24.00	19.98	19.87		22.94	5.353	5.428	8.401
			484T	65	50.06	24.00	19.97	19.86		22.93	1.139	1.107	4.133
			66	52.55	24.00	19.91	19.82	22.88		1.190	1.237	4.224	
	5690 (Straddle)	138	SU	--	81.18	24.00	19.78	19.81		22.81	3.522	3.247	6.547
			484T	65	46.99	24.00	18.39	18.35		21.38	6.223	6.177	9.210
			66	48.79	24.00	18.44	18.46	21.46		6.188	6.133	9.171	
EHT160 (FCC)	5570	106	SU	--	162.70	24.00	15.48	15.38	18.44	11.00	2.616	2.822	5.881
			242T	61	25.27	24.00	16.99	16.95	19.98		4.688	4.611	7.660
				62	30.66	24.00	16.88	16.83	19.87		4.730	4.861	7.806
				S64	24.52	24.00	16.80	16.92	19.87		19.87	5.069	5.104




9.5.15. 802.11be SISO MODE IN THE UNII-3 BAND

UNII-3 (SISO)	20MHz		40MHz		80MHz		160MHz	
	SU	106T	SU	106T	SU	242T	SU	Partial RU
DCCF (MCS0) (dB)	0.00	0.00	0.13	0.00	0.15	0.00	N/A	
Ant 6 (dBi)	0.50							
Ant 5 (dBi)	-2.30							

UNII-3 (SISO)	Freq (MHz)	Ch. #	Tone	RU Index	Minimum Bandwidth (MHz)		Power Limit (dBm)		Output Power (Gated) (dBm)		Total Corrected Power (dBm)		PSD Limit (dBm/500kHz)		PSD (dBm/500kHz)		Total Corrected PSD (dBm/500kHz)	
					Ant 6	Ant 5	Ant 6	Ant 5	Ant 6	Ant 5	Ant 6	Ant 5	Ant 6	Ant 5	Ant 6	Ant 5	Ant 6	Ant 5
EHT20	5745	149	SU	--	--	30	30	30	20.43	20.49	20.43	20.49	30	30	7.339	7.378	7.339	7.378
			106T	53					16.68	16.71	16.68	16.71			6.032	6.095	6.032	6.095
				54					16.74	16.62	16.74	16.62			6.081	5.758	6.081	5.758
	5785	157	SU	--					20.34	20.30	20.34	20.30			7.214	7.191	7.214	7.191
			106T	53					16.70	16.68	16.70	16.68			6.026	5.965	6.026	5.965
				54					16.65	16.62	16.65	16.62			5.820	5.769	5.820	5.769
	5825	165	SU	--					20.37	20.40	20.37	20.40			7.231	7.325	7.231	7.325
			106T	53					16.69	16.60	16.69	16.60			5.732	5.619	5.732	5.619
				54					16.67	16.63	16.67	16.63			5.713	5.639	5.713	5.639
	5755	151	SU	--					20.42	20.47	20.42	20.47			4.838	4.887	4.968	5.017
			106T	53					13.68	13.73	13.68	13.73			3.204	3.378	3.204	3.378
				54					13.71	13.65	13.71	13.65			3.219	2.979	3.219	2.979
EHT40	5795	159	SU	--					13.60	13.67	13.60	13.67			2.730	3.024	2.730	3.024
			106T	53					20.32	20.38	20.32	20.38			4.453	4.531	4.583	4.661
				54					13.71	13.70	13.71	13.70			3.154	3.116	3.154	3.116
	5775	155	SU	--					13.74	13.68	13.74	13.68			3.355	2.954	3.355	2.954
			106T	54					13.63	16.61	13.63	16.61			2.921	2.744	2.921	2.744
				56					20.43	20.38	20.43	20.38			0.454	0.365	0.604	0.515
	5775	155	242T	61					20.33	20.28	20.33	20.28			4.999	4.593	4.999	4.593
				62					20.39	20.36	20.39	20.36			5.569	5.214	5.569	5.214
				64					20.41	20.46	20.41	20.46			5.680	5.899	5.680	5.899



80MHz - Mid Channel - SU
(UNII-3) - Ant 5




80MHz - Mid Channel - RU242-RU64
(UNII-3) - Ant 5

9.5.16. 802.11be MIMO CDD MODE IN THE UNII-3 BAND

UNII-3 (MIMO CDD)	20MHz		40MHz		80MHz		160MHz	
	SU	106T	SU	106T	SU	242T	SU	Partial RU
DCCF (MCS0) (dB)	0.00	0.00	0.13	0.00	0.15	0.00	N/A	
Un-Correlated Gain (dBi)	-0.68							
Correlated Gain (dBi)	2.22							

UNII-3 (MIMO CDD)	Freq (MHz)	Ch. #	Tone	RU Index	Min BW (MHz)	Power Limit (dBm)	Output Power (Gated) (dBm)		Total MIMO Corrected Power (dBm)	PSD Limit (dBm/500kHz)	PSD (dBm/500kHz)		Total MIMO Corrected PSD (dBm/500kHz)
							Ant 6	Ant 5			Ant 6	Ant 5	
EHT20	5745	149	SU	--	--	30	20.45	20.48	23.48	30	7.175	7.454	10.327
			106T	53			16.69	16.73	19.72		5.832	5.891	8.872
		157		54			16.71	16.65	19.69		5.849	5.617	8.745
			SU	--			20.49	20.37	23.44		7.776	7.543	10.671
	5785	157	106T	53			16.63	16.67	19.66		5.793	5.908	8.861
				54			16.74	16.72	19.74		6.151	6.107	9.139
		165	SU	--			20.34	20.43	23.40		7.539	7.751	10.657
			106T	53			16.70	16.72	19.72		5.609	5.721	8.676
	5825	165		54			16.61	16.65	19.64		5.480	5.555	8.528
			SU	--			20.46	20.39	23.44		4.600	4.241	7.565
		151	106T	53			13.71	13.69	16.71		3.425	3.347	6.396
				54			13.60	13.64	16.63		2.927	2.945	5.946
EHT40	5755	151		56		30	13.65	13.67	16.67	30	3.038	3.218	6.139
			SU	--			20.49	20.47	23.49		4.994	4.703	7.991
		159	106T	53			13.68	13.65	16.68		2.923	2.818	5.881
				54			13.71	13.73	16.73		3.393	3.443	6.428
	5795	159		56			13.62	13.70	16.67		2.790	3.183	6.001
			SU	--			20.47	20.36	23.43		0.818	0.484	3.815
		155	242T	61			20.40	20.35	23.39		5.293	4.940	8.130
				62			20.38	20.45	23.43		5.173	5.323	8.259
	5775	155		64			20.47	20.49	23.49		5.690	5.904	8.809
			SU	--									
		155	242T	61									
				62									



END OF TEST REPORT