



50 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-18.24	15.30	-33.54	-5.00	-28.54
			24.745	-24.50	15.30	-39.80	-13.00	-26.80
	L	32/0	24.75	-18.65	15.30	-33.95	-5.00	-28.95
			24.745	-17.53	15.30	-32.83	-13.00	-19.83
	H	1/31	25.25	-17.08	15.30	-32.38	-5.00	-27.38
			25.255	-23.84	15.30	-39.14	-13.00	-26.14
	H	32/0	25.251	-15.37	15.30	-30.67	-5.00	-25.67
			25.257	-15.84	15.30	-31.14	-13.00	-18.14

50 MHz, SISO-DUAL, 2CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-18.66	15.30	-33.96	-5.00	-28.96
			24.745	-24.50	15.30	-39.80	-13.00	-26.80
	H	1/31	25.25	-18.08	15.30	-33.38	-5.00	-28.38
			25.255	-23.78	15.30	-39.08	-13.00	-26.08

50 MHz, SISO-DUAL, 2CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-18.84	15.30	-34.14	-5.00	-29.14
			24.745	-24.28	15.30	-39.58	-13.00	-26.58
	H	1/31	25.25	-18.54	15.30	-33.84	-5.00	-28.84
			25.255	-23.96	15.30	-39.26	-13.00	-26.26

50 MHz, SISO-DUAL, 2CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-17.62	15.30	-32.92	-5.00	-27.92
			24.745	-24.37	15.30	-39.67	-13.00	-26.67
	H	1/31	25.25	-17.24	15.30	-32.54	-5.00	-27.54
			25.255	-23.86	15.30	-39.16	-13.00	-26.16

100 MHz, SISO-DUAL, 2CC, QPSK


Low-side, Single RB



Low-side, Full RB



100 MHz, SISO-DUAL, 2CC, QPSK





100 MHz, SISO-DUAL, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.84	15.30	-32.14	-5.00	-27.14
			24.74	-24.73	15.30	-40.03	-13.00	-27.03
	L	64/0	24.749	-19.07	15.30	-34.37	-5.00	-29.37
			24.737	-18.80	15.30	-34.10	-13.00	-21.10
	H	1/65	25.25	-16.14	15.30	-31.44	-5.00	-26.44
			25.26	-23.80	15.30	-39.10	-13.00	-26.10
	H	64/2	25.254	-18.51	15.30	-33.81	-5.00	-28.81
			25.260	-18.85	15.30	-34.15	-13.00	-21.15


8.3.11. BAND EDGE n258 SB2 SISO-DUAL 3CC

50 MHz, SISO-DUAL, 3CC, QPSK




50 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-18.99	15.30	-34.29	-5.00	-29.29
			24.745	-24.79	15.30	-40.09	-13.00	-27.09
	L	32/0	24.746	-16.99	15.30	-32.29	-5.00	-27.29
			24.741	-17.27	15.30	-32.57	-13.00	-19.57
	H	1/31	25.25	-18.36	15.30	-33.66	-5.00	-28.66
			25.255	-24.29	15.30	-39.59	-13.00	-26.59
	H	32/0	25.251	-15.86	15.30	-31.16	-5.00	-26.16
			25.257	-15.45	15.30	-30.75	-13.00	-17.75

50 MHz, SISO-DUAL, 3CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-19.87	15.30	-35.17	-5.00	-30.17
			24.745	-24.56	15.30	-39.86	-13.00	-26.86
	H	1/31	25.25	-20.39	15.30	-35.69	-5.00	-30.69
			25.255	-23.50	15.30	-38.80	-13.00	-25.80

50 MHz, SISO-DUAL, 3CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-18.73	15.30	-34.03	-5.00	-29.03
			24.745	-24.08	15.30	-39.38	-13.00	-26.38
	H	1/31	25.25	-20.64	15.30	-35.94	-5.00	-30.94
			25.255	-24.41	15.30	-39.71	-13.00	-26.71

50 MHz, SISO-DUAL, 3CC, 64QAM


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-19.31	15.30	-34.61	-5.00	-29.61
			24.745	-24.66	15.30	-39.96	-13.00	-26.96
	H	1/31	25.25	-19.95	15.30	-35.25	-5.00	-30.25
			25.255	-23.53	15.30	-38.83	-13.00	-25.83

100 MHz, SISO-DUAL, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB



100 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB





100 MHz, SISO-DUAL, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.16	15.30	-31.46	-5.00	-26.46
			24.74	-24.34	15.30	-39.64	-13.00	-26.64
	L	64/0	24.75	-23.16	15.30	-38.46	-5.00	-33.46
			24.74	-24.09	15.30	-39.39	-13.00	-26.39
	H	1/65	25.25	-16.07	15.30	-31.37	-5.00	-26.37
			25.26	-23.45	15.30	-38.75	-13.00	-25.75
	H	64/2	25.25	-22.69	15.30	-37.99	-5.00	-32.99
			25.26	-22.38	15.30	-37.68	-13.00	-24.68


8.3.12. BAND EDGE n258 SB2 SISO-DUAL 4CC

50 MHz, SISO-DUAL, 4CC, QPSK




50 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-18.61	15.30	-33.91	-5.00	-28.91
			24.745	-24.41	15.30	-39.71	-13.00	-26.71
	L	32/0	24.75	-20.47	15.30	-35.77	-5.00	-30.77
			24.745	-19.72	15.30	-35.02	-13.00	-22.02
	H	1/31	25.25	-19.82	15.30	-35.12	-5.00	-30.12
			25.255	-23.57	15.30	-38.87	-13.00	-25.87
	H	32/0	25.251	-15.58	15.30	-30.88	-5.00	-25.88
			25.256	-16.29	15.30	-31.59	-13.00	-18.59

50 MHz, SISO-DUAL, 4CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-20.51	15.30	-35.81	-5.00	-30.81
			24.745	-24.24	15.30	-39.54	-13.00	-26.54
	H	1/31	25.25	-19.50	15.30	-34.80	-5.00	-29.80
			25.255	-24.10	15.30	-39.40	-13.00	-26.40

50 MHz, SISO-DUAL, 4CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-21.00	15.30	-36.30	-5.00	-31.30
			24.745	-24.20	15.30	-39.50	-13.00	-26.50
	H	1/31	25.25	-19.20	15.30	-34.50	-5.00	-29.50
			25.255	-24.24	15.30	-39.54	-13.00	-26.54

50 MHz, SISO-DUAL, 4CC, 64QAM


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-20.13	15.30	-35.43	-5.00	-30.43
			24.745	-23.87	15.30	-39.17	-13.00	-26.17
	H	1/31	25.25	-20.42	15.30	-35.72	-5.00	-30.72
			25.255	-23.61	15.30	-38.91	-13.00	-25.91

100 MHz, SISO-DUAL, 4CC, QPSK



Low-side, Single RB



Low-side, Full RB



100 MHz, SISO-DUAL, 4CC, QPSK





100 MHz, SISO-DUAL, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.50	15.30	-31.80	-5.00	-26.80
			24.74	-24.37	15.30	-39.67	-13.00	-26.67
	L	64/0	24.75	-23.07	15.30	-38.37	-5.00	-33.37
			24.74	-23.99	15.30	-39.29	-13.00	-26.29
	H	1/65	25.25	-17.59	15.30	-32.89	-5.00	-27.89
			25.26	-24.23	15.30	-39.53	-13.00	-26.53
	H	64/2	25.25	-22.32	15.30	-37.62	-5.00	-32.62
			25.26	-21.91	15.30	-37.21	-13.00	-24.21


8.3.13. BAND EDGE n258 SB2 MIMO 1CC

50 MHz, MIMO, 1CC, QPSK




50 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB




50 MHz, MIMO, 1CC, QPSK


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-14.10	15.30	-29.40	-5.00	-24.40
			24.745	-24.45	15.30	-39.75	-13.00	-26.75
	L	32/0	24.746	-16.12	15.30	-31.42	-5.00	-26.42
			24.741	-16.65	15.30	-31.95	-13.00	-18.95
	H	1/31	25.25	-9.70	15.30	-25.00	-5.00	-20.00
			25.255	-23.14	15.30	-38.44	-13.00	-25.44
	H	32/0	25.251	-14.22	15.30	-29.52	-5.00	-24.52
			25.256	-15.11	15.30	-30.41	-13.00	-17.41

100 MHz, MIMO, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB





100 MHz, MIMO, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-11.80	15.30	-27.10	-5.00	-22.10
			24.74	-24.13	15.30	-39.43	-13.00	-26.43
	L	66/0	24.75	-18.23	15.30	-33.53	-5.00	-28.53
			24.74	-19.27	15.30	-34.57	-13.00	-21.57
	H	1/65	25.25	-11.50	15.30	-26.80	-5.00	-21.80
			25.26	-23.69	15.30	-38.99	-13.00	-25.99
	H	66/0	25.252	-16.99	15.30	-32.29	-5.00	-27.29
			25.263	-17.71	15.30	-33.01	-13.00	-20.01


8.3.14. BAND EDGE n258 SB2 MIMO 2CC

50 MHz, MIMO, 2CC, QPSK




50 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB




50 MHz, MIMO, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-17.57	15.30	-32.87	-5.00	-27.87
			24.745	-24.23	15.30	-39.53	-13.00	-26.53
	L	32/0	24.747	-20.09	15.30	-35.39	-5.00	-30.39
			24.740	-20.11	15.30	-35.41	-13.00	-22.41
	H	1/31	25.25	-13.02	15.30	-28.32	-5.00	-23.32
			25.255	-23.87	15.30	-39.17	-13.00	-26.17
	H	32/0	25.251	-18.00	15.30	-33.30	-5.00	-28.30
			25.257	-18.66	15.30	-33.96	-13.00	-20.96

100 MHz, MIMO, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB





100 MHz, MIMO, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.13	15.30	-31.43	-5.00	-26.43
			24.74	-24.45	15.30	-39.75	-13.00	-26.75
	L	66/0	24.75	-21.67	15.30	-36.97	-5.00	-31.97
			24.74	-21.92	15.30	-37.22	-13.00	-24.22
	H	1/65	25.25	-16.55	15.30	-31.85	-5.00	-26.85
			25.26	-23.82	15.30	-39.12	-13.00	-26.12
	H	66/0	25.251	-20.50	15.30	-35.80	-5.00	-30.80
			25.262	-21.00	15.30	-36.30	-13.00	-23.30


8.3.15. BAND EDGE n258 SB2 MIMO 3CC

50 MHz, MIMO, 3CC, QPSK




50 MHz, MIMO, 3CC, QPSK

High-side, Single RB



High-side, Full RB




50 MHz, MIMO, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-18.16	15.30	-33.46	-5.00	-28.46
			24.745	-24.52	15.30	-39.82	-13.00	-26.82
	L	32/0	24.75	-21.81	15.30	-37.11	-5.00	-32.11
			24.745	-21.72	15.30	-37.02	-13.00	-24.02
	H	1/31	25.25	-15.38	15.30	-30.68	-5.00	-25.68
			25.255	-23.97	15.30	-39.27	-13.00	-26.27
	H	32/0	25.252	-19.53	15.30	-34.83	-5.00	-29.83
			25.257	-19.29	15.30	-34.59	-13.00	-21.59

100 MHz, MIMO, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, MIMO, 3CC, QPSK

High-side, Single RB



High-side, Full RB





100 MHz, MIMO, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.91	15.30	-32.21	-5.00	-27.21
			24.74	-24.38	15.30	-39.68	-13.00	-26.68
	L	66/0	24.75	-23.80	15.30	-39.10	-5.00	-34.10
			24.74	-23.65	15.30	-38.95	-13.00	-25.95
	H	1/65	25.25	-16.91	15.30	-32.21	-5.00	-27.21
			25.26	-23.66	15.30	-38.96	-13.00	-25.96
	H	66/0	25.25	-23.34	15.30	-38.64	-5.00	-33.64
			25.26	-23.29	15.30	-38.59	-13.00	-25.59


8.3.16. BAND EDGE n258 SB2 MIMO 4CC

50 MHz, MIMO, 4CC, QPSK




50 MHz, MIMO, 4CC, QPSK

High-side, Single RB



High-side, Full RB




50 MHz, MIMO, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	24.75	-19.26	15.30	-34.56	-5.00	-29.56
			24.745	-24.41	15.30	-39.71	-13.00	-26.71
	L	32/0	24.750	-22.97	15.30	-38.27	-5.00	-33.27
			24.745	-22.37	15.30	-37.67	-13.00	-24.67
	H	1/31	25.25	-16.99	15.30	-32.29	-5.00	-27.29
			25.255	-23.99	15.30	-39.29	-13.00	-26.29
	H	32/0	25.250	-20.27	15.30	-35.57	-5.00	-30.57
			25.255	-21.90	15.30	-37.20	-13.00	-24.20

100 MHz, MIMO, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, MIMO, 4CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, MIMO, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.49	15.30	-31.79	-5.00	-26.79
			24.74	-24.54	15.30	-39.84	-13.00	-26.84
	L	66/0	24.75	-23.05	15.30	-38.35	-5.00	-33.35
			24.74	-23.74	15.30	-39.04	-13.00	-26.04
	H	1/65	25.25	-17.81	15.30	-33.11	-5.00	-28.11
			25.26	-23.58	15.30	-38.88	-13.00	-25.88
	H	66/0	25.25	-23.22	15.30	-38.52	-5.00	-33.52
			25.26	-23.83	15.30	-39.13	-13.00	-26.13


8.3.17. BAND EDGE n261 SISO-DUAL 1CC

50 MHz, SISO-DUAL, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-13.02	15.40	-28.42	-5.00	-23.42
			27.495	-25.02	15.40	-40.42	-13.00	-27.42
	L	32/0	27.498	-12.42	15.40	-27.82	-5.00	-22.82
			27.494	-13.14	15.40	-28.54	-13.00	-15.54
	H	1/31	28.35	-11.17	15.40	-26.57	-5.00	-21.57
			28.355	-25.33	15.40	-40.73	-13.00	-27.73
	H	32/0	28.351	-11.56	15.40	-26.96	-5.00	-21.96
			28.357	-12.29	15.40	-27.69	-13.00	-14.69

50 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-9.93	15.40	-25.33	-5.00	-20.33
			27.495	-24.48	15.40	-39.88	-13.00	-26.88
	L	32/0	27.5	-17.75	15.40	-33.15	-5.00	-28.15
			27.495	-18.86	15.40	-34.26	-13.00	-21.26
	H	1/31	28.35	-10.24	15.40	-25.64	-5.00	-20.64
			28.355	-25.21	15.40	-40.61	-13.00	-27.61
	H	32/0	28.35	-15.10	15.40	-30.50	-5.00	-25.50
			28.355	-20.33	15.40	-35.73	-13.00	-22.73

50 MHz, SISO-DUAL, 1CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-10.40	15.40	-25.80	-5.00	-20.80
			27.495	-24.54	15.40	-39.94	-13.00	-26.94
	L	32/0	27.5	-19.04	15.40	-34.44	-5.00	-29.44
			27.495	-19.19	15.40	-34.59	-13.00	-21.59
	H	1/31	28.35	-11.76	15.40	-27.16	-5.00	-22.16
			28.355	-24.99	15.40	-40.39	-13.00	-27.39
	H	32/0	28.35	-16.53	15.40	-31.93	-5.00	-26.93
			28.355	-19.71	15.40	-35.11	-13.00	-22.11

50 MHz, SISO-DUAL, 1CC, 64QAM


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-14.36	15.40	-29.76	-5.00	-24.76
			27.495	-24.60	15.40	-40.00	-13.00	-27.00
	L	32/0	27.5	-22.55	15.40	-37.95	-5.00	-32.95
			27.495	-23.28	15.40	-38.68	-13.00	-25.68
	H	1/31	28.35	-15.27	15.40	-30.67	-5.00	-25.67
			28.355	-25.68	15.40	-41.08	-13.00	-28.08
	H	32/0	28.35	-22.17	15.40	-37.57	-5.00	-32.57
			28.355	-24.13	15.40	-39.53	-13.00	-26.53

100 MHz, SISO-DUAL, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, SISO-DUAL, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	1/0	27.5	-8.22	15.40	-23.62	-5.00	-18.62
			27.49	-25.01	15.40	-40.41	-13.00	-27.41
	L	64/0	27.5	-15.94	15.40	-31.34	-5.00	-26.34
			27.49	-16.38	15.40	-31.78	-13.00	-18.78
	H	1/65	28.35	-11.00	15.40	-26.40	-5.00	-21.40
			28.36	-25.48	15.40	-40.88	-13.00	-27.88
	H	64/2	28.35	-14.55	15.40	-29.95	-5.00	-24.95
			28.36	-14.98	15.40	-30.38	-13.00	-17.38

100 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	64/0	27.5	-20.75	15.40	-36.15	-5.00	-31.15
			27.49	-24.65	15.40	-40.05	-13.00	-27.05
	H	64/2	28.35	-17.96	15.40	-33.36	-5.00	-28.36
			28.36	-19.44	15.40	-34.84	-13.00	-21.84

100 MHz, SISO-DUAL, 1CC, 16QAM



BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	64/0	27.5	-22.46	15.40	-37.86	-5.00	-32.86
			27.49	-24.28	15.40	-39.68	-13.00	-26.68
	H	64/2	28.35	-19.48	15.40	-34.88	-5.00	-29.88
			28.36	-18.41	15.40	-33.81	-13.00	-20.81

100 MHz, SISO-DUAL, 1CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	64/0	27.5	-23.02	15.40	-38.42	-5.00	-33.42
			27.49	-24.28	15.40	-39.68	-13.00	-26.68
	H	64/2	28.35	-23.85	15.40	-39.25	-5.00	-34.25
			28.36	-24.18	15.40	-39.58	-13.00	-26.58


8.3.18. BAND EDGE n261 SISO-DUAL 2CC

50 MHz, SISO-DUAL, 2CC, QPSK




50 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-16.26	15.40	-31.66	-5.00	-26.66
			27.495	-24.81	15.40	-40.21	-13.00	-27.21
	L	32/0	27.499	-14.80	15.40	-30.20	-5.00	-25.20
			27.493	-15.06	15.40	-30.46	-13.00	-17.46
	H	1/31	28.35	-19.23	15.40	-34.63	-5.00	-29.63
			28.355	-25.68	15.40	-41.08	-13.00	-28.08
	H	32/0	28.350	-13.42	15.40	-28.82	-5.00	-23.82
			28.357	-13.75	15.40	-29.15	-13.00	-16.15

50 MHz, SISO-DUAL, 2CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-17.94	15.40	-33.34	-5.00	-28.34
			27.495	-25.33	15.40	-40.73	-13.00	-27.73
	H	1/31	28.35	-19.56	15.40	-34.96	-5.00	-29.96
			28.355	-25.65	15.40	-41.05	-13.00	-28.05

50 MHz, SISO-DUAL, 2CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-19.59	15.40	-34.99	-5.00	-29.99
			27.495	-25.04	15.40	-40.44	-13.00	-27.44
	H	1/31	28.35	-18.87	15.40	-34.27	-5.00	-29.27
			28.355	-25.89	15.40	-41.29	-13.00	-28.29

50 MHz, SISO-DUAL, 2CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-16.39	15.40	-31.79	-5.00	-26.79
			27.495	-25.00	15.40	-40.40	-13.00	-27.40
	H	1/31	28.35	-19.00	15.40	-34.40	-5.00	-29.40
			28.355	-25.52	15.40	-40.92	-13.00	-27.92

100 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB





100 MHz, SISO-DUAL, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	1/0	27.5	-16.21	15.40	-31.61	-5.00	-26.61
			27.49	-25.48	15.40	-40.88	-13.00	-27.88
	L	64/0	27.499	-18.59	15.40	-33.99	-5.00	-28.99
			27.488	-18.75	15.40	-34.15	-13.00	-21.15
	H	1/65	28.35	-17.42	15.40	-32.82	-5.00	-27.82
			28.36	-25.63	15.40	-41.03	-13.00	-28.03
	H	64/2	28.35	-20.17	15.40	-35.57	-5.00	-30.57
			28.36	-17.79	15.40	-33.19	-13.00	-20.19


8.3.19. BAND EDGE n261 SISO-DUAL 3CC

50 MHz, SISO-DUAL, 3CC, QPSK




50 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-17.80	15.40	-33.20	-5.00	-28.20
			27.495	-25.52	15.40	-40.92	-13.00	-27.92
	L	32/0	27.499	-15.56	15.40	-30.96	-5.00	-25.96
			27.492	-14.97	15.40	-30.37	-13.00	-17.37
	H	1/31	28.35	-20.79	15.40	-36.19	-5.00	-31.19
			28.355	-25.78	15.40	-41.18	-13.00	-28.18
	H	32/0	28.351	-13.94	15.40	-29.34	-5.00	-24.34
			28.357	-13.38	15.40	-28.78	-13.00	-15.78

50 MHz, SISO-DUAL, 3CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-19.51	15.40	-34.91	-5.00	-29.91
			27.495	-25.20	15.40	-40.60	-13.00	-27.60
	H	1/31	28.35	-20.57	15.40	-35.97	-5.00	-30.97
			28.355	-25.64	15.40	-41.04	-13.00	-28.04

50 MHz, SISO-DUAL, 3CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-18.81	15.40	-34.21	-5.00	-29.21
			27.495	-25.11	15.40	-40.51	-13.00	-27.51
	H	1/31	28.35	-20.94	15.40	-36.34	-5.00	-31.34
			28.355	-25.49	15.40	-40.89	-13.00	-27.89

50 MHz, SISO-DUAL, 3CC, 64QAM


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-18.34	15.40	-33.74	-5.00	-28.74
			27.495	-25.35	15.40	-40.75	-13.00	-27.75
	H	1/31	28.35	-20.60	15.40	-36.00	-5.00	-31.00
			28.355	-26.06	15.40	-41.46	-13.00	-28.46

100 MHz, SISO-DUAL, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, SISO-DUAL, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	1/0	27.5	-16.17	15.40	-31.57	-5.00	-26.57
			27.49	-25.57	15.40	-40.97	-13.00	-27.97
	L	64/0	27.498	-22.97	15.40	-38.37	-5.00	-33.37
			27.487	-23.03	15.40	-38.43	-13.00	-25.43
	H	1/65	28.35	-16.90	15.40	-32.30	-5.00	-27.30
			28.36	-25.55	15.40	-40.95	-13.00	-27.95
	H	64/2	28.35	-23.01	15.40	-38.41	-5.00	-33.41
			28.36	-22.68	15.40	-38.08	-13.00	-25.08

8.3.20. BAND EDGE n261 SISO-DUAL 4CC

50 MHz, SISO-DUAL, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-20.30	15.40	-35.70	-5.00	-30.70
			27.495	-25.25	15.40	-40.65	-13.00	-27.65
	L	32/0	27.499	-15.77	15.40	-31.17	-5.00	-26.17
			27.492	-15.87	15.40	-31.27	-13.00	-18.27
	H	1/31	28.35	-21.48	15.40	-36.88	-5.00	-31.88
			28.355	-26.86	15.40	-42.26	-13.00	-29.26
	H	32/0	28.351	-15.02	15.40	-30.42	-5.00	-25.42
			28.356	-14.99	15.40	-30.39	-13.00	-17.39

50 MHz, SISO-DUAL, 4CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-19.22	15.40	-34.62	-5.00	-29.62
			27.495	-25.48	15.40	-40.88	-13.00	-27.88
	H	1/31	28.35	-20.55	15.40	-35.95	-5.00	-30.95
			28.355	-25.73	15.40	-41.13	-13.00	-28.13

50 MHz, SISO-DUAL, 4CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-20.39	15.40	-35.79	-5.00	-30.79
			27.495	-25.68	15.40	-41.08	-13.00	-28.08
	H	1/31	28.35	-21.33	15.40	-36.73	-5.00	-31.73
			28.355	-26.09	15.40	-41.49	-13.00	-28.49

50 MHz, SISO-DUAL, 4CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-20.53	15.40	-35.93	-5.00	-30.93
			27.495	-24.78	15.40	-40.18	-13.00	-27.18
	H	1/31	28.35	-21.77	15.40	-37.17	-5.00	-32.17
			28.355	-25.64	15.40	-41.04	-13.00	-28.04

100 MHz, SISO-DUAL, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB



100 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, SISO-DUAL, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	1/0	27.5	-17.18	15.40	-32.58	-5.00	-27.58
			27.49	-25.51	15.40	-40.91	-13.00	-27.91
	L	64/0	27.499	-22.94	15.40	-38.34	-5.00	-33.34
			27.487	-23.03	15.40	-38.43	-13.00	-25.43
	H	1/65	28.35	-19.57	15.40	-34.97	-5.00	-29.97
			28.36	-26.11	15.40	-41.51	-13.00	-28.51
	H	64/2	28.35	-23.89	15.40	-39.29	-5.00	-34.29
			28.36	-22.53	15.40	-37.93	-13.00	-24.93


8.3.21. BAND EDGE n261 MIMO 1CC

50 MHz, MIMO, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB




50 MHz, MIMO, 1CC, QPSK


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-10.27	15.40	-25.67	-5.00	-20.67
			27.495	-25.55	15.40	-40.95	-13.00	-27.95
	L	32/0	27.5	-15.94	15.40	-31.34	-5.00	-26.34
			27.495	-15.68	15.40	-31.08	-13.00	-18.08
	H	1/31	28.35	-13.94	15.40	-29.34	-5.00	-24.34
			28.355	-25.38	15.40	-40.78	-13.00	-27.78
	H	32/0	28.352	-12.66	15.40	-28.06	-5.00	-23.06
			28.356	-13.93	15.40	-29.33	-13.00	-16.33

100 MHz, MIMO, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, MIMO, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	1/0	27.5	-11.23	15.40	-26.63	-5.00	-21.63
			27.49	-25.02	15.40	-40.42	-13.00	-27.42
	L	66/0	27.5	-16.58	15.40	-31.98	-5.00	-26.98
			27.49	-16.95	15.40	-32.35	-13.00	-19.35
	H	1/65	28.35	-14.32	15.40	-29.72	-5.00	-24.72
			28.36	-25.30	15.40	-40.70	-13.00	-27.70
	H	66/0	28.351	-14.73	15.40	-30.13	-5.00	-25.13
			28.363	-15.00	15.40	-30.40	-13.00	-17.40


8.3.22. BAND EDGE n261 MIMO 2CC

50 MHz, MIMO, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB




50 MHz, MIMO, 2CC, QPSK


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-17.88	15.40	-33.28	-5.00	-28.28
			27.495	-25.26	15.40	-40.66	-13.00	-27.66
	L	32/0	27.5	-20.91	15.40	-36.31	-5.00	-31.31
			27.495	-20.05	15.40	-35.45	-13.00	-22.45
	H	1/31	28.35	-19.78	15.40	-35.18	-5.00	-30.18
			28.355	-25.13	15.40	-40.53	-13.00	-27.53
	H	32/0	28.351	-16.88	15.40	-32.28	-5.00	-27.28
			28.357	-17.32	15.40	-32.72	-13.00	-19.72

100 MHz, MIMO, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, MIMO, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	1/0	27.5	-15.68	15.40	-31.08	-5.00	-26.08
			27.49	-25.39	15.40	-40.79	-13.00	-27.79
	L	66/0	27.5	-21.35	15.40	-36.75	-5.00	-31.75
			27.49	-20.51	15.40	-35.91	-13.00	-22.91
	H	1/65	28.35	-17.46	15.40	-32.86	-5.00	-27.86
			28.36	-25.75	15.40	-41.15	-13.00	-28.15
	H	66/0	28.351	-19.72	15.40	-35.12	-5.00	-30.12
			28.363	-19.97	15.40	-35.37	-13.00	-22.37

8.3.23. BAND EDGE n261 MIMO 3CC

50 MHz, MIMO, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, MIMO, 3CC, QPSK

High-side, Single RB



High-side, Full RB




50 MHz, MIMO, 3CC, QPSK


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-17.06	15.40	-32.46	-5.00	-27.46
			27.495	-25.23	15.40	-40.63	-13.00	-27.63
	L	32/0	27.5	-21.91	15.40	-37.31	-5.00	-32.31
			27.495	-20.69	15.40	-36.09	-13.00	-23.09
	H	1/31	28.35	-21.67	15.40	-37.07	-5.00	-32.07
			28.355	-25.60	15.40	-41.00	-13.00	-28.00
	H	32/0	28.351	-18.25	15.40	-33.65	-5.00	-28.65
			28.357	-17.97	15.40	-33.37	-13.00	-20.37

100 MHz, MIMO, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, MIMO, 3CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, MIMO, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	1/0	27.5	-16.73	15.40	-32.13	-5.00	-27.13
			27.49	-25.17	15.40	-40.57	-13.00	-27.57
	L	66/0	27.5	-24.12	15.40	-39.52	-5.00	-34.52
			27.49	-23.91	15.40	-39.31	-13.00	-26.31
	H	1/65	28.35	-17.62	15.40	-33.02	-5.00	-28.02
			28.36	-26.01	15.40	-41.41	-13.00	-28.41
	H	66/0	28.35	-24.58	15.40	-39.98	-5.00	-34.98
			28.36	-25.17	15.40	-40.57	-13.00	-27.57

8.3.24. BAND EDGE n261 MIMO 4CC

50 MHz, MIMO, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB



50 MHz, MIMO, 4CC, QPSK

High-side, Single RB



High-side, Full RB




50 MHz, MIMO, 4CC, QPSK


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	27.5	-19.05	15.40	-34.45	-5.00	-29.45
			27.495	-25.43	15.40	-40.83	-13.00	-27.83
	L	32/0	27.5	-21.67	15.40	-37.07	-5.00	-32.07
			27.495	-20.58	15.40	-35.98	-13.00	-22.98
	H	1/31	28.35	-20.80	15.40	-36.20	-5.00	-31.20
			28.355	-25.72	15.40	-41.12	-13.00	-28.12
	H	32/0	28.351	-19.23	15.40	-34.63	-5.00	-29.63
			28.357	-19.51	15.40	-34.91	-13.00	-21.91

100 MHz, MIMO, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, MIMO, 4CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, MIMO, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	1/0	27.5	-17.40	15.40	-32.80	-5.00	-27.80
			27.49	-25.15	15.40	-40.55	-13.00	-27.55
	L	66/0	27.5	-24.34	15.40	-39.74	-5.00	-34.74
			27.49	-24.43	15.40	-39.83	-13.00	-26.83
	H	1/65	28.35	-16.45	15.40	-31.85	-5.00	-26.85
			28.36	-25.82	15.40	-41.22	-13.00	-28.22
	H	66/0	28.351	-24.81	15.40	-40.21	-5.00	-35.21
			28.363	-24.36	15.40	-39.76	-13.00	-11.36


8.3.25. BAND EDGE n260 SISO-DUAL 1CC

50 MHz, SISO-DUAL, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-9.43	14.60	-24.03	-5.00	-19.03
			36.995	-26.87	14.60	-41.47	-13.00	-28.47
	L	32/0	36.997	-14.60	14.60	-29.20	-5.00	-24.20
			36.991	-15.09	14.60	-29.69	-13.00	-16.69
	H	1/31	40	-9.70	14.60	-24.30	-5.00	-19.30
			40.005	-24.69	14.60	-39.29	-13.00	-26.29
	H	32/0	40.003	-14.28	14.60	-28.88	-5.00	-23.88
			40.008	-15.66	14.60	-30.26	-13.00	-17.26

50 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-13.52	14.60	-28.12	-5.00	-23.12
			36.995	-26.88	14.60	-41.48	-13.00	-28.48
	L	32/0	37	-23.27	14.60	-37.87	-5.00	-32.87
			36.995	-24.53	14.60	-39.13	-13.00	-26.13
	H	1/31	40	-6.70	14.60	-21.30	-5.00	-16.30
			40.005	-24.25	14.60	-38.85	-13.00	-25.85
	H	32/0	40.003	-18.27	14.60	-32.87	-5.00	-27.87
			40.005	-24.41	14.60	-39.01	-13.00	-26.01

50 MHz, SISO-DUAL, 1CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-12.37	14.60	-26.97	-5.00	-21.97
			36.995	-27.03	14.60	-41.63	-13.00	-28.63
	L	32/0	37	-23.85	14.60	-38.45	-5.00	-33.45
			36.995	-24.98	14.60	-39.58	-13.00	-26.58
	H	1/31	40	-12.32	14.60	-26.92	-5.00	-21.92
			40.005	-25.02	14.60	-39.62	-13.00	-26.62
	H	32/0	40.003	-17.92	14.60	-32.52	-5.00	-27.52
			40.008	-18.63	14.60	-33.23	-13.00	-20.23

50 MHz, SISO-DUAL, 1CC, 64QAM


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-11.50	14.60	-26.10	-5.00	-21.10
			36.995	-27.49	14.60	-42.09	-13.00	-29.09
	L	32/0	37	-25.22	14.60	-39.82	-5.00	-34.82
			36.995	-27.75	14.60	-42.35	-13.00	-29.35
	H	1/31	40	-12.24	14.60	-26.84	-5.00	-21.84
			40.005	-25.54	14.60	-40.14	-13.00	-27.14
	H	32/0	40	-21.88	14.60	-36.48	-5.00	-31.48
			40.005	-26.06	14.60	-40.66	-13.00	-27.66

100 MHz, SISO-DUAL, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, SISO-DUAL, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	1/0	37	-10.04	14.60	-24.64	-5.00	-19.64
			36.99	-27.63	14.60	-42.23	-13.00	-29.23
	L	64/0	36.997	-19.28	14.60	-33.88	-5.00	-28.88
			36.986	-20.73	14.60	-35.33	-13.00	-22.33
	H	1/65	40	-8.84	14.60	-23.44	-5.00	-18.44
			40.01	-26.15	14.60	-40.75	-13.00	-27.75
	H	64/2	40	-16.32	14.60	-30.92	-5.00	-25.92
			40.01	-17.51	14.60	-32.11	-13.00	-19.11

100 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	64/0	37	-23.18	14.60	-37.78	-5.00	-32.78
			36.99	-24.15	14.60	-38.75	-13.00	-25.75
	H	64/2	40	-18.38	14.60	-32.98	-5.00	-27.98
			40.01	-22.82	14.60	-37.42	-13.00	-24.42

100 MHz, SISO-DUAL, 1CC, 16QAM



BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	64/0	37	-25.06	14.60	-39.66	-5.00	-34.66
			36.99	-24.60	14.60	-39.20	-13.00	-26.20
	H	64/2	40	-19.49	14.60	-34.09	-5.00	-29.09
			40.01	-22.04	14.60	-36.64	-13.00	-23.64

100 MHz, SISO-DUAL, 1CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	64/0	37	-26.47	14.60	-41.07	-5.00	-36.07
			36.99	-27.43	14.60	-42.03	-13.00	-29.03
	H	64/2	40	-24.59	14.60	-39.19	-5.00	-34.19
			40.01	-26.22	14.60	-40.82	-13.00	-27.82


8.3.26. BAND EDGE n260 SISO-DUAL 2CC

50 MHz, SISO-DUAL, 2CC, QPSK




50 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-17.03	14.60	-31.63	-5.00	-26.63
			36.995	-28.44	14.60	-43.04	-13.00	-30.04
	L	32/0	36.996	-17.20	14.60	-31.80	-5.00	-26.80
			36.992	-17.84	14.60	-32.44	-13.00	-19.44
	H	1/31	40	-14.55	14.60	-29.15	-5.00	-24.15
			40.005	-25.95	14.60	-40.55	-13.00	-27.55
	H	32/0	40.002	-17.33	14.60	-31.93	-5.00	-26.93
			40.008	-17.56	14.60	-32.16	-13.00	-19.16

50 MHz, SISO-DUAL, 2CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-17.40	14.60	-32.00	-5.00	-27.00
			36.995	-28.10	14.60	-42.70	-13.00	-29.70
	H	1/31	40	-16.19	14.60	-30.79	-5.00	-25.79
			40.005	-26.20	14.60	-40.80	-13.00	-27.80

50 MHz, SISO-DUAL, 2CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-16.21	14.60	-30.81	-5.00	-25.81
			36.995	-28.68	14.60	-43.28	-13.00	-30.28
	H	1/31	40	-16.78	14.60	-31.38	-5.00	-26.38
			40.005	-26.12	14.60	-40.72	-13.00	-27.72

50 MHz, SISO-DUAL, 2CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
50	L	1/0	37	-17.87	14.60	-32.47	-5.00	-27.47
			36.995	-29.41	14.60	-44.01	-13.00	-31.01
	H	1/31	40	-17.49	14.60	-32.09	-5.00	-27.09
			40.005	-26.14	14.60	-40.74	-13.00	-27.74

100 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, SISO-DUAL, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	EUT Ant Gain	Adj. EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBi)	(dBm)	(dBm)	(dB)
100	L	1/0	37	-15.61	14.60	-30.21	-5.00	-25.21
			36.99	-28.96	14.60	-43.56	-13.00	-30.56
	L	64/0	36.998	-22.05	14.60	-36.65	-5.00	-31.65
			36.987	-21.94	14.60	-36.54	-13.00	-23.54
	H	1/65	40	-15.08	14.60	-29.68	-5.00	-24.68
			40.01	-26.67	14.60	-41.27	-13.00	-28.27
	H	64/2	40	-19.80	14.60	-34.40	-5.00	-29.40
			40.01	-20.13	14.60	-34.73	-13.00	-21.73