

TEST REPORT

Report Number: 15496249-E22V2

Applicant : APPLE, INC
1 APPLE PARK WAY
CUPERTINO, CA 95014, U.S.A.

Model : A3257

Brand : APPLE

FCC ID : BCG-E8950A

IC : 579C-E8950A

EUT Description : SMARTPHONE

Test Standard(s) : FCC 47 CFR PART 2, PART 22H, PART 90S, PART 25
ISED RSS-GEN ISSUE 5 + A1 + A2, RSS-132 ISSUE 4

Date Of Issue:
2025-08-08

Prepared by:
UL Verification Services Inc.
47173 Benicia Street
Fremont, CA 94538, U.S.A.
TEL: (510) 319-4000
FAX: (510) 661-0888



Revision History

Rev.	Issue Date	Revisions	Revised By
V1	2025-07-29	Initial Review	--
V2	2025-08-08	Updated Section 9.2 and 9.3	Eric Ting


TABLE OF CONTENTS

1. ATTESTATION OF TEST RESULTS	6
2. SUMMARY OF TEST RESULTS	7
3. TEST METHODOLOGY	9
4. FACILITIES AND ACCREDITATION	9
5. DECISION RULES AND MEASUREMENT UNCERTAINTY	10
5.1. METROLOGICAL TRACEABILITY	10
5.2. DECISION RULES	10
5.3. MEASUREMENT UNCERTAINTY	10
5.4. SAMPLE CALCULATION	10
6. EQUIPMENT UNDER TEST	11
6.1. DESCRIPTION OF EUT	11
6.2. MAXIMUM OUTPUT POWER	11
6.3. SOFTWARE AND FIRMWARE	15
6.4. MAXIMUM ANTENNA GAIN AND MAXIMUM ALLOWED OUTPUT POWER	15
6.5. WORST-CASE CONFIGURATION AND MODE	16
6.6. DESCRIPTION OF TEST SETUP	17
7. TEST AND MEASUREMENT EQUIPMENT	18
8. RF OUTPUT POWER VERIFICATION	19
8.1. LTE BAND 5	20
8.2. 5G NR n5	22
8.3. ULCA LTE BAND 5	24
8.4. LTE BAND 26 (FCC Part 90S)	25
8.5. 5G NR n26 (FCC Part 90S)	27
8.6. LTE BAND 26 (FCC Part 22)	28
8.7. 5G NR n26 (FCC Part 22)	30
9. CONDUCTED TEST RESULTS	32
9.1. OCCUPIED BANDWIDTH	32
9.1.1. LTE BAND 5	36
9.1.2. 5G NR n5	37
9.1.3. ULCA LTE BAND 5	38

9.1.4.	LTE BAND 26 (FCC PART 90S)	39
9.1.5.	5G NR n26 (FCC PART 90S)	40
9.1.6.	LTE BAND 26 (FCC PART 22)	41
9.1.7.	5G NR n26 (FCC PART 22)	42
9.2.	EMISSION MASK AND ADJACENT CHANNEL POWER	43
9.2.1.	LTE BAND 5	45
9.2.2.	5G NR n5	48
9.2.3.	ULCA LTE BAND 5	51
9.2.4.	LTE BAND 26 (FCC PART 90S)	53
9.2.5.	5G NR n26 (FCC PART 90S)	56
9.2.6.	LTE BAND 26 (FCC PART 22)	58
9.2.7.	5G NR n26 (FCC PART 22)	61
9.3.	OUT OF BAND EMISSIONS	64
9.3.1.	LTE BAND 5	65
9.3.2.	5G NR n5	66
9.3.3.	ULCA LTE BAND 5	67
9.3.4.	LTE BAND 26 (FCC PART 90S)	68
9.3.5.	5G NR n26 (FCC PART 90S)	68
9.3.6.	LTE BAND 26 (FCC PART 22)	69
9.3.7.	5G NR n26	70
9.4.	FREQUENCY STABILITY	71
9.4.1.	LTE BAND 5 (QPSK 10MHz BANDWIDTH)	72
9.4.2.	5G NR n5 (BPSK 20MHz BANDWIDTH)	72
9.4.3.	ULCA LTE BAND 5 (QPSK 10MHz + 10MHz BANDWIDTH)	73
9.4.4.	LTE BAND 26 (QPSK 10MHz BANDWIDTH, FCC PART 90S)	73
9.4.5.	5G NR n26 (BPSK 10MHz BANDWIDTH, FCC PART 90S)	74
9.4.6.	LTE BAND 26 (QPSK 10MHz BANDWIDTH, FCC PART 22)	74
9.4.7.	5G NR n26 (BPSK 20MHz BANDWIDTH, FCC PART 22)	75
9.5.	PEAK-TO-AVERAGE POWER RATIO	76
9.5.1.	LTE BAND 5	78
9.5.2.	5G NR n5	78
9.5.3.	ULCA LTE BAND 5	78
9.5.4.	LTE BAND 26 (FCC PART 90S)	79
9.5.5.	5G NR n26 (FCC PART 90S)	79

9.5.6.	LTE BAND 26 (FCC PART 22).....	80
9.5.7.	5G NR n26 (FCC PART 22)	80
10.	RADIATED TEST RESULTS.....	81
10.1.	FIELD STRENGTH OF SPURIOUS RADIATION, ABOVE 1GHz	85
10.1.1.	LTE BAND 5	86
10.1.2.	5G NR n5.....	88
10.1.3.	ULCA LTE BAND 5.....	90
10.1.4.	LTE BAND 26 (FCC PART 90S).....	92
10.1.5.	5G NR n26 (FCC PART 90S)	94
10.1.6.	LTE BAND 26 (FCC PART 22)	96
10.1.7.	5G NR n26 (FCC PART 22).....	98
11.	SETUP PHOTOS.....	100

1. ATTESTATION OF TEST RESULTS

Applicant Name and Address	APPLE, INC 1 APPLE PARK WAY CUPERTINO, CA 95014, U.S.A.	
Model	A3257	
Brand	APPLE	
FCC ID	BCG-E8950A	
IC	579C-E8950A	
EUT Description	SMARTPHONE	
Serial Number	Radiated: HM7J7JQX6J, LFJJGD2VPV, GMHVQR27VP Conducted: HVHHH5000AY000122J, HVHHH50002D0000YE7 HVHHD20009U0000YE7	
Sample Receipt Date	2025-02-28	
Date Tested	2025-03-31 to 2025-07-24	
Applicable Standards	FCC 47 CFR PART 2, PART 22H, PART 90S, PART 25 ISED RSS-GEN ISSUE 5 + A1 + A2, RSS-132 ISSUE 4	
Test Results	COMPLIES	
UL Verification Services Inc. tested the above equipment in accordance with the requirements set forth in the above standards. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report. The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. It is the manufacturer's responsibility to assure that additional production units of this model are manufactured with identical electrical and mechanical components. All samples tested were in good operating condition throughout the entire test program. Measurement Uncertainties are published for informational purposes only and were not taken into account unless noted otherwise. This document may not be altered or revised in any way unless done so by UL Verification Services Inc. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Verification Services Inc. will constitute fraud and shall nullify the document.		
Approved & Released By:	Reviewed By:	Prepared By:
		
Mengistu Mekuria Staff Laboratory Engineer UL Verification Services Inc.	Eric Ting Senior Test Engineer UL Verification Services Inc.	Carlos D. Caudana Laboratory Engineer UL Verification Services Inc.

2. SUMMARY OF TEST RESULTS

This report contains data provided by the customer which can impact the validity of results. UL Verification Services Inc. is only responsible for correctly integrating customer-provided data with measurements performed by UL Verification Services Inc.

Below is a list of the data provided by the customer:

1. Antenna gain and type (see section 6.4)

Requirement Description	Band	Requirement Clause Number (FCC)	Result	Remarks
RF Conducted Output Power	26 (90S)	2.1046, 90.635 (b)	Complies	
Effective Radiated Power	5, 26 (22)	22.913 (a)(5)	Complies	
Occupied Bandwidth	5, 26	2.1049	Complies	
Band Edge and Emission Mask	5, 26	2.1051, 22.917 (a), 90.691 (a)	Complies	
Out of Band Emissions	5, 26	2.1051, 22.917 (a), 90.691 (a)	Complies	
Frequency Stability	5, 26	2.1055, 22.355, 90.539, 90.213	Complies	
Peak-to-Average Ratio	5, 26	22.913 (d)	Complies	
Field Strength of Spurious Radiation	5, 26	2.1053, 22.917 (a), 90.691 (a)	Complies	

Requirement Description	Requirement Clause Number (ISED)	Result	Remarks
Effective Radiated Power	RSS132§5.4	Complies	
Occupied Bandwidth	RSS132, RSS-GEN§6.7	Complies	
Band Edge and Emission Mask	RSS132§5.5	Complies	
Out of Band Emissions	RSS132§5.5	Complies	
Frequency Stability	RSS132§5.3	Complies	
Peak-to-Average Ratio	RSS132§5.4	Complies	
Field Strength of Spurious Radiation	RSS132§5.5	Complies	

SUPPLEMENTAL COVERAGE FROM SPACE (SCS)

Under section § 25.109 (f) of the FCC rules Space and SCS earth stations providing SCS are subject to technical rules in parts 2, 22, 24, and 27 of this chapter based on the operating frequency band. Section § 25.204 (g) specifies that earth stations providing SCS pursuant to §§ 25.125 and 25.115 shall comply with the power requirements and out-of-band emission limits corresponding to devices operating in parts 22, 24, or 27 of this chapter (e.g., §§ 22.913, 24.232, 27.50), as required for their operating frequencies. We have clarified through KDB inquiry that the technical requirements from Part 90R should be applied for SCS operations in the 700 MHz Public Safety Band.

The table below identifies the SCS frequencies available for use and, for each band, the applicable FCC Part 22, 24, 27, and 90R technical requirements, the air interfaces supported by the device for SCS use.

The bands available for SCS and the bands supported by the devices in the scope of this report are:

Band	Frequency		Part 22/24/27/90 Rule parts	3GPP Band	Supported	Applicable to This Report
	DL (MHz)	UL (MHz)				
600 MHz:	614-652	663-698	27.5 (c) 27.50 (c) 27.53 (g)	71/n71	Yes	No
700 MHz:	729 – 746	699 –716	27.5 (c) 27.50 (c) 27.53 (g)	12/n12 17	Yes	No
	746 – 756	777 – 787	27.5 (b) 27.50 (b) 27.53 (f)	13/n13	Yes	No
	758-769	788-799	90R ^{Note 1}	14 / n14	Yes	No
	805-806 MHz				No	
800 MHz:	869-894	824-849	22H	WCDMA 5 5/n5 26/N26	Yes	Yes
Broadband PCS:	1930-1995	1850-1915	24E 24E	WCDMA 2 2/n2 25/n25	Yes	No
Note 1: Clarified through KDB inquiry that the technical requirements from Part 90R should be applied for SCS operations in the 700 MHz Public Safety Band.						

3. TEST METHODOLOGY

The tests documented in this report were performed in accordance with the following.

FCC published lists of [measurement procedures](#) for compliance testing.

ISED published lists of [normative test standards and acceptable alternatives procedures](#).

- ANSI C63.26:2015
- ANSI/TIA-603-E (2016)
- FCC 47 CFR Part 2, Part 22H, Part 90S, Part 25
- [FCC KDB 971168 D01](#): Power Meas License Digital Systems (ISED acceptable alternative procedure)
- [FCC KDB 971168 D02](#): Misc Rev Approv License Devices
- [FCC KDB 412172 D01](#): Determining ERP and EIRP
- [FCC KDB 273109 D02](#): Part 25 SCS and CMRS-Bands
- ISED RSS-Gen Issue 5 + A1 + A2, RSS-132 Issue 4

4. FACILITIES AND ACCREDITATION

UL Verification Services Inc. is accredited by A2LA, certification #0751.05, for all testing performed within the scope of this report. Testing was performed at the locations noted below.

	Address	ISED CABID	ISED Company Number	FCC Registration
☐	Building 1: 47173 Benicia Street, Fremont, CA 94538, USA	US0104	2324A	550739
☐	Building 2: 47266 Benicia Street, Fremont, CA 94538, USA			
☒	Building 3: 843 Auburn Court, Fremont, CA 94538, USA			
☐	Building 4: 47658 Kato Rd, Fremont, CA 94538, USA			
☒	Building 5: 47670 Kato Rd, Fremont, CA 94538, USA			

5. DECISION RULES AND MEASUREMENT UNCERTAINTY

5.1. METROLOGICAL TRACEABILITY

All test and measuring equipment utilized to perform the tests documented in this report are calibrated on a regular basis, with a maximum time between calibrations of one year or the manufacturers' recommendation, whichever is less, and where applicable is traceable to recognized national standards.

5.2. DECISION RULES

The Decision Rule is based on Simple Acceptance in accordance with ISO Guide 98-4:2012 Clause 8.2. (Measurement uncertainty is not taken into account when stating conformity with a specified requirement.)

5.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	U _{Lab}
Conducted Antenna Port Emission Measurement	1.940 dB
Power Spectral Density	2.466 dB
Time Domain Measurements Using SA	3.39 %
RF Power Measurement Direct Method Using Power Meter	0.450 dB Ave. 1.300 dB Peak
Radio Frequency (Spectrum Analyzer)	141.16 Hz
Occupied Bandwidth	1.22%
Worst Case Conducted Disturbance, 9KHz to 0.15 MHz	3.78 dB
Worst Case Conducted Disturbance, 0.15 to 30 MHz	3.40 dB
Worst Case Radiated Disturbance, 9KHz to 30 MHz	2.87 dB
Worst Case Radiated Disturbance, 30 to 1000 MHz	6.01 dB
Worst Case Radiated Disturbance, 1000 to 18000 MHz	4.73 dB
Worst Case Radiated Disturbance, 18000 to 26000 MHz	4.51 dB
Worst Case Radiated Disturbance, 26000 to 40000 MHz	5.29 dB

Uncertainty figures are valid to a confidence level of 95%.

5.4. SAMPLE CALCULATION

RADIATED EMISSIONS

Where relevant, the following sample calculation is provided:

Field Strength (dBuV/m) = Measured Voltage (dBuV) + Antenna Factor (dB/m) + Cable Loss (dB) – Preamp Gain (dB)
36.5 dBuV + 18.7 dB/m + 0.6 dB – 26.9 dB = 28.9 dBuV/m

6. EQUIPMENT UNDER TEST

6.1. DESCRIPTION OF EUT

The Apple iPhone is a smartphone with cellular GSM, GPRS, EGPRS, WCDMA, LTE, 5G NR1, 5G NR2, IEEE 802.11a/b/g/n/ac/ax/be, Bluetooth (BT), Ultra-Wideband (UWB), Global Positioning System (GPS), Near-Field Communication (NFC), Narrow-Band (NB) UNII, 802.15.4, 802.15.4ab-Narrow Band (NB), Wireless Power Transfer (WPT) and Mobile Satellite Service (MSS) technologies. The rechargeable battery is not user accessible. This device is not user-serviceable and requires special tools to disassemble.

6.2. MAXIMUM OUTPUT POWER

EIRP/ERP TEST PROCEDURE

ANSI C63.26:2015
KDB 971168 D01 Section 5.6

$$\text{ERP/EIRP} = \text{PMeas} + \text{GT} - \text{LC}$$

where: ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the same units as PMeas, typically dBW or dBm);

PMeas = measured transmitter output power or PSD, in dBm or dBW;

GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

LC = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

EUT includes different power levels for head use configuration and body use configuration and the below tables contain the highest of all configurations average conducted and peak EIRP output powers as follows:

LTE BAND 5

Part 22H/RSS132									
ERP Limit (W)		7.00							
Antenna Gain (dBi) (Ant 3)		-5.00							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
1.4	QPSK	824.7	848.3	25.70	18.55	0.072	1.087	1087	1M09G7W
	16QAM			24.70	17.55	0.057	1.085	1085	1M09D7W
3.0	QPSK	825.5	847.5	25.70	18.55	0.072	2.715	2715	2M72G7W
	16QAM			24.68	17.53	0.057	2.712	2712	2M71D7W
5.0	QPSK	826.5	846.5	25.70	18.55	0.072	4.496	4496	4M50G7W
	16QAM			24.70	17.55	0.057	4.492	4492	4M49D7W
10.0	QPSK	829.0	844.0	25.70	18.55	0.072	9.004	9004	9M00G7W
	16QAM			24.70	17.55	0.057	9.008	9008	9M01D7W

5G NR n5

Part 22H/RSS132									
ERP Limit (W)		7.00							
Antenna Gain (dBi) (Ant 3)		-5.00							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
5.0	BPSK	826.5	846.5	25.70	18.55	0.072	4.519	4519	4M52G7W
	QPSK			25.70	18.55	0.072	4.511	4511	4M51G7W
	16QAM			24.40	17.25	0.053	4.511	4511	4M51D7W
10.0	BPSK	829.0	844.0	25.70	18.55	0.072	8.977	8977	8M98G7W
	QPSK			25.66	18.51	0.071	8.980	8980	8M98G7W
	16QAM			24.43	17.28	0.053	9.007	9007	9M01D7W
15.0	BPSK	831.5	841.5	25.70	18.55	0.072	13.392	13392	13M4G7W
	QPSK			25.70	18.55	0.072	13.446	13446	13M4G7W
	16QAM			24.39	17.24	0.053	13.428	13428	13M4D7W
20.0	BPSK	834.0	839.0	25.70	18.55	0.072	17.912	17912	17M9G7W
	QPSK			25.70	18.55	0.072	17.890	17890	17M9G7W
	16QAM			24.45	17.30	0.054	17.918	17918	17M9D7W

ULCA LTE BAND 5

Part 22H/RSS132									
ERP Limit (W)		7.00							
Antenna Gain (dBi) (Ant 3)		-5.00							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
3+5	QPSK	825.5	846.5	25.70	18.55	0.072	7.488	7488	7M49G7W
	16QAM			24.94	17.79	0.060	7.497	7497	7M50D7W
5+3	QPSK	826.5	847.5	25.70	18.55	0.072	7.496	7496	7M50G7W
	16QAM			24.97	17.82	0.061	7.054	7054	7M05D7W
5+10	QPSK	826.5	844.0	25.70	18.55	0.072	13.909	13909	13M9G7W
	16QAM			24.70	17.55	0.057	13.878	13878	13M9D7W
10+5	QPSK	829.0	846.5	25.70	18.55	0.072	13.880	13880	13M9G7W
	16QAM			24.70	17.55	0.057	13.851	13851	13M9D7W
10+10	QPSK	829.0	844.0	25.70	18.55	0.072	18.885	18885	18M9G7W
	16QAM			24.70	17.55	0.057	18.883	18883	18M9D7W

LTE BAND 26 (FCC Part 90S)

Part 90S								
Conducted Limit (W)		100.00						
Antenna Gain (dBi) (Ant 3)		-5.00						
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	Conducted Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
1.4	QPSK	814.7	823.3	25.70	0.37	1.087	1087	1M09G7W
	16QAM			25.03	0.32	1.097	1097	1M10D7W
3.0	QPSK	815.5	822.5	25.70	0.37	2.684	2684	2M68G7W
	16QAM			24.67	0.29	2.693	2693	2M69D7W
5.0	QPSK	816.5	821.5	25.70	0.37	4.483	4483	4M48G7W
	16QAM			24.57	0.29	4.502	4502	4M50D7W
10.0	QPSK	819.0	819.0	25.70	0.37	8.968	8968	8M97G7W
	16QAM			24.61	0.29	9.022	9022	9M02D7W

5G NR n26 (FCC Part 90S)

Part 90S								
Conducted Limit (W)		100.00						
Antenna Gain (dBi) (Ant 3)		-5.00						
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	Conducted Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
5.0	BPSK	816.5	821.5	25.70	0.37	4.498	4498	4M50G7W
	QPSK			25.67	0.37	4.497	4497	4M50G7W
	16QAM			24.57	0.29	4.493	4493	4M49D7W
10.0	BPSK	819.0	819.0	25.70	0.37	8.951	8951	8M95G7W
	QPSK			25.68	0.37	8.939	8939	8M94G7W
	16QAM			24.52	0.28	8.966	8966	8M97D7W

LTE BAND 26 (FCC Part 22)

Part 22									
ERP Limit (W)		7.00							
Antenna Gain (dBi) (Ant 3)		-5.00							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
1.4	QPSK	824.7	848.3	25.70	18.55	0.072	1.084	1084	1M08G7W
	16QAM			24.66	17.51	0.056	1.093	1093	1M09D7W
3.0	QPSK	825.5	847.5	25.70	18.55	0.072	2.699	2699	2M70G7W
	16QAM			24.70	17.55	0.057	2.684	2684	2M68D7W
5.0	QPSK	826.5	846.5	25.70	18.55	0.072	4.501	4501	4M50G7W
	16QAM			24.68	17.53	0.057	4.498	4498	4M50D7W
10.0	QPSK	829.0	844.0	25.70	18.55	0.072	9.024	9024	9M02G7W
	16QAM			24.68	17.53	0.057	8.939	8939	8M94D7W

5G NR n26 (FCC Part 22)

Part 22									
ERP Limit (W)		7.00							
Antenna Gain (dBi) (Ant 3)		-5.00							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
5.0	BPSK	826.5	846.5	25.65	18.50	0.071	4.493	4493	4M49G7W
	QPSK			25.70	18.55	0.072	4.493	4493	4M49G7W
	16QAM			24.69	17.54	0.057	4.484	4484	4M48D7W
10.0	BPSK	829.0	844.0	25.70	18.55	0.072	8.982	8982	8M98G7W
	QPSK			25.69	18.54	0.071	8.981	8981	8M98G7W
	16QAM			24.98	17.83	0.061	8.936	8936	8M94D7W
15.0	BPSK	831.5	841.5	25.70	18.55	0.072	13.472	13472	13M5G7W
	QPSK			25.70	18.55	0.072	13.455	13455	13M5G7W
	16QAM			24.60	17.45	0.056	13.453	13453	13M5D7W
20.0	BPSK	834.0	839.0	25.70	18.55	0.072	17.947	17947	17M9G7W
	QPSK			25.70	18.55	0.072	17.936	17936	17M9G7W
	16QAM			24.68	17.53	0.057	17.954	17954	18M0D7W

6.3. SOFTWARE AND FIRMWARE

The EUT firmware installed during testing was version 0.08.00.

6.4. MAXIMUM ANTENNA GAIN AND MAXIMUM ALLOWED OUTPUT POWER

The IFA antenna(s) gain/allowed output power, as provided by the manufacturer' are as follows:

Bands	Frequency Range (MHz)	Antenna	Gain (dBi)	Max Allowed Conducted Output Power (dBm)	ERP/EIRP (dBm)
LTE Band 5	824 - 849	ANT1			
		ANT2	-5.30	25.40	17.95
		ANT3	-5.00	25.70	18.55
		ANT4			
5G NR n5	824-849	ANT1			
		ANT2	-5.30	25.40	17.95
		ANT3	-5.00	25.70	18.55
		ANT4			
CA_Band 5	824 - 849	ANT1			
		ANT2	-5.30	25.40	17.95
		ANT3	-5.00	25.70	18.55
		ANT4			
LTE Band 26 / 5G NR n26 (FCC Part 90)	814 - 824	ANT1			
		ANT2	-5.30	25.20	17.75
		ANT3	-5.00	25.70	18.55
		ANT4			
LTE Band 26 / 5G NR n26 (FCC Part 22)	824 - 849	ANT1			
		ANT2	-5.30	25.20	17.75
		ANT3	-5.00	25.70	18.55
		ANT4			

6.5. WORST-CASE CONFIGURATION AND MODE

This report covers the following technologies:

- LTE Band 5, 5G NR n5, ULCA LTE Band 5
- LTE Band 26, 5G NR n26

For 5G NRs, conducted spurious emission tests were conducted on wider bandwidth with inner 1RB since this is the worst bandwidth and the highest output power.

BPSK modulation applied only for 5G NR frequencies and has the same tune up power as QPSK modulations.

The DFT-s-OFDM and CP-OFDM waveforms were investigated, and DFT-s-OFDM was found to be the worst case.

For ULCA, Band Edge and Emission Mask: The highest BW combo and sample lower BW combinations were tested. Combination pairs of the same BW are considered generally equivalent. The RB combinations were selected such that the signal is active closest to the band limit, as this is the worst case.

For ULCA, Out of Band Emissions: The highest combination and a sample lower combination was tested. The highest power RB combination was selected as worst case.

The worst-case scenario for all measurements is based on an engineering evaluation made on different modulations. Then, QPSK and BPSK were observed as the worst mode to LTE bands and 5G NR bands respectively and set for all conducted and radiated. Output power measurements were measured on BPSK, QPSK, 16QAM, 64QAM, and 256QAM modulations. For testing purposes emissions on section 9 were measured while QPSK/BPSK was set at or above target power for all bands. Conducted tests were performed on the worst-case antenna port because it has the highest conducted power. The worst-case antenna port is shown in the table below.

LTE and 5G NR Bands	Worst case Antenna Port
LTE Band 5 and 5G NR n5, ULCA LTE Band 5	Ant 3
LTE Band 26 and 5G NR n26	Ant 3

The EUT was investigated in three orthogonal orientations X/Y/Z on all available antennas to determine the worst-case orientation. The following table exhibits the worst-case orientation. The full tests of the EUT have made upon the orientations that shown in the table below.

Frequency Range	ANT3	ANT2
663 – 849 MHz	X	Y

Radiated spurious emissions were investigated from 9kHz to 30MHz, 30MHz-1GHz and above 1GHz. There were no emissions found with less than 20dB of margin from 9kHz to 1GHz.

For simultaneous transmission of multiple channels in the 2.4GHz/5GHz WLAN, UWB, and Cellular bands, tests were conducted for various configurations having the highest power, least separation in frequencies and widest operation bandwidths. No noticeable new emission was found.

6.6. DESCRIPTION OF TEST SETUP

Refer to Appendix A for description of test setup.

7. TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment were utilized for the tests documented in this report:

TEST EQUIPMENT LIST				
Description	Manufacturer	Model	Asset	Cal Due
Wideband Communication Test Set, Call Box	R&S GmbH & Co.	CMW500	230297	2026-02-28
EMI TEST RECEIVER	Rohde & Schwarz	ESW44	169936	2026-02-28
Antenna, Horn 1-18GHz	ETS Lindgren	3117	200897	2026-04-30
RF Filter Box, 1-18GHz, 12 Port	UL-FR1	Frankenstein	217255	2026-01-31
Antenna, Horn 1-18GHz	ETS Lindgren	3117	223084	2026-12-31
RF Filter Box, 1-18GHz	UL-FR1	NA	231875	2025-11-30
EMI TEST RECEIVER	Rohde & Schwarz	ESW44	170063	2026-02-28
Wideband Communication Test Set, Call Box	R&S GmbH & Co.	CMW500	230297	2026-02-28
EMI TEST RECEIVER	Rohde & Schwarz	ESW44	169936	2026-02-28
Antenna, Horn 1-18GHz	ETS Lindgren	3117	200897	2026-04-30
RF Filter Box, 1-18GHz, 12 Port	UL-FR1	Frankenstein	217255	2026-01-31
Antenna, Passive Loop 30Hz - 1MHz	ELECTRO-METRICS	EM-6871	170013	2025-07-31
Antenna, Passive Loop 100KHz - 30MHz	ELECTRO-METRICS	EM-6872	170015	2025-07-31
PXA Signal Analyzer	Keysight Technologies Inc	N9030B	262735	2026-03-30
PXA Signal Analyzer	Keysight Technologies Inc	N9030B	231912	2026-04-30
Antenna, Broadband Hybrid, 30MHz to 3GHz	Sunol Sciences Corp.	JB3	171863	2026-11-30
Amplifier 9 KHz - 1 GHz	SONOMA INSTRUMENT	310N	224490	2026-05-06
PXA Signal Analyzer	Keysight Technologies Inc	N9030B	259079	2026-02-28
PXA Signal Analyzer	Keysight Technologies Inc	N9030B	262734	2026-04-30
Wideband Communication Call Box	Rohde & Schwarz	CMW500	230298	2026-02-28
Wideband Communication Call Box	Rohde & Schwarz	CMW500	85943	2026-02-28
Wideband Communication Call Box	Rohde & Schwarz	CMW500	262742	2027-02-11
Wideband Communication Call Box	Rohde & Schwarz	CMW500	262741	2027-02-11
Conducted Switch Box	N/A	CSB	221008	2026-04-30
Conducted Switch Box	N/A	CSB	262354	2026-04-30
Filter, BRF 3400-3800MHz, 18GHz max	Micro-Tronics	BRM50711	217364	2025-09-30
Filter, BRF 2305-2315	Micro-Tronics	BRC20553	224186	2026-06-29
Power Meter, P-series single channel	Keysight Technologies Inc	N1911A	90718	2026-03-31
Power Sensor, P - series, 50MHz to 18GHz, Wideband	Keysight Technologies Inc	N1921A	257704	2026-03-31
Chamber, Environmental	Cincinnati Sub Zero	ZPHS-8-3.5-SCT/WC	89097	2025-10-31
UL AUTOMATION SOFTWARE				
Conducted Software	UL	CLT	Ver.2023 11.21.0 & .2024.3.20.0	
Conducted Software	UL	Power Measurement	Ver 2023.08.14	
Conducted Software	UL	Antenna Port	Ver.2022.8.16	
Conducted Software	UL	Station Tool	Ver. 5.0,	
Radiated Software	UL	UL EMC	Ver 9.5, May 1, 2023	

8. RF OUTPUT POWER VERIFICATION

CONDUCTED OUTPUT POWER MEASUREMENT PROCEDURE

All bands conducted average power is obtained from the base station simulator.

The following tests were conducted according to the test requirements outlined in ANSI C63.26 Section 5.2.

RESULTS

EUT has different power levels for head use configuration and body use configuration. All measurements are made with the device operating at the highest average conducted output powers.

8.1. LTE BAND 5

Test Engineer ID:	27957	Test Date:	2025-03-27
-------------------	-------	------------	------------

OUTPUT POWER FOR LTE BAND 5 (1.4 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				20407 824.7 MHz	20525 836.5 MHz	20643 848.3 MHz	20407 824.7 MHz	20525 836.5 MHz	20643 848.3 MHz
1.4	QPSK	1	0	25.65	25.63	25.70	25.30	25.32	25.40
		1	2	25.69	25.70	25.44	25.30	25.39	25.40
		1	5	25.65	25.67	25.25	25.38	25.40	25.35
		3	0	25.65	25.63	25.59	25.40	25.26	25.34
		3	1	25.65	25.59	25.47	25.32	25.33	25.40
		3	2	25.69	25.66	25.40	25.30	25.39	25.29
	16QAM	6	0	25.53	25.09	24.61	24.65	24.64	24.70
		1	0	24.62	24.23	24.02	24.91	24.85	24.78
		1	2	24.67	24.26	23.80	24.95	24.81	24.87
		1	5	24.70	24.24	23.45	24.88	24.93	24.83
		3	0	24.56	24.17	23.87	24.81	24.74	24.72
		3	1	24.59	24.21	23.71	24.89	24.90	24.82
	64QAM	3	2	24.64	24.21	23.61	24.78	24.91	24.72
		6	0	23.61	23.16	22.71	23.70	23.74	23.74
		1	0	23.75	23.40	23.14	23.83	23.91	23.90
		1	2	23.77	23.40	23.09	23.95	24.01	23.97
		1	5	23.77	23.38	22.67	23.98	23.96	23.95
		3	0	23.64	23.26	23.02	23.82	23.74	23.83
	256QAM	3	1	23.65	23.29	22.82	23.85	23.87	23.80
		3	2	23.68	23.27	22.76	23.87	23.83	23.85
		6	0	22.57	22.22	21.82	22.69	22.77	22.70
		1	0	20.65	20.42	20.15	20.70	20.82	20.87
		1	2	20.69	20.49	20.08	20.86	20.89	20.84
		1	5	20.74	20.37	19.83	20.80	20.81	20.80
	3	0	20.66	20.30	20.05	20.79	20.74	20.84	
	3	1	20.72	20.37	20.01	20.77	20.88	20.81	
	3	2	20.70	20.23	19.89	20.75	20.81	20.90	
	6	0	20.59	20.26	19.91	20.78	20.67	20.71	

OUTPUT POWER FOR LTE BAND 5 (3.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				20415	20525	20635	20415	20525	20635
3.0	QPSK	1	0	25.54	25.53	25.65	25.34	25.36	25.26
		1	7	25.70	25.70	25.70	25.40	25.40	25.40
		1	14	25.68	25.66	25.25	25.33	25.32	25.24
		8	0	25.48	25.10	25.50	24.70	24.63	24.56
		8	4	25.52	25.09	25.00	24.75	24.69	24.56
		8	7	25.50	25.23	24.61	24.70	24.69	24.61
	16QAM	15	0	25.48	25.19	25.15	24.71	24.61	24.53
		1	0	24.57	24.32	24.57	24.79	24.72	24.79
		1	7	24.68	24.30	24.21	24.85	24.79	24.82
		1	14	24.59	24.23	23.44	24.81	24.71	24.73
		8	0	23.49	23.18	23.54	23.79	23.64	23.58
		8	4	23.54	23.12	23.14	23.76	23.71	23.59
	64QAM	8	7	23.58	23.23	22.63	23.74	23.71	23.65
		15	0	23.52	23.09	23.22	23.75	23.59	23.55
		1	0	23.60	23.44	23.70	23.87	23.81	23.78
		1	7	23.61	23.45	23.36	23.93	23.93	23.91
		1	14	23.63	23.31	22.60	23.87	23.79	23.76
		8	0	22.47	22.29	22.54	22.78	22.60	22.59
	256QAM	8	4	22.53	22.15	22.19	22.77	22.72	22.59
		8	7	22.54	22.22	21.82	22.76	22.72	22.63
		15	0	22.49	22.30	22.28	22.74	22.62	22.55
		1	0	20.41	20.38	20.48	20.79	20.57	20.58
		1	7	20.61	20.36	20.58	20.88	20.85	20.80
		1	14	20.58	20.26	19.79	20.74	20.67	20.62
	8	0	20.45	20.21	20.57	20.78	20.64	20.58	
	8	4	20.48	20.25	20.32	20.79	20.70	20.57	
	8	7	20.54	20.21	19.77	20.74	20.70	20.64	
	15	0	20.49	20.18	20.33	20.74	20.59	20.56	

OUTPUT POWER FOR LTE BAND 5 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				20425	20525	20625	20425	20525	20625
				826.5 MHz	836.5 MHz	846.5 MHz	826.5 MHz	836.5 MHz	846.5 MHz
5.0	QPSK	1	0	25.53	25.60	25.70	25.38	25.40	25.40
		1	12	25.58	25.70	25.62	25.32	25.40	25.35
		1	24	25.70	25.69	25.70	25.40	25.34	25.38
		12	0	25.35	25.16	25.46	24.62	24.64	24.66
		12	6	25.42	25.13	25.46	24.72	24.64	24.61
		12	11	25.42	25.14	25.52	24.65	24.68	24.67
		25	0	25.38	25.08	25.46	24.69	24.60	24.62
	16QAM	1	0	24.50	24.43	24.67	24.79	24.78	24.76
		1	12	24.53	24.30	24.70	24.79	24.76	24.84
		1	24	24.68	24.04	24.59	24.80	24.76	24.81
		12	0	23.33	23.21	23.53	23.64	23.69	23.69
		12	6	23.41	23.21	23.58	23.70	23.66	23.66
		12	11	23.49	23.22	23.57	23.66	23.72	23.67
		25	0	23.40	23.21	23.53	23.69	23.59	23.62
	64QAM	1	0	23.36	23.37	23.62	23.77	23.75	23.77
		1	12	23.46	23.32	23.64	23.73	23.76	23.75
		1	24	23.53	23.02	23.56	23.73	23.73	23.74
		12	0	22.39	22.19	22.55	22.64	22.63	22.64
		12	6	22.47	22.25	22.54	22.72	22.67	22.68
		12	11	22.45	22.25	22.59	22.69	22.68	22.74
		25	0	22.39	22.18	22.52	22.65	22.61	22.66
	256QAM	1	0	20.32	20.41	20.65	20.73	20.69	20.75
		1	12	20.43	20.35	20.66	20.76	20.82	20.79
		1	24	20.46	19.78	20.63	20.70	20.66	20.72
		12	0	20.36	20.26	20.51	20.62	20.62	20.66
		12	6	20.40	20.18	20.51	20.68	20.63	20.63
		12	11	20.41	20.23	20.54	20.62	20.67	20.69
		25	0	20.39	20.20	20.45	20.64	20.60	20.60

OUTPUT POWER FOR LTE BAND 5 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				20450	20525	20600	20450	20525	20600
				829.0 MHz	836.5 MHz	844.0 MHz	829.0 MHz	836.5 MHz	844.0 MHz
10.0	QPSK	1	0	25.55	25.63	25.66	25.40	25.39	25.34
		1	24	25.63	25.70	25.70	25.36	25.39	25.40
		1	49	25.59	25.70	25.67	24.65	25.40	25.36
		25	0	25.39	25.44	25.45	24.72	24.67	24.61
		25	12	25.49	25.47	25.57	24.69	24.67	24.62
		25	24	25.47	25.56	25.55	24.71	24.71	24.68
		50	0	25.49	25.46	25.57	24.80	24.65	24.62
	16QAM	1	0	24.65	24.60	24.59	24.84	24.82	24.79
		1	24	24.70	24.68	24.69	24.85	24.86	24.86
		1	49	24.63	24.68	24.57	23.68	24.86	24.80
		25	0	23.42	23.52	23.53	23.75	23.71	23.63
		25	12	23.54	23.55	23.63	23.72	23.70	23.67
		25	24	23.53	23.60	23.58	23.73	23.74	23.73
		50	0	23.50	23.52	23.56	23.80	23.66	23.64
	64QAM	1	0	23.72	23.70	23.76	23.91	23.88	23.86
		1	24	23.70	23.75	23.82	23.88	23.93	23.92
		1	49	23.64	23.74	23.73	22.66	23.88	23.86
		25	0	22.40	22.47	22.47	22.76	22.69	22.61
		25	12	22.58	22.51	22.59	22.71	22.69	22.67
		25	24	22.52	22.55	22.52	22.72	22.74	22.71
		50	0	22.51	22.45	22.55	20.71	22.66	22.64
	256QAM	1	0	20.47	20.55	20.57	20.84	20.76	20.70
		1	24	20.63	20.75	20.72	20.81	20.93	20.89
		1	49	20.63	20.66	20.64	20.63	20.83	20.68
		25	0	20.40	20.42	20.45	20.73	20.65	20.61
		25	12	20.52	20.48	20.53	20.70	20.69	20.65
		25	24	20.50	20.56	20.50	20.70	20.75	20.70
		50	0	20.52	20.47	20.52	-0.44	20.66	20.62

8.2. 5G NR n5

Test Engineer ID:	27957	Test Date:	2025-03-28
-------------------	-------	------------	------------

OUTPUT POWER FOR 5G NR n5 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				165300	167300	169300	165300	167300	169300
5.0	BPSK	1	0	826.5 MHz	836.5 MHz	846.5 MHz	826.5 MHz	836.5 MHz	846.5 MHz
			0	25.70	25.58	25.57	25.12	25.12	25.11
		1	1	25.64	25.66	25.70	25.40	25.40	25.40
		1	23	25.61	25.70	25.58	25.40	25.32	25.32
		1	24	25.55	25.59	25.59	25.12	25.10	24.85
		12	6	25.56	25.65	25.65	25.37	25.36	25.40
	QPSK	25	0	25.56	25.54	25.55	25.09	25.06	25.07
			0	25.40	25.40	25.48	24.58	24.48	23.90
		1	1	25.64	25.60	25.67	25.40	25.33	24.90
		1	23	25.57	25.70	25.65	25.37	24.90	24.59
		1	24	25.30	25.34	24.91	24.51	23.86	23.56
		12	6	25.67	25.67	25.66	25.37	25.08	25.19
	16QAM	25	0	25.41	25.35	25.10	24.64	24.05	23.92
			0	23.25	23.18	23.11	23.55	23.49	22.98
		1	1	24.40	24.35	24.36	24.60	24.43	23.98
		1	23	24.31	24.15	23.90	24.58	23.99	23.66
		1	24	23.26	23.28	23.08	23.48	22.89	22.64
		12	6	24.24	24.39	24.31	24.54	24.15	24.31
	64QAM	25	0	23.23	23.34	23.14	23.50	23.05	23.04
			0	22.74	23.03	22.68	22.91	22.85	22.43
		1	1	22.80	22.72	22.65	23.15	22.99	22.51
		1	23	22.78	22.77	22.58	23.01	22.52	22.32
		1	24	22.57	22.67	22.53	22.92	22.51	22.10
		12	6	22.79	22.86	22.71	22.99	22.64	22.72
	256QAM	25	0	22.71	22.89	22.64	23.00	22.67	22.56
			0	20.61	20.90	20.76	21.00	21.04	20.89
		1	1	20.92	20.90	20.82	20.99	21.01	20.92
			23	20.90	20.90	20.84	20.97	21.08	20.79
		1	24	20.64	20.92	20.80	20.97	20.97	20.64
			6	20.72	20.88	20.74	21.00	20.99	21.02
		25	0	20.76	20.84	20.69	20.98	20.98	20.92

OUTPUT POWER FOR 5G NR n5 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				165800	167300	168800	165800	167300	168800
10.0	BPSK	1	0	829.0 MHz	836.5 MHz	844.0 MHz	829.0 MHz	836.5 MHz	844.0 MHz
			0	25.61	25.51	25.49	25.10	25.15	25.18
		1	1	25.70	25.58	25.70	25.40	25.40	25.40
		1	50	25.69	25.70	25.55	25.32	25.35	25.40
		1	51	25.69	25.60	25.48	25.00	25.01	25.02
		25	12	25.67	25.63	25.67	25.35	25.28	25.28
	QPSK	50	0	25.66	25.49	25.54	25.05	25.03	25.10
			0	25.43	25.31	25.42	24.57	24.61	23.92
		1	1	25.40	25.64	25.62	25.33	25.08	24.87
		1	50	25.30	25.40	25.65	25.32	24.80	24.65
		1	51	25.50	25.42	25.09	24.42	23.82	23.60
		25	12	25.61	25.56	25.66	25.37	25.08	24.94
	16QAM	50	0	25.46	25.37	25.07	24.62	24.12	23.77
			0	22.99	23.06	23.50	23.51	23.59	22.99
		1	1	24.30	24.19	24.15	24.43	24.66	23.95
		1	50	24.32	24.43	23.98	24.43	23.80	23.66
		1	51	23.37	23.53	23.05	23.44	22.74	22.80
		25	12	24.40	24.28	24.24	24.44	24.11	23.99
	64QAM	50	0	23.33	23.25	23.17	23.45	23.11	22.84
			0	22.98	23.14	22.88	22.96	22.90	22.45
		1	1	22.82	22.81	22.83	22.97	22.99	22.47
		1	50	22.69	22.82	22.52	22.86	22.35	22.42
		1	51	22.79	23.03	22.59	22.88	22.32	22.29
		25	12	22.89	22.78	22.71	22.88	22.72	22.52
	256QAM	50	0	22.85	22.75	22.78	22.95	22.62	22.38
			0	20.80	20.86	20.73	20.77	20.90	21.08
		1	1	20.95	20.75	20.78	20.95	20.99	20.88
			50	20.84	20.73	20.61	20.77	20.64	20.72
		1	51	20.85	21.06	20.86	20.89	20.80	20.75
			25	20.76	20.80	20.69	20.88	20.91	20.99

OUTPUT POWER FOR 5G NR n5 (15.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				166300 831.5 MHz	167300 836.5 MHz	168300 841.5 MHz	166300 831.5 MHz	167300 836.5 MHz	168300 841.5 MHz
15.0	BPSK	1	0	25.54	25.65	25.59	25.12	25.13	25.05
		1	1	25.69	25.67	25.70	25.40	25.40	25.40
		1	77	25.70	25.70	25.62	25.38	25.31	25.22
		1	78	25.56	25.57	25.49	25.05	25.03	24.99
		36	18	25.68	25.65	25.63	25.36	25.32	25.30
		75	0	25.52	25.53	25.45	25.03	25.03	24.91
	QPSK	1	0	25.40	25.46	25.42	24.55	24.63	24.30
		1	1	25.66	25.70	25.64	25.33	25.35	25.12
		1	77	25.67	25.64	25.67	24.92	24.82	24.60
		1	78	25.47	25.39	25.15	23.92	23.81	23.53
		36	18	25.63	25.64	25.69	25.33	25.20	24.69
		75	0	25.35	25.32	25.07	24.44	24.21	23.87
	16QAM	1	0	23.40	23.43	23.32	23.59	23.57	23.35
		1	1	24.39	24.38	24.27	24.52	24.48	24.50
		1	77	24.34	24.33	24.24	24.04	23.79	23.55
		1	78	23.42	23.11	23.26	22.99	22.79	22.77
		36	18	24.27	24.24	24.19	24.44	24.15	23.68
		75	0	23.26	23.22	23.10	23.41	23.25	22.85
	64QAM	1	0	22.73	22.85	22.68	23.12	23.09	22.79
		1	1	22.81	22.88	22.71	23.02	23.15	22.85
		1	77	22.83	22.73	22.66	22.62	22.37	22.21
		1	78	22.73	22.84	22.65	22.43	22.40	22.14
		36	18	22.78	22.75	22.73	22.90	22.70	22.18
		75	0	22.81	22.73	22.54	22.96	22.70	22.38
	256QAM	1	0	20.76	20.97	20.54	21.02	21.13	21.04
		1	1	20.86	20.79	20.99	20.95	21.18	21.00
		1	77	20.59	20.91	20.81	20.93	21.01	20.69
		1	78	20.60	20.89	20.49	20.92	20.92	20.52
		36	18	20.76	20.73	20.75	20.96	20.93	20.58
		75	0	20.75	20.73	20.73	21.01	20.91	20.79

OUTPUT POWER FOR 5G NR n5 (20.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				166800 834.0 MHz	167300 836.5 MHz	167800 839.0 MHz	166800 834.0 MHz	167300 836.5 MHz	167800 839.0 MHz
20.0	BPSK	1	0	25.48	25.51	25.55	25.12	25.40	25.13
		1	1	25.70	25.70	25.70	25.40	25.39	25.40
		1	104	25.62	25.52	25.69	25.35	25.35	25.32
		1	105	25.50	25.56	25.53	25.13	25.05	25.02
		50	25	25.55	25.64	25.67	25.39	25.32	25.38
		100	0	25.58	25.60	25.66	25.18	25.17	25.18
	QPSK	1	0	25.24	25.37	25.37	24.65	24.65	24.64
		1	1	25.56	25.70	25.67	25.37	25.37	25.35
		1	104	25.62	25.70	25.56	24.89	24.93	24.67
		1	105	25.26	25.34	25.03	23.85	23.93	23.56
		50	25	25.54	25.64	25.51	25.35	25.11	24.95
		100	0	25.41	25.45	25.40	24.30	24.19	24.18
	16QAM	1	0	23.14	23.45	23.50	23.60	23.61	23.47
		1	1	24.11	24.15	24.45	24.45	24.44	24.53
		1	104	24.37	24.04	24.41	23.89	24.03	23.76
		1	105	23.07	23.24	23.20	22.72	22.94	22.61
		50	25	24.06	24.25	24.18	24.51	24.25	23.95
		100	0	23.28	23.33	23.24	23.42	23.20	23.06
	64QAM	1	0	22.89	22.91	23.00	23.06	22.90	22.90
		1	1	22.66	22.92	22.78	23.15	22.90	22.81
		1	104	22.63	22.55	22.63	22.26	22.51	22.45
		1	105	22.62	22.77	22.72	22.27	22.48	22.33
		50	25	22.67	22.77	22.78	23.01	22.78	22.49
		100	0	22.69	22.78	22.79	23.00	22.70	22.67
	256QAM	1	0	20.60	20.98	20.94	21.21	21.18	21.04
		1	1	20.59	20.99	20.69	21.23	20.98	21.12
		1	104	20.17	20.70	20.71	20.67	20.90	20.76
		1	105	20.63	20.57	20.38	20.93	20.88	20.66
		50	25	20.69	20.76	20.70	21.05	20.96	20.95
		100	0	20.59	20.71	20.73	21.04	20.97	20.97

8.3. ULCA LTE BAND 5

Test Engineer ID:	27342	Test Date:	2025-04-12
-------------------	-------	------------	------------

OUTPUT POWER FOR ULCA LTE BAND 5 (3.0MHz + 5.0MHz)

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average (dBm)							
			Size	Offset	Size	Offset	ANT 3				ANT 2			
							QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM
3MHz / 5MHz	825.5	829.4	1	14	1	0	25.56	24.85	24.68	23.65	25.40	25.31	24.40	23.36
			15	0	25	0	25.70	24.80	24.70	23.70	25.23	25.11	24.10	23.19
	834.0	837.9	1	14	1	0	25.61	24.94	24.52	23.57	24.99	24.83	23.82	22.88
			15	0	25	0	25.68	24.84	24.31	23.29	24.81	24.72	23.73	22.91
	842.5	846.5	1	14	1	0	25.36	24.34	23.69	22.62	24.31	24.13	23.09	22.19
			15	0	25	0	25.46	24.34	23.69	22.71	24.09	23.92	22.91	22.04

OUTPUT POWER FOR ULCA LTE BAND 5 (5.0MHz + 3.0MHz)

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average (dBm)							
			Size	Offset	Size	Offset	ANT 3				ANT 2			
							QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM
5MHz / 3MHz	826.5	830.4	1	24	1	0	25.60	24.91	24.70	23.70	25.40	25.26	24.43	23.45
			25	0	15	0	25.70	24.97	24.68	23.69	25.33	25.13	24.20	23.18
	835.0	838.9	1	24	1	0	25.61	24.55	24.11	23.01	24.65	24.38	23.49	22.49
			25	0	15	0	25.69	24.42	24.04	23.02	24.55	24.36	23.41	22.51
	843.6	847.5	1	24	1	0	25.61	24.93	23.83	22.78	25.00	24.64	23.73	22.59
			25	0	15	0	25.47	24.77	23.67	22.67	24.31	24.18	23.24	22.28

OUTPUT POWER FOR ULCA LTE BAND 5 (5.0MHz + 10.0MHz)

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average (dBm)							
			Size	Offset	Size	Offset	ANT 3				ANT 2			
							QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM
5MHz / 10MHz	826.5	833.7	1	24	1	0	25.66	24.60	23.67	20.61	25.40	24.40	23.39	20.36
			25	0	50	0	24.59	23.53	23.66	20.68	23.81	22.36	23.36	20.40
	831.6	838.8	1	24	1	0	25.69	24.70	23.65	20.63	25.23	24.23	23.26	20.20
			25	0	50	0	24.61	22.59	23.68	20.70	23.69	22.26	23.22	20.29
	836.8	844.0	1	24	1	0	25.70	24.63	23.70	20.62	25.24	24.16	22.82	20.14
			25	0	50	0	24.61	23.55	23.68	20.72	23.74	22.31	22.91	20.32

OUTPUT POWER FOR ULCA LTE BAND 5 (10.0MHz + 5.0MHz)

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average (dBm)							
			Size	Offset	Size	Offset	ANT 3				ANT 2			
							QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM
10MHz/ 5MHz	829.0	836.2	1	49	1	0	25.67	24.70	23.61	20.60	25.23	24.27	23.29	20.35
			50	0	25	0	24.66	22.66	23.69	20.66	23.75	22.33	23.40	20.30
	834.3	841.5	1	49	1	0	25.70	24.63	23.64	20.62	25.20	24.22	22.87	20.09
			50	0	25	0	24.65	22.67	23.70	20.69	23.69	22.29	22.96	20.26
	839.3	846.5	1	49	1	0	25.69	24.60	23.65	20.61	25.40	24.40	22.97	20.26
			50	0	25	0	24.66	22.67	23.66	20.70	23.83	22.45	23.16	20.40

OUTPUT POWER FOR ULCA LTE BAND 5 (10.0MHz + 10.0MHz)

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average (dBm)							
			Size	Offset	Size	Offset	ANT 3				ANT 2			
							QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM
10MHz/ 10MHz	829.0	838.9	1	49	1	0	25.65	24.65	23.84	20.55	25.30	24.39	23.38	20.25
			1	0	1	49	15.84	14.84	16.22	15.17	15.33	15.05	16.07	14.87
			50	0	50	0	24.40	23.40	23.84	20.66	23.69	22.48	23.37	20.36
			1	49	1	0	25.70	24.47	23.86	20.51	25.40	24.39	23.37	20.21
	831.5	841.4	1	0	1	49	15.87	14.86	16.29	15.25	15.36	15.09	16.14	14.95
			50	0	50	0	24.43	22.46	23.88	20.65	23.71	22.46	23.26	20.35
			1	49	1	0	25.67	24.70	23.84	20.46	25.37	24.40	23.01	20.16
			1	0	1	49	15.85	14.87	16.22	15.23	15.35	15.04	16.10	14.93
	834.1	844.0	50	0	50	0	24.43	23.43	23.89	20.70	23.71	22.49	23.32	20.40

8.4. LTE BAND 26 (FCC Part 90S)

Test Engineer ID:	27957	Test Date:	2025-03-08
-------------------	-------	------------	------------

OUTPUT POWER FOR LTE BAND 26 (1.4 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				26697	26740	26783	26697	26740	26783
				814.7 MHz	819.0 MHz	823.3 MHz	814.7 MHz	819.0 MHz	823.3 MHz
1.4	QPSK	1	0	24.71	25.56	25.60	22.51	25.20	25.14
		1	2	25.07	25.57	25.61	25.15	25.20	25.16
		1	5	25.16	25.66	25.70	25.20	25.18	25.17
		3	0	24.81	25.50	25.54	25.04	25.19	25.09
		3	1	24.87	25.51	25.55	25.10	25.19	25.18
		3	2	24.83	25.54	25.58	25.11	25.16	25.20
	16QAM	6	0	24.65	24.82	24.86	24.22	24.34	24.47
		1	0	24.67	24.86	24.90	24.23	24.53	24.54
		1	2	24.88	24.87	24.91	24.41	24.60	24.59
		1	5	24.83	24.99	25.03	24.43	24.49	24.64
		3	0	24.73	24.81	24.85	24.23	24.50	24.47
		3	1	24.76	24.81	24.85	24.27	24.43	24.53
	64QAM	3	2	24.77	24.86	24.90	24.28	24.42	24.67
		6	0	23.69	23.80	23.84	23.27	23.48	23.56
		1	0	23.81	24.00	24.04	23.36	23.62	23.62
		1	2	23.94	24.03	24.07	23.48	23.67	23.65
		1	5	23.90	24.04	24.08	23.55	23.65	23.64
		3	0	23.91	23.85	23.89	23.30	23.56	23.57
	256QAM	3	1	23.85	23.87	23.91	23.34	23.56	23.62
		3	2	23.83	23.91	23.95	23.40	23.57	23.65
		6	0	22.73	22.81	22.85	22.27	22.53	22.56
		1	0	20.77	21.00	21.04	20.41	20.63	20.60
		1	2	20.91	20.89	20.93	20.43	20.65	20.56
		1	5	20.84	20.90	20.94	20.42	20.63	20.69
		3	0	20.79	20.84	20.88	20.29	20.58	20.50
		3	1	20.86	20.84	20.88	20.40	20.55	20.58
		3	2	20.80	20.78	20.82	20.41	20.60	20.66
		6	0	20.70	20.70	20.74	20.32	20.63	20.57

OUTPUT POWER FOR LTE BAND 26 (3.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				26705	26740	26775	26705	26740	26775
				815.5 MHz	819.0 MHz	822.5 MHz	815.5 MHz	819.0 MHz	822.5 MHz
3.0	QPSK	1	0	25.53	25.52	25.54	25.00	25.08	25.15
		1	7	25.70	25.70	25.70	25.20	25.20	25.20
		1	14	25.54	25.61	25.61	24.92	25.02	25.14
		8	0	25.41	25.31	25.40	24.25	24.40	24.51
		8	4	25.46	25.43	25.46	24.37	24.43	24.51
		8	7	25.45	25.43	25.47	24.32	24.34	24.49
	16QAM	15	0	25.43	25.43	25.44	24.34	24.42	24.53
		1	0	24.43	24.54	24.51	24.55	24.52	24.58
		1	7	24.67	24.56	24.67	24.58	24.62	24.83
		1	14	24.52	24.51	24.54	24.34	24.48	24.66
		8	0	23.46	23.35	23.43	23.27	23.42	23.58
		8	4	23.49	23.47	23.50	23.37	23.44	23.54
	64QAM	8	7	23.49	23.48	23.47	23.36	23.42	23.54
		15	0	23.45	23.42	23.47	23.31	23.42	23.53
		1	0	23.57	23.60	23.62	23.45	23.57	23.66
		1	7	23.73	23.66	23.68	23.67	23.66	23.79
		1	14	23.66	23.65	23.58	23.42	23.59	23.68
		8	0	22.46	22.39	22.49	22.29	22.44	22.58
	256QAM	8	4	22.52	22.49	22.52	22.39	22.45	22.58
		8	7	22.51	22.50	22.48	22.35	22.40	22.53
		15	0	22.48	22.43	22.44	22.34	22.40	22.53
		1	0	20.35	20.40	20.43	20.23	20.36	20.48
		1	7	20.68	20.64	20.61	20.46	20.56	20.70
		1	14	20.55	20.48	20.47	20.29	20.35	20.58
		8	0	20.52	20.37	20.47	20.27	20.43	20.55
		8	4	20.53	20.46	20.50	20.37	20.43	20.54
		8	7	20.51	20.47	20.51	20.32	20.39	20.52
		15	0	20.45	20.43	20.44	20.33	20.38	20.52

OUTPUT POWER FOR LTE BAND 26 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				26715	26740	26765	26715	26740	26765
5.0	QPSK	1	0	25.61	25.59	25.68	25.19	25.19	25.20
			12	25.61	25.65	25.69	25.20	25.20	25.15
		1	24	25.70	25.70	25.70	25.12	25.09	25.10
			0	25.46	25.35	25.41	24.40	24.39	24.37
		12	6	25.52	25.49	25.56	24.49	24.49	24.47
			11	25.53	25.46	25.56	24.43	24.43	24.44
		25	0	25.48	25.43	25.48	24.44	24.42	24.41
			0	24.55	24.41	24.56	24.72	24.64	24.59
	16QAM	1	12	24.44	24.28	24.45	24.70	24.62	24.58
			24	24.16	24.57	24.44	24.68	24.51	24.50
		12	0	23.49	23.36	23.40	23.44	23.40	23.34
			6	23.60	23.51	23.59	23.53	23.56	23.52
		12	11	23.49	23.50	23.60	23.49	23.49	23.39
			0	23.52	23.48	23.51	23.45	23.45	23.43
		1	0	23.46	23.54	23.52	23.54	23.49	23.53
			12	23.66	23.60	23.72	23.53	23.57	23.54
	64QAM	1	24	23.63	23.48	23.60	23.36	23.47	23.44
			0	22.49	22.39	22.43	22.32	22.39	22.35
		12	6	22.59	22.51	22.62	22.45	22.48	22.47
			11	22.50	22.51	22.56	22.40	22.40	22.42
		25	0	22.48	22.48	22.52	22.41	22.45	22.41
			0	20.47	20.44	20.54	20.44	20.51	20.47
		1	12	20.70	20.63	20.69	20.58	20.66	20.51
			24	20.66	20.54	20.59	20.41	20.46	20.42
	256QAM	12	0	20.50	20.37	20.41	20.33	20.38	20.35
			6	20.57	20.52	20.58	20.41	20.49	20.44
		12	11	20.52	20.48	20.56	20.37	20.43	20.40
			0	20.51	20.44	20.51	20.33	20.43	20.41

OUTPUT POWER FOR LTE BAND 26 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				N/A	26740	N/A	N/A	26740	N/A
10.0	QPSK	1	0	N/A	819.0 MHz	N/A	N/A	819.0 MHz	N/A
			24		25.33			25.20	
		1	49		25.45			25.20	
			0		25.70			25.18	
		25	0		25.14			24.50	
			12		25.32			24.61	
		25	24		25.38			24.56	
			0		25.29			24.58	
	16QAM	1	0		24.30			24.66	
			24		24.37			24.66	
		1	49		24.61			24.62	
			0		23.15			23.53	
		25	12		23.34			23.61	
			24		23.38			23.60	
		50	0		23.33			23.58	
			0		23.28			23.68	
	64QAM	1	24		23.43			23.76	
			49		23.71			23.63	
		25	0		22.21			22.52	
			12		22.34			22.61	
		25	24		22.40			22.58	
			0		22.32			22.58	
	256QAM	1	0		20.25			20.57	
			24		20.23			20.68	
		1	49		20.48			20.64	
			0		20.12			20.49	
		25	12		20.28			20.58	
			24		20.36			20.55	
		25	0		20.28			20.54	

8.5. 5G NR n26 (FCC Part 90S)

Test Engineer ID:	27957	Test Date:	2025-03-10
-------------------	-------	------------	------------

OUTPUT POWER FOR 5G NR n26 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				163300	163800	164300	163300	163800	164300
5.0	BPSK	1	0	25.53	25.58	25.61	25.06	25.14	25.06
			1	25.70	25.52	25.62	25.07	25.17	25.05
			23	25.55	25.61	25.59	25.07	25.07	25.12
			24	25.56	25.58	25.55	25.03	25.06	25.10
			6	25.68	25.70	25.70	25.20	25.20	25.20
			0	25.52	25.49	25.51	25.01	25.03	25.01
	QPSK	1	0	25.54	25.63	25.62	25.05	25.16	24.94
			1	25.55	25.61	25.63	25.02	25.18	25.09
			23	25.59	25.59	25.55	25.08	25.10	25.09
			24	25.56	25.55	25.56	25.03	24.68	24.97
			6	25.56	25.66	25.67	25.16	25.20	25.11
			0	25.57	25.54	25.53	25.05	24.99	24.38
	16QAM	1	0	23.88	24.03	24.05	23.38	23.56	23.04
			1	24.46	24.49	24.52	23.94	24.11	23.90
			23	24.54	24.57	24.43	23.99	23.71	23.90
			24	24.00	23.99	24.02	23.14	22.72	23.09
			6	24.46	24.50	24.48	23.97	23.91	23.33
			0	24.00	23.99	23.99	23.45	22.99	22.31
	64QAM	1	0	23.57	23.42	23.55	22.89	23.11	22.61
			1	23.48	23.46	23.49	22.93	23.06	22.65
			23	23.49	23.57	23.50	22.80	22.54	22.65
			24	23.45	23.45	23.47	22.68	22.26	22.59
			6	23.42	23.47	23.47	22.95	22.50	21.86
			0	23.46	23.46	23.44	22.94	22.52	21.85
	256QAM	1	0	21.44	21.48	21.45	20.82	21.04	20.86
			1	21.50	21.48	21.53	20.93	21.09	20.94
			23	21.46	21.42	21.38	20.83	20.94	20.99
			24	21.38	21.39	21.35	20.91	20.91	20.92
			6	21.50	21.44	21.44	20.91	20.94	20.37
			0	21.45	21.45	21.44	20.92	20.94	20.43

OUTPUT POWER FOR 5G NR n26 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				N/A	163800	N/A	N/A	163800	N/A
10.0	BPSK	1	0		25.57			25.08	
			1		25.70			25.20	
			50		25.63			25.07	
			51		25.52			25.04	
			12		25.66			25.12	
			0		25.57			25.09	
	QPSK	1	0		25.55			25.04	
			1		25.62			25.17	
			50		25.68			25.15	
			51		25.56			25.02	
			12		25.55			25.15	
			0		25.63			25.12	
	16QAM	1	0		23.93			24.20	
			1		24.36			24.70	
			50		24.52			24.70	
			51		23.98			23.76	
			12		24.46			24.72	
			0		24.00			24.04	
	64QAM	1	0		23.52			23.56	
			1		23.49			23.65	
			50		23.36			23.35	
			51		23.47			23.37	
			12		23.47			23.40	
			0		23.51			23.51	
	256QAM	1	0		21.51			21.69	
			1		21.41			21.67	
			50		21.48			21.84	
			51		21.43			21.79	
			12		21.46			21.66	
			0		21.47			21.70	

8.6. LTE BAND 26 (FCC Part 22)

Test Engineer ID:	27957	Test Date:	2025-03-11
-------------------	-------	------------	------------

OUTPUT POWER FOR LTE BAND 26 (1.4 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				26797	26915	27033	26797	26915	27033
				824.7 MHz	836.5 MHz	848.3 MHz	824.7 MHz	836.5 MHz	848.3 MHz
1.4	QPSK	1	0	25.70	25.56	25.63	25.20	25.06	25.13
		1	2	25.63	25.60	25.63	25.13	25.10	25.20
		1	5	25.68	25.62	25.69	25.18	25.12	25.11
		3	0	25.65	25.58	25.61	25.15	25.08	25.12
		3	1	25.69	25.66	25.62	25.19	25.20	25.11
		3	2	25.66	25.68	25.69	25.17	25.18	24.81
	16QAM	6	0	25.51	25.41	25.31	25.01	24.91	23.65
		1	0	24.49	24.49	24.42	24.18	23.98	24.03
		1	2	24.63	24.51	24.52	23.89	23.83	23.99
		1	5	24.41	24.38	24.48	24.13	24.04	24.02
		3	0	24.45	24.55	24.38	24.14	23.93	23.90
		3	1	24.65	24.54	24.37	23.97	24.15	23.86
	64QAM	3	2	24.56	24.66	24.56	23.98	24.08	23.71
		6	0	24.51	24.36	24.20	23.80	23.69	22.58
		1	0	23.28	23.38	23.29	23.17	22.93	22.92
		1	2	23.55	23.31	23.51	22.69	22.56	22.78
		1	5	23.22	23.32	23.31	23.04	22.81	22.91
		3	0	23.44	23.37	23.15	23.09	22.91	22.85
	256QAM	3	1	23.55	23.50	23.11	22.86	22.95	22.69
		3	2	23.54	23.54	23.51	22.91	22.92	22.56
		6	0	23.41	23.27	22.98	22.78	22.47	21.37
		1	0	22.22	22.18	22.06	21.99	21.93	21.82
		1	2	22.31	22.17	22.41	21.66	21.30	21.51
		1	5	22.08	22.32	22.29	21.85	21.62	21.73
		3	0	22.23	22.20	21.96	21.95	21.87	21.79
		3	1	22.33	22.47	22.06	21.64	21.95	21.56
		3	2	22.47	22.50	22.27	21.85	21.85	21.47
		6	0	22.19	22.11	21.90	21.52	21.37	20.36

OUTPUT POWER FOR LTE BAND 26 (3.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				26805	26915	27025	26805	26915	27025
				825.5 MHz	836.5 MHz	847.5 MHz	825.5 MHz	836.5 MHz	847.5 MHz
3.0	QPSK	1	0	25.70	25.70	25.50	25.20	25.20	25.00
		1	7	25.50	25.65	25.69	25.00	25.15	25.19
		1	14	24.77	25.53	25.67	24.27	25.03	25.17
		8	0	25.10	24.87	25.43	24.60	24.37	24.93
		8	4	24.56	24.87	25.45	24.06	24.37	24.95
		8	7	24.29	24.89	25.47	23.79	24.39	24.97
	16QAM	15	0	24.72	24.92	25.47	24.22	24.42	24.97
		1	0	24.45	24.13	24.45	23.95	23.63	23.95
		1	7	23.72	24.00	24.70	23.22	23.50	24.20
		1	14	22.92	23.96	24.59	22.42	23.46	24.09
		8	0	23.22	22.94	23.48	22.72	22.44	22.98
		8	4	22.71	22.92	23.48	22.21	22.42	22.98
	64QAM	8	7	22.42	22.96	23.53	21.92	22.46	23.03
		15	0	22.67	22.87	23.44	22.17	22.37	22.94
		1	0	23.59	23.24	23.64	23.09	22.74	23.14
		1	7	22.87	23.01	23.73	22.37	22.51	23.23
		1	14	22.06	22.89	23.69	21.56	22.39	23.19
		8	0	22.34	22.02	22.46	21.84	21.52	21.96
	256QAM	8	4	21.85	21.99	22.55	21.35	21.49	22.05
		8	7	21.46	21.99	22.56	20.96	21.49	22.06
		15	0	21.81	21.95	22.47	21.31	21.45	21.97
		1	0	21.06	20.99	21.13	20.56	20.49	20.63
		1	7	20.78	20.69	21.39	20.28	20.19	20.89
		1	14	20.06	20.50	21.25	19.56	20.00	20.75
		8	0	21.33	20.77	21.28	20.83	20.27	20.78
		8	4	20.79	20.75	21.33	20.29	20.25	20.83
		8	7	20.39	20.78	21.34	19.89	20.28	20.84
		15	0	20.67	20.75	21.26	20.17	20.25	20.76

OUTPUT POWER FOR LTE BAND 26 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				26815	26915	27015	26815	26915	27015
				826.5 MHz	836.5 MHz	846.5 MHz	826.5 MHz	836.5 MHz	846.5 MHz
5.0	QPSK	1	0	25.53	25.54	25.59	25.20	25.15	25.19
		1	12	25.61	25.70	25.70	25.19	25.20	25.20
		1	24	25.70	25.63	25.32	25.18	25.11	25.13
		12	0	25.30	25.01	25.29	24.40	24.35	24.38
		12	6	25.43	25.06	25.35	24.52	24.41	24.43
		12	11	25.40	25.11	25.10	24.45	24.43	24.44
	16QAM	25	0	25.16	24.70	24.40	24.47	24.35	24.33
		1	0	24.42	24.54	24.54	24.18	23.97	23.95
		1	12	24.44	24.43	24.65	24.01	24.11	24.07
		1	24	24.68	24.48	24.09	23.92	23.88	24.13
		12	0	24.26	23.76	24.13	23.18	23.25	23.30
		12	6	24.40	23.95	24.32	23.39	23.15	23.39
	64QAM	12	11	24.21	23.97	24.08	23.28	23.43	23.24
		25	0	24.13	23.53	23.31	23.36	23.10	23.24
		1	0	23.21	23.28	23.54	23.13	22.82	22.90
		1	12	23.17	23.21	23.47	22.95	22.98	23.07
		1	24	23.56	23.32	22.83	22.75	22.86	23.12
		12	0	23.05	22.56	23.09	21.94	22.01	22.30
	256QAM	12	6	23.23	22.83	23.15	22.18	21.97	22.31
		12	11	22.99	22.73	22.81	22.23	22.18	22.13
		25	0	23.02	22.48	22.30	22.35	21.99	22.01
		1	0	22.10	22.09	22.46	21.90	21.74	21.65
		1	12	22.06	22.02	22.38	21.89	21.88	21.83
		1	24	22.35	22.25	21.65	21.61	21.62	21.85
256QAM	12	0	21.87	21.33	22.04	20.69	20.93	21.10	
	12	6	22.14	21.57	21.93	21.16	20.81	21.18	
	12	11	21.85	21.60	21.61	21.10	20.93	21.10	
	25	0	22.00	21.23	21.12	21.18	20.80	20.90	

OUTPUT POWER FOR LTE BAND 26 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				26840 829.0 MHz	26915 836.5 MHz	26990 844.0 MHz	26840 829.0 MHz	26915 836.5 MHz	26990 844.0 MHz
10.0	QPSK	1	0	25.23	25.30	25.46	25.16	25.19	25.17
		1	24	25.63	25.49	25.70	25.20	25.20	25.20
		1	49	25.70	25.70	25.45	25.18	25.17	25.19
		25	0	25.11	25.15	25.35	24.48	24.47	24.46
		25	12	25.34	25.12	25.44	24.60	24.52	24.55
		25	24	25.45	25.46	25.52	24.56	24.57	24.53
	50	0	25.02	24.65	24.47	24.56	24.48	24.50	
	16QAM	1	0	24.21	24.23	24.21	23.99	23.97	24.09
		1	24	24.46	24.43	24.68	24.20	24.19	23.94
		1	49	24.45	24.50	24.40	24.14	24.14	24.01
		25	0	23.84	23.99	24.22	23.43	23.35	23.33
		25	12	24.34	24.04	24.21	23.43	23.35	23.41
		25	24	24.42	24.28	24.35	23.55	23.55	23.44
	50	0	23.78	23.41	23.45	23.55	23.35	23.38	
	64QAM	1	0	23.14	23.09	23.04	22.80	22.74	22.83
		1	24	23.40	23.18	23.41	23.07	22.92	22.92
		1	49	23.44	23.41	23.19	23.03	22.96	22.87
		25	0	22.74	22.80	23.21	22.27	22.16	22.17
		25	12	23.28	22.84	23.17	22.33	22.32	22.19
		25	24	23.33	23.04	23.10	22.55	22.28	22.39
	50	0	22.55	22.33	22.20	22.43	22.21	22.36	
	256QAM	1	0	22.05	22.02	21.87	21.67	21.47	21.81
		1	24	22.23	22.18	22.19	21.87	21.82	21.77
		1	49	22.34	22.23	22.07	21.93	21.81	21.78
25		0	21.51	21.66	22.00	21.26	20.93	21.00	
25		12	22.28	21.66	21.99	21.21	21.31	20.94	
25		24	22.15	22.00	22.07	21.52	21.21	21.39	
50	0	21.47	21.29	21.02	21.28	21.03	21.30		

8.7. 5G NR n26 (FCC Part 22)

Test Engineer ID:	27957	Test Date:	2025-04-10
-------------------	-------	------------	------------

OUTPUT POWER FOR 5G NR n26 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				165300	167300	169300	165300	167300	169300
				826.5 MHz	836.5 MHz	846.5 MHz	826.5 MHz	836.5 MHz	846.5 MHz
5.0	BPSK	1	0	24.66	25.52	25.56	23.98	24.24	25.15
		1	1	24.66	25.61	25.54	25.01	24.92	25.16
		1	23	24.59	25.54	25.55	25.09	24.24	25.19
		1	24	24.57	25.55	25.56	24.15	23.02	25.04
		12	6	24.69	25.65	25.65	25.20	24.77	25.20
		25	0	24.56	25.49	25.51	24.13	23.68	25.03
	QPSK	1	0	24.41	25.41	25.44	24.92	24.30	24.66
		1	1	24.69	25.67	25.65	25.16	24.66	25.12
		1	23	24.70	25.60	25.60	25.18	24.24	24.93
		1	24	24.46	25.38	25.21	24.96	23.54	24.01
		12	6	24.75	25.70	25.70	25.20	25.20	25.19
		25	0	25.70	25.42	25.38	24.83	24.57	25.07
	16QAM	1	0	23.70	23.25	23.33	23.03	23.12	23.68
		1	1	24.64	24.30	24.42	24.07	24.02	24.69
		1	23	24.69	24.28	24.32	24.20	23.25	24.18
		1	24	23.62	23.34	23.12	23.11	21.97	23.12
		12	6	24.58	24.22	24.31	24.38	23.74	24.98
		25	0	23.59	23.16	23.30	23.35	22.52	24.47
	64QAM	1	0	23.03	22.71	22.72	22.56	21.23	23.09
		1	1	23.06	22.74	22.89	22.58	21.09	23.15
		1	23	23.10	22.66	22.85	22.65	20.77	22.87
		1	24	23.01	22.64	22.75	22.71	20.68	22.78
		12	6	23.02	22.72	22.77	22.83	21.93	23.98
		25	0	23.01	22.70	22.81	22.80	21.83	24.03
	256QAM	1	0	20.98	20.81	20.80	20.89	18.72	21.52
		1	1	20.99	20.77	20.79	20.85	18.61	21.64
		1	23	21.10	20.71	20.74	20.85	18.19	21.56
		1	24	21.07	20.70	20.72	20.77	18.07	21.33
		12	6	21.00	20.65	20.75	20.78	20.19	21.99
		25	0	21.02	20.66	20.85	20.79	21.00	21.58

OUTPUT POWER FOR 5G NR n26 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				165800	167300	168800	165800	167300	168800
				829.0 MHz	836.5 MHz	844.0 MHz	829.0 MHz	836.5 MHz	844.0 MHz
10.0	BPSK	1	0	25.47	25.52	25.37	24.13	24.23	24.80
		1	1	25.62	25.64	25.60	25.15	25.20	24.92
		1	50	25.70	25.70	25.59	24.82	24.03	25.20
		1	51	25.59	25.47	25.58	23.80	23.09	25.09
		25	12	25.55	25.48	25.70	25.20	24.67	24.99
		50	0	25.52	25.49	25.64	24.19	23.66	24.95
	QPSK	1	0	25.36	25.20	24.98	24.86	24.98	23.47
		1	1	25.65	25.57	25.53	25.16	25.20	24.41
		1	50	25.66	25.60	25.56	25.14	25.00	24.99
		1	51	25.31	25.29	24.51	24.89	24.51	23.98
		25	12	25.67	25.60	25.69	25.19	25.12	25.04
		50	0	25.37	25.37	25.02	24.89	24.83	24.87
	16QAM	1	0	24.13	24.20	24.05	23.06	23.07	22.56
		1	1	24.90	24.66	24.98	24.06	24.07	23.44
		1	50	24.85	24.69	24.52	23.78	22.99	24.26
		1	51	24.28	24.21	23.42	22.77	22.06	23.23
		25	12	24.56	24.48	24.58	24.30	23.72	24.82
		50	0	24.20	24.29	23.97	23.27	22.69	23.85
	64QAM	1	0	23.69	23.55	23.56	22.59	22.64	22.02
		1	1	23.74	23.57	23.41	22.61	22.67	22.07
		1	50	23.77	23.62	23.07	22.36	21.66	23.00
		1	51	23.80	23.72	23.15	22.36	21.74	22.72
		25	12	23.73	23.60	23.86	22.76	22.28	23.39
		50	0	23.74	23.59	23.57	22.75	22.18	23.35
	256QAM	1	0	21.62	21.63	21.83	20.94	20.95	20.72
		1	1	21.63	21.80	21.83	20.68	20.95	20.76
		1	50	21.93	21.43	21.57	20.62	20.17	21.43
		1	51	21.73	21.77	21.66	20.73	20.05	21.28
		25	12	21.72	21.58	21.73	20.72	20.75	21.75
		50	0	21.80	21.62	21.74	20.71	20.67	21.80

OUTPUT POWER FOR 5G NR n26 (15.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				166300	167300	168300	166300	167300	168300
				831.5 MHz	836.5 MHz	841.5 MHz	831.5 MHz	836.5 MHz	841.5 MHz
15.0	BPSK	1	0	25.58	25.66	25.57	24.20	24.11	24.75
		1	1	25.68	25.67	25.70	25.06	25.20	24.83
		1	77	25.69	25.66	25.59	24.08	24.00	25.20
		1	78	25.57	25.55	25.54	23.17	22.94	25.13
		36	18	25.58	25.65	25.62	25.20	24.49	24.90
		75	0	25.52	25.51	25.55	23.98	23.47	24.84
		1	0	25.37	25.40	25.37	24.89	24.85	24.71
	QPSK	1	1	25.70	25.67	25.63	25.15	25.20	24.90
		1	77	25.69	25.67	25.65	24.95	24.91	25.03
		1	78	25.14	25.05	24.84	24.56	24.32	24.08
		36	18	25.64	25.70	25.67	25.18	25.02	24.97
		75	0	25.31	25.42	25.32	24.83	24.71	24.81
		1	0	23.42	23.59	23.61	23.07	23.25	23.85
		1	1	24.53	24.54	24.48	24.19	24.14	24.69
	16QAM	1	77	24.60	24.31	24.18	23.24	22.93	24.22
		1	78	23.34	23.26	23.10	22.28	22.08	23.24
		36	18	24.45	24.52	24.42	24.19	23.47	23.66
		75	0	23.50	23.55	23.50	23.03	22.56	23.86
	64QAM	1	0	23.10	22.82	22.85	22.45	22.55	23.12
		1	1	23.05	23.06	22.95	22.58	22.55	23.24
		1	77	23.08	22.92	22.69	21.77	21.62	22.95
		1	78	22.99	23.11	22.67	21.76	21.52	22.78
		36	18	23.09	23.06	22.87	22.70	22.10	22.09
		75	0	23.04	23.08	22.93	22.62	22.08	23.42
		1	0	21.13	21.25	20.91	20.94	20.80	21.72
	256QAM	1	1	21.16	21.17	21.04	20.85	20.79	21.74
		1	77	21.24	21.35	20.94	20.31	20.11	21.62
		1	78	21.03	20.96	21.03	20.37	20.00	21.57
		36	18	20.97	20.92	20.87	20.76	20.58	20.58
		75	0	21.02	21.02	20.84	20.80	20.49	21.72

OUTPUT POWER FOR 5G NR n26 (20.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 3			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				166800	167300	167800	166800	167300	167800
				834.0 MHz	836.5 MHz	839.0 MHz	834.0 MHz	836.5 MHz	839.0 MHz
20.0	BPSK	1	0	25.55	25.47	25.53	23.97	24.29	24.70
		1	1	25.59	25.49	25.70	24.90	25.20	24.82
		1	104	25.65	25.53	25.69	23.92	24.26	25.20
		1	105	25.51	25.38	25.56	23.02	23.27	25.11
		50	25	25.65	25.53	25.65	24.82	24.74	24.95
		100	0	25.70	25.64	25.62	23.70	23.72	24.98
		1	0	25.36	25.27	25.39	24.89	24.93	24.69
	QPSK	1	1	25.70	25.70	25.67	25.20	25.20	24.76
		1	104	25.66	25.54	25.69	24.84	25.16	25.13
		1	105	25.06	25.26	24.74	24.36	24.74	24.18
		50	25	25.69	25.51	25.58	25.12	25.19	24.95
		100	0	25.52	25.42	25.42	24.93	25.03	25.00
		1	0	23.50	23.34	23.40	22.94	23.00	24.09
		1	1	24.48	24.44	24.43	23.97	24.15	24.57
	16QAM	1	104	24.30	24.40	24.07	23.04	23.38	24.40
		1	105	23.42	23.61	22.89	22.06	22.18	23.22
		50	25	24.52	24.68	24.43	23.83	23.68	23.86
		100	0	23.56	23.64	23.46	22.77	22.79	24.31
	64QAM	1	0	23.20	23.13	23.13	22.60	22.78	23.53
		1	1	23.05	23.21	23.02	22.45	22.65	23.47
		1	104	22.61	22.87	22.46	21.58	21.80	23.03
		1	105	22.73	23.21	22.37	21.43	21.76	22.87
		50	25	23.04	23.14	22.87	22.47	22.27	22.41
		100	0	23.02	23.19	22.94	22.28	22.32	23.68
		1	0	21.13	21.34	20.95	20.74	20.88	21.68
	256QAM	1	1	21.04	21.35	21.24	20.88	20.91	21.60
		1	104	21.28	21.15	21.06	19.90	20.13	21.86
		1	105	21.13	21.22	20.96	20.11	20.33	21.66
		50	25	21.05	21.14	21.08	20.68	20.80	20.94
		100	0	21.09	21.08	21.05	20.73	20.74	21.89

9. CONDUCTED TEST RESULTS

9.1. OCCUPIED BANDWIDTH

RULE PART(S)

FCC: §2.1049
ISED: RSS132

LIMITS

For reporting purposes only.

TEST PROCEDURE

The transmitter output was connected to a calibrated coaxial cable and coupler, the other end of which was connected to a spectrum analyzer. The occupied bandwidth was measured with the spectrum analyzer at the middle channel in each band. The 99% and -26dB bandwidths was also measured and recorded.

RESULTS

There is no limit required and power is the same for low, middle and high channel; therefore, only middle channel was tested.

LTE BAND 5

Band	Mode	RB Allocation/RB Offset	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 5	1.4MHz, QPSK	6/0	836.5	1.087	1.351
	1.4MHz, 16QAM			1.085	1.254
	3MHz, QPSK	15/0		2.715	3.070
	3MHz, 16QAM			2.712	3.070
	5MHz, QPSK	25/0		4.496	5.022
	5MHz, 16QAM			4.492	5.032
	10MHz, QPSK	50/0		9.004	9.644
	10MHz, 16QAM			9.008	9.687
	10MHz, QPSK	1/0		0.249	0.412

5G NR n5

Band	Mode	RB Allocation/RB Offset	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
5G NR n5	5MHz, BPSK	25/0	836.5	4.519	5.245
	5MHz, QPSK			4.511	5.204
	5MHz, 16QAM			4.511	5.195
	10MHz, BPSK	50/0		8.977	9.840
	10MHz, QPSK			8.980	9.817
	10MHz, 16QAM			9.007	9.868
	15MHz, BPSK	75/0		13.392	14.12
	15MHz, QPSK			13.446	14.40
	15MHz, 16QAM			13.428	14.42
	20MHz, BPSK	100/0		17.912	19.03
	20MHz, QPSK			17.890	19.03
	20MHz, 16QAM			17.918	19.02
	20MHz, BPSK	1/0		0.267	0.456

ULCA LTE BAND 5

Band	Mode	RB Allocation/RB Offset	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
ULCA LTE BAND 5	3MHz + 5MHz BAND QPSK	15/0 + 25/0	836.5	7.488	8.196
	3MHz + 5MHz BAND 16QAM			7.497	8.071
	5MHz + 3MHz BAND QPSK	25/0 + 15/0		7.496	8.088
	5MHz + 3MHz BAND 16QAM			7.054	8.111
	5MHz + 10MHz BAND QPSK	25/0 + 50/0		13.909	14.71
	5MHz + 10MHz BAND 16QAM			13.878	14.73
	10MHz + 5MHz BAND QPSK	50/0 + 25/0		13.880	14.61
	10MHz + 5MHz BAND 16QAM			13.851	14.80
	10MHz + 10MHz BAND QPSK	50/0 + 50/0		18.885	20.21
	10MHz + 10MHz BAND 16QAM			18.883	20.21

LTE BAND 26(FCC PART 90S)

Band	Mode	RB Allocation/RB Offset	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 26	1.4MHz, QPSK	6/0	819.0	1.087	1.304
	1.4MHz, 16QAM			1.097	1.298
	3MHz, QPSK	15/0		2.684	2.949
	3MHz, 16QAM			2.693	3.019
	5MHz, QPSK	25/0		4.483	4.954
	5MHz, 16QAM			4.502	5.007
	10MHz, QPSK	50/0		8.968	9.429
	10MHz, 16QAM			9.022	9.448
	10MHz, QPSK	1/0		0.242	0.409

5G NR n26 (FCC PART 90S)

Band	Mode	RB Allocation/RB Offset	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
5G NR n26 (Part 90S)	5MHz, BPSK	25/0	819.0	4.498	5.121
	5MHz, QPSK			4.497	5.116
	5MHz, 16QAM			4.493	5.149
	10MHz, BPSK	50/0		8.951	9.774
	10MHz, QPSK			8.939	9.690
	10MHz, 16QAM			8.966	9.586
	10MHz, BPSK	1/0		0.273	0.407


LTE BAND 26 (FCC PART 22)

Band	Mode	RB Allocation/RB Offset	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 26	1.4MHz, QPSK	6/0	836.5	1.084	1.323
	1.4MHz, 16QAM			1.093	1.288
	3MHz, QPSK	15/0		2.699	2.952
	3MHz, 16QAM			2.684	3.042
	5MHz, QPSK	25/0		4.501	4.941
	5MHz, 16QAM			4.498	5.082
	10MHz, QPSK	50/0		9.024	9.658
	10MHz, 16QAM			8.939	9.792
	10MHz, QPSK	1/0		0.241	0.417


5G NR n26 (FCC PART 22)

Band	Mode	RB Allocation/RB Offset	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
5G NR n26 (FCC Part 22)	5MHz, BPSK	25/0	836.5	4.493	5.161
	5MHz, QPSK			4.493	5.113
	5MHz, 16QAM			4.484	5.109
	10MHz, BPSK	50/0		8.982	9.762
	10MHz, QPSK			8.981	9.790
	10MHz, 16QAM			8.936	9.614
	15MHz, BPSK	75/0		13.472	14.46
	15MHz, QPSK			13.455	14.40
	15MHz, 16QAM			13.453	14.44
	20MHz, BPSK	100/0		17.947	19.13
	20MHz, QPSK			17.936	19.15
	20MHz, 16QAM			17.954	19.13
	20MHz, BPSK	1/0		0.254	0.436


9.1.1. LTE BAND 5




LTE B5 1.4MHz QPSK Middle Channel RB6-0




LTE B5 3MHz QPSK Middle Channel RB15-0



LTE B2 5MHz QPSK Middle Channel RB25-0




LTE B5 10MHz QPSK Middle Channel RB50-0




LTE B5 10MHz QPSK Middle Channel RB1-0

Intentionally Blank


9.1.2. 5G NR n5




5G NR n5 5MHz BPSK Middle Channel RB25-0




5G NR n5 10MHz BPSK Middle Channel RB50-0



5G NR n5 15MHz BPSK Middle Channel RB75-0




5G NR n5 20MHz BPSK Middle Channel RB100-0




5G NR n5 20MHz BPSK Middle Channel RB1-0

Intentionally Blank


9.1.3. ULCA LTE BAND 5




ULCA LTE B5 3MHz + 5MHz QPSK RB15-0 + RB25-0




ULCA LTE B5 5MHz + 3MHz QPSK RB25-0 + RB15-0



ULCA LTE B5 5MHz + 10MHz QPSK RB25-0 + RB50-0




ULCA LTE B5 10MHz + 5MHz QPSK RB50-0 + RB25-0




ULCA LTE B5 10MHz + 10MHz QPSK RB50-0 + RB50-0

Intentionally Blank


9.1.4. LTE BAND 26 (FCC PART 90S)




LTE B26 1.4MHz QPSK Middle Channel RB6-0




LTE B26 3MHz QPSK Middle Channel RB15-0



LTE B26 5MHz QPSK Middle Channel RB25-0




LTE B26 10MHz QPSK Middle Channel RB50-0




LTE B26 10MHz QPSK Middle Channel RB1-0

Intentionally Blank


9.1.5. 5G NR n26 (FCC PART 90S)




9.1.6. LTE BAND 26 (FCC PART 22)




LTE B26 1.4MHz QPSK Middle Channel RB6-0




LTE B26 3MHz QPSK Middle Channel RB15-0



LTE B26 5MHz QPSK Middle Channel RB25-0




LTE B26 10MHz QPSK Middle Channel RB50-0




LTE B26 10MHz QPSK Middle Channel RB1-0

Intentionally Blank


9.1.7. 5G NR n26 (FCC PART 22)



5G NR n26 5MHz BPSK Middle Channel RB25-0



5G NR n26 10MHz BPSK Middle Channel RB50-0



9.2. EMISSION MASK AND ADJACENT CHANNEL POWER

LIMITS

FCC: §22.917 (a)

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

FCC: §90.691 Emission mask requirements for EA-based systems.

(a) Out-of-band emission requirement shall apply only to the "outer" channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows:

(1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116 \log_{10}(f/6.1)$ decibels or $50 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.

(2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.

NOTE: According to 971168 D02 Misc Rev Approv License Devices v02r02, Section VIII (c):

For Section 90.691(a) compliance testing, use RBW = 300 Hz for offsets less than 37.5 kHz from a channel edge; RBW = 100 kHz for offsets greater than 37.5 kHz is allowed.

ISED: RSS132§5.5

Equipment shall meet the unwanted emission limits specified below:

- (i) In the first 1.0 MHz band immediately outside and adjacent to each of the sub-bands specified in Section 5.1, the power of emissions per any 1% of the occupied bandwidth shall be attenuated below the transmitter output power P (dBW) by at least $43 + 10 \log(p)$ dB.
- (ii) After the first 1.0 MHz immediately outside and adjacent to each of the sub-bands, the power of emissions in any 100 kHz bandwidth shall be attenuated below the transmitter output power P (dBW) by at least $43 + 10 \log(p)$ dB. If the measurement is performed using 1% of the occupied bandwidth, power integration over 100 kHz is required.

p is the output power specified in watts.

TEST PROCEDURE

For Spectrum Emission Mask plots, the spectrum analyzer is configured to sweep with a moving integration window, the width of which can be adjusted to different sizes across the sweep. The window width is configured to be greater than or equal to the required reference bandwidth. The center frequencies of the integration window for the different integration windows was set such that the upper and lower edges of the windows are aligned with the transition points in the reference bandwidths. This is achieved by setting the start / stop frequencies of the window with an offset equal to the reference bandwidth / 2 from the transition point.


The transmitter output was connected to a base station simulator and configured to operate at maximum power. The band edge emissions were measured at the required operating frequencies in each band on the Spectrum Analyzer.


For each band edge measurement:

1. Set the spectrum analyzer span to include the block edge frequency.
2. Set a marker to point the corresponding band edge frequency in each test case.
3. Set display line at -13 dBm
4. Set resolution bandwidth to at least 1% of emission bandwidth.


RESULTS

9.2.1. LTE BAND 5







LTE B5 3MHz QPSK Low Channel RB15-0




LTE B5 3MHz QPSK High Channel RB15-0




LTE B5 5MHz QPSK Low Channel RB1-0




LTE B5 5MHz QPSK High Channel RB1-24




LTE B5 5MHz QPSK Low Channel RB25-0




LTE B5 5MHz QPSK High Channel RB25-0




LTE B5 10MHz QPSK Low Channel RB1-0



LTE B5 10MHz QPSK High Channel RB1-49





LTE B5 10MHz QPSK Low Channel RB50-0




LTE B5 10MHz QPSK High Channel RB50-0

9.2.2. 5G NR n5







5G NR n5 10MHz BPSK Low Channel RB50-0




5G NR n5 10MHz BPSK High Channel RB50-0




5G NR n5 15MHz BPSK Low Channel RB1-0




5G NR n5 15MHz BPSK High Channel RB1-78




5G NR n5 15MHz BPSK Low Channel RB75-0




5G NR n5 15MHz BPSK High Channel RB75-0




5G NR n5 20MHz BPSK Low Channel RB1-0



5G NR n5 20MHz BPSK High Channel RB1-105



5G NR n5 20MHz BPSK Low Channel RB100-0



5G NR n5 20MHz BPSK High Channel RB100-0