

TEST REPORT

Report Number: 15496277-E26V2

Applicant : APPLE, INC
1 APPLE PARK WAY
CUPERTINO, CA, 95014, U.S.A.

Model : A3258

Brand : APPLE

FCC ID : BCG-E8947A

IC : 579C-E8947A

EUT Description : SMARTPHONE

Test Standard(s) : FCC 47 CFR PART 2, PART 27, PART 25
ISED RSS-GEN ISSUE 5 + A1 + A2, RSS-130 ISSUE 2

Date Of Issue:
2025-08-14

Prepared by:
UL Verification Services Inc.
47173 Benicia Street
Fremont, CA 94538, U.S.A.
TEL: (510) 319-4000
FAX: (510) 661-0888



Revision History

Rev.	Issue Date	Revisions	Revised By
V1	2025-08-02	Initial Review	--
V2	2025-08-14	Addressed TCB Feedbacks. Updated Sections: 6.2, 6.5, and 10.1.3	Michael Vang


TABLE OF CONTENTS

1. ATTESTATION OF TEST RESULTS	6
2. SUMMARY OF TEST RESULTS	7
3. TEST METHODOLOGY	9
4. FACILITIES AND ACCREDITATION	9
5. DECISION RULES AND MEASUREMENT UNCERTAINTY	10
5.1. METROLOGICAL TRACEABILITY	10
5.2. DECISION RULES	10
5.3. MEASUREMENT UNCERTAINTY	10
5.4. SAMPLE CALCULATION.....	10
6. EQUIPMENT UNDER TEST	11
6.1. DESCRIPTION OF EUT	11
6.2. MAXIMUM OUTPUT POWER.....	11
6.3. SOFTWARE AND FIRMWARE	14
6.4. MAXIMUM ANTENNA GAIN AND MAXIMUM ALLOWED OUTPUT POWER	14
6.5. WORST-CASE CONFIGURATION AND MODE	15
6.6. DESCRIPTION OF TEST SETUP.....	16
7. TEST AND MEASUREMENT EQUIPMENT	17
8. RF OUTPUT POWER VERIFICATION	18
8.1. LTE BAND 12.....	19
8.2. 5G NR n12	21
8.3. LTE BAND 13.....	23
8.4. LTE BAND 17	24
8.5. LTE BAND 71	25
8.6. 5G NR n71	27
9. CONDUCTED TEST RESULTS.....	30
9.1. OCCUPIED BANDWIDTH.....	30
9.1.2. LTE BAND 12.....	33
9.1.3. 5G NR n12	34
9.1.4. LTE BAND 13.....	35
9.1.5. LTE BAND 17.....	36

9.1.6.	LTE BAND 71.....	37
9.1.7.	5G NR n71	38
9.2.	EMISSION MASK AND ADJACENT CHANNEL POWER	40
9.2.1.	LTE BAND 12.....	42
9.2.2.	5G NR n12	48
9.2.3.	LTE BAND 13.....	53
9.2.4.	LTE BAND 17.....	55
9.2.5.	LTE BAND 71.....	57
9.2.6.	5G NR n71	63
9.3.	OUT OF BAND EMISSIONS.....	71
9.3.1.	LTE BAND 12.....	73
9.3.2.	5G NR n12	74
9.3.3.	LTE BAND 13.....	75
9.3.4.	LTE BAND 17.....	76
9.3.5.	LTE BAND 71.....	77
9.3.6.	5G NR n71	78
9.4.	FREQUENCY STABILITY.....	79
9.4.1.	LTE BAND 12 (QPSK 10MHz BANDWIDTH)	80
9.4.2.	5G NR n12 (BPSK 15MHz BANDWIDTH)	80
9.4.3.	LTE BAND 13 (QPSK 10MHz BANDWIDTH)	81
9.4.4.	LTE BAND 17 (QPSK 10MHz BANDWIDTH)	81
9.4.5.	LTE BAND 71 QPSK (20MHz BANDWIDTH)	82
9.4.6.	5G NR n71 (BPSK 30MHz BANDWIDTH)	82
9.5.	PEAK-TO-AVERAGE POWER RATIO	83
9.5.1.	LTE BAND 12.....	84
9.5.2.	5G NR n12	84
9.5.3.	LTE BAND 13.....	84
9.5.4.	LTE BAND 17.....	85
9.5.5.	LTE BAND 71.....	85
9.5.6.	5G NR n71	85
10.	RADIATED TEST RESULTS	86
10.1.	FIELD STRENGTH OF SPURIOUS RADIATION, ABOVE 1GHz.....	90
10.1.1.	LTE BAND 12	91
10.1.2.	5G NR n12.....	93

10.1.3.	LTE BAND 13	95
10.1.4.	LTE BAND 17	96
10.1.5.	LTE BAND 71	98
10.1.6.	5G NR n71.....	100
11.	SETUP PHOTOS.....	102

1. ATTESTATION OF TEST RESULTS

Applicant Name and Address	APPLE, INC 1 APPLE PARK WAY CUPERTINO, CA, 95014, U.S.A.	
Model	A3258	
Brand	APPLE	
FCC ID	BCG-E8947A	
IC	579C-E8947A	
EUT Description	SMARTPHONE	
Serial Number	RADIATED: DQMWH1905G, GQQ7TY7JLY J46VHKX6H, DMXG3RKJYV CONDUCTED: J6HHCW0001W0000WEZ, J6HHG2000FA0000WEZ, J6HHH50000V0000WEZ, J6HHCZ0000FP0000WEZ	
Sample Receipt Date	2024-11-21	
Date Tested	2024-12-11 to 2025-07-17	
Applicable Standards	FCC 47 CFR PART 2, PART 27, PART 25 ISED RSS-GEN ISSUE 5 + A1 + A2, RSS-130 ISSUE 2	
Test Results	COMPLIES	
UL Verification Services Inc. tested the above equipment in accordance with the requirements set forth in the above standards. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report. The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. It is the manufacturer's responsibility to assure that additional production units of this model are manufactured with identical electrical and mechanical components. All samples tested were in good operating condition throughout the entire test program. Measurement Uncertainties are published for informational purposes only and were not taken into account unless noted otherwise. This document may not be altered or revised in any way unless done so by UL Verification Services Inc. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Verification Services Inc. will constitute fraud and shall nullify the document.		
Approved & Released By:	Reviewed By:	Prepared By:
		
Mengistu Mekuria Operations Leader UL Verification Services Inc.	Tewodros Woldemichael Laboratory Engineer UL Verification Services Inc.	Michael Vang Laboratory Engineer UL Verification Services Inc

2. SUMMARY OF TEST RESULTS

This report contains data provided by the customer which can impact the validity of results. UL Verification Services Inc. is only responsible for correctly integrating customer-provided data with measurements performed by UL Verification Services Inc.

Below is a list of the data provided by the customer:

1. Antenna gain and type (see section 6.4.)

Requirement Description	Band	Requirement Clause Number (FCC)	Requirement Clause Number (ISED)	Result	Remarks
Effective Radiated Power	12	27.50 (c) (10)	RSS130\$4.6.3	Complies	
	13	27.50 (b) (10)	RSS130\$4.6.3	Complies	
	17	27.50 (c) (10)	RSS130\$4.6.3	Complies	
	71	27.50 (c) (10)	RSS130\$4.6.2	Complies	
Occupied Bandwidth	12, 13, 17, 71	2.1049	RSS-GEN\$6.7 RSS130\$4.5	Complies	
Band Edge and Emission Mask	12, 13, 17, 71	2.1051, 27.53 (g), 27.53 (c) (f)	RSS130\$4.7	Complies	
Out of Band Emissions	12, 13, 17, 71	2.1051, 27.53 (g), 27.53 (c) (f)	RSS130\$4.7	Complies	
Frequency Stability	12, 13, 17, 71	2.1055, 27.54	RSS130\$4.5	Complies	
Peak-to-Average Ratio	12, 13, 17, 71	-	RSS130\$4.6.1	Complies	
Field Strength of Spurious Radiation	12, 13, 17, 71	2.1053, 27.53 (g), 27.53 (c) (f)	RSS130\$4.7	Complies	

SUPPLEMENTAL COVERAGE FROM SPACE (SCS)

Under section § 25.109 (f) of the FCC rules Space and SCS earth stations providing SCS are subject to technical rules in parts 2, 22, 24, and 27 of this chapter based on the operating frequency band. Section §

25.204 (g) specifies that earth stations providing SCS pursuant to §§ 25.125 and 25.115 shall comply with the power requirements and out-of-band emission limits corresponding to devices operating in parts 22, 24, or 27 of this chapter (e.g., §§ 22.913, 24.232, 27.50), as required for their operating frequencies. We have clarified through KDB inquiry that the technical requirements from Part 90R should be applied for SCS operations in the 700 MHz Public Safety Band.

The table below identifies the SCS frequencies available for use and, for each band, the applicable FCC Part 22, 24, 27, and 90R technical requirements, the air interfaces supported by the device for SCS use.

The bands available for SCS and the bands supported by the devices in the scope of this report are:

Band	Frequency		Part 22/24/27/90 Rule parts	3GPP Band	Supported	Applicable to This Report
	DL (MHz)	UL (MHz)				
600 MHz:	614-652	663-698	27.5 (c) 27.50 (c) 27.53 (g)	71/n71	Yes	Yes
700 MHz:	729 – 746	699 – 716	27.5 (c) 27.50 (c) 27.53 (g)	12/n12 17	Yes	Yes
	746 – 756	777 – 787	27.5 (b) 27.50 (b) 27.53 (f)	13/n13	Yes	Yes
	758-769	788-799	90R ^{Note 1}	14 / n14	Yes	No
	805-806 MHz				No	
800 MHz:	869-894	824-849	22H	WCDMA 5 5/n5 26/N26	Yes	No
Broadband PCS:	1930-1995	1850-1915	24E 24E	WCDMA 2 2/n2 25/n25	Yes	No
Note 1: Clarified through KDB inquiry that the technical requirements from Part 90R should be applied for SCS operations in the 700 MHz Public Safety Band.						

3. TEST METHODOLOGY

The tests documented in this report were performed in accordance with the following.

FCC published lists of [measurement procedures](#) for compliance testing.

ISED published lists of [normative test standards and acceptable alternatives procedures](#).

- ANSI C63.26:2015
- ANSI/TIA-603-E (2016)
- FCC 47 CFR Part 2, Part 27, Part 25
- [FCC KDB 971168 D01](#): Power Meas License Digital Systems (ISED acceptable alternative procedure)
- [FCC KDB 971168 D02](#): Misc Rev Approv License Devices
- [FCC KDB 412172 D01](#): Determining ERP and EIRP
- [FCC KDB 273109 D02](#): Part 25 SCS and CMRS-Bands
- ISED RSS-Gen Issue 5 + A1 + A2, RSS-130 Issue 2

4. FACILITIES AND ACCREDITATION

UL Verification Services Inc. is accredited by A2LA, certification #0751.05, for all testing performed within the scope of this report. Testing was performed at the locations noted below.

	Address	ISED CABID	ISED Company Number	FCC Registration
☒	Building 1: 47173 Benicia Street, Fremont, CA 94538, USA	US0104	2324A	550739
☒	Building 2: 47266 Benicia Street, Fremont, CA 94538, USA			
☒	Building 3: 843 Auburn Court, Fremont, CA 94538, USA			
☐	Building 4: 47658 Kato Rd, Fremont, CA 94538, USA			
☒	Building 5: 47670 Kato Rd, Fremont, CA 94538, USA			

5. DECISION RULES AND MEASUREMENT UNCERTAINTY

5.1. METROLOGICAL TRACEABILITY

All test and measuring equipment utilized to perform the tests documented in this report are calibrated on a regular basis, with a maximum time between calibrations of one year or the manufacturers' recommendation, whichever is less, and where applicable is traceable to recognized national standards.

5.2. DECISION RULES

The Decision Rule is based on Simple Acceptance in accordance with ISO Guide 98-4:2012 Clause 8.2. (Measurement uncertainty is not taken into account when stating conformity with a specified requirement.)

5.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	U _{Lab}
Conducted Antenna Port Emission Measurement	1.940 dB
Power Spectral Density	2.466 dB
Time Domain Measurements Using SA	3.39 %
RF Power Measurement Direct Method Using Power Meter	0.450 dB Ave. 1.300 dB Peak
Radio Frequency (Spectrum Analyzer)	141.16 Hz
Occupied Bandwidth	1.22%
Worst Case Conducted Disturbance, 9KHz to 0.15 MHz	3.78 dB
Worst Case Conducted Disturbance, 0.15 to 30 MHz	3.40 dB
Worst Case Radiated Disturbance, 9KHz to 30 MHz	2.87 dB
Worst Case Radiated Disturbance, 30 to 1000 MHz	6.01 dB
Worst Case Radiated Disturbance, 1000 to 18000 MHz	4.73 dB
Worst Case Radiated Disturbance, 18000 to 26000 MHz	4.51 dB
Worst Case Radiated Disturbance, 26000 to 40000 MHz	5.29 dB

Uncertainty figures are valid to a confidence level of 95%.

5.4. SAMPLE CALCULATION

RADIATED EMISSIONS

Where relevant, the following sample calculation is provided:

Field Strength (dBuV/m) = Measured Voltage (dBuV) + Antenna Factor (dB/m) + Cable Loss (dB) – Preamp Gain (dB)
36.5 dBuV + 18.7 dB/m + 0.6 dB – 26.9 dB = 28.9 dBuV/m

6. EQUIPMENT UNDER TEST

6.1. DESCRIPTION OF EUT

The Apple iPhone is a smartphone with cellular GSM, GPRS, EGPRS, WCDMA, LTE, 5G NR1, 5G NR2, IEEE 802.11a/b/g/n/ac/ax/be, Bluetooth (BT), Ultra-Wideband (UWB), Global Positioning System (GPS), Near-Field Communication (NFC), Narrow-Band (NB) UNII, 802.15.4, 802.15.4ab-Narrow Band (NB), Wireless Power Transfer (WPT) and Mobile Satellite Service (MSS) technologies. The rechargeable battery is not user accessible. This device is not user-serviceable and requires special tools to disassemble.

6.2. MAXIMUM OUTPUT POWER

EIRP/ERP TEST PROCEDURE

ANSI C63.26:2015
KDB 971168 D01 Section 5.6

$$\text{ERP/EIRP} = \text{PMeas} + \text{GT} - \text{LC}$$

where: ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the same units as PMeas, typically dBW or dBm);

PMeas = measured transmitter output power or PSD, in dBm or dBW;

GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

LC = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

EUT includes different power levels for head use configuration and body use configuration and the below tables contain the highest of all configurations average conducted and ERP/EIRP output powers as follows:

LTE BAND 12

Part 27 / RSS 130									
ERP Limit (W)		3.00							
Antenna Gain (dBi) (Ant 1)		-5.80							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
1.4	QPSK	699.7	715.3	25.70	17.75	0.060	1.104	1104	1M10G7W
	16QAM			24.73	16.78	0.048	1.110	1110	1M11D7W
3.0	QPSK	700.5	714.5	25.70	17.75	0.060	2.716	2716	2M72G7W
	16QAM			24.70	16.75	0.047	2.711	2711	2M71D7W
5.0	QPSK	701.5	713.5	25.70	17.75	0.060	4.516	4516	4M52G7W
	16QAM			24.70	16.75	0.047	4.507	4507	4M51D7W
10.0	QPSK	704.0	711.0	25.70	17.75	0.060	9.012	9012	9M01G7W
	16QAM			24.70	16.75	0.047	9.003	9003	9M00D7W

5G NR n12

Part 27 / RSS 130									
ERP Limit (W)		3.00							
Antenna Gain (dBi) (Ant 1)		-5.80							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
5.0	BPSK	701.5	713.5	25.70	17.75	0.060	4.511	4511	4M51G7W
	QPSK			25.67	17.72	0.059	4.509	4509	4M51G7W
	16QAM			24.72	16.77	0.048	4.502	4502	4M50D7W
10.0	BPSK	704.0	711.0	25.70	17.75	0.060	9.014	9014	9M01G7W
	QPSK			25.67	17.72	0.059	8.975	8975	8M98G7W
	16QAM			24.73	16.78	0.048	8.982	8982	8M98D7W
15.0	BPSK	706.5	708.5	25.70	17.75	0.060	13.465	13465	13M5G7W
	QPSK			25.69	17.74	0.059	13.457	13457	13M5G7W
	16QAM			24.71	16.76	0.047	13.462	13462	13M5D7W

LTE BAND 13

Part 27 / RSS 130									
ERP Limit (W)		3.00							
Antenna Gain (dBi) (Ant 1)		-5.70							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
5.0	QPSK	779.5	784.5	25.70	17.85	0.061	4.522	4522	4M52G7W
	16QAM			24.72	16.87	0.049	4.511	4511	4M51D7W
10.0	QPSK	782.0	782.0	25.70	17.85	0.061	8.995	8995	9M00G7W
	16QAM			24.71	16.86	0.049	9.004	9004	9M00D7W

LTE BAND 17

Part 27 / RSS 130									
ERP Limit (W)		3.00							
Antenna Gain (dBi) (Ant 1)		-5.80							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
5.0	QPSK	706.5	713.5	25.70	17.75	0.060	4.501	4501	4M50G7W
	16QAM			24.72	16.77	0.048	4.503	4503	4M50D7W
10.0	QPSK	709.0	711.0	25.70	17.75	0.060	8.977	8977	8M98G7W
	16QAM			24.71	16.76	0.047	8.985	8985	8M99D7W

LTE BAND 71

Part 27 / RSS 130									
ERP Limit (W)		3.00							
Antenna Gain (dBi) (Ant 1)		-6.60							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
5.0	QPSK	665.5	695.5	25.70	16.95	0.050	4.516	4516	4M52G7W
	16QAM			24.71	15.96	0.039	4.520	4520	4M52D7W
10.0	QPSK	668.0	693.0	25.70	16.95	0.050	9.040	9040	9M04G7W
	16QAM			24.72	15.97	0.040	9.002	9002	9M00D7W
15.0	QPSK	670.5	690.5	25.70	16.95	0.050	13.488	13488	13M5G7W
	16QAM			24.72	15.97	0.040	13.499	13499	13M5D7W
20.0	QPSK	673.0	688.0	25.70	16.95	0.050	17.980	17980	18M0G7W
	16QAM			24.72	15.97	0.040	17.965	17965	18M0D7W

5G NR n71

Part 27/ RSS 130									
ERP Limit (W)		3.00							
Antenna Gain (dBi) (Ant 1)		-6.60							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
5.0	BPSK	665.5	695.5	25.69	16.94	0.049	4.494	4494	4M49G7W
	QPSK			25.70	16.95	0.050	4.487	4487	4M49G7W
	16QAM			24.71	15.96	0.039	4.479	4479	4M48D7W
10.0	BPSK	668.0	693.0	25.70	16.95	0.050	8.937	8937	8M94G7W
	QPSK			25.70	16.95	0.050	8.948	8948	8M95G7W
	16QAM			24.70	15.95	0.039	8.955	8955	8M96D7W
15.0	BPSK	670.5	690.5	25.70	16.95	0.050	13.448	13448	13M4G7W
	QPSK			25.70	16.95	0.050	13.420	13420	13M4G7W
	16QAM			24.71	15.96	0.039	13.385	13385	13M4D7W
20.0	BPSK	673.0	688.0	25.69	16.94	0.049	17.880	17880	17M9G7W
	QPSK			25.70	16.95	0.050	17.912	17912	17M9G7W
	16QAM			24.72	15.97	0.040	17.899	17899	17M9D7W
25.0	BPSK	675.5	685.5	25.70	16.95	0.050	22.955	22955	23M0G7W
	QPSK			25.67	16.92	0.049	23.044	23044	23M0G7W
	16QAM			24.72	15.97	0.040	23.009	23009	23M0D7W
30.0	BPSK	678.0	683.0	25.70	16.95	0.050	28.609	28609	28M6G7W
	QPSK			25.69	16.94	0.049	28.624	28624	28M6G7W
	16QAM			24.70	15.95	0.039	28.620	28620	28M6D7W

6.3. SOFTWARE AND FIRMWARE

The EUT firmware installed during testing was version 0.8.0.0.

6.4. MAXIMUM ANTENNA GAIN AND MAXIMUM ALLOWED OUTPUT POWER

The IFA antenna(s) gain/ allowed output power, as provided by the manufacturer' are as follows:

Bands	Frequency Range (MHz)	Antenna	Gain (dBi)	Max Allowed Conducted Output Power (dBm)	ERP/EIRP (dBm)
LTE Band 12 / 5G NR n12 /	699 - 716	ANT1	-5.80	25.70	17.75
		ANT2	-5.90	25.20	17.15
		ANT3			
		ANT4			
LTE Band 13	777 - 787	ANT1	-5.70	25.70	17.85
		ANT2	-5.40	25.20	17.65
		ANT3			
		ANT4			
LTE Band 17	704 - 716	ANT1	-5.80	25.70	17.75
		ANT2	-5.90	25.20	17.15
		ANT3			
		ANT4			
LTE Band 71 / 5G NR n71	663 - 698	ANT1	-6.60	25.70	16.95
		ANT2	-6.50	25.20	16.55
		ANT3			
		ANT4			

6.5. WORST-CASE CONFIGURATION AND MODE

This report covers the following technologies:

- LTE Band 12, 5G NR n12
- LTE Band 13
- LTE Band 17
- LTE Band 71, 5G NR n71

For 5G NRs, conducted spurious emission tests were conducted on wider bandwidth with inner 1RB since this is the worst bandwidth and the highest output power.

BPSK modulation applied only for 5G NR frequencies and has the same tune up power as QPSK modulations.

The DFT-s-OFDM and CP-OFDM waveforms were investigated, and DFT-s-OFDM was found to be the worst case.

The worst-case scenario for all measurements is based on an engineering evaluation made on different modulations. Then, QPSK and BPSK were observed as the worst mode to LTE bands and 5G NR bands respectively and set for all conducted and radiated. Output power measurements were measured on BPSK, QPSK, 16QAM, 64QAM, and 256QAM modulations. For testing purposes emissions on section 9 were measured while QPSK/BPSK was set at or above target power for all bands. Conducted tests were performed on the worst-case antenna port because it has the highest conducted power. The worst-case antenna port is shown in the table below.

LTE and 5G NR Bands	Worst case Antenna Port
LTE Band 12, 5G NR n12	Ant 1
LTE Band 13	Ant 1
LTE Band 17	Ant 1
LTE Band 71, 5G NR n71	Ant 1

The EUT was investigated in three orthogonal orientations X/Y/Z on all available antennas to determine the worst-case orientation. The following table exhibits the worst-case orientation. The full tests of the EUT have made upon the orientations that shown in the table below.

Frequency Range	ANT1	ANT2
663 – 849 MHz	X	X

Radiated spurious emissions were investigated from 9kHz to 30MHz, 30MHz-1GHz and above 1GHz. There were no emissions found with less than 20dB of margin from 9kHz to 1GHz.

For simultaneous transmission of multiple channels in the 2.4GHz/5GHz WLAN, UWB, and Cellular bands, tests were conducted for various configurations having the highest power, least separation in frequencies and widest operation bandwidths. No noticeable new emission was found.

6.6. DESCRIPTION OF TEST SETUP

Refer to Appendix A for description of test setup.

7. TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment was utilized for the tests documented in this report:

TEST EQUIPMENT LIST				
Description	Manufacturer	Model	Asset	Cal Due
Wideband Communication Test Set, Call Box	R&S GmbH & Co.	CMW500	85723	2026-02-28
Wideband Communication Test Set, Call Box	R&S GmbH & Co.	CMW500	230297	2026-02-28
EMI TEST RECEIVER	Rohde & Schwarz	ESW44	169936	2026-02-28
Antenna, Horn 1-18GHz	ETS Lindgren	3117	200897	2026-04-30
RF Filter Box, 1-18GHz, 12 Port	UL-FR1	Frankenstein	217255	2026-01-31
EMI TEST RECEIVER	Rohde & Schwarz	ESW44	223460	2026-02-28
RF Filter Box, 1-18GHz, 17 Port	UL-FR1	RATS 2	236726	2025-10-31
Antenna, Horn 1-18GHz	ETS Lindgren	3117	80403	2026-08-31
Antenna, Broadband Hybrid, 30MHz to 3GHz	Sunol Sciences Corp.	JB3	171863	2026-11-30
Amplifier 9 KHz - 1 GHz	SONOMA INSTRUMENT	310N	224490	2026-05-06
Antenna, Passive Loop 30Hz - 1MHz	ELECTRO-METRICS	EM-6871	170013	2025-07-31
Antenna, Passive Loop 100KHz - 30MHz	ELECTRO-METRICS	EM-6872	170015	2025-07-31
PXA Signal Analyzer	Keysight Technologies Inc	N9030B	262735	2026-03-30
PXA Signal Analyzer	Keysight Technologies Inc	N9030B	231912	2026-04-30
PXA Signal Analyzer	Keysight Technologies Inc	N9030B	259079	2026-02-28
PXA Signal Analyzer	Agilent Technologies Inc	N9030A	87738	2026-01-16
UXM 5G Wireless Test Platform	Keysight Technologies Inc	E7515B	MY59020604	2026-02-26
Wideband Communication Test Set, Call Box	Rohde & Schwarz	CMW500	230298	2026-02-28
Wideband Communication Test Set, Call Box	Rohde & Schwarz	CMW500	222793	2026-02-28
Conducted Switch Box	N/A	CSB	227264	2026-03-31
Conducted Switch Box	N/A	CSB	262286	2026-04-30
Conducted Switch Box	N/A	CSB	262288	2026-04-30
Conducted Switch Box	N/A	CSB	263817	2026-05-31
Filter, BRF 3400-3800MHz, 18GHz max	Micro-Tronics	BRM50711	217364	2025-09-30
Filter, BRF 2305-2315	Micro-Tronics	BRC20553	224186	2026-06-29
Power Sensor, P - series, 50MHz to 18GHz, Wideband	Keysight Technologies Inc	N1921A	257704	2026-03-31
Chamber, Environmental	Cincinnati Sub Zero	ZPHS-8-3.5-SCT/WC	89097	2025-10-31
Chamber, Environmental	Cincinnati Sub Zero	ZPHS-8-3.5-SCT/WC	82472	2025-08-31
UL AUTOMATION SOFTWARE				
Conducted Software	UL	CLT	Ver.2023.11.21.0 & .2024.3.20.0 & 2022.7.6.0 & 2023.6.21	
Conducted Software	UL	Power Measurement	Ver.2023.8.14 & 2022.4.29 & 2023.6.8	
Conducted Software	UL	Antenna Port	Ver.2022.8.16& 2021.5.13	
Conducted Software	UL	Station Tool	Ver. 5.0 & 5.3 & 6.0 & 6.1	
Radiated Software	UL	UL EMC	Ver 9.5, May 1, 2023	

8. RF OUTPUT POWER VERIFICATION

CONDUCTED OUTPUT POWER MEASUREMENT PROCEDURE

All bands conducted average power is obtained from the base station simulator.

The following tests were conducted according to the test requirements outlined in ANSI C63.26 Section 5.2.

RESULTS

The EUT has different power levels for head use configuration and body use configuration. All measurements are made with the device operating at the highest average conducted output powers.

8.1. LTE BAND 12

Test Engineer ID:	12482	Test Date:	2025-07-17
-------------------	-------	------------	------------

OUTPUT POWER FOR LTE BAND 12 (1.4 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				23017 699.7 MHz	23095 707.5 MHz	23173 715.3 MHz	23017 699.7 MHz	23095 707.5 MHz	23173 715.3 MHz
1.4	QPSK	1	0	25.65	25.59	25.66	25.09	25.20	25.19
		1	2	25.68	25.67	25.60	25.18	25.18	25.16
		1	5	25.70	25.61	25.55	25.12	25.18	25.12
		3	0	25.62	25.62	25.55	25.11	25.17	25.13
		3	1	25.64	25.60	25.56	25.12	25.18	25.13
		3	2	25.62	25.58	25.59	25.09	25.17	25.08
	16QAM	6	0	24.55	24.57	24.61	24.14	24.18	24.12
		1	0	24.66	24.65	24.69	24.19	24.12	24.20
		1	2	24.72	24.70	24.71	24.14	24.18	24.20
		1	5	24.71	24.66	24.64	24.18	24.02	24.18
		3	0	24.73	24.71	24.68	24.12	24.05	24.18
		3	1	24.73	24.63	24.68	24.09	24.08	24.18
	64QAM	3	2	24.72	24.68	24.69	24.04	24.10	24.13
		6	0	23.70	23.61	23.68	23.07	23.01	23.04
		1	0	23.82	23.73	23.68	23.11	23.18	23.24
		1	2	23.77	23.74	23.75	23.20	23.26	23.27
		1	5	23.74	23.72	23.69	23.14	23.24	23.17
		3	0	23.76	23.72	23.85	23.12	23.12	23.19
	256QAM	3	1	23.77	23.73	23.82	23.10	23.17	23.19
		3	2	23.79	23.76	23.86	23.09	23.13	23.20
		6	0	22.66	22.61	22.68	21.99	22.19	22.08
		1	0	20.61	20.70	20.73	20.14	20.18	20.21
		1	2	20.94	20.77	20.82	20.22	20.24	20.23
		1	5	20.72	20.70	20.80	20.15	20.09	20.19
		3	0	20.66	20.67	20.70	20.14	20.03	20.22
		3	1	20.74	20.66	20.69	20.17	20.19	20.22
		3	2	20.69	20.66	20.74	20.13	20.11	20.19
		6	0	20.56	20.48	20.69	20.06	20.03	20.10

OUTPUT POWER FOR LTE BAND 12 (3.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				23025 700.5 MHz	23095 707.5 MHz	23165 714.5 MHz	23025 700.5 MHz	23095 707.5 MHz	23165 714.5 MHz
3.0	QPSK	1	0	25.59	25.57	25.54	25.20	25.19	25.18
		1	7	25.70	25.64	25.63	25.09	25.18	25.12
		1	14	25.58	25.52	25.70	25.14	25.14	25.20
		8	0	24.63	24.66	24.70	24.20	24.21	24.24
		8	4	24.62	24.75	24.68	24.11	24.23	24.20
		8	7	24.58	24.70	24.59	24.23	24.13	24.19
	16QAM	15	0	24.58	24.72	24.82	24.13	24.12	24.16
		1	0	24.60	24.68	24.60	24.20	24.18	24.20
		1	7	24.68	24.70	24.64	24.19	24.18	24.22
		1	14	24.60	24.64	24.57	24.07	24.06	24.09
		8	0	23.66	23.70	23.69	23.23	23.24	23.20
		8	4	23.66	23.69	23.69	23.20	23.22	23.17
	64QAM	8	7	23.62	23.77	23.70	23.05	23.20	23.20
		15	0	23.60	23.74	23.68	23.20	23.13	23.17
		1	0	23.67	23.82	23.61	23.18	23.16	23.14
		1	7	23.86	23.97	23.70	23.21	23.21	23.11
		1	14	23.65	23.75	23.69	23.06	23.25	23.11
		8	0	22.66	22.72	22.76	22.26	22.24	22.24
	256QAM	8	4	22.67	22.79	22.71	22.18	22.21	22.22
		8	7	22.65	22.73	22.67	22.19	22.19	22.25
		15	0	22.66	22.77	22.68	22.33	22.18	22.20
		1	0	20.67	20.83	20.70	20.39	20.24	20.18
		1	7	20.81	20.96	20.88	20.22	20.24	20.21
		1	14	20.67	20.87	20.66	20.14	20.25	20.12
		8	0	20.61	20.69	20.60	20.24	20.25	20.24
		8	4	20.62	20.73	20.67	20.14	20.27	20.19
		8	7	20.63	20.75	20.63	20.12	20.24	20.24
		15	0	20.59	20.73	20.64	20.25	20.19	20.19

OUTPUT POWER FOR LTE BAND 12 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				23035	23095	23155	23035	23095	23155
5.0	QPSK	1	0	25.65	25.70	25.70	25.20	25.16	25.18
			12	25.70	25.70	25.70	25.16	25.17	25.08
			24	25.59	25.68	25.67	25.08	25.15	25.08
			0	24.58	24.62	24.68	24.20	24.29	24.09
			6	24.67	24.69	24.69	24.20	24.18	24.13
			11	24.62	24.65	24.69	24.25	24.21	24.22
			0	24.59	24.66	24.69	24.17	24.18	24.20
	16QAM	1	0	24.70	24.68	24.70	24.22	24.21	24.19
			12	24.68	24.70	24.67	24.02	24.17	24.21
			24	24.64	24.69	24.65	24.21	24.20	24.16
			0	23.66	23.68	23.67	23.22	23.22	23.06
			6	23.70	23.64	23.74	23.09	23.17	23.22
			11	23.69	23.63	23.72	23.02	23.19	23.20
			0	23.62	23.66	23.72	23.07	23.21	23.17
			0	23.74	23.81	23.79	23.32	23.24	23.22
	64QAM	1	12	23.74	23.87	23.87	23.10	23.15	23.17
			24	23.73	23.78	23.89	23.16	23.13	23.23
			0	22.60	22.63	22.71	22.20	22.18	22.17
			6	22.67	22.72	22.79	22.17	22.09	22.27
			11	22.62	22.66	22.73	22.06	22.09	22.19
			0	22.63	22.68	22.73	22.21	22.03	22.18
			0	20.67	20.67	20.74	20.22	20.25	20.20
			12	20.76	20.88	20.90	20.18	20.25	20.16
	256QAM	1	24	20.67	20.68	20.76	20.19	20.02	20.20
			0	20.56	20.61	20.67	20.24	20.13	20.19
			6	20.66	20.71	20.73	20.25	20.09	20.23
			11	20.62	20.66	20.72	20.15	20.14	20.23
			0	20.60	20.65	20.71	20.26	20.14	20.25

OUTPUT POWER FOR LTE BAND 12 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				23060	23095	23130	23060	23095	23130
10.0	QPSK	1	0	25.65	25.66	25.67	25.20	25.17	25.20
			24	25.70	25.69	25.69	25.07	25.19	25.14
			49	25.62	25.69	25.67	25.11	25.19	25.15
			0	24.70	24.67	24.61	24.16	24.17	24.18
			12	24.81	24.67	24.61	24.26	24.13	24.12
			24	24.77	24.73	24.67	24.18	24.17	24.09
			0	24.76	24.74	24.60	24.29	24.07	24.11
	16QAM	1	0	24.69	24.70	24.60	24.11	24.11	24.20
			24	24.69	24.63	24.64	24.22	24.17	24.21
			49	24.70	24.64	24.55	24.08	24.19	24.17
			0	23.72	23.51	23.61	23.21	23.18	23.17
			12	23.71	23.51	23.64	23.23	23.10	23.16
			24	23.69	23.59	23.70	23.17	23.05	23.09
			0	23.67	23.55	23.60	23.28	23.02	23.08
	64QAM	1	0	23.65	23.68	23.88	23.19	23.23	23.17
			24	23.63	23.68	23.88	23.17	23.15	23.10
			49	23.63	23.64	23.83	23.20	23.09	23.05
			0	22.52	22.68	22.63	22.21	22.18	22.15
			12	22.61	22.70	22.65	22.37	22.08	22.09
			24	22.59	22.76	22.68	22.19	22.08	22.01
			0	22.58	22.76	22.62	22.31	22.02	22.07
	256QAM	1	0	20.66	20.76	20.80	20.23	20.39	20.25
			24	20.75	20.91	20.84	20.19	20.30	20.26
			49	20.65	20.80	20.76	20.19	20.17	20.00
			0	20.68	20.65	20.60	20.02	20.17	20.16
			12	20.79	20.68	20.63	20.33	20.06	20.12
			24	20.73	20.72	20.68	20.17	20.06	20.08
			0	20.77	20.75	20.58	20.30	20.01	20.07

8.2. 5G NR n12

Test Engineer ID:	12482	Test Date:	2025-07-04
-------------------	-------	------------	------------

OUTPUT POWER FOR 5G NR n12 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				140300 701.5 MHz	141500 707.5 MHz	142700 713.5 MHz	140300 701.5 MHz	141500 707.5 MHz	142700 713.5 MHz
5.0	BPSK	1	0	25.17	25.20	25.19	24.69	24.73	24.76
		1	1	25.59	25.67	25.69	25.20	25.12	25.12
		1	23	25.68	25.69	25.65	25.16	25.06	25.18
		1	24	25.20	25.23	25.37	24.73	24.74	24.67
		12	6	25.69	25.70	25.65	25.20	25.18	25.08
		25	0	25.28	25.14	25.31	24.75	24.74	24.79
	QPSK	1	0	24.89	24.60	24.64	24.25	24.23	24.04
		1	1	25.61	25.59	25.62	25.14	25.11	25.04
		1	23	25.67	25.67	25.66	25.15	25.11	25.11
		1	24	24.63	24.65	24.59	24.23	24.14	24.18
		12	6	25.64	25.65	25.61	25.13	25.17	25.10
		25	0	24.64	24.67	24.70	24.23	24.07	24.22
	16QAM	1	0	23.55	23.69	23.60	23.21	23.23	23.08
		1	1	24.59	24.62	24.72	24.17	24.18	24.07
		1	23	24.70	24.70	24.58	24.21	24.14	24.20
		1	24	23.66	23.71	23.65	23.22	23.21	23.16
		12	6	24.58	24.64	24.70	24.21	24.20	24.33
		25	0	23.58	23.70	23.64	23.25	23.29	23.11
	64QAM	1	0	23.17	23.24	23.22	22.71	22.77	22.57
		1	1	23.13	23.21	23.11	22.73	22.89	22.69
		1	23	23.21	23.23	23.14	22.73	22.84	22.61
		1	24	23.18	23.10	23.20	22.80	22.62	22.45
		12	6	23.19	23.24	23.18	22.77	22.77	22.85
		25	0	23.16	23.21	23.14	22.63	22.85	22.65
	256QAM	1	0	21.14	21.20	21.16	20.65	20.73	20.68
		1	1	21.22	21.26	21.20	20.63	20.76	20.57
		1	23	21.20	21.20	21.26	20.59	20.76	20.70
		1	24	21.28	21.07	21.11	20.51	20.54	20.66
		12	6	21.27	21.16	21.17	20.79	20.67	20.64
		25	0	21.23	21.20	21.18	20.77	20.71	20.62

OUTPUT POWER FOR 5G NR n12 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				140800 704.0 MHz	141500 707.5 MHz	142200 711.0 MHz	140800 704.0 MHz	141500 707.5 MHz	142200 711.0 MHz
10.0	BPSK	1	0	25.22	25.21	25.30	24.60	24.76	24.73
		1	1	25.59	25.70	25.53	25.15	25.20	25.20
		1	50	25.67	25.65	25.65	25.13	25.19	25.19
		1	51	25.34	25.28	25.17	24.72	24.76	24.76
		25	12	25.67	25.62	25.57	25.06	25.09	25.12
		50	0	25.24	25.17	25.29	24.69	24.72	24.68
	QPSK	1	0	24.68	24.69	24.75	24.27	24.27	24.21
		1	1	25.65	25.53	25.54	25.18	25.17	25.15
		1	50	25.67	25.64	25.67	25.14	25.10	25.17
		1	51	24.70	24.51	24.66	24.18	24.04	24.08
		25	12	25.65	25.66	25.53	25.14	25.12	25.15
		50	0	24.74	24.77	24.75	24.34	24.15	24.13
	16QAM	1	0	23.56	23.52	23.61	23.22	23.17	23.22
		1	1	24.62	24.69	24.69	24.12	24.17	24.21
		1	50	24.70	24.70	24.70	24.20	24.19	24.06
		1	51	23.59	23.71	23.69	23.29	23.16	23.22
		25	12	24.64	24.67	24.73	24.21	24.19	24.23
		50	0	23.62	23.67	23.78	23.22	23.20	23.21
	64QAM	1	0	23.09	23.17	23.09	22.84	22.61	22.86
		1	1	23.07	23.25	23.23	22.75	22.65	22.58
		1	50	23.19	23.24	23.28	22.80	22.72	22.67
		1	51	23.29	23.33	23.25	22.83	22.76	22.51
		25	12	23.11	23.34	23.25	22.72	22.77	22.75
		50	0	23.13	23.33	23.17	22.83	22.80	22.72
	256QAM	1	0	21.22	21.23	21.26	20.62	20.75	20.78
		1	1	21.22	21.14	21.27	20.49	20.71	20.87
		1	50	21.21	21.46	21.15	20.68	20.80	20.64
		1	51	21.12	21.30	21.25	20.69	20.84	20.62
		25	12	21.10	21.30	21.33	20.49	20.62	20.78
		50	0	21.13	21.30	21.35	20.71	20.70	20.77

OUTPUT POWER FOR 5G NR n12 (15.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				141300	141500	141700	141300	141500	141700
				706.5 MHz	707.5 MHz	708.5 MHz	706.5 MHz	707.5 MHz	708.5 MHz
15.0	BPSK	1	0	25.33	25.20	25.22	24.78	24.70	24.74
		1	1	25.67	25.68	25.65	25.17	25.17	25.19
		1	77	25.66	25.65	25.69	25.20	25.11	25.20
		1	78	25.38	25.23	25.39	24.77	24.66	24.87
		36	18	25.67	25.70	25.69	25.06	25.03	25.08
		75	0	25.19	25.19	25.15	24.64	24.66	24.70
	QPSK	1	0	24.79	24.60	24.57	24.23	24.28	24.33
		1	1	25.65	25.65	25.69	25.11	25.16	25.16
		1	77	25.68	25.66	25.65	25.08	25.14	25.10
		1	78	24.67	24.66	24.68	24.15	24.20	24.13
		36	18	25.69	25.64	25.68	25.08	25.07	25.01
		75	0	24.72	24.66	24.71	23.46	24.07	24.09
	16QAM	1	0	23.62	23.65	23.64	23.23	23.22	23.19
		1	1	24.70	24.68	24.70	24.05	24.19	24.23
		1	77	24.58	24.70	24.62	24.21	24.19	24.16
		1	78	23.51	23.61	23.75	23.20	23.13	23.06
		36	18	24.68	24.61	24.71	24.23	24.23	24.08
		75	0	23.64	23.64	23.52	23.02	23.02	23.09
	64QAM	1	0	23.32	23.14	23.16	22.83	22.87	22.70
		1	1	23.34	23.22	23.21	22.72	22.64	22.80
		1	77	23.27	23.29	23.21	22.51	22.76	22.61
		1	78	23.16	23.21	23.30	22.80	22.79	22.70
		36	18	23.28	23.26	23.22	22.71	22.82	22.77
		75	0	23.30	23.29	23.25	22.81	22.72	22.71
	256QAM	1	0	21.25	21.16	21.28	20.82	20.85	20.80
		1	1	21.21	21.06	21.21	20.67	20.77	20.80
		1	77	21.36	21.29	21.21	20.80	20.79	20.69
		1	78	21.24	21.30	21.17	20.93	20.70	20.64
		36	18	21.19	21.26	21.15	20.88	20.90	20.79
		75	0	21.12	21.24	21.22	20.70	20.67	20.76

8.3. LTE BAND 13

Test Engineer ID:	32546	Test Date:	2025-07-01
-------------------	-------	------------	------------

OUTPUT POWER FOR LTE BAND 13 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				23205	23230	23255	23205	23230	23255
				779.5 MHz	782.0 MHz	784.5 MHz	779.5 MHz	782.0 MHz	784.5 MHz
5.0	QPSK	1	0	25.66	25.67	25.70	25.04	25.13	25.16
		1	12	25.62	25.64	25.66	25.03	25.15	25.16
		1	24	25.61	25.63	25.60	25.20	25.13	25.12
		12	0	24.60	24.67	24.70	24.20	24.20	24.17
		12	6	24.72	24.70	24.69	24.15	24.21	24.20
		12	11	24.68	24.65	24.66	24.19	24.19	24.40
		25	0	24.68	24.63	24.65	24.19	24.19	24.13
	16QAM	1	0	24.67	24.69	24.72	24.14	24.20	24.19
		1	12	24.69	24.70	24.68	24.21	24.20	24.18
		1	24	24.70	24.70	24.64	24.17	24.22	24.15
		12	0	23.64	23.67	23.70	23.14	23.22	23.16
		12	6	23.71	23.70	23.69	23.15	23.14	23.21
		12	11	23.69	23.64	23.67	23.17	23.09	23.15
		25	0	23.68	23.64	23.67	23.17	23.13	23.14
	64QAM	1	0	23.65	23.69	23.76	23.11	23.23	23.17
		1	12	23.71	23.69	23.73	23.21	23.20	23.21
		1	24	23.65	23.67	23.75	23.19	23.21	23.20
		12	0	22.65	22.68	22.73	22.16	22.01	22.18
		12	6	22.73	22.69	22.78	22.10	22.09	22.20
		12	11	22.72	22.64	22.71	22.26	22.20	22.14
		25	0	22.72	22.65	22.68	22.20	22.17	22.16
256QAM	1	0	20.66	20.66	20.80	20.08	20.14	20.30	
	1	12	20.83	20.67	20.85	20.40	20.34	20.39	
	1	24	20.75	20.73	20.52	20.30	20.14	20.25	
	12	0	20.61	20.67	20.70	20.13	20.09	20.14	
	12	6	20.74	20.70	20.70	20.22	20.14	20.18	
	12	11	20.67	20.66	20.65	20.37	20.08	20.13	
	25	0	20.68	20.63	20.67	20.36	20.08	20.14	

OUTPUT POWER FOR LTE BAND 13 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				N/A	23230	N/A	N/A	23230	N/A
10.0	QPSK	1	0	N/A	782.0 MHz	N/A	N/A	782.0 MHz	N/A
			0		25.67			25.13	
			24		25.70			25.20	
		49	0		25.68			25.09	
			0		24.60			24.19	
			12		24.65			24.20	
			24		24.59			24.21	
	16QAM	50	0		24.62			24.19	
			0		24.67			24.13	
			24		24.70			24.20	
		49	0		24.71			24.16	
			0		23.61			23.20	
			12		23.62			23.20	
			24		23.55			23.22	
	64QAM	50	0		23.63			23.20	
			0		23.80			23.13	
			24		23.77			23.19	
		49	0		23.73			23.20	
			0		22.62			22.19	
			12		22.64			22.22	
			24		22.59			22.21	
	256QAM	50	0		22.62			22.20	
			0		20.72			20.14	
			24		20.85			20.29	
		49	0		20.57			20.19	
			0		20.57			20.19	
			12		20.61			20.19	
			24		20.58			20.24	
		50	0		20.60			20.19	

8.4. LTE BAND 17

Test Engineer ID:	32546	Test Date:	2025-07-02
-------------------	-------	------------	------------

OUTPUT POWER FOR LTE BAND 17 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				23755	23790	23825	23755	23790	23825
				706.5 MHz	710.0 MHz	713.5 MHz	706.5 MHz	710.0 MHz	713.5 MHz
5.0	QPSK	1	0	25.70	25.68	25.65	25.19	25.12	25.16
		1	12	25.67	25.69	25.68	25.17	25.20	25.19
		1	24	25.65	25.63	25.61	25.16	25.10	25.15
		12	0	24.65	24.59	24.62	24.34	24.18	24.18
		12	6	24.74	24.60	24.64	24.17	24.17	24.31
		12	11	24.74	24.65	24.65	24.11	24.17	24.19
		25	0	24.72	24.57	24.60	24.11	24.13	24.19
	16QAM	1	0	24.67	24.72	24.68	24.23	24.34	24.15
		1	12	24.71	24.70	24.72	24.19	24.35	24.20
		1	24	24.66	24.63	24.71	24.13	24.28	24.19
		12	0	23.63	23.61	23.67	23.08	23.20	23.00
		12	6	23.72	23.62	23.67	23.18	23.19	23.12
		12	11	23.72	23.64	23.71	23.15	23.22	23.08
		25	0	23.70	23.59	23.59	23.12	23.13	23.08
	64QAM	1	0	23.76	23.93	23.74	23.39	23.22	23.05
		1	12	23.75	23.93	23.72	23.40	23.20	23.10
		1	24	23.87	23.79	23.75	23.27	23.38	23.07
		12	0	22.69	22.76	22.68	22.07	22.18	22.10
		12	6	22.78	22.74	22.67	22.16	22.17	22.22
		12	11	22.73	22.80	22.69	22.12	22.20	22.17
		25	0	22.70	22.60	22.61	22.12	22.14	22.13
	256QAM	1	0	20.73	20.69	20.64	20.19	20.32	20.14
		1	12	20.84	20.76	20.79	20.35	20.27	20.25
		1	24	20.69	20.63	20.66	20.19	20.30	20.21
		12	0	20.65	20.61	20.62	20.07	20.20	20.02
		12	6	20.73	20.62	20.64	20.18	20.17	20.12
		12	11	20.69	20.67	20.67	20.14	20.20	20.08
		25	0	20.68	20.60	20.57	20.15	20.36	20.06

OUTPUT POWER FOR LTE BAND 17 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				23780	23790	23800	23780	23790	23800
				709.0 MHz	710.0 MHz	711.0 MHz	709.0 MHz	710.0 MHz	711.0 MHz
10.0	QPSK	1	0	25.66	25.63	25.64	25.16	25.16	25.13
		1	24	25.69	25.70	25.69	25.17	25.20	25.18
		1	49	25.63	25.63	25.64	25.19	25.20	25.10
		25	0	24.56	24.64	24.59	24.10	24.18	24.40
		25	12	24.69	24.69	24.70	24.19	24.19	24.14
		25	24	24.63	24.70	24.66	24.18	24.25	24.16
		50	0	24.62	24.66	24.66	24.14	24.15	24.15
	16QAM	1	0	24.66	24.66	24.70	24.11	24.17	24.22
		1	24	24.69	24.67	24.70	24.20	24.20	24.21
		1	49	24.65	24.68	24.71	24.20	24.22	24.15
		25	0	23.58	23.66	23.61	23.10	23.18	23.07
		25	12	23.68	23.71	23.71	23.22	23.20	23.11
		25	24	23.66	23.73	23.65	23.20	23.20	23.16
		50	0	23.64	23.67	23.66	23.16	23.17	23.07
	64QAM	1	0	23.82	23.91	23.72	23.20	23.27	23.16
		1	24	23.81	23.97	23.79	23.24	23.28	23.25
		1	49	23.78	23.90	23.72	23.19	23.20	23.20
		25	0	22.61	22.71	22.60	22.12	22.21	22.11
		25	12	22.73	22.73	22.72	22.25	22.25	22.14
		25	24	22.67	22.76	22.66	22.22	22.29	22.20
		50	0	22.66	22.69	22.68	22.19	22.19	22.11
	256QAM	1	0	20.69	20.77	20.62	20.20	20.24	20.18
		1	24	20.86	20.91	20.81	20.39	20.47	20.31
		1	49	20.68	20.73	20.68	20.23	20.31	20.22
		25	0	20.56	20.68	20.59	20.12	20.20	20.11
		25	12	20.68	20.70	20.68	20.22	20.22	20.16
		25	24	20.63	20.73	20.64	20.17	20.27	20.15
		50	0	20.64	20.64	20.65	20.16	20.38	20.10

8.5. LTE BAND 71

Test Engineer ID:	25780	Test Date:	2025-07-06
-------------------	-------	------------	------------

OUTPUT POWER FOR LTE BAND 71 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				133147	133297	133447	133147	133297	133447
				665.5 MHz	680.5 MHz	695.5 MHz	665.5 MHz	680.5 MHz	695.5 MHz
5.0	QPSK	1	0	25.70	25.67	25.67	25.17	25.16	25.11
		1	12	25.69	25.68	25.68	25.20	25.16	25.19
		1	24	25.68	25.66	25.68	25.14	25.11	25.13
		12	0	24.68	24.53	24.59	24.17	24.18	24.30
		12	6	24.70	24.62	24.62	24.21	24.20	24.22
		12	11	24.68	24.59	24.66	24.19	24.19	24.18
		25	0	24.65	24.59	24.57	24.15	24.14	24.16
	16QAM	1	0	24.71	24.68	24.70	24.20	24.20	24.29
		1	12	24.71	24.69	24.69	24.20	24.17	24.32
		1	24	24.70	24.67	24.70	24.21	24.22	24.25
		12	0	23.70	23.57	23.63	23.19	23.17	23.15
		12	6	23.71	23.66	23.67	23.22	23.21	23.23
		12	11	23.70	23.62	23.70	23.21	23.24	23.19
		25	0	23.68	23.60	23.62	23.21	23.14	23.16
	64QAM	1	0	23.71	23.72	23.75	23.28	23.21	23.35
		1	12	23.71	23.72	23.72	23.21	23.17	23.40
		1	24	23.69	23.70	23.80	23.21	23.38	23.32
		12	0	22.70	22.59	22.61	22.18	22.19	22.15
		12	6	22.73	22.68	22.65	22.28	22.24	22.29
		12	11	22.69	22.61	22.68	22.25	22.23	22.20
		25	0	22.67	22.59	22.60	22.20	22.16	22.20
256QAM	1	0	20.72	20.70	20.67	20.21	20.28	20.24	
	1	12	20.82	20.78	20.73	20.35	20.30	20.39	
	1	24	20.66	20.65	20.71	20.23	20.24	20.26	
	12	0	20.69	20.55	20.61	20.14	20.16	20.14	
	12	6	20.72	20.66	20.65	20.27	20.19	20.25	
	12	11	20.63	20.60	20.67	20.20	20.21	20.21	
	25	0	20.66	20.58	20.58	20.21	20.14	20.18	

OUTPUT POWER FOR LTE BAND 71 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				133172	133322	133422	133172	133322	133422
				668.0 MHz	683.0 MHz	693.0 MHz	668.0 MHz	683.0 MHz	693.0 MHz
10.0	QPSK	1	0	25.65	25.70	25.70	25.18	25.20	25.15
		1	24	25.67	25.68	25.67	25.17	25.20	25.13
		1	49	25.66	25.63	25.68	25.13	25.11	25.04
		25	0	24.63	24.58	24.56	24.15	24.19	24.14
		25	12	24.69	24.66	24.65	24.20	24.18	24.21
		25	24	24.66	24.64	24.63	24.17	24.23	24.15
		50	0	24.68	24.64	24.65	24.20	24.16	24.19
	16QAM	1	0	24.72	24.70	24.70	24.33	24.20	24.25
		1	24	24.70	24.72	24.71	24.34	24.22	24.21
		1	49	24.72	24.68	24.70	24.21	24.19	24.22
		25	0	23.64	23.62	23.63	23.15	23.23	23.13
		25	12	23.71	23.71	23.71	23.24	23.21	23.21
		25	24	23.67	23.68	23.67	23.17	23.23	23.19
		50	0	23.69	23.69	23.66	23.21	23.18	23.20
	64QAM	1	0	23.79	23.78	23.78	23.40	23.22	23.36
		1	24	23.84	23.72	23.80	23.24	23.40	23.39
		1	49	23.74	23.71	23.73	23.27	23.36	23.27
		25	0	22.63	22.59	22.60	22.11	22.22	22.16
		25	12	22.72	22.69	22.69	22.22	22.21	22.22
		25	24	22.66	22.68	22.63	22.19	22.26	22.19
		50	0	22.69	22.68	22.69	22.20	22.18	22.22
256QAM	1	0	20.73	20.75	20.71	20.23	20.30	20.23	
	1	24	20.82	20.84	20.90	20.33	20.41	20.35	
	1	49	20.69	20.76	20.74	20.23	20.29	20.19	
	25	0	20.62	20.58	20.58	20.14	20.19	20.13	
	25	12	20.70	20.71	20.68	20.20	20.23	20.23	
	25	24	20.67	20.69	20.66	20.19	20.25	20.19	
	50	0	20.68	20.63	20.64	20.19	20.17	20.20	

OUTPUT POWER FOR LTE BAND 71 (15.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				133197	133297	133397	133197	133297	133397
				670.5 MHz	680.5 MHz	690.5 MHz	670.5 MHz	680.5 MHz	690.5 MHz
15.0	QPSK	1	0	25.70	25.69	25.66	25.19	25.19	25.14
		1	37	25.65	25.70	25.69	25.18	25.20	25.10
		1	74	25.60	25.63	25.68	25.09	25.09	25.03
		36	0	24.63	24.55	24.66	24.19	24.18	24.11
		36	16	24.67	24.60	24.66	24.23	24.16	24.18
		36	35	24.65	24.67	24.70	24.19	24.18	24.13
		75	0	24.64	24.54	24.59	24.20	24.10	24.14
		75	37	24.71	24.71	24.64	24.22	24.21	24.20
	16QAM	1	0	24.71	24.71	24.64	24.22	24.21	24.20
		1	37	24.72	24.67	24.69	24.19	24.22	24.18
		1	74	24.69	24.68	24.71	24.20	24.15	24.18
		36	0	23.63	23.56	23.67	23.18	23.20	23.14
		36	16	23.71	23.66	23.66	23.22	23.18	23.20
		36	35	23.64	23.60	23.71	23.19	23.19	23.16
		75	0	23.71	23.59	23.65	23.24	23.14	23.18
		75	37	23.74	23.70	23.81	23.22	23.39	23.33
	64QAM	1	0	23.74	23.70	23.81	23.22	23.39	23.33
		1	37	23.75	23.70	23.74	23.25	23.34	23.37
		1	74	23.73	23.70	23.84	23.13	23.33	23.25
		36	0	22.66	22.57	22.71	22.18	22.21	22.15
		36	16	22.71	22.63	22.65	22.27	22.19	22.21
		36	35	22.65	22.61	22.72	22.21	22.22	22.17
		75	0	22.70	22.61	22.65	22.25	22.15	22.19
		75	37	20.77	20.71	20.70	20.27	20.36	20.28
	256QAM	1	0	20.77	20.71	20.70	20.27	20.36	20.28
		1	37	20.73	20.72	20.80	20.32	20.35	20.21
		1	74	20.58	20.67	20.80	20.18	20.19	20.18
		36	0	20.68	20.56	20.66	20.21	20.21	20.18
		36	16	20.69	20.61	20.65	20.25	20.17	20.18
		36	35	20.61	20.54	20.69	20.19	20.18	20.13
		75	0	20.66	20.59	20.64	20.23	20.15	20.17
		75	37	20.66	20.59	20.64	20.23	20.15	20.17

OUTPUT POWER FOR LTE BAND 71 (20.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				133222	133322	133372	133222	133322	133372
				673.0 MHz	683.0 MHz	688.0 MHz	673.0 MHz	683.0 MHz	688.0 MHz
20.0	QPSK	1	0	25.69	25.70	25.61	25.20	25.18	25.18
		1	49	25.61	25.64	25.67	25.16	25.19	25.18
		1	99	25.64	25.65	25.65	25.17	25.15	25.09
		50	0	24.65	24.62	24.67	24.18	24.24	24.19
		50	24	24.68	24.70	24.71	24.22	24.22	24.19
		50	49	24.62	24.65	24.72	24.19	24.25	24.18
		100	0	24.63	24.64	24.69	24.21	24.19	24.13
		100	49	24.63	24.64	24.69	24.21	24.19	24.13
	16QAM	1	0	24.70	24.72	24.68	24.23	24.20	24.17
		1	49	24.71	24.69	24.71	24.21	24.19	24.22
		1	99	24.67	24.70	24.72	24.19	24.17	24.14
		50	0	23.62	23.63	23.67	23.18	23.23	23.20
		50	24	23.67	23.69	23.77	23.24	23.12	23.19
		50	49	23.60	23.65	23.72	23.16	23.13	23.19
		100	0	23.67	23.66	23.72	23.20	23.20	23.13
		100	49	23.67	23.66	23.72	23.20	23.20	23.13
	64QAM	1	0	23.86	23.79	23.75	23.21	23.20	23.22
		1	49	23.72	23.79	23.75	23.16	23.18	23.19
		1	99	23.66	23.78	23.79	23.13	23.14	23.14
		50	0	22.62	22.59	22.68	22.19	22.26	22.24
		50	24	22.66	22.67	22.77	22.24	22.23	22.20
		50	49	22.60	22.65	22.73	22.19	22.21	22.21
		100	0	22.64	22.66	22.73	22.22	22.21	22.18
		100	49	22.64	22.66	22.73	22.22	22.21	22.18
	256QAM	1	0	20.74	20.72	20.71	20.27	20.30	20.27
		1	49	20.73	20.79	20.82	20.26	20.36	20.31
		1	99	20.58	20.65	20.74	20.24	20.27	20.21
		50	0	20.61	20.60	20.67	20.20	20.26	20.20
		50	24	20.64	20.67	20.74	20.26	20.22	20.19
		50	49	20.54	20.59	20.63	20.15	20.21	20.15
		100	0	20.62	20.64	20.69	20.23	20.18	20.15
		100	49	20.62	20.64	20.69	20.23	20.18	20.15

8.6. 5G NR n71

Test Engineer ID:	12482	Test Date:	2025-07-06
-------------------	-------	------------	------------

OUTPUT POWER FOR 5G NR n71 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				133100	136100	139100	133100	136100	139100
5.0	BPSK	1	0	665.5 MHz	680.5 MHz	695.5 MHz	665.5 MHz	680.5 MHz	695.5 MHz
			0	25.19	25.19	25.22	24.87	24.70	24.71
		1	1	25.64	25.67	25.69	25.14	25.17	25.16
		1	23	25.64	25.62	25.62	25.12	25.14	25.15
		1	24	25.25	25.20	25.13	24.75	24.70	24.65
		12	6	25.67	25.67	25.61	25.16	25.20	25.17
	QPSK	25	0	25.21	25.20	25.21	24.68	24.72	24.73
		1	0	24.88	24.70	24.69	24.33	24.38	24.28
		1	1	25.63	25.65	25.65	25.15	25.13	25.19
		1	23	25.52	25.66	25.64	25.15	25.16	25.15
		1	24	24.79	24.68	24.73	24.34	24.19	24.26
		12	6	25.70	25.65	25.64	25.17	25.13	25.15
	16QAM	25	0	24.71	24.74	24.70	24.21	24.28	24.21
		1	0	23.66	23.56	23.70	23.13	23.03	23.20
		1	1	24.67	24.69	24.60	24.11	24.16	24.21
		1	23	24.66	24.67	24.52	24.19	24.20	24.19
		1	24	23.53	23.56	23.69	23.19	23.08	23.21
		12	6	24.65	24.61	24.71	24.23	24.20	24.16
	64QAM	25	0	23.64	23.70	23.68	23.17	23.22	23.20
		1	0	23.19	23.01	23.14	22.62	22.62	22.64
		1	1	23.22	23.21	23.20	22.65	22.79	22.85
		1	23	23.19	23.16	23.14	22.74	22.69	22.63
		1	24	23.17	23.03	23.27	22.73	22.54	22.78
		12	6	23.25	23.10	23.10	22.68	22.78	22.67
	256QAM	25	0	23.32	23.13	23.03	22.51	22.78	22.71
		1	0	21.16	20.92	21.00	20.45	20.67	20.60
		1	1	21.17	21.23	21.04	20.72	20.91	20.72
		1	23	21.17	21.13	21.07	20.86	20.77	20.73
		1	24	21.08	20.91	20.92	20.65	20.72	20.62
		12	6	21.23	21.08	21.04	20.64	20.81	20.68
		25	0	21.22	21.12	21.02	20.75	20.90	20.75

OUTPUT POWER FOR 5G NR n71 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				133600	136600	138600	133600	136600	138600
10.0	BPSK	1	0	668.0 MHz	683.0 MHz	693.0 MHz	668.0 MHz	683.0 MHz	693.0 MHz
			0	25.19	25.18	25.29	24.64	24.82	24.81
		1	1	25.66	25.66	25.64	25.13	25.13	25.20
		1	50	25.65	25.62	25.63	25.20	25.18	25.20
		1	51	25.19	25.23	25.25	24.67	24.83	24.54
		25	12	25.63	25.62	25.70	25.15	25.18	25.09
	QPSK	50	0	25.22	25.18	25.24	24.68	24.84	24.86
		1	0	24.84	24.81	24.66	24.24	24.26	24.22
		1	1	25.70	25.62	25.68	25.17	25.17	25.19
		1	50	25.55	25.52	25.63	25.19	25.17	25.15
		1	51	24.76	24.71	24.75	24.25	24.27	24.18
		25	12	25.63	25.53	25.61	25.13	25.15	25.19
	16QAM	50	0	24.69	24.75	24.66	24.33	24.50	24.14
		1	0	23.54	23.71	23.54	23.20	23.21	23.08
		1	1	24.51	24.69	24.64	24.23	24.15	24.21
		1	50	24.67	24.70	24.50	24.20	24.22	24.19
		1	51	23.58	23.68	23.69	23.16	23.12	23.20
		25	12	24.64	24.59	24.56	24.21	24.21	24.15
	64QAM	50	0	23.65	23.71	23.66	23.23	23.17	23.20
		1	0	23.05	23.11	23.21	22.75	22.76	22.62
		1	1	23.19	23.35	23.16	22.59	22.78	22.66
		1	50	23.06	23.15	23.09	22.79	22.75	22.59
		1	51	23.26	23.13	23.24	22.78	22.71	22.51
		25	12	23.08	23.16	23.02	22.85	22.72	22.68
	256QAM	50	0	23.13	23.17	23.13	22.72	22.75	22.64
		1	0	21.10	21.02	21.28	20.71	20.61	20.80
		1	1	21.09	21.06	21.36	20.76	20.72	20.76
		1	50	21.24	21.06	21.01	20.79	20.67	20.67
		1	51	21.20	21.08	21.08	20.63	20.74	20.62
		25	12	21.10	21.11	21.18	20.59	20.72	20.63
		50	0	21.12	21.15	21.01	20.58	20.74	20.71

OUTPUT POWER FOR 5G NR n71 (15.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				134100 670.5 MHz	136100 680.5 MHz	138100 690.5 MHz	134100 670.5 MHz	136100 680.5 MHz	138100 690.5 MHz
15.0	BPSK	1	0	25.22	25.38	25.18	24.65	24.80	24.69
		1	1	25.68	25.64	25.70	25.19	25.20	25.16
		1	77	25.68	25.70	25.68	25.13	25.12	25.14
		1	78	25.19	25.28	25.21	24.87	24.71	24.54
		36	18	25.67	25.64	25.68	25.13	25.13	25.10
		75	0	25.19	25.20	25.19	24.80	24.82	24.75
	QPSK	1	0	24.70	24.83	24.75	24.19	24.16	24.22
		1	1	25.64	25.68	25.60	25.17	25.14	25.11
		1	77	25.66	25.69	25.52	25.20	25.17	25.15
		1	78	24.66	24.68	24.73	24.18	24.37	24.12
		36	18	25.69	25.68	25.70	25.14	25.06	25.16
		75	0	24.80	24.67	24.66	24.25	24.21	24.37
	16QAM	1	0	23.71	23.51	23.54	23.21	23.19	23.07
		1	1	24.62	24.50	24.56	24.16	24.21	24.12
		1	77	24.71	24.71	24.62	24.19	24.18	24.20
		1	78	23.66	23.69	23.50	23.15	23.08	23.08
		36	18	24.71	24.55	24.55	24.19	24.15	24.10
		75	0	23.75	23.59	23.58	23.20	23.17	23.16
	64QAM	1	0	23.12	23.06	23.22	22.71	22.58	22.77
		1	1	23.11	23.12	23.19	22.78	22.74	22.50
		1	77	23.26	23.10	23.24	22.72	22.59	22.63
		1	78	23.23	23.17	23.10	22.59	22.67	22.59
		36	18	23.21	23.09	23.30	22.52	22.70	22.60
		75	0	23.20	23.08	23.02	22.72	22.69	22.62
	256QAM	1	0	21.25	21.11	21.00	20.50	20.70	20.68
		1	1	21.23	21.17	21.02	20.64	20.74	20.55
		1	77	21.20	21.34	21.25	20.65	20.60	20.71
		1	78	21.15	21.26	21.24	20.64	20.61	20.58
36		18	21.16	21.07	21.03	20.49	20.66	20.65	
75		0	21.22	21.10	21.01	20.60	20.69	20.68	

OUTPUT POWER FOR 5G NR n71 (20.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				134600	136600	137600	134600	136600	137600
				673.0 MHz	683.0 MHz	688.0 MHz	673.0 MHz	683.0 MHz	688.0 MHz
20.0	BPSK	1	0	25.27	25.21	25.27	24.63	24.82	24.84
		1	1	25.69	25.69	25.67	25.05	25.20	25.20
		1	104	25.66	25.69	25.66	25.19	25.16	25.17
		1	105	25.17	25.21	25.25	24.75	24.82	24.66
		50	25	25.66	25.69	25.63	25.19	25.20	25.15
		100	0	25.21	25.11	25.23	24.87	24.73	24.71
	QPSK	1	0	24.78	24.78	24.76	24.21	24.27	24.22
		1	1	25.65	25.68	25.69	25.20	25.14	25.20
		1	104	25.66	25.66	25.70	25.17	25.15	25.08
		1	105	24.79	24.85	24.78	24.24	24.11	24.26
		50	25	25.54	25.66	25.70	25.18	25.17	25.15
		100	0	24.81	24.69	24.80	25.17	24.20	24.31
	16QAM	1	0	23.69	23.65	23.67	23.23	23.21	23.20
		1	1	24.72	24.63	24.72	24.22	24.22	24.22
		1	104	24.70	24.63	24.71	24.19	24.18	24.19
		1	105	23.63	23.65	23.59	23.22	23.19	23.21
		50	25	24.66	24.64	24.70	24.21	24.18	24.21
		100	0	23.70	23.64	23.84	23.20	23.19	23.20
	64QAM	1	0	23.17	23.00	23.10	22.86	22.75	22.77
		1	1	23.19	23.27	23.29	22.67	22.84	23.08
		1	104	23.20	23.04	23.07	22.76	22.61	22.78
		1	105	23.19	23.08	23.38	22.83	22.69	22.78
		50	25	23.22	23.13	23.34	22.68	22.70	22.77
		100	0	23.26	23.15	23.33	22.80	22.70	22.77
	256QAM	1	0	21.28	21.09	21.35	20.54	20.69	20.84
		1	1	21.25	20.98	21.30	20.79	20.61	20.73
		1	104	21.32	21.02	21.27	20.71	20.80	20.88
		1	105	21.24	21.23	21.11	20.78	20.73	20.79
50		25	21.05	21.09	21.32	20.79	20.79	20.87	
100		0	21.06	21.12	21.28	20.81	20.77	20.88	

OUTPUT POWER FOR 5G NR n71 (25.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				135100 675.5 MHz	136100 680.5 MHz	137100 685.5 MHz	135100 675.5 MHz	136100 680.5 MHz	137100 685.5 MHz
25.0	BPSK	1	0	25.19	25.20	25.25	24.70	24.55	24.70
		1	1	25.65	25.68	25.65	25.18	25.19	25.19
		1	131	25.65	25.70	25.60	25.20	25.20	25.15
		1	132	25.26	25.20	25.20	24.75	24.62	24.71
		64	32	25.53	25.61	25.67	25.17	25.13	25.11
		128	0	25.20	25.25	25.19	24.70	24.71	24.77
	QPSK	1	0	24.62	24.69	24.73	24.20	23.90	24.19
		1	1	25.58	25.60	25.60	25.14	25.16	25.19
		1	131	25.63	25.67	25.64	25.16	25.20	25.13
		1	132	24.72	24.76	24.66	24.10	24.27	24.26
		64	32	25.64	25.67	25.65	25.18	25.17	25.13
		128	0	24.76	24.72	24.64	24.19	24.16	24.23
	16QAM	1	0	23.51	23.63	23.69	23.22	23.21	23.11
		1	1	24.56	24.71	24.69	24.20	24.26	24.21
		1	131	24.72	24.72	24.72	24.22	24.25	24.18
		1	132	23.67	23.62	23.69	23.21	23.21	23.15
		64	32	24.68	24.52	24.67	24.02	24.10	24.18
		128	0	23.60	23.55	23.65	23.03	23.05	23.15
	64QAM	1	0	23.13	23.14	23.09	22.68	22.56	22.61
		1	1	23.03	23.15	23.34	22.80	22.68	22.70
		1	131	23.44	23.19	23.30	22.78	22.80	22.60
		1	132	23.25	23.37	23.27	22.64	22.78	22.67
		64	32	23.12	23.04	23.38	22.60	22.59	22.55
		128	0	23.14	23.03	23.23	22.58	22.56	22.53
	256QAM	1	0	21.08	21.08	21.35	20.81	20.54	20.51
		1	1	21.23	21.17	21.36	20.79	20.42	20.57
		1	131	21.29	21.20	21.32	20.72	20.73	20.47
		1	132	21.28	21.17	21.25	20.70	20.60	20.61
		64	32	21.15	21.05	21.33	20.57	20.57	20.52
		128	0	21.16	21.07	21.33	20.56	20.57	20.54

OUTPUT POWER FOR 5G NR n71 (30.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Ant 1			Ant 2		
				Conducted Average (dBm)			Conducted Average (dBm)		
				135600 678.0 MHz	N/A N/A	136600 683.0 MHz	135600 678.0 MHz	N/A N/A	136600 683.0 MHz
30.0	BPSK	1	0	25.21		25.33	24.52		24.64
		1	1	25.62		25.65	25.15		25.17
		1	158	25.70		25.69	25.20		25.13
		1	159	25.27		25.25	24.75		24.66
		80	40	25.69		25.65	25.15		25.13
		160	0	25.40		25.23	24.73		24.67
	QPSK	1	0	24.71		24.73	24.26		24.18
		1	1	25.68		25.62	25.12		25.16
		1	158	25.69		25.66	25.19		25.10
		1	159	24.72		24.68	24.06		24.21
		80	40	25.68		25.61	25.09		25.08
		160	0	24.87		24.83	24.16		24.12
	16QAM	1	0	23.67		23.70	23.37		23.21
		1	1	24.65		24.61	24.13		24.21
		1	158	24.62		24.70	24.20		24.22
		1	159	23.59		23.66	23.22		23.23
		80	40	24.70		24.66	24.21		24.22
		160	0	23.72		23.64	23.23		23.31
	64QAM	1	0	23.26		23.06	22.88		22.73
		1	1	23.14		23.29	22.71		22.67
		1	158	23.02		23.15	22.78		22.67
		1	159	23.17		23.25	22.69		22.78
		80	40	23.22		23.18	22.68		22.78
		160	0	23.26		23.17	22.54		22.78
	256QAM	1	0	21.14		20.97	20.67		20.80
		1	1	21.18		21.18	20.72		20.82
		1	158	21.05		21.14	20.75		20.70
		1	159	21.01		20.98	20.78		20.80
		80	40	21.02		21.17	20.85		20.59
		160	0	21.06		21.11	20.86		20.54

9. CONDUCTED TEST RESULTS

9.1. OCCUPIED BANDWIDTH

RULE PART(S)

FCC: §2.1049
ISED: RSS130§4.5

LIMITS

For reporting purposes only.

TEST PROCEDURE

The transmitter output was connected to a calibrated coaxial cable and coupler, the other end of which was connected to a spectrum analyzer. The occupied bandwidth was measured with the spectrum analyzer at the middle channel in each band. The 99% and -26dB bandwidths was also measured and recorded.

RESULTS

There is no limit required and power is the same for low, middle and high channel; therefore, only middle channel was tested.

LTE BAND 12

Band	Mode	RB Allocation/RB Offset	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 12	1.4MHz, QPSK	6/0	707.5	1.104	1.39
	1.4MHz, 16QAM			1.110	1.539
	3MHz, QPSK	15/0		2.716	3.06
	3MHz, 16QAM			2.711	3.07
	5MHz, QPSK	25/0		4.516	5.12
	5MHz, 16QAM			4.507	5.10
	10MHz, QPSK	50/0		9.012	10.14
	10MHz, 16QAM			9.003	9.94
	10MHz, QPSK	1/0		0.235	0.39

5G NR n12

Band	Mode	RB Allocation/RB Offset	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
5G NR n12	5MHz, BPSK	25/0	707.5	4.511	5.23
	5MHz, QPSK			4.509	5.24
	5MHz, 16QAM			4.502	5.23
	10MHz, BPSK	50/0		9.014	9.81
	10MHz, QPSK			8.975	9.84
	10MHz, 16QAM			8.982	9.95
	15MHz, BPSK	75/0		13.465	14.5
	15MHz, QPSK			13.457	14.63
	15MHz, 16QAM			13.462	14.52
	15MHz, BPSK	1/0		0.238	0.38

LTE BAND 13

Band	Mode	RB Allocation/RB Offset	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 13	5MHz, QPSK	25/0	782.0	4.522	5.19
	5MHz, 16QAM			4.511	5.17
	10MHz, QPSK	50/0		8.995	10.09
	10MHz, 16QAM			9.004	9.98
	10MHz, QPSK	1/0		0.242	0.41

LTE BAND 17

Band	Mode	RB Allocation/RB Offset	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 17	5MHz, QPSK	25/0	710.0	4.501	5.08
	5MHz, 16QAM			4.503	5.10
	10MHz, QPSK	50/0		8.977	9.93
	10MHz, 16QAM			8.985	9.99
	10MHz, QPSK	1/0		0.237	0.42


LTE BAND 71

Band	Mode	RB Allocation/RB Offset	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 71	5MHz, QPSK	25/0	680.5/683	4.516	5.22
	5MHz, 16QAM			4.520	5.19
	10MHz, QPSK	50/0		9.040	10.2
	10MHz, 16QAM			9.002	10.09
	15MHz, QPSK	75/0		13.488	15.01
	15MHz, 16QAM			13.499	14.95
	20MHz, QPSK	100/0		17.980	19.71
	20MHz, 16QAM			17.965	19.68
	20MHz, QPSK	1/0		0.265	0.42


5G NR n71

Band	Mode	RB Allocation/RB Offset	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
	5MHz, BPSK	25/0	680.5/683	4.494	5.11
	5MHz, QPSK			4.487	5.10
	5MHz, 16QAM			4.479	5.10
	10MHz, BPSK	50/0		8.937	9.78
	10MHz, QPSK			8.948	9.75
	10MHz, 16QAM			8.955	9.68
	15MHz, BPSK	75/0		13.448	14.36
	15MHz, QPSK			13.420	14.48
	15MHz, 16QAM			13.385	14.36
	20MHz, BPSK	100/0		17.880	18.95
	20MHz, QPSK			17.912	19.09
	20MHz, 16QAM			17.899	18.96
	25MHz, BPSK	128/0		22.955	24.33
	25MHz, QPSK			23.044	24.43
	25MHz, 16QAM			23.009	24.92
	30MHz, BPSK	160/0		28.609	30.16
	30MHz, QPSK			28.624	30.95
	30MHz, 16QAM			28.620	30.03
	30MHz, BPSK	1/0		0.276	0.46


9.1.2. LTE BAND 12




LTE B12 1.4MHz QPSK Middle Channel RB6-0




LTE B12 3MHz QPSK Middle Channel RB15-0



LTE B12 5MHz QPSK Middle Channel RB25-0







LTE B12 10MHz QPSK Middle Channel RB50-0




LTE B12 10MHz QPSK Middle Channel RB1-0

Intentionally Blank


9.1.3. 5G NR n12




9.1.4. LTE BAND 13




9.1.5. LTE BAND 17




9.1.6. LTE BAND 71




LTE B71 5MHz QPSK Middle Channel RB25-0




LTE B71 10MHz QPSK Middle Channel RB50-0



LTE B71 15MHz QPSK Middle Channel RB75-0









LTE B71 20MHz QPSK Middle Channel RB100-0




LTE B71 20MHz QPSK Middle Channel RB1-0

Intentionally Blank

9.1.7. 5G NR n71





9.2. EMISSION MASK AND ADJACENT CHANNEL POWER

LIMITS (BAND 12, 17, 71)

FCC: §27.53

(g) For operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log (P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

ISED: RSS130§4.7

4.7.1 General unwanted emissions limits

The unwanted emissions in any 100 kHz bandwidth on any frequency outside the low frequency edge and the high frequency edge of each frequency block range(s), shall be attenuated below the transmitter power, P (dBW), by at least $43 + 10 \log_{10} p$ (watts), dB. However, in the 100 kHz band immediately outside of the equipment's frequency block range, a resolution bandwidth of 30 kHz may be employed.

LIMITS (BAND 13)

FCC: §27.53

(c) For operations in the 746-758 MHz band and the 776-788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:

(2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log (P)$ dB;

(4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $65 + 10 \log (P)$ dB in a 6.25 kHz band segment, for mobile and portable stations;

(5) Compliance with the provisions of paragraphs (c)(2) of this section is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater. However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 30 kHz may be employed;

(6) Compliance with the provisions of paragraphs (c)(4) of this section is based on the use of measurement instrumentation such that the reading taken with any resolution bandwidth setting should be adjusted to indicate spectral energy in a 6.25 kHz segment.

(f) Emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals. (-70 dBW/MHz = -40dBm/MHz).

ISED: RSS130§4.7

4.7.1 General unwanted emissions limits

The unwanted emissions in any 100 kHz bandwidth on any frequency outside the low frequency edge and the high frequency edge of each frequency block range(s), shall be attenuated below the transmitter power, P (dBW), by at least $43 + 10 \log_{10} p$ (watts), dB. However, in the 100 kHz band immediately outside of the equipment's frequency block range, a resolution bandwidth of 30 kHz may be employed.

4.7.2 Additional unwanted emissions limits

In addition to the limit outlined in section 4.7.1 above, equipment operating in the frequency bands 746-756 MHz and 777-787 MHz shall also comply with the following restrictions:

- (a) the power of any unwanted emissions in any 6.25 kHz bandwidth for all frequencies between 763-775 MHz and 793-806 MHz shall be attenuated below the transmitter power, P (dBW), by at least:
 - i. $76 + 10 \log_{10} p$ (watts), dB, for base and fixed equipment and
 - ii. $65 + 10 \log_{10} p$ (watts), dB, for mobile and portable equipment
- (b) the e.i.r.p. in the band 1559-1610 MHz shall not exceed -70 dBW/MHz for wideband signal and -80 dBW for discrete emission with bandwidth less than 700 Hz.

TEST PROCEDURE

For Spectrum Emission Mask plots, the spectrum analyzer is configured to sweep with a moving integration window, the width of which can be adjusted to different sizes across the sweep. The window width is configured to be greater than or equal to the required reference bandwidth. The center frequencies of the integration window for the different integration windows was set such that the upper and lower edges of the windows are aligned with the transition points in the reference bandwidths. This is achieved by setting the start / stop frequencies of the window with an offset equal to the reference bandwidth / 2 from the transition point.


The transmitter output was connected to a base station simulator and configured to operate at maximum power. The band edge emissions were measured at the required operating frequencies in each band on the Spectrum Analyzer.

For each band edge measurement:


1. Set the spectrum analyzer span to include the block edge frequency.
2. Set a marker to point the corresponding band edge frequency in each test case.
3. Set display line at each different band's requirement limits
4. Set resolution bandwidth to at least 1% of emission bandwidth.

RESULTS


9.2.1. LTE BAND 12




LTE B12 1.4MHz QPSK Low Channel RB1-0




LTE B12 1.4MHz QPSK Middle Channel RB1-0




LTE B12 1.4MHz QPSK Low Channel RB1-5




LTE B12 1.4MHz QPSK Middle Channel RB1-5




LTE B12 1.4MHz QPSK Low Channel RB6-0




LTE B12 1.4MHz QPSK Middle Channel RB6-0




LTE B12 1.4MHz QPSK High Channel RB1-0




LTE B12 3MHz QPSK Low Channel RB1-0




LTE B12 1.4MHz QPSK High Channel RB1-5



LTE B12 3MHz QPSK Low Channel RB1-14



LTE B12 1.4MHz QPSK High Channel RB6-0



LTE B12 3MHz QPSK Low Channel RB15-0





