

TEST SETUP PHOTOS

Report Number: 15496240-EP1V1

TABLE OF CONTENTS

1. SCOPE	3
2. SETUP PHOTOS.....	4
2.1. 2.4GHz/5GHz/6GHz TECHNOLOGIES	4
2.2. NFC TECHNOLOGY	8
2.2 WWAN TECHNOLOGIES	11
2.3 ORIENTATIONS	12
2.4 DYNAMIC FREQUENCY SELECTION.....	13
2.5 CONTENTION PROTOCOL	14

1. SCOPE


The purpose of this document is to show test setup diagrams and photos for the following reports

Reports
15496240

2. SETUP PHOTOS

2.1. 2.4GHz/5GHz/6GHz TECHNOLOGIES

ANTENNA PORT AND AC LINE CONDUCTED SETUP




RF ANTENNA PORT CONDUCTED



AC LINE CONDUCTED (FRONT)






AC LINE CONDUCTED (BACK)









AC LINE CONDUCTED WITH HOST (FRONT)



AC LINE CONDUCTED WITH HOST (BACK)

RADIATED RF MEASUREMENT SETUP**FCC BELOW 30MHz (FRONT)****FCC BELOW 30MHz (BACK)****FCC BELOW 1GHz X-Axis Front****FCC BELOW 1GHz X-Axis Back****FCC BELOW 1GHz Y-Axis Front****FCC BELOW 1GHz Y-Axis Back**


**FCC BELOW 1GHz Z-Axis Front****FCC BELOW 1GHz Z-Axis Back****ABOVE 1GHz X-Axis Front****ABOVE 1GHz X-Axis Back****ABOVE 1GHz Y-Axis Front****ABOVE 1GHz Y-Axis Back**



**ABOVE 1GHz Z-Axis Front****ABOVE 1GHz Z-Axis Back**



2.2. NFC TECHNOLOGY

FREQ TOLERANCE AND AC LINE CONDUCTED SETUP

FREQUENCY STABILITY




Radiated RF Measurement Setup**FCC BELOW 30MHz (FRONT)****FCC BELOW 30MHz (BACK)****FCC BELOW 1GHz X-Axis Front****FCC BELOW 1GHz X-Axis Back****FCC BELOW 1GHz Y-Axis Front****FCC BELOW 1GHz Y-Axis Back**


**FCC BELOW 1GHz Z-Axis Front****FCC BELOW 1GHz Z-Axis Back**

2.2 WWAN TECHNOLOGIES


FREQUENCY STABILITY



RF ANTENNA PORT CONDUCTED



RADIATED (FRONT)



RADIATED (BACK)

2.3 ORIENTATIONS




X-ORIENTATION



Y-ORIENTATION




Z-ORIENTATION



Zoom Out

2.4 DYNAMIC FREQUENCY SELECTION



EUT (FRONT)



EUT (SIDE)



CLIENT MODE



CLIENT-TO-CLIENT COMMUNICATIONS
MODE



PEER TO PEER MODE / EUT



PEER TO PEER MODE / PEER SLAVE
DEVICE

2.5 CONTENTION PROTOCOL



WLAN CBP (FRONT)



WLAN CBP (SIDE)

END OF REPORT