



9.7.10. LOW POWER BLE TXBF (125kbps)


Note: Test procedures and setting are same as BLE normal mode.




LOW CHANNEL BANDEDGE ANT 2




LOW CHANNEL OUT-OF-BAND ANT 2




MID CHANNEL REFERENCE ANT 2




MID CHANNEL OUT-OF-BAND ANT 2




HIGH CHANNEL BANDEDGE ANT 2




HIGH CHANNEL OUT-OF-BAND ANT 2




LOW CHANNEL BANDEDGE ANT 1




LOW CHANNEL OUT-OF-BAND ANT 1




MID CHANNEL REFERENCE ANT 1



MID CHANNEL OUT-OF-BAND ANT 1




HIGH CHANNEL REFERENCE ANT 1




HIGH CHANNEL OUT-OF-BAND ANT 1

9.7.11. LOW POWER BLE (1Mbps)


ANT 2




ANT 1

9.7.12. LOW POWER BLE TXBF (1Mbps)


Note: Test procedures and setting are same as BLE normal mode.




LOW CHANNEL BANDEDGE ANT 2




LOW CHANNEL OUT-OF-BAND ANT 2




MID CHANNEL REFERENCE ANT 2




MID CHANNEL OUT-OF-BAND ANT 2



HIGH CHANNEL BANDEDGE ANT 2




HIGH CHANNEL OUT-OF-BAND ANT 2




9.7.13. LOW POWER BLE (2Mbps)


ANT 2




LOW CHANNEL BANDEDGE




OUT-OF-BAND LOW CHANNEL




IN-BAND REFERENCE LEVEL



OUT-OF-BAND MID CHANNEL




HIGH CHANNEL BANDEDGE




OUT-OF-BAND HIGH CHANNEL

ANT 1




9.7.14. LOW POWER BLE TXBF (2Mbps)


Note: Test procedures and settings are the same as BLE normal mode.




LOW CHANNEL BANDEDGE ANT 2




LOW CHANNEL OUT-OF-BAND ANT 2




MID CHANNEL REFERENCE ANT 2




MID CHANNEL OUT-OF-BAND ANT 2



HIGH CHANNEL BANDEDGE ANT 2





HIGH CHANNEL OUT-OF-BAND ANT 2



9.7.15. LOW POWER BLE (HDT3)

ANT 2



ANT 1

9.7.16. LOW POWER BLE TXBF (HDT3)

Note: Test procedures and setting are same as BLE normal mode.

