



CERTIFICATION TEST REPORT

Report Number. : 16U23818-E12V3

Applicant : APPLE, INC.
1 INFINITE LOOP
CUPERTINO, CA 95014, U.S.A.

Model : A1709, A1852

FCC ID : BCGA1709

EUT Description : TABLET DEVICE

Test Standard(s) : FCC CFR47 PART 22H, 24E, 27 AND 90S

Date Of Issue:
March 22, 2017

Prepared by:
UL Verification Services Inc.
47173 Benicia Street
Fremont, CA 94538, U.S.A.
TEL: (510) 771-1000
FAX: (510) 661-0888

Revision History

NVLAP[®]
TESTING
NVLAP LAB CODE 200065-0

Rev.	Issue Date	Revisions	Revised By
V1	02/20/2017	Initial Review	Mengistu Mekuria
V2	03/06/2017	Addressed TCB's questions.	Devin Chang
V3	03/22/2017	Addressed TCB's questions.	Chin Pang

TABLE OF CONTENTS

1. ATTESTATION OF TEST RESULTS	8
2. TEST METHODOLOGY	9
3. FACILITIES AND ACCREDITATION	9
4. CALIBRATION AND UNCERTAINTY	10
4.1. MEASURING INSTRUMENT CALIBRATION	10
4.2. SAMPLE CALCULATION	10
4.3. MEASUREMENT UNCERTAINTY	10
5. EQUIPMENT UNDER TEST	11
5.1. DESCRIPTION OF EUT	11
5.2. DESCRIPTION OF MODELS DIFFERENCES.....	11
5.3. MAXIMUM OUTPUT POWER.....	11
5.3.1. ANTENNA C	11
5.3.2. ANTENNA D	16
5.4. SOFTWARE AND FIRMWARE.....	21
5.5. MAXIMUM ANTENNA GAIN.....	21
5.6. WORST-CASE CONFIGURATION AND MODE	22
5.7. DESCRIPTION OF TEST SETUP.....	23
6. TEST AND MEASUREMENT EQUIPMENT	25
7. TRANSMITTER OUTPUT POWER (CONDUCTED AND ERP/EIRP)	26
7.1. ANTENNA C	30
7.1.1. LTE BAND 2	30
7.1.2. LTE BAND 4	36
7.1.3. LTE BAND 5	42
7.1.4. LTE BAND 7	46
7.1.5. LTE BAND 12	50
7.1.6. LTE BAND 13	54
7.1.7. LTE BAND 17	56
7.1.8. LTE BAND 25	58
7.1.9. LTE BAND 26	64
7.1.10. LTE BAND 27.....	68
7.1.11. LTE BAND 30.....	72

7.1.12.	LTE BAND 41.....	74
7.2.	ANTENNA D.....	78
7.2.1.	LTE BAND 2.....	78
7.2.2.	LTE BAND 4.....	84
7.2.3.	LTE BAND 5.....	90
7.2.4.	LTE BAND 7.....	94
7.2.5.	LTE BAND 12.....	98
7.2.6.	LTE BAND 13.....	102
7.2.7.	LTE BAND 17.....	104
7.2.8.	LTE BAND 25.....	106
7.2.9.	LTE BAND 26.....	112
7.2.10.	LTE BAND 27.....	116
7.2.11.	LTE BAND 30.....	120
7.2.12.	LTE BAND 41.....	122
8.	CONDUCTED TEST RESULTS	126
8.1.	OCCUPIED BANDWIDTH	126
8.1.1.	LTE BAND 2.....	132
8.1.2.	LTE BAND 4.....	138
8.1.3.	LTE BAND 5.....	144
8.1.4.	LTE BAND 7.....	148
8.1.5.	LTE BAND 12.....	152
8.1.6.	LTE BAND 13.....	156
8.1.7.	LTE BAND 17.....	158
8.1.8.	LTE BAND 25.....	160
8.1.9.	LTE BAND 26.....	166
8.1.10.	LTE BAND 27.....	170
8.1.11.	LTE BAND 30.....	178
8.1.12.	LTE BAND 41.....	180
8.2.	BANDEDGE AND EMISSION MASK.....	184
8.2.1.	LTE BAND 2 BANDEDGE	187
8.2.2.	LTE BAND 4 BANDEDGE	211
8.2.3.	LTE BAND 5 BANDEDGE	235
8.2.4.	LTE BAND 7 ADJACENT CHANNEL POWER	251
8.2.5.	LTE BAND 12 BANDEDGE	275

8.2.6.	LTE BAND 13 ADJACENT CHANNEL POWER	291
8.2.7.	LTE BAND 17 BANDEDGE	299
8.2.8.	LTE BAND 25 BANDEDGE	307
8.2.9.	LTE BAND 26 EMISSION MASK	331
8.2.10.	LTE BAND 27 EMISSION MASK	353
8.2.11.	LTE BAND 30 ADJACENT CHANNEL POWER	375
8.2.12.	LTE BAND 41 ADJACENT CHANNEL POWER (FCC)	385
8.3.	OUT OF BAND EMISSIONS.....	409
8.3.1.	LTE BAND 2	411
8.3.2.	LTE BAND 4	429
8.3.3.	LTE BAND 5	447
8.3.4.	LTE BAND 7	459
8.3.5.	LTE BAND 12	471
8.3.6.	LTE BAND 13	483
8.3.7.	LTE BAND 17	487
8.3.8.	LTE BAND 25	493
8.3.9.	LTE BAND 26	511
8.3.10.	LTE BAND 27.....	521
8.3.11.	LTE BAND 30.....	531
8.3.12.	LTE BAND 41.....	544
8.4.	FREQUENCY STABILITY.....	556
8.4.1.	LTE BAND 2	557
8.4.2.	LTE BAND 4	558
8.4.3.	LTE BAND 5	559
8.4.4.	LTE BAND 7	560
8.4.5.	LTE BAND 12	561
8.4.6.	LTE BAND 13	562
8.4.7.	LTE BAND 17	563
8.4.8.	LTE BAND 25	564
8.4.9.	LTE BAND 26	565
8.4.10.	LTE BAND 27.....	566
8.4.11.	LTE BAND 30.....	567
8.4.12.	LTE BAND 41.....	568
8.5.	PEAK-TO-AVERAGE RATIO	570
8.5.1.	LTE BAND 2	571

8.5.2.	LTE BAND 4	577
8.5.3.	LTE BAND 5	583
8.5.4.	LTE BAND 7	587
8.5.5.	LTE BAND 12	591
8.5.6.	LTE BAND 13	595
8.5.7.	LTE BAND 17	597
8.5.8.	LTE BAND 25	599
8.5.9.	LTE BAND 26	605
8.5.10.	LTE BAND 27	609
8.5.11.	LTE BAND 30	613
8.5.12.	BAND 41	615
9.	RADIATED TEST RESULTS	616
9.1.	FIELD STRENGTH OF SPURIOUS RADIATION (ANTENNA C)	616
9.1.1.	LTE BAND 2	619
9.1.2.	LTE BAND 4	621
9.1.3.	LTE BAND 5	623
9.1.4.	LTE BAND 7	625
9.1.5.	LTE BAND 12	627
9.1.6.	LTE BAND 13	629
9.1.7.	LTE BAND 17	631
9.1.8.	LTE BAND 25	633
9.1.9.	LTE BAND 26	635
9.1.10.	LTE BAND 27	637
9.1.11.	LTE BAND 30	639
9.1.12.	LTE BAND 41	641
9.2.	FIELD STRENGTH OF SPURIOUS RADIATION (ANTENNA D)	643
9.2.1.	LTE BAND 2	643
9.2.2.	LTE BAND 4	645
9.2.3.	LTE BAND 5	647
9.2.4.	LTE BAND 7	649
9.2.5.	LTE BAND 12	651
9.2.6.	LTE BAND 13	653
9.2.7.	LTE BAND 17	655
9.2.8.	LTE BAND 25	657

9.2.9.	LTE BAND 26	659
9.2.10.	LTE BAND 27.....	661
9.2.11.	LTE BAND 30.....	663
9.2.12.	LTE BAND 41.....	665
10.	SETUP PHOTOS	667

1. ATTESTATION OF TEST RESULTS

COMPANY NAME: APPLE
1 INFINITE LOOP
CUPERTINO, CA 95014, U.S.A.

EUT DESCRIPTION: TABLET DEVICE

MODEL: A1709, A1852

SERIAL NUMBER: DLXSR05EHQG3 (CONDUCTED);
DLXSG09RHLXJ (RADIATED)


DATE TESTED: DECEMBER 10, 2016 – FEBRUARY 17, 2017

APPLICABLE STANDARDS	
STANDARD	TEST RESULTS
FCC CFR47 PART 22H, 24E, 27 and 90S	Pass

UL Verification Services Inc. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by UL Verification Services Inc. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Note: The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. This document may not be altered or revised in any way unless done so by UL Verification Services Inc. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Verification Services Inc. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, any agency of the Federal Government, or any agency of any government.

Approved & Released For
UL Verification Services Inc. By:



MENGISTU MEKURIA
SENIOR ENGINEER
UL VERIFICATION SERVICES INC.

Prepared By:



TINA CHU
EMC LAB ENGINEER
UL VERIFICATION SERVICES INC.

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with ANSI C63.26:2015, FCC CFR 47 Part 2, FCC KDB 971168 D01 v02r02, Part 22, Part 24, Part 27 and Part 90.

3. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 47173 and 47266 Benicia Street, Fremont, California, USA. The following table identifies which facilities were utilized for radiated emission measurements documented in this report. Specific facilities are also identified in the test results sections.

47173 Benicia Street	47266 Benicia Street
☐ Chamber A (IC:2324B-1)	☐ Chamber D (IC:2324B-4)
☐ Chamber B (IC:2324B-2)	☒ Chamber E (IC:2324B-5)
☐ Chamber C (IC:2324B-3)	☐ Chamber F (IC:2324B-6)
	☒ Chamber G (IC:2324B-7)
	☒ Chamber H (IC:2324B-8)

The above test sites and facilities are covered under FCC Test Firm Registration # 208313.

UL Verification Services Inc. is accredited by NVLAP, Laboratory Code 200065-0. The full scope of accreditation can be viewed at <http://ts.nist.gov/standards/scopes/2000650.htm>.

4. CALIBRATION AND UNCERTAINTY

4.1. MEASURING INSTRUMENT CALIBRATION

The measuring equipment utilized to perform the tests documented in this report has been calibrated in accordance with the manufacturer's recommendations, and is traceable to recognized national standards.

4.2. SAMPLE CALCULATION

Where relevant, the following sample calculation is provided:

$$\begin{aligned} \text{Field Strength (dBuV/m)} &= \text{Measured Voltage (dBuV)} + \text{Antenna Factor (dB/m)} + \\ &\text{Cable Loss (dB)} - \text{Preamplifier Gain (dB)} \\ 36.5 \text{ dBuV} + 18.7 \text{ dB/m} + 0.6 \text{ dB} - 26.9 \text{ dB} &= 28.9 \text{ dBuV/m} \end{aligned}$$

4.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	UNCERTAINTY
Conducted Disturbance, 9KHz to 0.15 MHz	3.84 dB
Conducted Disturbance, 0.15 to 30 MHz	3.65 dB
Radiated Disturbance, 9KHz to 30 MHz	3.15 dB
Radiated Disturbance, 30 to 1000 MHz	5.36 dB
Radiated Disturbance, 1000 to 18000 MHz	4.32 dB
Radiated Disturbance, 18000 to 26000 MHz	4.45 dB
Radiated Disturbance, 26000 to 40000 MHz	5.24 dB

Uncertainty figures are valid to a confidence level of 95%.

5. EQUIPMENT UNDER TEST

5.1. DESCRIPTION OF EUT

The EUT is a tablet with multimedia functions (music, application support, and video), Cellular GSM/GPRS/EGPRS/CDMA2000 1xRTT/1x Advanced/EVDO Rev.A /WCDMA /HSPA+/DC-HSDPA/LTE FDD & Carrier Aggregation/TDD/TD-SCDMA radio, IEEE 802.11a/b/g/n/ac radio, and Bluetooth radio. The rechargeable battery is not user accessible.

5.2. DESCRIPTION OF MODELS DIFFERENCES

Both Model A1709 and A1852 have identical PCB layout, design and functionality, except that A1709 supports second electronic-UICC based SIM or “soft SIM” (called eSIM) beside the regular UICC based SIM and A1852 will come with eSIM removed. RF and electromagnetic characteristic are independent of the eSIM element. Both Models have exactly same technology and band support. Model A1709 is used for EMC/RSE and that data will be used for both Models.

5.3. MAXIMUM OUTPUT POWER

The transmitter has a maximum conducted and ERP / EIRP output powers as follows:

5.3.1. ANTENNA C

OUTPUT POWER FOR LTE BAND 2

Part 24 / RSS 133 LTE Band 2				
Bandwidth (MHz)	Frequency Range	Modulation	EIRP (Average)	
			dBm	mW
1.4	1850 - 1910	QPSK	24.2	263.0
		16QAM	23.2	208.9
3		QPSK	24.1	257.0
		16QAM	23.2	208.9
5		QPSK	24.2	263.0
		16QAM	23.3	213.8
10		QPSK	24.1	257.0
		16QAM	23.4	218.8
15		QPSK	24.1	257.0
		16QAM	23.3	213.8
20		QPSK	24.1	257.0
		16QAM	23.5	223.9

OUTPUT POWER FOR LTE BAND 4

Part 27 / RSS 139 LTE Band 4				
Bandwidth (MHz)	Frequency Range	Modulation	EIRP (Average)	
			dBm	mW
1.4	1710-1755	QPSK	22.5	177.8
		16QAM	21.8	151.4
3		QPSK	22.6	182.0
		16QAM	21.9	154.9
5		QPSK	22.6	182.0
		16QAM	22.1	162.2
10		QPSK	22.4	173.8
		16QAM	21.7	147.9
15		QPSK	22.4	173.8
		16QAM	21.7	147.9
20		QPSK	22.5	177.8
		16QAM	21.5	141.3

OUTPUT POWER FOR LTE BAND 5 AND BAND 26 (FCC)

Part 22 /RSS 132 LTE Band 5 and Band 26				
Bandwidth (MHz)	Frequency Range	Modulation	ERP (Average)	
			dBm	mW
1.4	824 -849	QPSK	22.9	195.0
		16QAM	22.2	166.0
3		QPSK	22.9	195.0
		16QAM	22.3	169.8
5		QPSK	23.0	199.5
		16QAM	22.4	173.8
10		QPSK	23.1	204.2
		16QAM	22.3	169.8

OUTPUT POWER FOR LTE BAND 7

Part 27 / RSS 139 LTE Band 7				
Bandwidth (MHz)	Frequency Range	Modulation	EIRP (Average)	
			dBm	mW
5	2500-2570	QPSK	24.4	275.4
		16QAM	23.9	245.5
10		QPSK	24.2	263.0
		16QAM	23.5	223.9
15		QPSK	24.1	257.0
		16QAM	23.5	223.9
20		QPSK	24.4	275.4
		16QAM	23.9	245.5

OUTPUT POWER FOR LTE BAND 12

Part 27 /RSS 130 LTE Band 12				
Bandwidth (MHz)	Frequency Range	Modulation	ERP (Average)	
			dBm	mW
1.4	699-716	QPSK	22.5	177.8
		16QAM	21.8	151.4
3		QPSK	22.6	182.0
		16QAM	22.0	158.5
5		QPSK	22.5	177.8
		16QAM	21.9	154.9
10		QPSK	22.4	173.8
		16QAM	21.7	147.9

OUTPUT POWER FOR LTE BAND 13

Part 27 /RSS 130 LTE Band 13				
Bandwidth (MHz)	Frequency Range	Modulation	ERP (Average)	
			dBm	mW
5	777-787	QPSK	21.8	151.4
		16QAM	21.4	138.0
10		QPSK	21.8	151.4
		16QAM	20.9	123.0

OUTPUT POWER FOR LTE BAND 17

Part 27 /RSS 130 LTE Band 17				
Bandwidth (MHz)	Frequency Range	Modulation	ERP (Average)	
			dBm	mW
5	704-716	QPSK	22.2	166.0
		16QAM	21.7	147.9
10		QPSK	22.3	169.8
		16QAM	21.2	131.8

OUTPUT POWER FOR LTE BAND 25

Part 24 / RSS 133 LTE Band 25				
Bandwidth (MHz)	Frequency Range	Modulation	EIRP (Average)	
			dBm	mW
1.4	1850-1915	QPSK	24.3	269.2
		16QAM	23.5	223.9
3		QPSK	24.4	275.4
		16QAM	23.7	234.4
5		QPSK	24.3	269.2
		16QAM	23.6	229.1
10		QPSK	24.4	275.4
		16QAM	23.7	234.4
15		QPSK	24.1	257.0
		16QAM	23.6	229.1
20		QPSK	24.4	275.4
		16QAM	23.4	218.8

OUTPUT POWER FOR LTE BAND 26

Part 90 LTE Band 26				
Bandwidth (MHz)	Frequency Range	Modulation	ERP (Average)	
			dBm	mW
1.4	814-824	QPSK	22.5	177.8
		16QAM	21.7	147.9
3		QPSK	22.6	182.0
		16QAM	21.9	154.9
5		QPSK	22.5	177.8
		16QAM	21.8	151.4
10		QPSK	22.6	182.0
		16QAM	21.6	144.5

OUTPUT POWER FOR LTE BAND 27

Part 90 LTE Band 27				
Bandwidth (MHz)	Frequency Range	Modulation	ERP (Average)	
			dBm	mW
1.4	814-824	QPSK	21.5	141.3
		16QAM	20.7	117.5
3		QPSK	21.6	144.5
		16QAM	21.0	125.9
5		QPSK	21.5	141.3
		16QAM	21.1	128.8
10		QPSK	21.4	138.0
		16QAM	20.8	120.2

OUTPUT POWER FOR LTE BAND 30

Part 27 /RSS 195 LTE Band 30				
Bandwidth (MHz)	Frequency Range	Modulation	EIRP (Average)	
			dBm	mW
5	2305-2315	QPSK	21.9	154.9
		16QAM	21.4	138.0
10		QPSK	22.0	158.5
		16QAM	21.0	125.9

OUTPUT POWER FOR LTE BAND 41

Part 27 LTE Band 41				
Bandwidth (MHz)	Frequency Range	Modulation	EIRP (Average)	
			dBm	mW
5	2496-2690	QPSK	22.3	169.8
		16QAM	21.6	144.5
10		QPSK	22.4	173.8
		16QAM	21.7	147.9
15		QPSK	22.3	169.8
		16QAM	21.1	128.8
20		QPSK	22.5	177.8
		16QAM	21.9	154.9

5.3.2. ANTENNA D

OUTPUT POWER FOR LTE BAND 2

Part 24 / RSS 133 LTE Band 2				
Bandwidth (MHz)	Frequency Range	Modulation	EIRP (Average)	
			dBm	mW
1.4	1850 - 1910	QPSK	21.6	144.5
		16QAM	20.9	123.0
3		QPSK	21.7	147.9
		16QAM	20.9	123.0
5		QPSK	21.8	151.4
		16QAM	21.1	128.8
10		QPSK	21.7	147.9
		16QAM	20.9	123.0
15		QPSK	21.8	151.4
		16QAM	21.1	128.8
20		QPSK	21.7	147.9
		16QAM	21.2	131.8

OUTPUT POWER FOR LTE BAND 4

Part 27 / RSS 139 LTE Band 4				
Bandwidth (MHz)	Frequency Range	Modulation	EIRP (Average)	
			dBm	mW
1.4	1710-1755	QPSK	22.0	158.5
		16QAM	21.2	131.8
3		QPSK	22.1	162.2
		16QAM	21.5	141.3
5		QPSK	22.1	162.2
		16QAM	21.5	141.3
10		QPSK	22.1	162.2
		16QAM	21.4	138.0
15		QPSK	22.1	162.2
		16QAM	21.4	138.0
20		QPSK	22.2	166.0
		16QAM	21.6	144.5

OUTPUT POWER FOR LTE BAND 5 AND BAND 26 (FCC)

Part 22 /RSS 132 LTE Band 5 and Band 26				
Bandwidth (MHz)	Frequency Range	Modulation	ERP (Average)	
			dBm	mW
1.4	824 -849	QPSK	22.2	166.0
		16QAM	21.3	134.9
3		QPSK	22.1	162.2
		16QAM	21.3	134.9
5		QPSK	22.2	166.0
		16QAM	21.5	141.3
10		QPSK	22.0	158.5
		16QAM	21.3	134.9

OUTPUT POWER FOR LTE BAND 7

Part 27 / RSS 139 LTE Band 7				
Bandwidth (MHz)	Frequency Range	Modulation	EIRP (Average)	
			dBm	mW
5	2500-2570	QPSK	24.0	251.2
		16QAM	23.4	218.8
10		QPSK	24.0	251.2
		16QAM	23.2	208.9
15		QPSK	24.1	257.0
		16QAM	23.5	223.9
20		QPSK	24.1	257.0
		16QAM	23.4	218.8

OUTPUT POWER FOR LTE BAND 12

Part 27 /RSS 130 LTE Band 12				
Bandwidth (MHz)	Frequency Range	Modulation	ERP (Average)	
			dBm	mW
1.4	699-716	QPSK	19.1	81.3
		16QAM	18.3	67.6
3		QPSK	19.0	79.4
		16QAM	18.4	69.2
5		QPSK	19.0	79.4
		16QAM	18.5	70.8
10		QPSK	18.9	77.6
		16QAM	18.2	66.1

OUTPUT POWER FOR LTE BAND 13

Part 27 /RSS 130 LTE Band 13				
Bandwidth (MHz)	Frequency Range	Modulation	ERP (Average)	
			dBm	mW
5	777-787	QPSK	20.8	120.2
		16QAM	20.3	107.2
10		QPSK	20.8	120.2
		16QAM	19.8	95.5

OUTPUT POWER FOR LTE BAND 17

Part 27 /RSS 130 LTE Band 17				
Bandwidth (MHz)	Frequency Range	Modulation	ERP (Average)	
			dBm	mW
5	704-716	QPSK	19.0	79.4
		16QAM	18.4	69.2
10		QPSK	18.8	75.9
		16QAM	17.8	60.3

OUTPUT POWER FOR LTE BAND 25

Part 24 / RSS 133 LTE Band 25				
Bandwidth (MHz)	Frequency Range	Modulation	EIRP (Average)	
			dBm	mW
1.4	1850-1915	QPSK	21.8	151.4
		16QAM	21.0	125.9
3		QPSK	21.8	151.4
		16QAM	21.1	128.8
5		QPSK	21.7	147.9
		16QAM	21.2	131.8
10		QPSK	21.8	151.4
		16QAM	20.9	123.0
15		QPSK	21.7	147.9
		16QAM	21.0	125.9
20		QPSK	21.8	151.4
		16QAM	21.2	131.8

OUTPUT POWER FOR LTE BAND 26

Part 90 LTE Band 26				
Bandwidth (MHz)	Frequency Range	Modulation	ERP (Average)	
			dBm	mW
1.4	814-824	QPSK	22.1	162.2
		16QAM	21.2	131.8
3		QPSK	22.1	162.2
		16QAM	21.1	128.8
5		QPSK	22.1	162.2
		16QAM	21.2	131.8
10		QPSK	22.0	158.5
		16QAM	21.0	125.9

OUTPUT POWER FOR LTE BAND 27

Part 90 LTE Band 27				
Bandwidth (MHz)	Frequency Range	Modulation	ERP (Average)	
			dBm	mW
1.4	814-824	QPSK	20.1	102.3
		16QAM	19.4	87.1
3		QPSK	20.0	100.0
		16QAM	19.4	87.1
5		QPSK	20.1	102.3
		16QAM	19.5	89.1
10		QPSK	20.1	102.3
		16QAM	19.1	81.3

OUTPUT POWER FOR LTE BAND 30

Part 27 /RSS 195 LTE Band 30				
Bandwidth (MHz)	Frequency Range	Modulation	EIRP (Average)	
			dBm	mW
5	2305-2315	QPSK	21.4	138.0
		16QAM	20.9	123.0
10		QPSK	21.5	141.3
		16QAM	20.5	112.2

OUTPUT POWER FOR LTE BAND 41

Part 27 LTE Band 41				
Bandwidth (MHz)	Frequency Range	Modulation	EIRP (Average)	
			dBm	mW
5	2496-2690	QPSK	22.6	182.0
		16QAM	21.9	154.9
10		QPSK	22.4	173.8
		16QAM	21.7	147.9
15		QPSK	22.6	182.0
		16QAM	21.9	154.9
20		QPSK	22.6	182.0
		16QAM	22.0	158.5

5.4. SOFTWARE AND FIRMWARE

The EUT software installed during testing was 14E22020w and firmware was 1.54.09.

5.5. MAXIMUM ANTENNA GAIN

Please see table below:

LTE BANDS	Antenna C Antenna Gain (dBi)	Antenna D Antenna Gain (dBi)
LTE Band 2, 1850 – 1910 MHz	-0.47	-0.76
LTE Band 4, 1710 – 1755 MHz	-2.25	-1.38
LTE Band 5, 824 – 849 MHz	0.49	0.36
LTE Band 7, 2500 – 2570 MHz	-0.46	0.53
LTE Band 12, 699 – 716 MHz	-0.16	-1.65
LTE Band 13, 777 – 787 MHz	-0.42	0.01
LTE Band 17, 704 – 716 MHz	-0.16	-1.65
LTE Band 25, 1850 – 1915 MHz	-0.47	-0.76
LTE Band 26, 814 – 824 MHz	0.06	0.22
LTE Band 27, 814 – 824 MHz	0.06	0.22
LTE Band 30, 2305 – 2315 MHz	-0.22	-0.55
LTE Band 41, 2496 – 2690 MHz	-0.46	0.56

5.6. WORST-CASE CONFIGURATION AND MODE

The worst-case scenario for all measurements is based on the investigation results.

The device has LTE Bands of:

Band 2, Band 4, Band 5, Band 7, Band 12, Band 13, Band 17, Band 25, Band 26, Band 27, Band 30, and Band 41.

LTE Band 26 (824-849MHz) is covered by LTE Band 5 because of the same frequency range, output power, and supported bandwidths.

The RB Size was selected to measure for peak or average ERP and EIRP, which was based on the conducted power verification baseline data.

Tests were performed on the conducted test at Antenna C as worst case since it has higher output powers.

The EUT was investigated in three orthogonal orientations X/Y/Z, it was determined that: Antenna C: X (Flatbed) orientation was worst-case orientation for cell bands without AC/DC adapter and headset; Z (Portrait) orientation was worst-case orientation for pcs bands without AC/DC adapter and headset; Y (Landscape) orientation was worst orientation for Band 30, Band 41 and Band 7 without AC/DC adapter and headset.

Antenna D: X (Flatbed) orientation was worst-case orientation for cell bands without AC/DC adapter and headset; Y (Landscape) orientation was worst-case orientation for pcs bands without AC/DC adapter and headset; Y (Landscape) orientation was worst orientation for Band 30, Band 41 and Band 7 without AC/DC adapter and headset.

Radiated spurious emissions were investigated below 30MHz and 30MHz - 1GHz and above 1GHz. There were no emissions found on below 30MHz and 30MHz - 1GHz.

5.7. DESCRIPTION OF TEST SETUP

TESTS SUPPORT EQUIPMENT

Support Equipment List			
Description	Manufacturer	Model	Serial Number
Laptop AC Adapter	Dell	PA-1900-02D	N/A
Laptop	Dell	Latitude 3540	N/A
DC power supply	Sorensen	XT-20-3	N/A

I/O CABLES (RF CONDUCTED TEST)

I/O Cable List						
Cable No	Port	# of identical ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	AC	3	US 115V	Un-shielded	2m	N/A
2	DC	1	DC	Un-shielded	1.4m	N/A
3	RF In/Out	1	EUT	Un-shielded	0.4m	N/A
4	RF In/Out	1	Barrel	N/A	N/A	N/A
5	RF In/Out	1	Communication Test Set	Un-shielded	1m	N/A


I/O CABLES (RF RADIATED TEST)

I/O Cable List						
Cable No	Port	# of identical ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	RF In/Out	1	Antenna	Un-shielded	5m	NA


TEST SETUP

SETUP DIAGRAM FOR TESTS

CONDUCTED SETUP



RADIATED SETUP



6. TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment was utilized for the tests documented in this report:

TEST EQUIPMENT LIST				
Description	Manufacturer	Model	Asset	Cal Due
Antenna, Horn 1-18GHz	ETS Lindgren	3117	T300	11/10/17
Antenna, Broadband Hybrid, 30MHz to 2000MHz	Sunol Sciences	JB3	T426	9/23/2017
Amplifier, 1 to 18GHz	Miteq	AFS42-00101800-25-S-	T243	10/11/2017
Amplifier, 10KHz to 1GHz, 32dB	Sonoma	310N	T285	6/20/2017
Spectrum Analyzer, PXA 3Hz to 44GHz	Keysight	N9030A	T1613	9/23/2017
Antenna, Horn 1-18GHz	ETS Lindgren	3117	T862	4/18/2017
Antenna, Broadband Hybrid, 30MHz to 2000MHz	Sunol Sciences	JB3	T899	5/26/2017
Amplifier, 1 to 18GHz	Miteq	AFS42-00101800-25-S-	T491	5/31/2017
Amplifier, 10KHz to 1GHz, 32dB	Sonoma	310N	T834	6/17/2017
Spectrum Analyzer, PXA 3Hz to 44GHz	Keysight	N9030A-544	T1210	6/30/2017
Antenna, Horn 1-18GHz	ETS Lindgren	3117	T863	4/26/2017
Antenna, Broadband Hybrid, 30MHz to 2000MHz	Sunol Sciences	JB3	T900	5/3/2017
Amplifier, 1 to 18GHz, 35dB	Ampical	AMP1G18-35	T1569	9/15/2017
Amplifier, 10KHz to 1GHz, 32dB	Sonoma	310N	T835	6/18/2017
* Spectrum Analyzer, PXA 3Hz to 44GHz	Keysight	N9030A	T906	2/03/2017
Spectrum Analyzer, PSA 3Hz to 44GHz	Keysight	E4446A	T123	10/20/2017
Directional Coupler	KRYTAR	152610	T1536	4/11/2017
Directional Coupler	KRYTAR	152610	T1537	4/11/2017
Power Meter, P-series single channel	Keysight	N1912A	T1245	5/03/2017
Power Sensor, P - series, 50MHz to 18GHz, Wideband	Keysight	N1921A	T1226	5/18/2017
* Filter, HPF 3.0GHz	MICROTRONICS	HPM17543	T487	1/26/2017
Filter, HPF 1.2GHz	Micro-Tronics	WHKX1.2/15G-6ST	T1182	5/31/2017
Spectrum Analyzer, PXA, 3Hz to 44GHz	Keysight	N9030A	T1466	3/09/2017
Wideband Communication Test Set, Call Box	R&S GmbH & Co. KG	CMW500	T959	7/09/2017
Wideband Communication Test Set, Call Box	R&S GmbH & Co. KG	CMW500	T971	8/05/2017
Chamber, Environmental	Cincinnati Sub Zero	ZPHS-8-3.5-SCT/WC	T1154	3/12/2017
Wideband Communication Test Set, Call Box	Rohde & Schwarz	CMW500	T260	7/20/2017
Antenna, Horn 1-18GHz	Emco	3115	T59	11/18/2017
Antenna, Horn 18 to 26.5GHz	ARA	MWH-1826/B	T447	06/16/2017
Amplifier, 1 to 26.5GHz, 23.5dB Gain minimum	Keysight	8449B	T402	07/05/2017
Amplifier, 26.5GHz to 40GHz	Miteq	NSP 4000 SP2	T88	04/07/2017
Antenna, Horn 26.5GHz to 40GHz	ARA	MWH-2640/B	T446	05/25/2017

NOTE: * testing is completed before equipment calibration expiration date.

7. TRANSMITTER OUTPUT POWER (CONDUCTED AND ERP/EIRP)

CONDUCTED OUTPUT POWER MEASUREMENT PROCEDURE

All LTE bands conducted power peak and average are obtained from the CMW500 telecommunication test set.

The following tests were conducted according to the test requirements outlined in section 6.2 of the 3GPP TS36.101 specification.

UE Power Class: 3 (23 +/- 2dBm). The allowed Maximum Power Reduction (MPR) for the maximum output power due to higher order modulation and transmit bandwidth configuration (resource blocks) is specified in Table 6.2.3-1 of the 3GPP TS36.101.

Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 3

Modulation	Channel bandwidth / Transmission bandwidth (RB)						MPR (dB)
	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz	
QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1
16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1
16 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2

The allowed A-MPR values specified below in Table 6.2.4.-1 of 3GPP TS36.101 are in addition to the allowed MPR requirements. All the measurements below were performed with A-MPR disabled, by using Network Signaling Value of "NS_01".3

Table 6.2.4-1: Additional Maximum Power Reduction (A-MPR)

Network Signalling value	Requirements (sub-clause)	E-UTRA Band	Channel bandwidth (MHz)	Resources Blocks (N_{RB})	A-MPR (dB)
NS_01	6.6.2.1.1	Table 5.5-1	1.4, 3, 5, 10, 15, 20	Table 5.6-1	NA
NS_03	6.6.2.2.1	2, 4, 10, 23, 25, 35, 36	3	>5	≤ 1
			5	>6	≤ 1
			10	>6	≤ 1
			15	>8	≤ 1
			20	>10	≤ 1
NS_04	6.6.2.2.2	41	5	>6	≤ 1
			10, 15, 20	See Table 6.2.4-4	
NS_05	6.6.3.3.1	1	10,15,20	≥ 50	≤ 1
NS_06	6.6.2.2.3	12, 13, 14, 17	1.4, 3, 5, 10	Table 5.6-1	n/a
NS_07	6.6.2.2.3	13	10	Table 6.2.4-2	Table 6.2.4-2
	6.6.3.3.2				
NS_08	6.6.3.3.3	19	10, 15	> 44	≤ 3
NS_09	6.6.3.3.4	21	10, 15	> 40	≤ 1
				> 55	≤ 2
NS_10		20	15, 20	Table 6.2.4-3	Table 6.2.4-3
NS_11	6.6.2.2.1	23 ¹	1.4, 3, 5, 10	Table 6.2.4-5	Table 6.2.4-5
..					
NS_32	-	-	-	-	-

Note 1: Applies to the lower block of Band 23, i.e. a carrier placed in the 2000-2010 MHz region.

ERP/EIRP LIMIT

FCC: §2.1046, §22.913, §24.232, §27.50 and §90.635

22.913(a) - The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 Watts.

24.232(c) - Mobile/portable stations are limited to 2 watts e.i.r.p. peak power and the equipment must employ means to limit the power to the minimum necessary for successful communications.

27.50 (c) (10) the following power and antenna height requirements apply to stations transmitting in the 698–746 MHz band, the portable stations (hand-held devices) are limited to 3 watts ERP.

27.50 (b)(10) Portable stations (hand-held devices) transmitting in the 746–757 MHz, 758–763 MHz, 776–793 MHz, and 805–806 MHz bands are limited to 3 watts ERP.

27.50 (d)(4) The following power and antenna height requirements apply to stations transmitting in the 1710–1755 MHz and 2110–2155 MHz bands: Fixed, mobile, and portable (hand-held) stations operating in the 1710–1755 MHz band are limited to 1 watt EIRP

§90.635 Limitations on power and antenna height.

(a) The effective radiated power and antenna height for base stations may not exceed 1 kilowatt (30 dBw) and 304 m. (1,000 ft.) above average terrain (AAT), respectively, or the equivalent thereof as determined from the Table. These are maximum values, and applicants will be required to justify power levels and antenna heights requested.

(b) The maximum output power of the transmitter for mobile stations is 100 watts (20 dBw).

Table—Equivalent Power and Antenna Heights for Base Stations in the 851–869 MHz and 935–940 MHz Bands Which Have a Requirement for a 32 km (20 mi) Service Area Radius

Antenna height (ATT) meters (feet)	Effective radiated power (watts) ^{1 2 4}
Above 1,372 (4,500)	65
Above 1,220 (4,000) to 1,372 (4,500)	70
Above 1,067 (3,500) to 1,220 (4,000)	75
Above 915 (3,000) to 1,067 (3,500)	100
Above 763 (2,500) to 915 (3,000)	140
Above 610 (2,000) to 763 (2,500)	200
Above 458 (1,500) to 610 (2,000)	350
Above 305 (1,000) to 458 (1,500)	600
Up to 305 (1,000)	³ 1,000

¹Power is given in terms of effective radiated power (ERP).

²Applicants in the Los Angeles, CA, area who demonstrate a need to serve both the downtown and fringe areas will be permitted to utilize an ERP of 1 kw at the following mountaintop sites: Santiago Park, Sierra Peak, Mount Lukens, and Mount Wilson.

³Stations with antennas below 305 m (1,000 ft) (AAT) will be restricted to a maximum power of 1 kw (ERP).

⁴Licensees in San Diego, CA, will be permitted to utilize an ERP of 500 watts at the following mountaintop sites: Palomar, Otay, Woodson and Miguel.

In addition, when the transmitter power is measured in terms of average value, the peak-to-average ratio of the power shall not exceed 13 dB.

TEST PROCEDURE

ANSI C63.26:2015/ TIA / EIA 603-D Clause 2.2.17
KDB 971168 Section 5.6

$$\text{ERP/EIRP} = \text{PMeas} + \text{GT} - \text{LC}$$

where: ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the same units as PMeas, typically dBW or dBm);

PMeas = measured transmitter output power or PSD, in dBm or dBW;

GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

LC = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

MODES TESTED

- LTE Band 2
- LTE Band 4
- LTE Band 5
- LTE Band 7
- LTE Band 12
- LTE Band 13
- LTE Band 17
- LTE Band 25
- LTE Band 26
- LTE Band 27
- LTE Band 30
- LTE Band 41

RESULTS

7.1. ANTENNA C

7.1.1. LTE BAND 2

ID:	50820	Date:	12/17/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 2 (1.4MHz)

Antenna gain (dBi)		-0.47							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
1.4	18607	1850.7	QPSK	1	0	24.7	24.2	33.0	-8.8
				1	2	24.3	23.8	33.0	-9.2
				1	5	24.3	23.8	33.0	-9.2
				3	0	24.4	23.9	33.0	-9.1
				3	1	24.4	23.9	33.0	-9.1
				3	2	24.5	24.0	33.0	-9.0
				6	0	23.7	23.2	33.0	-9.8
			16QAM	1	0	23.6	23.1	33.0	-9.9
				1	2	23.6	23.2	33.0	-9.8
				1	5	23.6	23.1	33.0	-9.9
				3	0	23.6	23.2	33.0	-9.8
				3	1	23.7	23.2	33.0	-9.8
				3	2	23.7	23.2	33.0	-9.8
				6	0	22.7	22.2	33.0	-10.8
1.4	18900	1880.0	QPSK	1	0	24.5	24.0	33.0	-9.0
				1	2	24.3	23.8	33.0	-9.2
				1	5	24.3	23.8	33.0	-9.2
				3	0	24.4	23.9	33.0	-9.1
				3	1	24.4	23.9	33.0	-9.1
				3	2	24.4	23.9	33.0	-9.1
				6	0	23.3	22.8	33.0	-10.2
			16QAM	1	0	23.6	23.1	33.0	-9.9
				1	2	23.5	23.0	33.0	-10.0
				1	5	23.6	23.2	33.0	-9.9
				3	0	23.6	23.1	33.0	-9.9
				3	1	23.6	23.1	33.0	-9.9
				3	2	23.7	23.2	33.0	-9.8
				6	0	22.5	22.0	33.0	-11.0
1.4	19193	1909.3	QPSK	1	0	24.6	24.2	33.0	-8.8
				1	2	24.3	23.9	33.0	-9.1
				1	5	24.2	23.8	33.0	-9.2
				3	0	24.4	23.9	33.0	-9.1
				3	1	24.4	23.9	33.0	-9.1
				3	2	24.4	24.0	33.0	-9.1
				6	0	23.6	23.1	33.0	-9.9
			16QAM	1	0	23.5	23.1	33.0	-9.9
				1	2	23.6	23.1	33.0	-9.9
				1	5	23.5	23.1	33.0	-10.0
				3	0	23.6	23.1	33.0	-9.9
				3	1	23.7	23.2	33.0	-9.8
				3	2	23.7	23.2	33.0	-9.8
				6	0	22.6	22.1	33.0	-10.9

OUTPUT POWER FOR LTE BAND 2 (3.0 MHz)

Antenna Gain (dBi)		-0.47							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
3.0	18615	1851.5	QPSK	1	0	24.3	23.8	33.0	-9.2
				1	7	24.3	23.8	33.0	-9.2
				1	14	24.1	23.6	33.0	-9.4
				8	0	23.2	22.7	33.0	-10.3
				8	4	23.2	22.7	33.0	-10.3
				8	7	23.2	22.7	33.0	-10.3
				15	0	23.2	22.7	33.0	-10.3
			16QAM	1	0	23.4	22.9	33.0	-10.1
				1	7	23.5	23.0	33.0	-10.0
				1	14	23.4	22.9	33.0	-10.1
				8	0	22.6	22.1	33.0	-10.9
				8	4	22.6	22.1	33.0	-10.9
				8	7	22.6	22.1	33.0	-10.9
				15	0	22.3	21.9	33.0	-11.1
3.0	18900	1880.0	QPSK	1	0	24.6	24.1	33.0	-8.9
				1	7	24.4	24.0	33.0	-9.1
				1	14	24.5	24.0	33.0	-9.0
				8	0	23.2	22.8	33.0	-10.2
				8	4	23.2	22.8	33.0	-10.2
				8	7	24.3	23.8	33.0	-9.2
				15	0	23.3	22.8	33.0	-10.2
			16QAM	1	0	23.7	23.2	33.0	-9.8
				1	7	23.7	23.2	33.0	-9.8
				1	14	23.3	22.8	33.0	-10.2
				8	0	22.5	22.0	33.0	-11.0
				8	4	22.5	22.0	33.0	-11.0
				8	7	22.5	22.1	33.0	-10.9
				15	0	22.5	22.0	33.0	-11.0
3.0	19185	1908.5	QPSK	1	0	24.4	23.9	33.0	-9.1
				1	7	24.2	23.7	33.0	-9.3
				1	14	24.1	23.6	33.0	-9.4
				8	0	23.2	22.8	33.0	-10.2
				8	4	23.2	22.7	33.0	-10.3
				8	7	23.2	22.7	33.0	-10.3
				15	0	23.2	22.7	33.0	-10.3
			16QAM	1	0	23.5	23.0	33.0	-10.0
				1	7	23.4	22.9	33.0	-10.1
				1	14	23.3	22.8	33.0	-10.2
				8	0	22.3	21.8	33.0	-11.2
				8	4	22.3	21.8	33.0	-11.2
				8	7	22.3	21.8	33.0	-11.2
				15	0	22.4	21.9	33.0	-11.1

OUTPUT POWER FOR LTE BAND 2 (5.0 MHz)

Antenna Gain (dBi)		-0.47							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5.0	18625	1852.5	QPSK	1	0	24.3	23.8	33.0	-9.2
				1	12	24.3	23.8	33.0	-9.2
				1	24	24.3	23.8	33.0	-9.2
				12	0	23.3	22.8	33.0	-10.2
				12	6	23.3	22.8	33.0	-10.2
				12	11	23.3	22.8	33.0	-10.2
				25	0	23.3	22.8	33.0	-10.2
			16QAM	1	0	23.7	23.2	33.0	-9.8
				1	12	23.6	23.1	33.0	-9.9
				1	24	23.6	23.1	33.0	-9.9
				12	0	22.6	22.1	33.0	-10.9
				12	6	22.6	22.1	33.0	-10.9
				12	11	22.6	22.1	33.0	-10.9
5.0	18900	1880.0	QPSK	1	0	24.6	24.2	33.0	-8.8
				1	12	24.4	23.9	33.0	-9.1
				1	24	24.3	23.9	33.0	-9.1
				12	0	23.4	22.9	33.0	-10.1
				12	6	23.4	22.9	33.0	-10.1
				12	11	23.3	22.9	33.0	-10.2
				25	0	23.3	22.9	33.0	-10.2
			16QAM	1	0	23.8	23.3	33.0	-9.7
				1	12	23.8	23.3	33.0	-9.7
				1	24	23.7	23.2	33.0	-9.8
				12	0	22.7	22.2	33.0	-10.8
				12	6	22.6	22.2	33.0	-10.9
				12	11	22.6	22.1	33.0	-10.9
5.0	19175	1907.5	QPSK	1	0	24.3	23.9	33.0	-9.2
				1	12	24.3	23.8	33.0	-9.2
				1	24	24.3	23.8	33.0	-9.2
				12	0	23.3	22.8	33.0	-10.2
				12	6	23.3	22.8	33.0	-10.2
				12	11	23.3	22.8	33.0	-10.2
				25	0	23.3	22.8	33.0	-10.2
			16QAM	1	0	23.4	23.0	33.0	-10.1
				1	12	23.5	23.1	33.0	-10.0
				1	24	23.3	22.9	33.0	-10.2
				12	0	22.6	22.2	33.0	-10.8
				12	6	22.6	22.1	33.0	-10.9
				12	11	22.6	22.1	33.0	-10.9
				25	0	22.5	22.1	33.0	-11.0

OUTPUT POWER FOR LTE BAND 2 (10.0 MHz)

Antenna Gain (dBi)		-0.47							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10.0	18650	1855.0	QPSK	1	0	24.4	23.9	33.0	-9.1
				1	24	24.3	23.8	33.0	-9.2
				1	49	24.2	23.7	33.0	-9.3
				25	0	23.4	22.9	33.0	-10.1
				25	12	23.4	22.9	33.0	-10.1
				25	24	23.3	22.8	33.0	-10.2
			16QAM	50	0	23.3	22.8	33.0	-10.2
				1	0	23.6	23.1	33.0	-9.9
				1	24	23.4	22.9	33.0	-10.1
				1	49	23.4	22.9	33.0	-10.1
				25	0	22.6	22.1	33.0	-10.9
				25	12	22.6	22.1	33.0	-10.9
				25	24	22.6	22.1	33.0	-10.9
				50	0	22.5	22.0	33.0	-11.0
10.0	18900	1880.0	QPSK	1	0	24.6	24.1	33.0	-8.9
				1	24	24.3	23.8	33.0	-9.2
				1	49	24.3	23.8	33.0	-9.2
				25	0	23.4	22.9	33.0	-10.1
				25	12	23.4	22.9	33.0	-10.1
				25	24	23.4	22.9	33.0	-10.1
			16QAM	50	0	23.4	22.9	33.0	-10.1
				1	0	23.6	23.1	33.0	-9.9
				1	24	23.5	23.0	33.0	-10.0
				1	49	23.4	22.9	33.0	-10.1
				25	0	22.6	22.1	33.0	-10.9
				25	12	22.6	22.1	33.0	-10.9
				25	24	22.5	22.0	33.0	-11.0
				50	0	22.6	22.1	33.0	-10.9
10.0	19150	1905.0	QPSK	1	0	24.4	23.9	33.0	-9.1
				1	24	24.3	23.8	33.0	-9.2
				1	49	24.2	23.7	33.0	-9.3
				25	0	24.3	23.8	33.0	-9.2
				25	12	23.3	22.8	33.0	-10.2
				25	24	23.3	22.8	33.0	-10.2
			16QAM	50	0	23.4	22.9	33.0	-10.1
				1	0	23.9	23.4	33.0	-9.6
				1	24	23.9	23.4	33.0	-9.6
				1	49	23.8	23.3	33.0	-9.7
				25	0	22.6	22.1	33.0	-10.9
				25	12	22.5	22.0	33.0	-11.0
				25	24	22.5	22.0	33.0	-11.0
				50	0	22.5	22.0	33.0	-11.0

OUTPUT POWER FOR LTE BAND 2 (15.0 MHz)

Antenna Gain (dBi)		-0.47							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15.0	18675	1857.5	QPSK	1	0	24.4	23.9	33.0	-9.1
				1	37	24.3	23.9	33.0	-9.2
				1	74	24.1	23.6	33.0	-9.4
				36	0	23.1	22.6	33.0	-10.4
				36	16	23.2	22.7	33.0	-10.3
				36	35	23.2	22.7	33.0	-10.3
				75	0	23.1	22.6	33.0	-10.4
			16-QAM	1	0	23.6	23.2	33.0	-9.8
				1	37	23.6	23.1	33.0	-9.9
				1	74	23.5	23.1	33.0	-10.0
				36	0	22.3	21.8	33.0	-11.2
				36	16	22.3	21.9	33.0	-11.2
				36	35	22.3	21.8	33.0	-11.2
				75	0	22.3	21.9	33.0	-11.2
15.0	18900	1880.0	QPSK	1	0	24.6	24.1	33.0	-8.9
				1	37	24.2	23.7	33.0	-9.3
				1	74	24.1	23.6	33.0	-9.4
				36	0	23.3	22.8	33.0	-10.2
				36	16	23.2	22.7	33.0	-10.3
				36	35	23.2	22.7	33.0	-10.3
				75	0	23.1	22.7	33.0	-10.3
			16-QAM	1	0	23.2	22.7	33.0	-10.3
				1	37	23.3	22.8	33.0	-10.2
				1	74	23.1	22.7	33.0	-10.4
				36	0	22.4	21.9	33.0	-11.1
				36	16	22.4	21.9	33.0	-11.1
				36	35	22.4	21.9	33.0	-11.1
				75	0	22.3	21.9	33.0	-11.1
15.0	19125	1902.5	QPSK	1	0	24.5	24.0	33.0	-9.0
				1	37	24.5	24.1	33.0	-8.9
				1	74	24.1	23.6	33.0	-9.4
				36	0	23.1	22.7	33.0	-10.3
				36	16	23.2	22.8	33.0	-10.2
				36	35	23.1	22.7	33.0	-10.3
				75	0	23.2	22.7	33.0	-10.3
			16-QAM	1	0	23.8	23.3	33.0	-9.7
				1	37	23.8	23.3	33.0	-9.7
				1	74	23.5	23.1	33.0	-10.0
				36	0	22.3	21.9	33.0	-11.1
				36	16	22.4	21.9	33.0	-11.1
				36	35	22.3	21.9	33.0	-11.1
				75	0	22.4	21.9	33.0	-11.1

OUTPUT POWER FOR LTE BAND 2 (20.0 MHz)

Antenna Gain (dBi)		-0.47							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
20.0	18700	1860.0	QPSK	1	0	24.1	23.6	33.0	-9.4
				1	49	24.1	23.6	33.0	-9.4
				1	99	24.0	23.6	33.0	-9.4
				50	0	23.1	22.7	33.0	-10.3
				50	24	23.2	22.7	33.0	-10.3
				50	49	23.2	22.7	33.0	-10.3
				100	0	23.1	22.7	33.0	-10.4
			16-QAM	1	0	23.7	23.2	33.0	-9.8
				1	49	23.7	23.3	33.0	-9.7
				1	99	23.6	23.2	33.0	-9.8
				50	0	22.3	21.9	33.0	-11.2
				50	24	22.3	21.9	33.0	-11.1
				50	49	22.4	21.9	33.0	-11.1
				100	0	22.3	21.8	33.0	-11.2
20.0	18900	1880.0	QPSK	1	0	24.6	24.1	33.0	-8.9
				1	49	24.2	23.7	33.0	-9.3
				1	99	24.0	23.5	33.0	-9.5
				50	0	23.3	22.9	33.0	-10.1
				50	24	23.2	22.7	33.0	-10.3
				50	49	23.2	22.7	33.0	-10.3
				100	0	23.2	22.7	33.0	-10.3
			16-QAM	1	0	24.0	23.5	33.0	-9.5
				1	49	24.0	23.5	33.0	-9.5
				1	99	23.7	23.2	33.0	-9.8
				50	0	22.4	21.9	33.0	-11.1
				50	24	22.4	22.0	33.0	-11.1
				50	49	22.4	22.0	33.0	-11.0
				100	0	22.3	21.9	33.0	-11.1
20.0	19100	1900.0	QPSK	1	0	24.2	23.7	33.0	-9.3
				1	49	24.1	23.7	33.0	-9.3
				1	99	24.0	23.5	33.0	-9.5
				50	0	23.2	22.8	33.0	-10.2
				50	24	23.2	22.7	33.0	-10.3
				50	49	23.1	22.7	33.0	-10.3
				100	0	23.1	22.7	33.0	-10.3
			16-QAM	1	0	23.7	23.3	33.0	-9.7
				1	49	23.7	23.2	33.0	-9.8
				1	99	23.5	23.1	33.0	-10.0
				50	0	22.4	21.9	33.0	-11.1
				50	24	22.4	21.9	33.0	-11.1
				50	49	22.3	21.8	33.0	-11.2
				100	0	22.3	21.8	33.0	-11.2

7.1.2. LTE BAND 4

ID:	50820	Date:	12/17/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 4 (1.4MHz)

Antenna Gain (dBi)		-2.25							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
1.4	19957	1710.7	QPSK	1	0	24.5	22.3	30.0	-7.7
				1	2	24.6	22.3	30.0	-7.7
				1	5	24.5	22.2	30.0	-7.8
				3	0	24.6	22.4	30.0	-7.6
				3	1	24.6	22.4	30.0	-7.6
				3	2	24.6	22.4	30.0	-7.6
				6	0	23.6	21.3	30.0	-8.7
			16QAM	1	0	23.6	21.3	30.0	-8.7
				1	2	23.6	21.4	30.0	-8.6
				1	5	23.6	21.3	30.0	-8.7
				3	0	23.8	21.5	30.0	-8.5
				3	1	23.8	21.5	30.0	-8.5
				3	2	23.8	21.5	30.0	-8.5
				6	0	22.7	20.5	30.0	-9.5
1.4	20175	1732.5	QPSK	1	0	24.6	22.4	30.0	-7.6
				1	2	24.6	22.4	30.0	-7.6
				1	5	24.6	22.4	30.0	-7.6
				3	0	24.7	22.5	30.0	-7.5
				3	1	24.8	22.5	30.0	-7.5
				3	2	24.7	22.5	30.0	-7.5
				6	0	23.6	21.4	30.0	-8.6
			16QAM	1	0	23.7	21.5	30.0	-8.5
				1	2	23.8	21.5	30.0	-8.5
				1	5	23.7	21.5	30.0	-8.5
				3	0	23.7	21.5	30.0	-8.5
				3	1	23.8	21.5	30.0	-8.5
				3	2	23.8	21.5	30.0	-8.5
				6	0	22.8	20.5	30.0	-9.5
1.4	20393	1754.3	QPSK	1	0	24.6	22.4	30.0	-7.6
				1	2	24.7	22.4	30.0	-7.6
				1	5	24.6	22.4	30.0	-7.6
				3	0	24.7	22.4	30.0	-7.6
				3	1	24.7	22.5	30.0	-7.5
				3	2	24.7	22.5	30.0	-7.5
				6	0	23.6	21.4	30.0	-8.6
			16QAM	1	0	24.0	21.8	30.0	-8.2
				1	2	24.1	21.8	30.0	-8.2
				1	5	24.0	21.7	30.0	-8.3
				3	0	23.9	21.6	30.0	-8.4
				3	1	23.9	21.7	30.0	-8.3
				3	2	23.9	21.6	30.0	-8.4
				6	0	22.6	20.3	30.0	-9.7

OUTPUT POWER FOR LTE BAND 4 (3.0 MHz)

Antenna Gain (dBi)		-2.25							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
3.0	19965	1711.5	QPSK	1	0	24.5	22.3	30.0	-7.7
				1	7	24.6	22.4	30.0	-7.6
				1	14	24.5	22.3	30.0	-7.7
				8	0	23.6	21.3	30.0	-8.7
				8	4	23.6	21.4	30.0	-8.6
				8	7	23.6	21.4	30.0	-8.6
				15	0	23.6	21.4	30.0	-8.6
			16QAM	1	0	23.5	21.2	30.0	-8.8
				1	7	23.6	21.4	30.0	-8.6
				1	14	23.5	21.3	30.0	-8.7
				8	0	22.7	20.4	30.0	-9.6
				8	4	22.7	20.4	30.0	-9.6
				8	7	22.8	20.5	30.0	-9.5
				15	0	22.7	20.4	30.0	-9.6
3.0	20175	1732.5	QPSK	1	0	24.7	22.4	30.0	-7.6
				1	7	24.8	22.5	30.0	-7.5
				1	14	24.7	22.4	30.0	-7.6
				8	0	23.7	21.4	30.0	-8.6
				8	4	23.7	21.4	30.0	-8.6
				8	7	23.7	21.4	30.0	-8.6
				15	0	23.7	21.4	30.0	-8.6
			16QAM	1	0	24.0	21.8	30.0	-8.2
				1	7	24.2	21.9	30.0	-8.1
				1	14	24.1	21.8	30.0	-8.2
				8	0	22.6	20.3	30.0	-9.7
				8	4	22.6	20.4	30.0	-9.6
				8	7	22.6	20.3	30.0	-9.7
				15	0	22.7	20.5	30.0	-9.5
3.0	20385	1753.5	QPSK	1	0	24.7	22.4	30.0	-7.6
				1	7	24.8	22.6	30.0	-7.4
				1	14	24.7	22.5	30.0	-7.5
				8	0	23.7	21.5	30.0	-8.5
				8	4	23.7	21.5	30.0	-8.5
				8	7	23.8	21.5	30.0	-8.5
				15	0	23.7	21.5	30.0	-8.5
			16QAM	1	0	23.7	21.5	30.0	-8.5
				1	7	23.8	21.5	30.0	-8.5
				1	14	23.7	21.5	30.0	-8.5
				8	0	22.9	20.6	30.0	-9.4
				8	4	22.9	20.7	30.0	-9.3
				8	7	23.0	20.7	30.0	-9.3
				15	0	22.7	20.4	30.0	-9.6

OUTPUT POWER FOR LTE BAND 4 (5.0 MHz)

Antenna Gain (dBi)		-2.25							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5.0	19975	1712.5	QPSK	1	0	24.7	22.5	30.0	-7.5
				1	12	24.7	22.4	30.0	-7.6
				1	24	24.7	22.5	30.0	-7.5
				12	0	23.7	21.4	30.0	-8.6
				12	6	23.7	21.5	30.0	-8.5
				12	11	23.7	21.5	30.0	-8.5
				25	0	23.7	21.4	30.0	-8.6
			16QAM	1	0	23.9	21.6	30.0	-8.4
				1	12	23.8	21.6	30.0	-8.4
				1	24	23.9	21.6	30.0	-8.4
				12	0	22.8	20.5	30.0	-9.5
				12	6	22.8	20.5	30.0	-9.5
				12	11	22.8	20.5	30.0	-9.5
				25	0	22.7	20.5	30.0	-9.5
5.0	20175	1732.5	QPSK	1	0	24.8	22.5	30.0	-7.5
				1	12	24.8	22.5	30.0	-7.5
				1	24	24.8	22.6	30.0	-7.4
				12	0	23.8	21.5	30.0	-8.5
				12	6	23.8	21.6	30.0	-8.4
				12	11	23.8	21.6	30.0	-8.4
				25	0	23.8	21.5	30.0	-8.5
			16QAM	1	0	23.9	21.7	30.0	-8.3
				1	12	24.0	21.7	30.0	-8.3
				1	24	24.0	21.8	30.0	-8.2
				12	0	22.8	20.6	30.0	-9.4
				12	6	22.9	20.7	30.0	-9.3
				12	11	22.9	20.6	30.0	-9.4
				25	0	22.8	20.6	30.0	-9.4
5.0	20375	1752.5	QPSK	1	0	24.9	22.6	30.0	-7.4
				1	12	24.8	22.6	30.0	-7.4
				1	24	24.9	22.6	30.0	-7.4
				12	0	23.9	21.6	30.0	-8.4
				12	6	23.9	21.6	30.0	-8.4
				12	11	23.9	21.6	30.0	-8.4
				25	0	23.8	21.6	30.0	-8.4
			16QAM	1	0	24.3	22.1	30.0	-7.9
				1	12	24.4	22.1	30.0	-7.9
				1	24	24.4	22.1	30.0	-7.9
				12	0	23.0	20.7	30.0	-9.3
				12	6	23.0	20.8	30.0	-9.2
				12	11	23.0	20.8	30.0	-9.2
				25	0	22.9	20.7	30.0	-9.3

OUTPUT POWER FOR LTE BAND 4 (10.0 MHz)

Antenna Gain (dBi)		-2.25							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10.0	20000	1715.0	QPSK	1	0	24.3	22.1	30.0	-7.9
				1	24	24.0	21.7	30.0	-8.3
				1	49	24.3	22.0	30.0	-8.0
				25	0	23.2	20.9	30.0	-9.1
				25	12	23.1	20.9	30.0	-9.1
				25	24	23.2	20.9	30.0	-9.1
			16QAM	50	0	23.2	20.9	30.0	-9.1
				1	0	23.5	21.2	30.0	-8.8
				1	24	23.2	20.9	30.0	-9.1
				1	49	23.4	21.2	30.0	-8.8
				25	0	22.4	20.1	30.0	-9.9
				25	12	22.4	20.1	30.0	-9.9
				25	24	22.4	20.2	30.0	-9.8
				50	0	22.4	20.1	30.0	-9.9
10.0	20175	1732.5	QPSK	1	0	24.4	22.1	30.0	-7.9
				1	24	24.2	21.9	30.0	-8.1
				1	49	24.4	22.1	30.0	-7.9
				25	0	23.3	21.0	30.0	-9.0
				25	12	23.2	21.0	30.0	-9.0
				25	24	23.3	21.0	30.0	-9.0
			16QAM	50	0	23.3	21.0	30.0	-9.0
				1	0	23.9	21.7	30.0	-8.3
				1	24	23.8	21.5	30.0	-8.5
				1	49	23.9	21.7	30.0	-8.3
				25	0	22.5	20.3	30.0	-9.7
				25	12	22.5	20.2	30.0	-9.8
				25	24	22.6	20.3	30.0	-9.7
				50	0	22.5	20.3	30.0	-9.7
10.0	20350	1750.0	QPSK	1	0	24.6	22.4	30.0	-7.6
				1	24	24.2	22.0	30.0	-8.0
				1	49	24.4	22.1	30.0	-7.9
				25	0	23.3	21.0	30.0	-9.0
				25	12	23.3	21.1	30.0	-8.9
				25	24	23.3	21.1	30.0	-8.9
			16QAM	50	0	23.4	21.1	30.0	-8.9
				1	0	23.7	21.4	30.0	-8.6
				1	24	23.4	21.2	30.0	-8.8
				1	49	23.5	21.3	30.0	-8.7
				25	0	22.5	20.3	30.0	-9.7
				25	12	22.6	20.3	30.0	-9.7
				25	24	22.6	20.3	30.0	-9.7
				50	0	22.6	20.3	30.0	-9.7

OUTPUT POWER FOR LTE BAND 4 (15.0 MHz)

Antenna Gain (dBi)		-2.25							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15.0	20025	1717.5	QPSK	1	0	24.3	22.0	30.0	-8.0
				1	37	23.9	21.6	30.0	-8.4
				1	74	24.0	21.8	30.0	-8.2
				36	0	23.0	20.8	30.0	-9.2
				36	16	23.0	20.7	30.0	-9.3
				36	35	23.1	20.8	30.0	-9.2
				75	0	23.0	20.8	30.0	-9.2
			16-QAM	1	0	23.3	21.0	30.0	-9.0
				1	37	23.4	21.2	30.0	-8.8
				1	74	23.3	21.0	30.0	-9.0
				36	0	22.2	20.0	30.0	-10.0
				36	16	22.2	19.9	30.0	-10.1
				36	35	22.2	20.0	30.0	-10.0
				75	0	22.2	20.0	30.0	-10.0
15.0	20175	1732.5	QPSK	1	0	24.2	22.0	30.0	-8.0
				1	37	24.0	21.7	30.0	-8.3
				1	74	24.2	21.9	30.0	-8.1
				36	0	23.1	20.9	30.0	-9.1
				36	16	23.1	20.8	30.0	-9.2
				36	35	23.1	20.9	30.0	-9.1
				75	0	23.1	20.9	30.0	-9.1
			16-QAM	1	0	23.4	21.1	30.0	-8.9
				1	37	23.1	20.8	30.0	-9.2
				1	74	23.3	21.0	30.0	-9.0
				36	0	22.3	20.1	30.0	-9.9
				36	16	22.3	20.0	30.0	-10.0
				36	35	22.3	20.1	30.0	-9.9
				75	0	22.3	20.1	30.0	-9.9
15.0	20325	1747.5	QPSK	1	0	24.6	22.3	30.0	-7.7
				1	37	24.6	22.4	30.0	-7.6
				1	74	24.4	22.1	30.0	-7.9
				36	0	23.2	20.9	30.0	-9.1
				36	16	23.1	20.8	30.0	-9.2
				36	35	23.2	20.9	30.0	-9.1
				75	0	23.1	20.9	30.0	-9.1
			16-QAM	1	0	23.9	21.7	30.0	-8.3
				1	37	23.6	21.3	30.0	-8.7
				1	74	23.7	21.5	30.0	-8.5
				36	0	22.4	20.1	30.0	-9.9
				36	16	22.3	20.1	30.0	-9.9
				36	35	22.4	20.2	30.0	-9.8
				75	0	22.3	20.1	30.0	-9.9

OUTPUT POWER FOR LTE BAND 4 (20.0 MHz)

Antenna Gain (dBi)		-2.25							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
20.0	20050	1720.0	QPSK	1	0	24.6	22.3	30.0	-7.7
				1	49	23.9	21.7	30.0	-8.3
				1	99	24.2	21.9	30.0	-8.1
				50	0	23.2	20.9	30.0	-9.1
				50	24	23.0	20.8	30.0	-9.2
				50	49	23.0	20.8	30.0	-9.2
				100	0	23.2	20.9	30.0	-9.1
			16-QAM	1	0	23.5	21.2	30.0	-8.8
				1	49	23.3	21.1	30.0	-8.9
				1	99	23.5	21.3	30.0	-8.7
				50	0	22.2	19.9	30.0	-10.1
				50	24	22.0	19.8	30.0	-10.2
				50	49	22.0	19.8	30.0	-10.2
				100	0	22.2	19.9	30.0	-10.1
20.0	20175	1732.5	QPSK	1	0	24.6	22.4	30.0	-7.6
				1	49	24.0	21.7	30.0	-8.3
				1	99	24.3	22.0	30.0	-8.0
				50	0	23.2	21.0	30.0	-9.0
				50	24	23.1	20.8	30.0	-9.2
				50	49	23.2	21.0	30.0	-9.0
				100	0	23.2	21.0	30.0	-9.0
			16-QAM	1	0	23.1	20.8	30.0	-9.2
				1	49	23.6	21.3	30.0	-8.7
				1	99	23.8	21.5	30.0	-8.5
				50	0	22.3	20.0	30.0	-10.0
				50	24	22.1	19.9	30.0	-10.1
				50	49	22.2	20.0	30.0	-10.0
				100	0	22.2	20.0	30.0	-10.0
20.0	20300	1745.0	QPSK	1	0	24.8	22.5	30.0	-7.5
				1	49	24.0	21.8	30.0	-8.2
				1	99	24.3	22.1	30.0	-7.9
				50	0	23.2	21.0	30.0	-9.0
				50	24	23.1	20.8	30.0	-9.2
				50	49	23.2	21.0	30.0	-9.0
				100	0	23.2	20.9	30.0	-9.1
			16-QAM	1	0	23.2	20.9	30.0	-9.1
				1	49	23.4	21.2	30.0	-8.8
				1	99	23.7	21.5	30.0	-8.5
				50	0	22.2	20.0	30.0	-10.0
				50	24	22.1	19.9	30.0	-10.1
				50	49	22.3	20.0	30.0	-10.0
				100	0	22.2	20.0	30.0	-10.0

7.1.3. LTE BAND 5

ID:	50820	Date:	12/17/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 5 (1.4MHz)

Antenna Gain (dBi)		0.49							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
1.4	20407	824.7	QPSK	1	0	24.5	22.8	38.45	-15.6
				1	2	24.5	22.9	38.45	-15.6
				1	5	24.5	22.8	38.45	-15.6
				3	0	24.6	22.9	38.45	-15.5
				3	1	24.6	22.9	38.45	-15.5
				3	2	24.6	22.9	38.45	-15.5
			16QAM	6	0	23.5	21.8	38.45	-16.6
				1	0	23.5	21.9	38.45	-16.6
				1	2	23.6	21.9	38.45	-16.5
				1	5	23.5	21.8	38.45	-16.6
				3	0	23.6	21.9	38.45	-16.5
				3	1	23.6	22.0	38.45	-16.5
				3	2	23.6	22.0	38.45	-16.5
				6	0	22.6	21.0	38.45	-17.5
1.4	20525	836.5	QPSK	1	0	24.5	22.8	38.45	-15.6
				1	2	24.5	22.8	38.45	-15.6
				1	5	24.5	22.8	38.45	-15.6
				3	0	24.6	22.9	38.45	-15.5
				3	1	24.6	22.9	38.45	-15.5
				3	2	24.6	22.9	38.45	-15.5
			16QAM	6	0	23.5	21.8	38.45	-16.6
				1	0	23.8	22.1	38.45	-16.3
				1	2	23.9	22.2	38.45	-16.2
				1	5	23.9	22.2	38.45	-16.2
				3	0	23.7	22.0	38.45	-16.4
				3	1	23.7	22.1	38.45	-16.4
				3	2	23.7	22.1	38.45	-16.4
				6	0	22.4	20.7	38.45	-17.7
1.4	20643	848.3	QPSK	1	0	24.3	22.6	38.45	-15.8
				1	2	24.4	22.7	38.45	-15.8
				1	5	24.3	22.7	38.45	-15.8
				3	0	24.5	22.8	38.45	-15.6
				3	1	24.5	22.8	38.45	-15.6
				3	2	24.5	22.8	38.45	-15.6
			16QAM	6	0	23.4	21.8	38.45	-16.7
				1	0	23.4	21.8	38.45	-16.7
				1	2	23.5	21.8	38.45	-16.6
				1	5	23.5	21.8	38.45	-16.6
				3	0	23.6	22.0	38.45	-16.5
				3	1	23.7	22.0	38.45	-16.4
				3	2	23.7	22.0	38.45	-16.4
				6	0	22.6	20.9	38.45	-17.5

OUTPUT POWER FOR LTE BAND 5 (3.0 MHz)

Antenna Gain (dBi)		0.49									
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)		
3.0	20415	825.5	QPSK	1	0	24.5	22.9	38.45	-15.6		
				1	7	24.6	22.9	38.45	-15.5		
				1	14	24.5	22.8	38.45	-15.7		
				8	0	23.6	21.9	38.45	-16.5		
				8	4	23.6	21.9	38.45	-16.5		
				8	7	23.6	21.9	38.45	-16.5		
				15	0	23.6	21.9	38.45	-16.5		
			16QAM	1	0	23.7	22.0	38.45	-16.5		
				1	7	23.7	22.0	38.45	-16.4		
				1	14	23.5	21.9	38.45	-16.6		
				8	0	22.8	21.1	38.45	-17.3		
				8	4	22.8	21.1	38.45	-17.3		
				8	7	22.8	21.1	38.45	-17.3		
				15	0	22.5	20.9	38.45	-17.6		
3.0	20525	836.5	QPSK	1	0	24.5	22.9	38.45	-15.6		
				1	7	24.6	22.9	38.45	-15.6		
				1	14	24.5	22.9	38.45	-15.6		
				8	0	23.6	21.9	38.45	-16.5		
				8	4	23.5	21.9	38.45	-16.6		
				8	7	23.6	21.9	38.45	-16.5		
				15	0	23.6	21.9	38.45	-16.6		
			16QAM	1	0	23.4	21.8	38.45	-16.7		
				1	7	23.5	21.8	38.45	-16.6		
				1	14	23.4	21.8	38.45	-16.7		
				8	0	22.7	21.0	38.45	-17.4		
				8	4	22.6	21.0	38.45	-17.5		
				8	7	22.7	21.0	38.45	-17.4		
				15	0	22.6	20.9	38.45	-17.5		
3.0	20635	847.5	QPSK	1	0	24.5	22.8	38.45	-15.6		
				1	7	24.5	22.9	38.45	-15.6		
				1	14	24.5	22.9	38.45	-15.6		
				8	0	23.5	21.8	38.45	-16.6		
				8	4	23.5	21.8	38.45	-16.6		
				8	7	23.5	21.8	38.45	-16.6		
				15	0	23.5	21.8	38.45	-16.6		
			16QAM	1	0	23.8	22.2	38.45	-16.3		
				1	7	23.9	22.3	38.45	-16.2		
				1	14	23.9	22.2	38.45	-16.3		
				8	0	22.4	20.7	38.45	-17.7		
				8	4	22.4	20.7	38.45	-17.7		
				8	7	22.4	20.7	38.45	-17.7		
				15	0	22.5	20.9	38.45	-17.6		

OUTPUT POWER FOR LTE BAND 5 (5.0 MHz)

Antenna Gain (dBi)		0.49									
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)		
5.0	20425	826.5	QPSK	1	0	24.6	23.0	38.45	-15.5		
				1	12	24.6	22.9	38.45	-15.5		
				1	24	24.6	22.9	38.45	-15.6		
				12	0	23.6	21.9	38.45	-16.5		
				12	6	23.6	21.9	38.45	-16.5		
				12	11	23.6	21.9	38.45	-16.5		
				25	0	23.6	21.9	38.45	-16.5		
			16QAM	1	0	23.8	22.1	38.45	-16.3		
				1	12	23.7	22.0	38.45	-16.4		
				1	24	23.7	22.0	38.45	-16.4		
				12	0	22.7	21.0	38.45	-17.4		
				12	6	22.7	21.0	38.45	-17.4		
				12	11	22.7	21.0	38.45	-17.4		
				25	0	22.6	20.9	38.45	-17.5		
5.0	20525	836.5	QPSK	1	0	24.6	23.0	38.45	-15.5		
				1	12	24.5	22.8	38.45	-15.6		
				1	24	24.5	22.9	38.45	-15.6		
				12	0	23.6	21.9	38.45	-16.5		
				12	6	23.6	21.9	38.45	-16.5		
				12	11	23.6	21.9	38.45	-16.5		
				25	0	23.5	21.9	38.45	-16.6		
			16QAM	1	0	23.8	22.1	38.45	-16.3		
				1	12	23.7	22.0	38.45	-16.4		
				1	24	23.7	22.1	38.45	-16.4		
				12	0	22.6	21.0	38.45	-17.5		
				12	6	22.7	21.0	38.45	-17.4		
				12	11	22.7	21.0	38.45	-17.4		
				25	0	22.6	20.9	38.45	-17.5		
5.0	20625	846.5	QPSK	1	0	24.6	22.9	38.45	-15.6		
				1	12	24.5	22.8	38.45	-15.6		
				1	24	24.5	22.8	38.45	-15.6		
				12	0	23.5	21.9	38.45	-16.6		
				12	6	23.6	21.9	38.45	-16.5		
				12	11	23.5	21.9	38.45	-16.6		
				25	0	23.5	21.9	38.45	-16.6		
			16QAM	1	0	24.1	22.4	38.45	-16.0		
				1	12	24.0	22.4	38.45	-16.1		
				1	24	24.1	22.4	38.45	-16.0		
				12	0	22.7	21.0	38.45	-17.4		
				12	6	22.7	21.0	38.45	-17.4		
				12	11	22.7	21.0	38.45	-17.4		
				25	0	22.6	20.9	38.45	-17.5		

OUTPUT POWER FOR LTE BAND 5 (10.0 MHz)

Antenna Gain (dBi)		0.49									
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)		
10.0	20450	829.0	QPSK	1	0	24.6	23.0	38.45	-15.5		
				1	24	24.6	22.9	38.45	-15.5		
				1	49	24.6	23.0	38.45	-15.5		
				25	0	23.7	22.1	38.45	-16.4		
				25	12	23.7	22.1	38.45	-16.4		
				25	24	23.7	22.1	38.45	-16.4		
				50	0	23.7	22.1	38.45	-16.4		
			16QAM	1	0	23.8	22.1	38.45	-16.3		
				1	24	23.7	22.0	38.45	-16.5		
				1	49	23.7	22.0	38.45	-16.4		
				25	0	22.8	21.2	38.45	-17.3		
				25	12	22.8	21.2	38.45	-17.3		
				25	24	22.9	21.2	38.45	-17.3		
				50	0	22.8	21.1	38.45	-17.4		
10.0	20525	836.5	QPSK	1	0	24.7	23.1	38.45	-15.4		
				1	24	24.6	23.0	38.45	-15.5		
				1	49	24.6	22.9	38.45	-15.5		
				25	0	23.7	22.1	38.45	-16.4		
				25	12	23.7	22.0	38.45	-16.4		
				25	24	23.7	22.1	38.45	-16.4		
				50	0	23.7	22.1	38.45	-16.4		
			16QAM	1	0	23.6	22.0	38.45	-16.5		
				1	24	23.5	21.9	38.45	-16.6		
				1	49	23.5	21.8	38.45	-16.7		
				25	0	22.7	21.1	38.45	-17.4		
				25	12	22.7	21.0	38.45	-17.4		
				25	24	22.7	21.1	38.45	-17.4		
				50	0	22.7	21.0	38.45	-17.4		
10.0	20600	844.0	QPSK	1	0	24.6	23.0	38.45	-15.5		
				1	24	24.6	22.9	38.45	-15.5		
				1	49	24.6	22.9	38.45	-15.5		
				25	0	23.7	22.0	38.45	-16.4		
				25	12	23.7	22.0	38.45	-16.4		
				25	24	23.6	22.0	38.45	-16.5		
				50	0	23.7	22.0	38.45	-16.4		
			16QAM	1	0	24.0	22.3	38.45	-16.1		
				1	24	24.0	22.3	38.45	-16.1		
				1	49	23.9	22.2	38.45	-16.2		
				25	0	22.7	21.0	38.45	-17.4		
				25	12	22.7	21.0	38.45	-17.4		
				25	24	22.7	21.0	38.45	-17.4		
				50	0	22.7	21.0	38.45	-17.4		

7.1.4. LTE BAND 7

ID:	50820	Date:	12/17/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 7 (5.0 MHZ)

Antenna Gain (dBi)		-0.46							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5.0	20775	2502.5	QPSK	1	0	24.8	24.4	33.0	-8.6
				1	12	24.7	24.2	33.0	-8.8
				1	24	24.7	24.3	33.0	-8.8
				12	0	23.7	23.2	33.0	-9.8
				12	6	23.7	23.3	33.0	-9.7
				12	11	23.7	23.2	33.0	-9.8
				25	0	23.7	23.3	33.0	-9.7
			16QAM	1	0	23.9	23.4	33.0	-9.6
				1	12	23.9	23.4	33.0	-9.6
				1	24	23.8	23.4	33.0	-9.7
				12	0	22.8	22.3	33.0	-10.7
				12	6	22.8	22.3	33.0	-10.7
				12	11	22.7	22.3	33.0	-10.7
				25	0	22.7	22.2	33.0	-10.8
5.0	21100	2535.0	QPSK	1	0	24.8	24.3	33.0	-8.7
				1	12	24.8	24.3	33.0	-8.7
				1	24	24.7	24.2	33.0	-8.8
				12	0	23.8	23.3	33.0	-9.7
				12	6	23.8	23.3	33.0	-9.7
				12	11	23.7	23.3	33.0	-9.8
				25	0	23.7	23.3	33.0	-9.8
			16QAM	1	0	24.0	23.5	33.0	-9.5
				1	12	23.9	23.4	33.0	-9.6
				1	24	23.9	23.4	33.0	-9.6
				12	0	22.9	22.5	33.0	-10.6
				12	6	22.9	22.4	33.0	-10.6
				12	11	22.9	22.4	33.0	-10.6
				25	0	22.8	22.3	33.0	-10.7
5.0	21425	2567.5	QPSK	1	0	24.8	24.4	33.0	-8.7
				1	12	24.8	24.3	33.0	-8.7
				1	24	24.8	24.3	33.0	-8.7
				12	0	23.8	23.3	33.0	-9.7
				12	6	23.8	23.3	33.0	-9.7
				12	11	23.8	23.3	33.0	-9.7
				25	0	23.7	23.3	33.0	-9.7
			16QAM	1	0	24.3	23.8	33.0	-9.2
				1	12	24.3	23.9	33.0	-9.1
				1	24	24.3	23.8	33.0	-9.2
				12	0	22.9	22.5	33.0	-10.5
				12	6	23.0	22.5	33.0	-10.5
				12	11	22.9	22.5	33.0	-10.5
				25	0	22.9	22.4	33.0	-10.6

OUTPUT POWER FOR LTE BAND 7 (10.0 MHZ)

Antenna Gain (dBi)		-0.46							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10.0	20800	2505.0	QPSK	1	0	24.6	24.2	33.0	-8.9
				1	24	24.4	24.0	33.0	-9.0
				1	49	24.4	23.9	33.0	-9.1
				25	0	23.5	23.0	33.0	-10.0
				25	12	23.5	23.1	33.0	-10.0
				25	24	23.5	23.0	33.0	-10.0
				50	0	23.5	23.1	33.0	-10.0
			16QAM	1	0	23.9	23.5	33.0	-9.5
				1	24	23.8	23.4	33.0	-9.6
				1	49	23.8	23.4	33.0	-9.7
				25	0	22.5	22.0	33.0	-11.0
				25	12	22.5	22.1	33.0	-10.9
				25	24	22.5	22.0	33.0	-11.0
				50	0	22.5	22.1	33.0	-10.9
10.0	21100	2535.0	QPSK	1	0	24.6	24.2	33.0	-8.8
				1	24	24.4	24.0	33.0	-9.0
				1	49	24.4	23.9	33.0	-9.1
				25	0	23.6	23.1	33.0	-9.9
				25	12	23.5	23.0	33.0	-10.0
				25	24	23.4	23.0	33.0	-10.0
				50	0	23.5	23.0	33.0	-10.0
			16QAM	1	0	23.7	23.2	33.0	-9.8
				1	24	23.5	23.0	33.0	-10.0
				1	49	23.4	23.0	33.0	-10.0
				25	0	22.6	22.2	33.0	-10.8
				25	12	22.6	22.1	33.0	-10.9
				25	24	22.5	22.0	33.0	-11.0
				50	0	22.5	22.1	33.0	-10.9
10.0	21400	2565.0	QPSK	1	0	24.6	24.1	33.0	-8.9
				1	24	24.4	23.9	33.0	-9.1
				1	49	24.5	24.0	33.0	-9.0
				25	0	23.6	23.1	33.0	-9.9
				25	12	23.5	23.0	33.0	-10.0
				25	24	23.5	23.0	33.0	-10.0
				50	0	23.5	23.1	33.0	-9.9
			16QAM	1	0	23.5	23.1	33.0	-9.9
				1	24	23.3	22.9	33.0	-10.2
				1	49	23.4	22.9	33.0	-10.1
				25	0	22.5	22.1	33.0	-10.9
				25	12	22.5	22.0	33.0	-11.0
				25	24	22.5	22.0	33.0	-11.0
				50	0	22.5	22.1	33.0	-11.0

OUTPUT POWER FOR LTE BAND 7 (15.0 MHZ)

Antenna Gain (dBi)		-0.46							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15.0	20825	2507.5	QPSK	1	0	24.6	24.1	33.0	-8.9
				1	37	24.2	23.7	33.0	-9.3
				1	74	24.2	23.8	33.0	-9.2
				36	0	23.6	23.1	33.0	-9.9
				36	16	23.4	22.9	33.0	-10.1
				36	35	23.4	22.9	33.0	-10.1
				75	0	23.4	23.0	33.0	-10.1
			16-QAM	1	0	24.0	23.5	33.0	-9.5
				1	37	23.7	23.2	33.0	-9.8
				1	74	23.6	23.1	33.0	-9.9
				36	0	22.5	22.0	33.0	-11.0
				36	16	22.4	21.9	33.0	-11.1
				36	35	22.3	21.9	33.0	-11.1
				75	0	22.4	22.0	33.0	-11.0
15.0	21100	2535.0	QPSK	1	0	24.6	24.1	33.0	-8.9
				1	37	24.1	23.6	33.0	-9.4
				1	74	24.2	23.7	33.0	-9.3
				36	0	23.6	23.2	33.0	-9.9
				36	16	23.4	22.9	33.0	-10.1
				36	35	23.3	22.9	33.0	-10.1
				75	0	23.4	23.0	33.0	-10.0
			16-QAM	1	0	23.5	23.0	33.0	-10.0
				1	37	23.2	22.8	33.0	-10.2
				1	74	23.1	22.6	33.0	-10.4
				36	0	22.6	22.1	33.0	-10.9
				36	16	22.5	22.0	33.0	-11.0
				36	35	22.4	21.9	33.0	-11.1
				75	0	22.4	22.0	33.0	-11.0
15.0	21375	2562.5	QPSK	1	0	24.6	24.1	33.0	-8.9
				1	37	24.0	23.5	33.0	-9.5
				1	74	24.3	23.8	33.0	-9.2
				36	0	23.5	23.0	33.0	-10.0
				36	16	23.4	23.0	33.0	-10.1
				36	35	23.3	22.9	33.0	-10.1
				75	0	23.4	23.0	33.0	-10.0
			16-QAM	1	0	24.0	23.5	33.0	-9.5
				1	37	23.7	23.3	33.0	-9.7
				1	74	23.6	23.1	33.0	-9.9
				36	0	22.6	22.1	33.0	-10.9
				36	16	22.5	22.0	33.0	-11.0
				36	35	22.4	21.9	33.0	-11.1
				75	0	22.4	22.0	33.0	-11.1

OUTPUT POWER FOR LTE BAND 7 (20.0 MHZ)

Antenna Gain (dBi)		-0.46							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
20.0	20850	2510.0	QPSK	1	0	24.8	24.4	33.0	-8.6
				1	49	24.4	24.0	33.0	-9.0
				1	99	24.4	23.9	33.0	-9.1
				50	0	23.6	23.2	33.0	-9.8
				50	24	23.5	23.1	33.0	-9.9
				50	49	23.4	23.0	33.0	-10.0
				100	0	23.6	23.1	33.0	-9.9
			16-QAM	1	0	24.3	23.8	33.0	-9.2
				1	49	23.9	23.4	33.0	-9.6
				1	99	23.7	23.3	33.0	-9.7
				50	0	22.7	22.2	33.0	-10.8
				50	24	22.6	22.1	33.0	-10.9
				50	49	22.4	22.0	33.0	-11.1
				100	0	22.6	22.1	33.0	-10.9
20.0	21100	2535.0	QPSK	1	0	24.9	24.4	33.0	-8.6
				1	49	24.5	24.0	33.0	-9.0
				1	99	24.4	24.0	33.0	-9.1
				50	0	23.7	23.2	33.0	-9.8
				50	24	23.5	23.1	33.0	-9.9
				50	49	23.4	23.0	33.0	-10.0
				100	0	23.6	23.1	33.0	-9.9
			16-QAM	1	0	24.4	23.9	33.0	-9.1
				1	49	24.1	23.6	33.0	-9.4
				1	99	23.9	23.5	33.0	-9.6
				50	0	22.7	22.3	33.0	-10.7
				50	24	22.6	22.1	33.0	-10.9
				50	49	22.5	22.0	33.0	-11.0
				100	0	22.6	22.1	33.0	-10.9
20.0	21350	2560.0	QPSK	1	0	24.9	24.4	33.0	-8.6
				1	49	24.5	24.0	33.0	-9.0
				1	99	24.4	24.0	33.0	-9.1
				50	0	23.6	23.2	33.0	-9.8
				50	24	23.5	23.1	33.0	-9.9
				50	49	23.4	23.0	33.0	-10.0
				100	0	23.6	23.1	33.0	-9.9
			16-QAM	1	0	24.3	23.8	33.0	-9.2
				1	49	23.8	23.3	33.0	-9.7
				1	99	23.8	23.4	33.0	-9.6
				50	0	22.7	22.2	33.0	-10.8
				50	24	22.5	22.1	33.0	-10.9
				50	49	22.4	22.0	33.0	-11.0
				100	0	22.5	22.1	33.0	-10.9

7.1.5. LTE BAND 12

ID:	50820	Date:	12/17/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 12 (1.4MHZz)

Antenna Gain (dBi)		-0.16							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
1.4	23017	699.7	QPSK	1	0	24.7	22.3	34.77	-12.4
				1	2	24.7	22.4	34.77	-12.4
				1	5	24.7	22.3	34.77	-12.4
				3	0	24.8	22.5	34.77	-12.3
				3	1	24.8	22.5	34.77	-12.3
				3	2	24.8	22.5	34.77	-12.2
				6	0	23.7	21.4	34.77	-13.4
			16QAM	1	0	23.8	21.5	34.77	-13.3
				1	2	23.9	21.6	34.77	-13.2
				1	5	23.8	21.5	34.77	-13.3
				3	0	23.8	21.5	34.77	-13.3
				3	1	23.8	21.5	34.77	-13.2
				3	2	23.9	21.6	34.77	-13.2
				6	0	22.8	20.5	34.77	-14.2
1.4	23095	707.5	QPSK	1	0	24.6	22.3	34.77	-12.5
				1	2	24.7	22.4	34.77	-12.4
				1	5	24.7	22.4	34.77	-12.4
				3	0	24.7	22.4	34.77	-12.3
				3	1	24.8	22.5	34.77	-12.3
				3	2	24.7	22.4	34.77	-12.3
				6	0	23.7	21.3	34.77	-13.4
			16QAM	1	0	24.0	21.7	34.77	-13.1
				1	2	24.1	21.8	34.77	-13.0
				1	5	24.0	21.7	34.77	-13.0
				3	0	23.9	21.6	34.77	-13.2
				3	1	23.9	21.6	34.77	-13.2
				3	2	23.9	21.6	34.77	-13.2
				6	0	22.6	20.3	34.77	-14.5
1.4	23173	715.3	QPSK	1	0	24.6	22.3	34.77	-12.5
				1	2	24.7	22.4	34.77	-12.4
				1	5	24.6	22.3	34.77	-12.5
				3	0	24.8	22.4	34.77	-12.3
				3	1	24.8	22.5	34.77	-12.3
				3	2	24.8	22.4	34.77	-12.3
				6	0	23.7	21.4	34.77	-13.4
			16QAM	1	0	23.7	21.4	34.77	-13.4
				1	2	23.7	21.4	34.77	-13.4
				1	5	23.7	21.4	34.77	-13.4
				3	0	23.9	21.6	34.77	-13.2
				3	1	23.9	21.6	34.77	-13.2
				3	2	23.9	21.6	34.77	-13.2
				6	0	22.8	20.5	34.77	-14.3

OUTPUT POWER FOR LTE BAND 12 (3.0 MHz)

Antenna Gain (dBi)		-0.16									
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)		
3.0	23025	700.5	QPSK	1	0	24.9	22.6	34.77	-12.2		
				1	7	24.9	22.6	34.77	-12.1		
				1	14	24.8	22.5	34.77	-12.3		
				8	0	23.9	21.6	34.77	-13.2		
				8	4	23.9	21.6	34.77	-13.2		
				8	7	23.9	21.6	34.77	-13.2		
				15	0	23.9	21.6	34.77	-13.2		
			16QAM	1	0	23.8	21.5	34.77	-13.3		
				1	7	23.9	21.6	34.77	-13.2		
				1	14	23.7	21.4	34.77	-13.4		
				8	0	23.0	20.7	34.77	-14.1		
				8	4	23.0	20.6	34.77	-14.1		
				8	7	23.0	20.7	34.77	-14.1		
				15	0	22.9	20.6	34.77	-14.2		
3.0	23095	707.5	QPSK	1	0	24.9	22.6	34.77	-12.2		
				1	7	24.9	22.6	34.77	-12.2		
				1	14	24.9	22.6	34.77	-12.2		
				8	0	23.8	21.5	34.77	-13.2		
				8	4	23.9	21.5	34.77	-13.2		
				8	7	23.9	21.6	34.77	-13.2		
				15	0	23.8	21.5	34.77	-13.2		
			16QAM	1	0	24.2	21.9	34.77	-12.9		
				1	7	24.3	22.0	34.77	-12.8		
				1	14	24.3	22.0	34.77	-12.8		
				8	0	22.7	20.4	34.77	-14.4		
				8	4	22.7	20.4	34.77	-14.4		
				8	7	22.7	20.4	34.77	-14.4		
				15	0	22.8	20.5	34.77	-14.2		
3.0	23165	714.5	QPSK	1	0	24.8	22.5	34.77	-12.3		
				1	7	24.9	22.6	34.77	-12.2		
				1	14	24.8	22.5	34.77	-12.3		
				8	0	23.9	21.5	34.77	-13.2		
				8	4	23.8	21.5	34.77	-13.2		
				8	7	23.9	21.6	34.77	-13.2		
				15	0	23.9	21.5	34.77	-13.2		
			16QAM	1	0	23.9	21.6	34.77	-13.2		
				1	7	23.9	21.6	34.77	-13.2		
				1	14	23.8	21.5	34.77	-13.2		
				8	0	23.0	20.7	34.77	-14.1		
				8	4	23.0	20.7	34.77	-14.1		
				8	7	23.0	20.7	34.77	-14.0		
				15	0	22.8	20.5	34.77	-14.3		

OUTPUT POWER FOR LTE BAND 12 (5.0 MHz)

Antenna Gain (dBi)		-0.16									
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)		
5.0	23035	701.5	QPSK	1	0	24.7	22.4	34.77	-12.4		
				1	12	24.7	22.3	34.77	-12.4		
				1	24	24.7	22.3	34.77	-12.4		
				12	0	23.7	21.4	34.77	-13.4		
				12	6	23.7	21.4	34.77	-13.4		
				12	11	23.6	21.3	34.77	-13.5		
				25	0	23.7	21.4	34.77	-13.4		
			16QAM	1	0	23.9	21.6	34.77	-13.2		
				1	12	23.8	21.5	34.77	-13.2		
				1	24	23.9	21.5	34.77	-13.2		
				12	0	22.7	20.4	34.77	-14.3		
				12	6	22.8	20.5	34.77	-14.3		
				12	11	22.7	20.4	34.77	-14.3		
				25	0	22.7	20.4	34.77	-14.4		
5.0	23095	707.5	QPSK	1	0	24.6	22.3	34.77	-12.4		
				1	12	24.6	22.3	34.77	-12.4		
				1	24	24.7	22.4	34.77	-12.4		
				12	0	23.7	21.3	34.77	-13.4		
				12	6	23.7	21.3	34.77	-13.4		
				12	11	23.7	21.4	34.77	-13.4		
				25	0	23.6	21.3	34.77	-13.5		
			16QAM	1	0	24.1	21.8	34.77	-12.9		
				1	12	24.2	21.9	34.77	-12.9		
				1	24	24.2	21.9	34.77	-12.9		
				12	0	22.8	20.5	34.77	-14.3		
				12	6	22.8	20.4	34.77	-14.3		
				12	11	22.8	20.5	34.77	-14.3		
				25	0	22.7	20.4	34.77	-14.4		
5.0	23155	713.5	QPSK	1	0	24.8	22.5	34.77	-12.3		
				1	12	24.6	22.3	34.77	-12.4		
				1	24	24.6	22.3	34.77	-12.4		
				12	0	23.7	21.4	34.77	-13.4		
				12	6	23.7	21.4	34.77	-13.4		
				12	11	23.6	21.3	34.77	-13.5		
				25	0	23.6	21.3	34.77	-13.5		
			16QAM	1	0	23.8	21.5	34.77	-13.2		
				1	12	23.7	21.4	34.77	-13.4		
				1	24	23.8	21.5	34.77	-13.3		
				12	0	22.7	20.4	34.77	-14.4		
				12	6	22.7	20.4	34.77	-14.4		
				12	11	22.7	20.4	34.77	-14.4		
				25	0	22.6	20.3	34.77	-14.5		

OUTPUT POWER FOR LTE BAND 12 (10.0 MHz)

Antenna Gain (dBi)		-0.16							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10.0	23060	704.0	QPSK	1	0	24.7	22.4	34.77	-12.4
				1	24	24.5	22.2	34.77	-12.5
				1	49	24.6	22.3	34.77	-12.4
				25	0	23.7	21.4	34.77	-13.4
				25	12	23.7	21.4	34.77	-13.4
				25	24	23.7	21.4	34.77	-13.4
				50	0	23.7	21.3	34.77	-13.4
			16QAM	1	0	23.6	21.3	34.77	-13.4
				1	24	23.5	21.2	34.77	-13.6
				1	49	23.6	21.3	34.77	-13.5
				25	0	22.7	20.4	34.77	-14.4
				25	12	22.6	20.3	34.77	-14.4
				25	24	22.6	20.3	34.77	-14.5
				50	0	22.6	20.3	34.77	-14.5
10.0	23095	707.5	QPSK	1	0	24.6	22.3	34.77	-12.5
				1	24	24.6	22.3	34.77	-12.4
				1	49	24.7	22.3	34.77	-12.4
				25	0	23.6	21.3	34.77	-13.5
				25	12	23.7	21.4	34.77	-13.4
				25	24	23.7	21.4	34.77	-13.4
				50	0	23.6	21.3	34.77	-13.4
			16QAM	1	0	24.0	21.7	34.77	-13.1
				1	24	24.0	21.7	34.77	-13.1
				1	49	24.0	21.7	34.77	-13.1
				25	0	22.6	20.3	34.77	-14.5
				25	12	22.7	20.4	34.77	-14.4
				25	24	22.7	20.4	34.77	-14.4
				50	0	22.6	20.3	34.77	-14.5
10.0	23130	711.0	QPSK	1	0	24.6	22.3	34.77	-12.4
				1	24	24.6	22.3	34.77	-12.4
				1	49	24.6	22.3	34.77	-12.5
				25	0	23.7	21.4	34.77	-13.4
				25	12	23.7	21.4	34.77	-13.3
				25	24	23.7	21.4	34.77	-13.4
				50	0	23.7	21.4	34.77	-13.4
			16QAM	1	0	23.6	21.3	34.77	-13.5
				1	24	23.6	21.3	34.77	-13.5
				1	49	23.6	21.3	34.77	-13.5
				25	0	22.8	20.5	34.77	-14.3
				25	12	22.8	20.5	34.77	-14.3
				25	24	22.7	20.4	34.77	-14.4
				50	0	22.7	20.4	34.77	-14.4

7.1.6. LTE BAND 13

ID:	50820	Date:	12/17/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 13 (5.0 MHz)

Antenna Gain (dBi)		-0.42							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
5.0	23207	779.5	QPSK	1	0	24.4	21.8	34.77	-13.0
				1	12	24.3	21.7	34.77	-13.1
				1	24	24.2	21.6	34.77	-13.1
				12	0	23.7	21.2	34.77	-13.6
				12	6	23.8	21.2	34.77	-13.6
				12	11	23.7	21.2	34.77	-13.6
			16QAM	25	0	23.8	21.2	34.77	-13.6
				1	0	23.9	21.4	34.77	-13.4
				1	12	23.8	21.3	34.77	-13.5
				1	24	23.9	21.3	34.77	-13.5
				12	0	22.8	20.3	34.77	-14.5
				12	6	22.8	20.3	34.77	-14.5
				12	11	22.8	20.2	34.77	-14.5
				25	0	22.8	20.2	34.77	-14.6
5.0	23230	782.0	QPSK	1	0	24.3	21.7	34.77	-13.0
				1	12	24.2	21.6	34.77	-13.1
				1	24	24.2	21.7	34.77	-13.1
				12	0	23.8	21.2	34.77	-13.6
				12	6	23.8	21.2	34.77	-13.6
				12	11	23.8	21.2	34.77	-13.6
			16QAM	25	0	23.8	21.2	34.77	-13.5
				1	0	24.0	21.4	34.77	-13.4
				1	12	23.9	21.3	34.77	-13.5
				1	24	23.9	21.3	34.77	-13.5
				12	0	22.9	20.3	34.77	-14.5
				12	6	22.9	20.3	34.77	-14.5
				12	11	22.8	20.3	34.77	-14.5
				25	0	22.8	20.2	34.77	-14.6
5.0	23255	784.5	QPSK	1	0	24.3	21.7	34.77	-13.0
				1	12	24.3	21.7	34.77	-13.0
				1	24	24.3	21.7	34.77	-13.1
				12	0	23.8	21.2	34.77	-13.6
				12	6	23.9	21.3	34.77	-13.5
				12	11	23.8	21.2	34.77	-13.5
			16QAM	25	0	23.9	21.3	34.77	-13.5
				1	0	23.8	21.2	34.77	-13.5
				1	12	23.7	21.1	34.77	-13.6
				1	24	23.7	21.1	34.77	-13.7
				12	0	22.8	20.3	34.77	-14.5
				12	6	22.9	20.4	34.77	-14.4
				12	11	22.9	20.3	34.77	-14.4
				25	0	22.9	20.3	34.77	-14.5

OUTPUT POWER FOR LTE BAND 13 (10.0 MHz)

Antenna Gain (dBi)		-0.42							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10.0	23230	782.0	QPSK	1	0	24.3	21.7	34.77	-13.0
				1	24	24.3	21.8	34.77	-13.0
				1	49	24.3	21.7	34.77	-13.0
				25	0	23.5	21.0	34.77	-13.8
				25	12	23.6	21.0	34.77	-13.8
				25	24	23.5	20.9	34.77	-13.9
				50	0	23.7	21.1	34.77	-13.7
			16QAM	1	0	23.5	20.9	34.77	-13.9
				1	24	23.5	20.9	34.77	-13.9
				1	49	23.5	20.9	34.77	-13.9
				25	0	22.7	20.1	34.77	-14.7
				25	12	22.7	20.1	34.77	-14.7
				25	24	22.6	20.0	34.77	-14.8
				50	0	22.7	20.1	34.77	-14.7

7.1.7. LTE BAND 17

ID:	37290	Date:	12/27/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 17 (5.0 MHz)

Antenna Gain (dBi)		-0.16							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
5.0	23755	706.5	QPSK	1	0	24.6	22.2	34.77	-12.5
				1	12	24.5	22.2	34.77	-12.6
				1	24	24.5	22.2	34.77	-12.6
				12	0	23.6	21.2	34.77	-13.5
				12	6	23.6	21.2	34.77	-13.5
				12	11	23.5	21.2	34.77	-13.6
				25	0	23.5	21.2	34.77	-13.6
			16QAM	1	0	23.8	21.5	34.77	-13.3
				1	12	23.7	21.4	34.77	-13.4
				1	24	23.7	21.4	34.77	-13.4
				12	0	22.7	20.3	34.77	-14.4
				12	6	22.7	20.4	34.77	-14.4
				12	11	22.6	20.3	34.77	-14.5
				25	0	22.6	20.3	34.77	-14.5
5.0	23790	710.0	QPSK	1	0	24.6	22.3	34.77	-12.5
				1	12	24.5	22.2	34.77	-12.6
				1	24	24.5	22.2	34.77	-12.6
				12	0	23.6	21.3	34.77	-13.5
				12	6	23.5	21.2	34.77	-13.5
				12	11	23.4	21.1	34.77	-13.6
				25	0	23.4	21.1	34.77	-13.6
			16QAM	1	0	24.0	21.6	34.77	-13.1
				1	12	24.0	21.7	34.77	-13.1
				1	24	24.0	21.7	34.77	-13.1
				12	0	22.6	20.3	34.77	-14.5
				12	6	22.6	20.3	34.77	-14.5
				12	11	22.6	20.3	34.77	-14.5
				25	0	22.5	20.2	34.77	-14.6
5.0	23825	713.5	QPSK	1	0	24.5	22.2	34.77	-12.5
				1	12	24.4	22.1	34.77	-12.7
				1	24	24.4	22.1	34.77	-12.7
				12	0	23.4	21.1	34.77	-13.7
				12	6	23.4	21.1	34.77	-13.6
				12	11	23.4	21.1	34.77	-13.7
				25	0	23.4	21.1	34.77	-13.6
			16QAM	1	0	23.6	21.3	34.77	-13.5
				1	12	23.5	21.2	34.77	-13.6
				1	24	23.5	21.2	34.77	-13.5
				12	0	22.5	20.2	34.77	-14.6
				12	6	22.5	20.2	34.77	-14.6
				12	11	22.5	20.2	34.77	-14.6
				25	0	22.4	20.1	34.77	-14.7

OUTPUT POWER FOR LTE BAND 17 (10.0 MHz)

Antenna Gain (dBi)		-0.16							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10.0	23790	710.0	QPSK	1	0	24.6	22.3	34.77	-12.5
				1	24	24.5	22.2	34.77	-12.6
				1	49	24.5	22.2	34.77	-12.6
				25	0	23.6	21.3	34.77	-13.5
				25	12	23.6	21.3	34.77	-13.5
				25	24	23.5	21.2	34.77	-13.5
				50	0	23.6	21.3	34.77	-13.4
			16QAM	1	0	23.5	21.2	34.77	-13.5
				1	24	23.5	21.2	34.77	-13.6
				1	49	23.4	21.1	34.77	-13.7
				25	0	22.6	20.3	34.77	-14.5
				25	12	22.6	20.3	34.77	-14.5
				25	24	22.6	20.2	34.77	-14.5
				50	0	22.6	20.3	34.77	-14.5

7.1.8. LTE BAND 25

ID:	37290	Date:	12/17/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 25 (1.4MHz)

Antenna Gain (dBi)		-0.47							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
1.4	26047	1850.7	QPSK	1	0	24.7	24.3	33.0	-8.8
				1	2	24.8	24.3	33.0	-8.7
				1	5	24.7	24.2	33.0	-8.8
				3	0	24.8	24.3	33.0	-8.7
				3	1	24.8	24.3	33.0	-8.7
				3	2	24.8	24.3	33.0	-8.7
				6	0	23.7	23.3	33.0	-9.7
			16QAM	1	0	23.9	23.4	33.0	-9.6
				1	2	24.0	23.5	33.0	-9.5
				1	5	23.9	23.4	33.0	-9.6
				3	0	23.9	23.4	33.0	-9.6
				3	1	24.0	23.5	33.0	-9.5
				3	2	24.0	23.5	33.0	-9.5
				6	0	22.8	22.3	33.0	-10.7
1.4	26365	1882.5	QPSK	1	0	24.6	24.1	33.0	-8.9
				1	2	24.6	24.2	33.0	-8.8
				1	5	24.5	24.1	33.0	-8.9
				3	0	24.7	24.2	33.0	-8.8
				3	1	24.7	24.2	33.0	-8.8
				3	2	24.7	24.2	33.0	-8.8
				6	0	23.5	23.1	33.0	-9.9
			16QAM	1	0	23.7	23.3	33.0	-9.8
				1	2	23.8	23.3	33.0	-9.7
				1	5	23.7	23.2	33.0	-9.8
				3	0	23.7	23.3	33.0	-9.7
				3	1	23.7	23.3	33.0	-9.8
				3	2	23.8	23.3	33.0	-9.7
				6	0	22.6	22.1	33.0	-10.9
1.4	26683	1914.3	QPSK	1	0	24.6	24.1	33.0	-8.9
				1	2	24.7	24.2	33.0	-8.8
				1	5	24.6	24.1	33.0	-8.9
				3	0	24.7	24.2	33.0	-8.8
				3	1	24.7	24.3	33.0	-8.7
				3	2	24.7	24.3	33.0	-8.7
				6	0	23.6	23.2	33.0	-9.8
			16QAM	1	0	23.8	23.3	33.0	-9.7
				1	2	23.9	23.4	33.0	-9.6
				1	5	23.8	23.3	33.0	-9.7
				3	0	23.8	23.3	33.0	-9.7
				3	1	23.8	23.3	33.0	-9.7
				3	2	23.8	23.3	33.0	-9.7
				6	0	22.7	22.2	33.0	-10.8

OUTPUT POWER FOR LTE BAND 25 (3.0 MHz)

Antenna Gain (dBi)		-0.47							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
3.0	26055	1851.5	QPSK	1	0	24.8	24.4	33.0	-8.6
				1	7	24.9	24.4	33.0	-8.6
				1	14	24.8	24.4	33.0	-8.7
				8	0	23.8	23.4	33.0	-9.6
				8	4	23.8	23.4	33.0	-9.7
				8	7	23.8	23.4	33.0	-9.7
				15	0	23.8	23.3	33.0	-9.7
			16QAM	1	0	24.0	23.5	33.0	-9.5
				1	7	24.1	23.7	33.0	-9.4
				1	14	23.9	23.4	33.0	-9.6
				8	0	22.9	22.4	33.0	-10.6
				8	4	22.8	22.4	33.0	-10.6
				8	7	22.9	22.4	33.0	-10.6
				15	0	22.8	22.3	33.0	-10.7
3.0	26365	1882.5	QPSK	1	0	24.7	24.2	33.0	-8.8
				1	7	24.8	24.3	33.0	-8.7
				1	14	24.7	24.2	33.0	-8.8
				8	0	23.7	23.2	33.0	-9.8
				8	4	23.7	23.2	33.0	-9.8
				8	7	23.7	23.2	33.0	-9.8
				15	0	23.6	23.1	33.0	-9.9
			16QAM	1	0	23.8	23.4	33.0	-9.7
				1	7	24.0	23.5	33.0	-9.5
				1	14	23.8	23.4	33.0	-9.6
				8	0	22.8	22.3	33.0	-10.7
				8	4	22.7	22.2	33.0	-10.8
				8	7	22.7	22.2	33.0	-10.8
				15	0	22.6	22.2	33.0	-10.9
3.0	26675	1913.5	QPSK	1	0	24.7	24.3	33.0	-8.7
				1	7	24.8	24.4	33.0	-8.7
				1	14	24.7	24.2	33.0	-8.8
				8	0	23.7	23.3	33.0	-9.8
				8	4	23.7	23.2	33.0	-9.8
				8	7	23.7	23.3	33.0	-9.7
				15	0	23.7	23.3	33.0	-9.8
			16QAM	1	0	23.9	23.4	33.0	-9.6
				1	7	24.0	23.5	33.0	-9.5
				1	14	23.8	23.4	33.0	-9.7
				8	0	22.7	22.3	33.0	-10.7
				8	4	22.8	22.3	33.0	-10.7
				8	7	22.7	22.3	33.0	-10.7
				15	0	22.7	22.2	33.0	-10.8

OUTPUT POWER FOR LTE BAND 25 (5.0 MHz)

Antenna Gain (dBi)		-0.47							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5.0	26065	1852.5	QPSK	1	0	24.6	24.2	33.0	-8.8
				1	12	24.8	24.3	33.0	-8.7
				1	24	24.8	24.3	33.0	-8.7
				12	0	23.8	23.4	33.0	-9.7
				12	6	23.8	23.4	33.0	-9.6
				12	11	23.8	23.3	33.0	-9.7
				25	0	23.8	23.3	33.0	-9.7
			16QAM	1	0	24.1	23.6	33.0	-9.4
				1	12	23.4	22.9	33.0	-10.1
				1	24	23.4	22.9	33.0	-10.1
				12	0	22.0	21.5	33.0	-11.5
				12	6	22.0	21.5	33.0	-11.5
				12	11	22.0	21.6	33.0	-11.5
				25	0	22.0	21.5	33.0	-11.5
5.0	26365	1882.5	QPSK	1	0	24.7	24.2	33.0	-8.8
				1	12	24.7	24.2	33.0	-8.8
				1	24	24.7	24.2	33.0	-8.8
				12	0	23.6	23.1	33.0	-9.9
				12	6	23.7	23.2	33.0	-9.8
				12	11	23.6	23.1	33.0	-9.9
				25	0	23.6	23.2	33.0	-9.8
			16QAM	1	0	23.1	22.6	33.0	-10.4
				1	12	23.1	22.6	33.0	-10.4
				1	24	23.1	22.6	33.0	-10.4
				12	0	21.8	21.4	33.0	-11.6
				12	6	21.9	21.5	33.0	-11.5
				12	11	21.9	21.4	33.0	-11.6
				25	0	21.9	21.4	33.0	-11.6
5.0	26665	1912.5	QPSK	1	0	24.8	24.3	33.0	-8.7
				1	12	24.7	24.3	33.0	-8.7
				1	24	24.7	24.3	33.0	-8.7
				12	0	23.7	23.2	33.0	-9.8
				12	6	23.7	23.3	33.0	-9.7
				12	11	23.7	23.2	33.0	-9.8
				25	0	23.7	23.2	33.0	-9.8
			16QAM	1	0	23.1	22.6	33.0	-10.4
				1	12	23.1	22.6	33.0	-10.4
				1	24	23.1	22.7	33.0	-10.3
				12	0	21.9	21.4	33.0	-11.6
				12	6	21.9	21.5	33.0	-11.6
				12	11	21.9	21.5	33.0	-11.5
				25	0	21.9	21.4	33.0	-11.6

OUTPUT POWER FOR LTE BAND 25 (10.0 MHz)

Antenna Gain (dBi)		-0.47							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10.0	26090	1855.0	QPSK	1	0	24.8	24.4	33.0	-8.6
				1	24	24.8	24.3	33.0	-8.7
				1	49	24.8	24.3	33.0	-8.7
				25	0	23.8	23.4	33.0	-9.7
				25	12	23.8	23.4	33.0	-9.6
				25	24	23.8	23.3	33.0	-9.7
				50	0	23.8	23.3	33.0	-9.7
			16QAM	1	0	24.1	23.7	33.0	-9.3
				1	24	24.2	23.7	33.0	-9.3
				1	49	24.2	23.7	33.0	-9.3
				25	0	22.8	22.3	33.0	-10.7
				25	12	22.8	22.3	33.0	-10.7
				25	24	22.8	22.4	33.0	-10.7
				50	0	22.8	22.3	33.0	-10.7
10.0	26365	1882.5	QPSK	1	0	24.7	24.2	33.0	-8.8
				1	24	24.7	24.2	33.0	-8.8
				1	49	24.7	24.2	33.0	-8.8
				25	0	23.6	23.1	33.0	-9.9
				25	12	23.7	23.2	33.0	-9.8
				25	24	23.6	23.1	33.0	-9.9
				50	0	23.6	23.2	33.0	-9.8
			16QAM	1	0	23.9	23.4	33.0	-9.6
				1	24	23.9	23.4	33.0	-9.6
				1	49	23.9	23.4	33.0	-9.6
				25	0	22.6	22.2	33.0	-10.8
				25	12	22.7	22.3	33.0	-10.7
				25	24	22.7	22.2	33.0	-10.8
				50	0	22.7	22.2	33.0	-10.8
10.0	26640	1910.0	QPSK	1	0	24.8	24.3	33.0	-8.7
				1	24	24.7	24.3	33.0	-8.7
				1	49	24.7	24.3	33.0	-8.7
				25	0	23.7	23.2	33.0	-9.8
				25	12	23.7	23.3	33.0	-9.7
				25	24	23.7	23.2	33.0	-9.8
				50	0	23.7	23.2	33.0	-9.8
			16QAM	1	0	23.9	23.4	33.0	-9.6
				1	24	23.9	23.4	33.0	-9.6
				1	49	23.9	23.5	33.0	-9.5
				25	0	22.7	22.2	33.0	-10.8
				25	12	22.7	22.3	33.0	-10.8
				25	24	22.7	22.3	33.0	-10.7
				50	0	22.7	22.2	33.0	-10.8

OUTPUT POWER FOR LTE BAND 25 (15.0 MHz)

Antenna Gain (dBi)		-0.47							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15.0	26115	1857.5	QPSK	1	0	24.3	23.8	33.0	-9.2
				1	37	24.3	23.8	33.0	-9.2
				1	74	24.3	23.8	33.0	-9.2
				36	0	23.5	23.0	33.0	-10.0
				36	16	23.5	23.1	33.0	-9.9
				36	35	23.5	23.1	33.0	-9.9
				75	0	23.5	23.0	33.0	-10.0
			16-QAM	1	0	23.4	22.9	33.0	-10.1
				1	37	23.5	23.1	33.0	-9.9
				1	74	23.4	22.9	33.0	-10.1
				36	0	22.3	21.8	33.0	-11.2
				36	16	22.4	21.9	33.0	-11.1
				36	35	22.4	21.9	33.0	-11.1
				75	0	22.4	21.9	33.0	-11.1
15.0	26365	1882.5	QPSK	1	0	24.6	24.1	33.0	-8.9
				1	37	24.2	23.8	33.0	-9.2
				1	74	24.4	23.9	33.0	-9.1
				36	0	23.5	23.1	33.0	-9.9
				36	16	23.4	23.0	33.0	-10.0
				36	35	23.6	23.1	33.0	-9.9
				75	0	23.5	23.0	33.0	-10.0
			16-QAM	1	0	24.0	23.6	33.0	-9.4
				1	37	23.9	23.4	33.0	-9.6
				1	74	24.0	23.5	33.0	-9.5
				36	0	22.7	22.3	33.0	-10.7
				36	16	22.8	22.3	33.0	-10.7
				36	35	22.8	22.3	33.0	-10.7
				75	0	22.7	22.2	33.0	-10.8
15.0	26615	1907.5	QPSK	1	0	24.3	23.8	33.0	-9.2
				1	37	24.2	23.8	33.0	-9.2
				1	74	24.2	23.7	33.0	-9.3
				36	0	23.4	23.0	33.0	-10.1
				36	16	23.4	22.9	33.0	-10.1
				36	35	23.4	22.9	33.0	-10.1
				75	0	23.4	23.0	33.0	-10.0
			16-QAM	1	0	23.9	23.4	33.0	-9.6
				1	37	24.0	23.5	33.0	-9.5
				1	74	23.7	23.3	33.0	-9.8
				36	0	22.6	22.1	33.0	-10.9
				36	16	22.6	22.1	33.0	-10.9
				36	35	22.6	22.1	33.0	-10.9
				75	0	22.7	22.2	33.0	-10.8

OUTPUT POWER FOR LTE BAND 25 (20.0 MHz)

Antenna Gain (dBi)		-0.47							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
20.0	26140	1860.0	QPSK	1	0	24.6	24.1	33.0	-8.9
				1	49	24.4	24.0	33.0	-9.0
				1	99	24.4	24.0	33.0	-9.1
				50	0	23.5	23.1	33.0	-9.9
				50	24	23.7	23.2	33.0	-9.8
				50	49	23.8	23.4	33.0	-9.6
				100	0	23.3	22.8	33.0	-10.2
			16-QAM	1	0	23.9	23.4	33.0	-9.6
				1	49	23.3	22.8	33.0	-10.2
				1	99	23.3	22.9	33.0	-10.2
				50	0	22.3	21.8	33.0	-11.2
				50	24	22.5	22.0	33.0	-11.0
				50	49	22.6	22.2	33.0	-10.8
				100	0	22.5	22.0	33.0	-11.0
20.0	26365	1882.5	QPSK	1	0	24.3	23.8	33.0	-9.2
				1	49	24.9	24.4	33.0	-8.6
				1	99	24.7	24.2	33.0	-8.8
				50	0	23.6	23.2	33.0	-9.8
				50	24	23.8	23.3	33.0	-9.7
				50	49	23.8	23.3	33.0	-9.7
				100	0	23.6	23.1	33.0	-9.9
			16-QAM	1	0	23.3	22.9	33.0	-10.1
				1	49	23.7	23.3	33.0	-9.8
				1	99	23.6	23.1	33.0	-9.9
				50	0	22.9	22.4	33.0	-10.6
				50	24	22.8	22.3	33.0	-10.7
				50	49	22.8	22.3	33.0	-10.7
				100	0	22.7	22.2	33.0	-10.8
20.0	26590	1905.0	QPSK	1	0	24.8	24.3	33.0	-8.7
				1	49	24.5	24.0	33.0	-9.0
				1	99	24.7	24.3	33.0	-8.8
				50	0	23.5	23.1	33.0	-10.0
				50	24	23.6	23.1	33.0	-9.9
				50	49	23.6	23.1	33.0	-9.9
				100	0	23.5	23.0	33.0	-10.0
			16-QAM	1	0	23.9	23.4	33.0	-9.6
				1	49	23.7	23.2	33.0	-9.8
				1	99	23.5	23.0	33.0	-10.0
				50	0	22.5	22.0	33.0	-11.0
				50	24	22.6	22.2	33.0	-10.8
				50	49	22.6	22.2	33.0	-10.8
				100	0	22.3	21.8	33.0	-11.2

7.1.9. LTE BAND 26

ID:	37290	Date:	12/17/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 26 (1.4 MHz)

Antenna Gain (dBi)		0.06							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
1.4	26697	814.7	QPSK	1	0	24.4	22.4	38.45	-16.1
				1	2	24.5	22.4	38.45	-16.0
				1	5	24.5	22.4	38.45	-16.1
				3	0	24.5	22.5	38.45	-16.0
				3	1	24.6	22.5	38.45	-16.0
				3	2	24.6	22.5	38.45	-16.0
			16QAM	6	0	23.5	21.4	38.45	-17.0
				1	0	23.5	21.4	38.45	-17.0
				1	2	23.6	21.5	38.45	-17.0
				1	5	23.5	21.4	38.45	-17.0
				3	0	23.7	21.6	38.45	-16.8
				3	1	23.7	21.7	38.45	-16.8
				3	2	23.8	21.7	38.45	-16.8
				6	0	22.7	20.6	38.45	-17.9
1.4	26740	819.0	QPSK	1	0	24.4	22.3	38.45	-16.2
				1	2	24.4	22.3	38.45	-16.1
				1	5	24.4	22.3	38.45	-16.2
				3	0	24.5	22.4	38.45	-16.0
				3	1	24.6	22.5	38.45	-16.0
				3	2	24.5	22.4	38.45	-16.0
			16QAM	6	0	23.4	21.3	38.45	-17.1
				1	0	23.5	21.4	38.45	-17.0
				1	2	23.5	21.5	38.45	-17.0
				1	5	23.5	21.4	38.45	-17.0
				3	0	23.6	21.5	38.45	-17.0
				3	1	23.6	21.5	38.45	-17.0
				3	2	23.6	21.5	38.45	-17.0
				6	0	22.6	20.5	38.45	-18.0
1.4	26783	823.3	QPSK	1	0	24.2	22.2	38.45	-16.3
				1	2	24.3	22.2	38.45	-16.3
				1	5	24.2	22.2	38.45	-16.3
				3	0	24.3	22.2	38.45	-16.2
				3	1	24.4	22.3	38.45	-16.2
				3	2	24.3	22.2	38.45	-16.2
			16QAM	6	0	23.3	21.2	38.45	-17.3
				1	0	23.6	21.6	38.45	-16.9
				1	2	23.7	21.6	38.45	-16.8
				1	5	23.6	21.5	38.45	-16.9
				3	0	23.5	21.4	38.45	-17.0
				3	1	23.5	21.4	38.45	-17.0
				3	2	23.5	21.4	38.45	-17.0
				6	0	22.2	20.1	38.45	-18.4

OUTPUT POWER FOR LTE BAND 26 (3.0 MHz)

Antenna Gain (dBi)		0.06							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
3.0	26705	815.5	QPSK	1	0	24.7	22.6	38.45	-15.9
				1	7	24.7	22.6	38.45	-15.8
				1	14	24.6	22.5	38.45	-15.9
				8	0	23.7	21.6	38.45	-16.9
				8	4	23.6	21.5	38.45	-16.9
				8	7	23.7	21.6	38.45	-16.8
			16QAM	15	0	23.6	21.5	38.45	-16.9
				1	0	23.7	21.6	38.45	-16.9
				1	7	23.8	21.7	38.45	-16.8
				1	14	23.6	21.5	38.45	-16.9
				8	0	22.9	20.8	38.45	-17.7
				8	4	22.9	20.8	38.45	-17.7
				8	7	22.9	20.8	38.45	-17.7
				15	0	22.6	20.5	38.45	-18.0
			QPSK	1	0	24.6	22.5	38.45	-15.9
				1	7	24.6	22.5	38.45	-15.9
				1	14	24.5	22.4	38.45	-16.0
				8	0	23.6	21.5	38.45	-16.9
				8	4	23.6	21.5	38.45	-16.9
				8	7	23.6	21.5	38.45	-16.9
				15	0	23.6	21.5	38.45	-16.9
				1	0	23.5	21.4	38.45	-17.0
				1	7	23.6	21.5	38.45	-17.0
				1	14	23.5	21.4	38.45	-17.0
3.0	26740	819.0	QPSK	8	0	23.6	21.5	38.45	-16.9
				8	4	23.6	21.5	38.45	-16.9
				8	7	23.6	21.5	38.45	-16.9
				15	0	23.6	21.5	38.45	-16.9
			16QAM	1	0	23.5	21.4	38.45	-17.0
				1	7	23.6	21.5	38.45	-17.0
				1	14	23.5	21.4	38.45	-17.0
				8	0	22.7	20.6	38.45	-17.8
				8	4	22.8	20.7	38.45	-17.7
				8	7	22.8	20.7	38.45	-17.8
				15	0	22.7	20.6	38.45	-17.8
			QPSK	1	0	24.5	22.4	38.45	-16.1
				1	7	24.5	22.4	38.45	-16.0
				1	14	24.4	22.3	38.45	-16.1
				8	0	23.5	21.4	38.45	-17.0
				8	4	23.5	21.4	38.45	-17.0
				8	7	23.5	21.4	38.45	-17.0
				15	0	23.5	21.4	38.45	-17.1
			16QAM	1	0	23.8	21.7	38.45	-16.7
				1	7	23.9	21.9	38.45	-16.6
				1	14	23.8	21.7	38.45	-16.7
				8	0	22.4	20.3	38.45	-18.2
				8	4	22.4	20.3	38.45	-18.2
				8	7	22.4	20.3	38.45	-18.2
				15	0	22.5	20.4	38.45	-18.0

OUTPUT POWER FOR LTE BAND 26 (5.0 MHz)

Antenna Gain (dBi)		0.06							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
5.0	26715	816.5	QPSK	1	0	24.6	22.5	38.45	-15.9
				1	12	24.6	22.5	38.45	-15.9
				1	24	24.6	22.5	38.45	-15.9
				12	0	23.6	21.5	38.45	-17.0
				12	6	23.6	21.5	38.45	-16.9
				12	11	23.5	21.5	38.45	-17.0
				25	0	23.6	21.5	38.45	-17.0
			16QAM	1	0	23.7	21.6	38.45	-16.8
				1	12	23.7	21.6	38.45	-16.9
				1	24	23.7	21.6	38.45	-16.9
				12	0	22.7	20.6	38.45	-17.9
				12	6	22.7	20.6	38.45	-17.9
				12	11	22.6	20.5	38.45	-17.9
				25	0	22.6	20.5	38.45	-18.0
5.0	26740	819.0	QPSK	1	0	24.6	22.5	38.45	-16.0
				1	12	24.5	22.5	38.45	-16.0
				1	24	24.5	22.4	38.45	-16.0
				12	0	23.6	21.5	38.45	-17.0
				12	6	23.5	21.5	38.45	-17.0
				12	11	23.5	21.4	38.45	-17.0
				25	0	23.5	21.4	38.45	-17.0
			16QAM	1	0	23.7	21.7	38.45	-16.8
				1	12	23.7	21.7	38.45	-16.8
				1	24	23.7	21.6	38.45	-16.8
				12	0	22.6	20.5	38.45	-17.9
				12	6	22.6	20.5	38.45	-17.9
				12	11	22.6	20.5	38.45	-17.9
				25	0	22.5	20.5	38.45	-18.0
5.0	26765	821.5	QPSK	1	0	24.4	22.3	38.45	-16.1
				1	12	24.4	22.3	38.45	-16.1
				1	24	24.4	22.3	38.45	-16.1
				12	0	23.4	21.3	38.45	-17.1
				12	6	23.4	21.3	38.45	-17.1
				12	11	23.4	21.3	38.45	-17.2
				25	0	23.4	21.3	38.45	-17.2
			16QAM	1	0	23.9	21.8	38.45	-16.6
				1	12	23.9	21.8	38.45	-16.6
				1	24	23.9	21.8	38.45	-16.6
				12	0	22.6	20.5	38.45	-18.0
				12	6	22.5	20.5	38.45	-18.0
				12	11	22.6	20.5	38.45	-18.0
				25	0	22.5	20.4	38.45	-18.1

OUTPUT POWER FOR LTE BAND 26 (10.0 MHz)

Antenna Gain (dBi)		0.06							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10.0	26740	819.0	QPSK	1	0	24.7	22.6	38.45	-15.9
				1	24	24.7	22.6	38.45	-15.8
				1	49	24.7	22.6	38.45	-15.9
				25	0	23.8	21.7	38.45	-16.8
				25	12	23.8	21.7	38.45	-16.7
				25	24	23.7	21.7	38.45	-16.8
				50	0	23.9	21.8	38.45	-16.7
			16QAM	1	0	23.7	21.6	38.45	-16.8
				1	24	23.7	21.6	38.45	-16.9
				1	49	23.7	21.6	38.45	-16.8
				25	0	22.8	20.8	38.45	-17.7
				25	12	22.9	20.8	38.45	-17.6
				25	24	22.8	20.8	38.45	-17.7
				50	0	22.9	20.8	38.45	-17.6

7.1.10. **LTE BAND 27**

ID:	37290	Date:	12/17/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 27 (1.4 MHz)

Antenna Gain (dBi)		0.06							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
1.4	27117	814.7	QPSK	1	0	23.6	21.5	50.00	-28.5
				1	2	23.5	21.4	50.00	-28.6
				1	5	23.4	21.3	50.00	-28.7
				3	0	23.5	21.4	50.00	-28.6
				3	1	23.5	21.4	50.00	-28.6
				3	2	23.5	21.4	50.00	-28.6
			16QAM	6	0	22.5	20.4	50.00	-29.6
				1	0	22.6	20.5	50.00	-29.5
				1	2	22.6	20.5	50.00	-29.5
				1	5	22.6	20.5	50.00	-29.5
				3	0	22.8	20.7	50.00	-29.3
				3	1	22.8	20.7	50.00	-29.3
				3	2	22.8	20.7	50.00	-29.3
				6	0	21.7	19.6	50.00	-30.4
1.4	27160	819.0	QPSK	1	0	23.4	21.3	50.00	-28.7
				1	2	23.4	21.3	50.00	-28.7
				1	5	23.4	21.3	50.00	-28.7
				3	0	23.5	21.4	50.00	-28.6
				3	1	23.5	21.4	50.00	-28.6
				3	2	23.5	21.4	50.00	-28.6
			16QAM	6	0	22.4	20.3	50.00	-29.7
				1	0	22.5	20.4	50.00	-29.6
				1	2	22.5	20.4	50.00	-29.6
				1	5	22.6	20.5	50.00	-29.5
				3	0	22.6	20.5	50.00	-29.5
				3	1	22.6	20.5	50.00	-29.5
				3	2	22.6	20.5	50.00	-29.5
				6	0	21.6	19.5	50.00	-30.5
1.4	27203	823.3	QPSK	1	0	23.4	21.3	50.00	-28.7
				1	2	23.4	21.3	50.00	-28.7
				1	5	23.3	21.2	50.00	-28.8
				3	0	23.4	21.4	50.00	-28.6
				3	1	23.5	21.4	50.00	-28.6
				3	2	23.5	21.4	50.00	-28.6
			16QAM	6	0	22.4	20.3	50.00	-29.7
				1	0	22.8	20.7	50.00	-29.3
				1	2	22.7	20.7	50.00	-29.3
				1	5	22.7	20.7	50.00	-29.3
				3	0	22.6	20.5	50.00	-29.5
				3	1	22.6	20.5	50.00	-29.5
				3	2	22.6	20.5	50.00	-29.5
				6	0	21.3	19.2	50.00	-30.8

OUTPUT POWER FOR LTE BAND 27 (3.0 MHz)

Antenna Gain (dBi)		0.06							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
3.0	27125	815.5	QPSK	1	0	23.7	21.6	50.00	-28.4
				1	7	23.6	21.5	50.00	-28.5
				1	14	23.6	21.5	50.00	-28.5
				8	0	22.6	20.5	50.00	-29.5
				8	4	22.6	20.5	50.00	-29.5
				8	7	22.7	20.6	50.00	-29.4
				15	0	22.6	20.5	50.00	-29.5
			16QAM	1	0	23.1	21.0	50.00	-29.0
				1	7	23.0	20.9	50.00	-29.1
				1	14	23.0	20.9	50.00	-29.1
				8	0	21.5	19.4	50.00	-30.6
				8	4	21.5	19.4	50.00	-30.6
				8	7	21.5	19.4	50.00	-30.6
				15	0	21.7	19.6	50.00	-30.4
3.0	27160	819.0	QPSK	1	0	23.5	21.4	50.00	-28.6
				1	7	23.5	21.5	50.00	-28.5
				1	14	23.5	21.4	50.00	-28.6
				8	0	22.5	20.4	50.00	-29.6
				8	4	22.5	20.4	50.00	-29.6
				8	7	22.5	20.4	50.00	-29.6
				15	0	22.5	20.4	50.00	-29.6
			16QAM	1	0	22.6	20.5	50.00	-29.5
				1	7	22.6	20.5	50.00	-29.5
				1	14	22.5	20.4	50.00	-29.6
				8	0	21.7	19.6	50.00	-30.4
				8	4	21.7	19.6	50.00	-30.4
				8	7	21.7	19.6	50.00	-30.4
				15	0	21.4	19.3	50.00	-30.7
3.0	27195	822.5	QPSK	1	0	23.4	21.4	50.00	-28.6
				1	7	23.5	21.4	50.00	-28.6
				1	14	23.4	21.3	50.00	-28.7
				8	0	22.5	20.4	50.00	-29.6
				8	4	22.5	20.4	50.00	-29.6
				8	7	22.5	20.4	50.00	-29.6
				15	0	22.5	20.4	50.00	-29.6
			16QAM	1	0	22.4	20.3	50.00	-29.7
				1	7	22.4	20.3	50.00	-29.7
				1	14	22.3	20.2	50.00	-29.8
				8	0	21.6	19.5	50.00	-30.5
				8	4	21.6	19.5	50.00	-30.5
				8	7	21.6	19.5	50.00	-30.5
				15	0	21.5	19.4	50.00	-30.6

OUTPUT POWER FOR LTE BAND 27 (5.0 MHz)

Antenna Gain (dBi)		0.06							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
5.0	27135	816.5	QPSK	1	0	23.6	21.5	50.00	-28.5
				1	12	23.6	21.5	50.00	-28.5
				1	24	23.6	21.5	50.00	-28.5
				12	0	22.6	20.6	50.00	-29.4
				12	6	22.6	20.5	50.00	-29.5
				12	11	22.6	20.5	50.00	-29.5
				25	0	22.6	20.5	50.00	-29.5
			16QAM	1	0	23.2	21.1	50.00	-28.9
				1	12	23.1	21.0	50.00	-29.0
				1	24	23.2	21.1	50.00	-28.9
				12	0	21.8	19.7	50.00	-30.3
				12	6	21.8	19.7	50.00	-30.3
				12	11	21.8	19.7	50.00	-30.3
				25	0	21.7	19.6	50.00	-30.4
5.0	27160	819.0	QPSK	1	0	23.6	21.5	50.00	-28.5
				1	12	23.5	21.4	50.00	-28.6
				1	24	23.5	21.4	50.00	-28.6
				12	0	22.6	20.5	50.00	-29.5
				12	6	22.5	20.4	50.00	-29.6
				12	11	22.5	20.5	50.00	-29.5
				25	0	22.5	20.4	50.00	-29.6
			16QAM	1	0	22.7	20.6	50.00	-29.4
				1	12	22.6	20.5	50.00	-29.5
				1	24	22.6	20.5	50.00	-29.5
				12	0	21.6	19.5	50.00	-30.5
				12	6	21.6	19.5	50.00	-30.5
				12	11	21.6	19.5	50.00	-30.5
				25	0	21.5	19.4	50.00	-30.6
5.0	27185	821.5	QPSK	1	0	23.5	21.4	50.00	-28.6
				1	12	23.5	21.4	50.00	-28.6
				1	24	23.5	21.4	50.00	-28.6
				12	0	22.5	20.4	50.00	-29.6
				12	6	22.5	20.4	50.00	-29.6
				12	11	22.5	20.4	50.00	-29.6
				25	0	22.5	20.4	50.00	-29.6
			16QAM	1	0	22.7	20.6	50.00	-29.4
				1	12	22.6	20.5	50.00	-29.5
				1	24	22.6	20.6	50.00	-29.4
				12	0	21.6	19.5	50.00	-30.5
				12	6	21.6	19.5	50.00	-30.5
				12	11	21.6	19.5	50.00	-30.5
				25	0	21.5	19.4	50.00	-30.6

OUTPUT POWER FOR LTE BAND 27 (10.0 MHz)

Antenna Gain (dBi)		0.06							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10.0	27160	819.0	QPSK	1	0	23.5	21.4	50.00	-28.6
				1	24	23.4	21.3	50.00	-28.7
				1	49	23.4	21.3	50.00	-28.7
				25	0	22.5	20.4	50.00	-29.6
				25	12	22.6	20.5	50.00	-29.5
				25	24	22.5	20.4	50.00	-29.6
				50	0	22.5	20.4	50.00	-29.6
			16QAM	1	0	22.9	20.8	50.00	-29.2
				1	24	22.8	20.7	50.00	-29.3
				1	49	22.7	20.6	50.00	-29.4
				25	0	21.5	19.4	50.00	-30.6
				25	12	21.6	19.5	50.00	-30.5
				25	24	21.6	19.5	50.00	-30.5
				50	0	21.5	19.4	50.00	-30.6

7.1.11. **LTE BAND 30**

ID:	37290	Date:	12/27/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 30 (5.0 MH)

Antenna Gain (dBi)		-0.22							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5.0	27685	2307.5	QPSK	1	0	22.1	21.9	24.0	-2.1
				1	12	21.9	21.7	24.0	-2.3
				1	24	21.9	21.7	24.0	-2.3
				12	0	21.0	20.8	24.0	-3.2
				12	6	21.0	20.8	24.0	-3.2
				12	11	21.0	20.7	24.0	-3.3
			16QAM	25	0	21.0	20.8	24.0	-3.2
				1	0	21.3	21.0	24.0	-3.0
				1	12	21.1	20.9	24.0	-3.1
				1	24	21.1	20.8	24.0	-3.2
				12	0	20.1	19.8	24.0	-4.2
				12	6	20.1	19.9	24.0	-4.1
				12	11	20.0	19.8	24.0	-4.2
				25	0	20.0	19.8	24.0	-4.2
5.0	27710	2310.0	QPSK	1	0	22.1	21.9	24.0	-2.1
				1	12	22.0	21.8	24.0	-2.2
				1	24	21.9	21.7	24.0	-2.3
				12	0	21.0	20.7	24.0	-3.3
				12	6	21.0	20.8	24.0	-3.2
				12	11	20.9	20.7	24.0	-3.3
			16QAM	25	0	21.0	20.8	24.0	-3.2
				1	0	21.3	21.1	24.0	-2.9
				1	12	21.1	20.9	24.0	-3.1
				1	24	21.1	20.9	24.0	-3.1
				12	0	20.1	19.8	24.0	-4.2
				12	6	20.1	19.9	24.0	-4.1
				12	11	20.0	19.8	24.0	-4.2
				25	0	20.0	19.8	24.0	-4.2
5.0	27735	2312.5	QPSK	1	0	22.1	21.9	24.0	-2.1
				1	12	22.0	21.7	24.0	-2.3
				1	24	21.9	21.7	24.0	-2.3
				12	0	21.1	20.9	24.0	-3.1
				12	6	21.0	20.8	24.0	-3.2
				12	11	20.9	20.7	24.0	-3.3
			16QAM	25	0	21.0	20.8	24.0	-3.2
				1	0	21.6	21.4	24.0	-2.6
				1	12	21.5	21.3	24.0	-2.7
				1	24	21.5	21.2	24.0	-2.8
				12	0	20.2	20.0	24.0	-4.0
				12	6	20.1	19.9	24.0	-4.1
				12	11	20.1	19.9	24.0	-4.1
				25	0	20.2	19.9	24.0	-4.1

OUTPUT POWER FOR LTE BAND 30 (10.0 MHz)

Antenna Gain (dBi)		-0.22							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10.0	27710	2310.0	QPSK	1	0	22.2	22.0	24.0	-2.0
				1	24	22.0	21.7	24.0	-2.3
				1	49	21.9	21.7	24.0	-2.3
				25	0	21.1	20.9	24.0	-3.1
				25	12	21.1	20.8	24.0	-3.2
				25	24	20.9	20.7	24.0	-3.3
				50	0	21.0	20.8	24.0	-3.2
			16QAM	1	0	21.2	21.0	24.0	-3.0
				1	24	21.0	20.7	24.0	-3.3
				1	49	20.9	20.7	24.0	-3.3
				25	0	20.2	20.0	24.0	-4.0
				25	12	20.1	19.9	24.0	-4.1
				25	24	19.9	19.7	24.0	-4.3
				50	0	20.1	19.8	24.0	-4.2

7.1.12. **LTE BAND 41**

ID:	37290	Date:	12/17/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 41 (5.0 MHz)

Antenna Gain (dBi)		-0.46							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5.0	39675	2498.5	QPSK	1	0	22.8	22.3	33.0	-10.7
				1	12	22.7	22.3	33.0	-10.7
				1	24	22.7	22.2	33.0	-10.8
				12	0	21.7	21.2	33.0	-11.8
				12	6	21.6	21.2	33.0	-11.9
				12	11	21.7	21.2	33.0	-11.8
				25	0	21.7	21.2	33.0	-11.8
			16QAM	1	0	22.0	21.6	33.0	-11.4
				1	12	22.0	21.5	33.0	-11.5
				1	24	21.9	21.5	33.0	-11.6
				12	0	20.6	20.2	33.0	-12.8
				12	6	20.7	20.3	33.0	-12.7
				12	11	20.7	20.3	33.0	-12.8
				25	0	20.7	20.2	33.0	-12.8
5.0	40620	2593.0	QPSK	1	0	22.7	22.3	33.0	-10.7
				1	12	22.5	22.1	33.0	-10.9
				1	24	22.6	22.1	33.0	-10.9
				12	0	21.5	21.0	33.0	-12.0
				12	6	21.5	21.1	33.0	-11.9
				12	11	21.5	21.0	33.0	-12.0
				25	0	21.5	21.1	33.0	-11.9
			16QAM	1	0	21.9	21.5	33.0	-11.6
				1	12	21.8	21.3	33.0	-11.7
				1	24	21.9	21.4	33.0	-11.6
				12	0	20.6	20.1	33.0	-12.9
				12	6	20.6	20.1	33.0	-12.9
				12	11	20.5	20.0	33.0	-13.0
				25	0	20.6	20.2	33.0	-12.9
5.0	41565	2687.5	QPSK	1	0	22.5	22.1	33.0	-10.9
				1	12	22.5	22.0	33.0	-11.0
				1	24	22.5	22.1	33.0	-10.9
				12	0	21.4	20.9	33.0	-12.1
				12	6	21.4	21.0	33.0	-12.1
				12	11	21.4	20.9	33.0	-12.1
				25	0	21.4	20.9	33.0	-12.1
			16QAM	1	0	21.8	21.3	33.0	-11.7
				1	12	21.8	21.3	33.0	-11.7
				1	24	21.9	21.4	33.0	-11.6
				12	0	20.5	20.0	33.0	-13.0
				12	6	20.5	20.1	33.0	-12.9
				12	11	20.5	20.0	33.0	-13.0
				25	0	20.5	20.0	33.0	-13.0

OUTPUT POWER FOR LTE BAND 41 (10.0 MHz)

Antenna Gain (dBi)		-0.46							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10.0	39700	2501.0	QPSK	1	0	22.8	22.4	33.0	-10.6
				1	24	22.7	22.2	33.0	-10.8
				1	49	22.7	22.2	33.0	-10.8
				25	0	21.7	21.2	33.0	-11.8
				25	12	21.6	21.2	33.0	-11.8
				25	24	21.6	21.1	33.0	-11.9
				50	0	21.7	21.2	33.0	-11.8
			16QAM	1	0	22.1	21.7	33.0	-11.4
				1	24	22.0	21.5	33.0	-11.5
				1	49	22.0	21.5	33.0	-11.5
				25	0	20.8	20.3	33.0	-12.7
				25	12	20.7	20.2	33.0	-12.8
				25	24	20.6	20.1	33.0	-12.9
				50	0	20.7	20.2	33.0	-12.8
10.0	40620	2593.0	QPSK	1	0	22.7	22.3	33.0	-10.8
				1	24	22.5	22.1	33.0	-11.0
				1	49	22.6	22.1	33.0	-10.9
				25	0	21.6	21.1	33.0	-11.9
				25	12	21.5	21.0	33.0	-12.0
				25	24	21.5	21.1	33.0	-11.9
				50	0	21.5	21.1	33.0	-12.0
			16QAM	1	0	22.0	21.5	33.0	-11.5
				1	24	21.8	21.3	33.0	-11.7
				1	49	21.8	21.3	33.0	-11.7
				25	0	20.6	20.1	33.0	-12.9
				25	12	20.5	20.0	33.0	-13.0
				25	24	20.5	20.0	33.0	-13.0
				50	0	20.6	20.1	33.0	-12.9
10.0	41540	2685.0	QPSK	1	0	22.6	22.2	33.0	-10.9
				1	24	22.5	22.0	33.0	-11.0
				1	49	22.5	22.0	33.0	-11.0
				25	0	21.4	21.0	33.0	-12.0
				25	12	21.4	21.0	33.0	-12.0
				25	24	21.3	20.9	33.0	-12.1
				50	0	21.4	20.9	33.0	-12.1
			16QAM	1	0	22.0	21.5	33.0	-11.5
				1	24	21.9	21.5	33.0	-11.5
				1	49	21.9	21.5	33.0	-11.5
				25	0	20.4	20.0	33.0	-13.0
				25	12	20.4	20.0	33.0	-13.0
				25	24	20.4	19.9	33.0	-13.1
				50	0	20.4	19.9	33.0	-13.1

OUTPUT POWER FOR LTE BAND 41 (15.0 MHz)

Antenna Gain (dBi)		-0.46							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15.0	39725	2503.5	QPSK	1	0	22.7	22.3	33.0	-10.8
				1	37	22.3	21.8	33.0	-11.2
				1	74	22.0	21.6	33.0	-11.5
				36	0	21.2	20.7	33.0	-12.3
				36	16	21.1	20.7	33.0	-12.3
				36	35	21.0	20.6	33.0	-12.5
				75	0	21.2	20.7	33.0	-12.3
			16-QAM	1	0	21.4	21.0	33.0	-12.0
				1	37	21.4	20.9	33.0	-12.1
				1	74	21.2	20.7	33.0	-12.3
				36	0	20.1	19.7	33.0	-13.3
				36	16	20.1	19.7	33.0	-13.4
				36	35	20.0	19.5	33.0	-13.5
				75	0	20.1	19.7	33.0	-13.3
15.0	40620	2593.0	QPSK	1	0	22.3	21.8	33.0	-11.2
				1	37	21.9	21.5	33.0	-11.5
				1	74	21.9	21.5	33.0	-11.5
				36	0	21.1	20.7	33.0	-12.4
				36	16	21.0	20.5	33.0	-12.5
				36	35	21.0	20.5	33.0	-12.5
				75	0	21.0	20.5	33.0	-12.5
			16-QAM	1	0	21.6	21.1	33.0	-11.9
				1	37	21.3	20.8	33.0	-12.2
				1	74	21.2	20.7	33.0	-12.3
				36	0	20.1	19.6	33.0	-13.4
				36	16	20.0	19.5	33.0	-13.5
				36	35	20.0	19.5	33.0	-13.5
				75	0	19.9	19.5	33.0	-13.5
15.0	41515	2682.5	QPSK	1	0	22.1	21.7	33.0	-11.4
				1	37	21.8	21.3	33.0	-11.7
				1	74	21.9	21.4	33.0	-11.6
				36	0	21.1	20.6	33.0	-12.4
				36	16	21.0	20.5	33.0	-12.5
				36	35	20.9	20.4	33.0	-12.6
				75	0	21.0	20.6	33.0	-12.5
			16-QAM	1	0	21.2	20.7	33.0	-12.3
				1	37	21.2	20.7	33.0	-12.3
				1	74	20.9	20.5	33.0	-12.5
				36	0	20.0	19.5	33.0	-13.5
				36	16	20.0	19.5	33.0	-13.5
				36	35	19.8	19.4	33.0	-13.7
				75	0	20.0	19.5	33.0	-13.5

OUTPUT POWER FOR LTE BAND 41 (20.0 MHz)

Antenna Gain (dBi)		-0.46							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
20.0	39750	2506.0	QPSK	1	0	22.8	22.3	33.0	-10.7
				1	49	22.6	22.1	33.0	-10.9
				1	99	22.7	22.2	33.0	-10.8
				50	0	21.7	21.2	33.0	-11.8
				50	24	21.6	21.2	33.0	-11.8
				50	49	21.7	21.2	33.0	-11.8
				100	0	21.6	21.1	33.0	-11.9
			16-QAM	1	0	21.8	21.4	33.0	-11.6
				1	49	21.7	21.3	33.0	-11.8
				1	99	21.8	21.4	33.0	-11.6
				50	0	20.6	20.2	33.0	-12.8
				50	24	20.5	20.1	33.0	-12.9
				50	49	20.6	20.2	33.0	-12.9
				100	0	20.5	20.1	33.0	-12.9
20.0	40620	2593.0	QPSK	1	0	22.9	22.5	33.0	-10.5
				1	49	22.5	22.0	33.0	-11.0
				1	99	22.5	22.0	33.0	-11.0
				50	0	21.7	21.2	33.0	-11.8
				50	24	21.5	21.1	33.0	-11.9
				50	49	21.5	21.0	33.0	-12.0
				100	0	21.5	21.0	33.0	-12.0
			16-QAM	1	0	22.4	21.9	33.0	-11.1
				1	49	21.8	21.4	33.0	-11.6
				1	99	21.8	21.3	33.0	-11.7
				50	0	20.7	20.2	33.0	-12.8
				50	24	20.6	20.1	33.0	-12.9
				50	49	20.5	20.1	33.0	-13.0
				100	0	20.5	20.0	33.0	-13.0
20.0	41490	2680.0	QPSK	1	0	22.6	22.1	33.0	-10.9
				1	49	22.6	22.1	33.0	-10.9
				1	99	22.5	22.0	33.0	-11.0
				50	0	21.5	21.0	33.0	-12.0
				50	24	21.5	21.0	33.0	-12.0
				50	49	21.4	20.9	33.0	-12.1
				100	0	21.5	21.0	33.0	-12.0
			16-QAM	1	0	21.8	21.3	33.0	-11.7
				1	49	21.7	21.2	33.0	-11.8
				1	99	21.8	21.3	33.0	-11.7
				50	0	20.4	20.0	33.0	-13.0
				50	24	20.4	20.0	33.0	-13.1
				50	49	20.3	19.9	33.0	-13.1
				100	0	20.5	20.0	33.0	-13.0

7.2. ANTENNA D

7.2.1. LTE BAND 2

ID:	38806	Date:	12/19/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 2 (1.4MHz)

Antenna gain (dBi)		-0.76							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
1.4	18607	1850.7	QPSK	1	0	22.3	21.5	33.0	-11.5
				1	2	22.3	21.5	33.0	-11.5
				1	5	22.3	21.5	33.0	-11.5
				3	0	22.4	21.6	33.0	-11.4
				3	1	22.4	21.6	33.0	-11.4
				3	2	22.4	21.6	33.0	-11.4
			16QAM	6	0	21.3	20.5	33.0	-12.5
				1	0	21.4	20.6	33.0	-12.4
				1	2	21.4	20.7	33.0	-12.3
				1	5	21.4	20.6	33.0	-12.4
				3	0	21.4	20.6	33.0	-12.4
				3	1	21.4	20.7	33.0	-12.3
				3	2	21.4	20.7	33.0	-12.3
				6	0	20.4	19.7	33.0	-13.4
1.4	18900	1880.0	QPSK	1	0	22.2	21.5	33.0	-11.5
				1	2	22.2	21.5	33.0	-11.5
				1	5	22.3	21.6	33.0	-11.4
				3	0	22.3	21.6	33.0	-11.4
				3	1	22.4	21.6	33.0	-11.4
				3	2	22.4	21.6	33.0	-11.4
			16QAM	6	0	21.2	20.5	33.0	-12.5
				1	0	21.6	20.9	33.0	-12.2
				1	2	21.7	20.9	33.0	-12.1
				1	5	21.6	20.8	33.0	-12.2
				3	0	21.5	20.7	33.0	-12.3
				3	1	21.5	20.7	33.0	-12.3
				3	2	21.4	20.7	33.0	-12.3
				6	0	20.2	19.4	33.0	-13.6
1.4	19193	1909.3	QPSK	1	0	22.1	21.3	33.0	-11.7
				1	2	22.2	21.4	33.0	-11.6
				1	5	22.0	21.3	33.0	-11.7
				3	0	22.2	21.5	33.0	-11.5
				3	1	22.2	21.5	33.0	-11.5
				3	2	22.3	21.5	33.0	-11.5
			16QAM	6	0	21.1	20.3	33.0	-12.7
				1	0	21.1	20.3	33.0	-12.7
				1	2	21.1	20.4	33.0	-12.6
				1	5	21.1	20.3	33.0	-12.7
				3	0	21.2	20.5	33.0	-12.5
				3	1	21.3	20.5	33.0	-12.5
				3	2	21.3	20.5	33.0	-12.5
				6	0	20.3	19.5	33.0	-13.5

OUTPUT POWER FOR LTE BAND 2 (3.0 MHz)

Antenna Gain (dBi)		-0.76							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
3.0	18615	1851.5	QPSK	1	0	22.4	21.6	33.0	-11.4
				1	7	22.5	21.7	33.0	-11.3
				1	14	22.3	21.5	33.0	-11.5
				8	0	21.3	20.6	33.0	-12.4
				8	4	21.4	20.6	33.0	-12.4
				8	7	21.4	20.6	33.0	-12.4
				15	0	21.3	20.6	33.0	-12.5
			16QAM	1	0	21.4	20.6	33.0	-12.4
				1	7	21.5	20.7	33.0	-12.3
				1	14	21.3	20.5	33.0	-12.5
				8	0	20.5	19.8	33.0	-13.2
				8	4	20.6	19.8	33.0	-13.2
				8	7	20.6	19.8	33.0	-13.2
				15	0	20.3	19.5	33.0	-13.5
3.0	18900	1880.0	QPSK	1	0	22.3	21.5	33.0	-11.5
				1	7	22.3	21.5	33.0	-11.5
				1	14	22.3	21.5	33.0	-11.5
				8	0	21.3	20.6	33.0	-12.4
				8	4	21.3	20.6	33.0	-12.4
				8	7	21.3	20.6	33.0	-12.4
				15	0	21.3	20.5	33.0	-12.5
			16QAM	1	0	21.2	20.5	33.0	-12.6
				1	7	21.2	20.5	33.0	-12.6
				1	14	21.1	20.3	33.0	-12.7
				8	0	20.4	19.7	33.0	-13.3
				8	4	20.4	19.7	33.0	-13.3
				8	7	20.5	19.7	33.0	-13.3
				15	0	20.4	19.6	33.0	-13.4
3.0	19185	1908.5	QPSK	1	0	22.2	21.4	33.0	-11.6
				1	7	22.2	21.4	33.0	-11.6
				1	14	22.2	21.4	33.0	-11.6
				8	0	21.2	20.4	33.0	-12.6
				8	4	21.2	20.4	33.0	-12.6
				8	7	21.2	20.4	33.0	-12.6
				15	0	21.1	20.4	33.0	-12.6
			16QAM	1	0	21.5	20.7	33.0	-12.3
				1	7	21.6	20.9	33.0	-12.1
				1	14	21.5	20.7	33.0	-12.3
				8	0	20.1	19.3	33.0	-13.7
				8	4	20.1	19.3	33.0	-13.7
				8	7	20.1	19.3	33.0	-13.7
				15	0	20.2	19.4	33.0	-13.6

OUTPUT POWER FOR LTE BAND 2 (5.0 MHz)

Antenna Gain (dBi)		-0.76							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5.0	18625	1852.5	QPSK	1	0	22.5	21.8	33.0	-11.2
				1	12	22.4	21.7	33.0	-11.3
				1	24	22.5	21.8	33.0	-11.2
				12	0	21.5	20.7	33.0	-12.3
				12	6	21.5	20.7	33.0	-12.3
				12	11	21.5	20.7	33.0	-12.3
				25	0	21.5	20.7	33.0	-12.3
			16QAM	1	0	21.6	20.9	33.0	-12.2
				1	12	21.6	20.8	33.0	-12.2
				1	24	21.6	20.8	33.0	-12.2
				12	0	20.5	19.8	33.0	-13.2
				12	6	20.5	19.8	33.0	-13.2
				12	11	20.5	19.8	33.0	-13.2
				25	0	20.4	19.7	33.0	-13.3
5.0	18900	1880.0	QPSK	1	0	22.5	21.8	33.0	-11.2
				1	12	22.4	21.7	33.0	-11.3
				1	24	22.4	21.6	33.0	-11.4
				12	0	21.4	20.7	33.0	-12.3
				12	6	21.4	20.7	33.0	-12.3
				12	11	21.4	20.6	33.0	-12.4
				25	0	21.4	20.6	33.0	-12.4
			16QAM	1	0	21.7	20.9	33.0	-12.1
				1	12	21.5	20.8	33.0	-12.2
				1	24	21.5	20.8	33.0	-12.2
				12	0	20.5	19.7	33.0	-13.3
				12	6	20.5	19.8	33.0	-13.2
				12	11	20.5	19.8	33.0	-13.2
				25	0	20.5	19.7	33.0	-13.3
5.0	19175	1907.5	QPSK	1	0	22.3	21.6	33.0	-11.4
				1	12	22.3	21.5	33.0	-11.5
				1	24	22.3	21.5	33.0	-11.5
				12	0	21.3	20.5	33.0	-12.5
				12	6	21.3	20.5	33.0	-12.5
				12	11	21.3	20.5	33.0	-12.5
				25	0	21.2	20.5	33.0	-12.5
			16QAM	1	0	21.8	21.1	33.0	-11.9
				1	12	21.8	21.1	33.0	-11.9
				1	24	21.8	21.1	33.0	-12.0
				12	0	20.4	19.7	33.0	-13.3
				12	6	20.4	19.6	33.0	-13.4
				12	11	20.5	19.7	33.0	-13.3
				25	0	20.3	19.6	33.0	-13.4

OUTPUT POWER FOR LTE BAND 2 (10.0 MHz)

Antenna Gain (dBi)		-0.76							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10.0	18650	1855.0	QPSK	1	0	22.5	21.7	33.0	-11.3
				1	24	22.4	21.6	33.0	-11.4
				1	49	22.4	21.7	33.0	-11.3
				25	0	21.4	20.7	33.0	-12.3
				25	12	21.4	20.7	33.0	-12.3
				25	24	21.4	20.6	33.0	-12.4
				50	0	21.4	20.7	33.0	-12.3
			16QAM	1	0	21.4	20.7	33.0	-12.3
				1	24	21.4	20.6	33.0	-12.4
				1	49	21.4	20.7	33.0	-12.3
				25	0	20.5	19.7	33.0	-13.3
				25	12	20.5	19.7	33.0	-13.3
				25	24	20.5	19.7	33.0	-13.3
				50	0	20.5	19.7	33.0	-13.3
10.0	18900	1880.0	QPSK	1	0	22.4	21.7	33.0	-11.3
				1	24	22.2	21.5	33.0	-11.5
				1	49	22.2	21.5	33.0	-11.5
				25	0	21.4	20.7	33.0	-12.3
				25	12	21.4	20.6	33.0	-12.4
				25	24	21.3	20.5	33.0	-12.5
				50	0	21.4	20.6	33.0	-12.4
			16QAM	1	0	21.4	20.6	33.0	-12.4
				1	24	21.2	20.4	33.0	-12.6
				1	49	21.1	20.4	33.0	-12.6
				25	0	20.4	19.7	33.0	-13.3
				25	12	20.4	19.6	33.0	-13.4
				25	24	20.3	19.6	33.0	-13.4
				50	0	20.4	19.6	33.0	-13.4
10.0	19150	1905.0	QPSK	1	0	22.3	21.5	33.0	-11.5
				1	24	22.1	21.3	33.0	-11.7
				1	49	22.2	21.5	33.0	-11.6
				25	0	21.3	20.5	33.0	-12.5
				25	12	21.2	20.5	33.0	-12.5
				25	24	21.2	20.4	33.0	-12.6
				50	0	21.2	20.5	33.0	-12.5
			16QAM	1	0	21.6	20.9	33.0	-12.1
				1	24	21.5	20.8	33.0	-12.2
				1	49	21.5	20.8	33.0	-12.2
				25	0	20.3	19.5	33.0	-13.5
				25	12	20.2	19.5	33.0	-13.6
				25	24	20.2	19.5	33.0	-13.5
				50	0	20.2	19.5	33.0	-13.5

OUTPUT POWER FOR LTE BAND 2 (15.0 MHz)

Antenna Gain (dBi)		-0.76							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15.0	18675	1857.5	QPSK	1	0	22.4	21.6	33.0	-11.4
				1	37	22.2	21.4	33.0	-11.6
				1	74	22.4	21.6	33.0	-11.4
				36	0	21.5	20.7	33.0	-12.3
				36	16	21.5	20.7	33.0	-12.3
				36	35	21.6	20.8	33.0	-12.2
				75	0	21.4	20.7	33.0	-12.3
			16-QAM	1	0	21.3	20.5	33.0	-12.5
				1	37	21.2	20.5	33.0	-12.5
				1	74	21.3	20.5	33.0	-12.5
				36	0	20.5	19.7	33.0	-13.3
				36	16	20.5	19.7	33.0	-13.3
				36	35	20.6	19.8	33.0	-13.2
				75	0	20.5	19.7	33.0	-13.3
15.0	18900	1880.0	QPSK	1	0	22.5	21.8	33.0	-11.2
				1	37	22.2	21.4	33.0	-11.6
				1	74	22.4	21.6	33.0	-11.4
				36	0	21.5	20.8	33.0	-12.3
				36	16	21.5	20.7	33.0	-12.3
				36	35	21.4	20.6	33.0	-12.4
				75	0	21.5	20.7	33.0	-12.3
			16-QAM	1	0	21.8	21.1	33.0	-11.9
				1	37	21.8	21.0	33.0	-12.0
				1	74	21.7	20.9	33.0	-12.1
				36	0	20.5	19.8	33.0	-13.3
				36	16	20.5	19.8	33.0	-13.3
				36	35	20.4	19.7	33.0	-13.3
				75	0	20.5	19.7	33.0	-13.3
15.0	19125	1902.5	QPSK	1	0	22.2	21.5	33.0	-11.5
				1	37	22.1	21.3	33.0	-11.7
				1	74	22.2	21.4	33.0	-11.6
				36	0	21.3	20.5	33.0	-12.5
				36	16	21.3	20.5	33.0	-12.5
				36	35	21.3	20.5	33.0	-12.5
				75	0	21.3	20.5	33.0	-12.5
			16-QAM	1	0	21.6	20.8	33.0	-12.2
				1	37	21.6	20.9	33.0	-12.1
				1	74	21.5	20.8	33.0	-12.3
				36	0	20.3	19.5	33.0	-13.5
				36	16	20.3	19.5	33.0	-13.5
				36	35	20.2	19.5	33.0	-13.5
				75	0	20.3	19.5	33.0	-13.5

OUTPUT POWER FOR LTE BAND 2 (20.0 MHz)

Antenna Gain (dBi)		-0.76							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
20.0	18700	1860.0	QPSK	1	0	22.3	21.6	33.0	-11.4
				1	49	22.3	21.6	33.0	-11.4
				1	99	22.2	21.5	33.0	-11.5
				50	0	21.3	20.5	33.0	-12.5
				50	24	21.4	20.6	33.0	-12.4
				50	49	21.4	20.6	33.0	-12.4
				100	0	21.3	20.6	33.0	-12.4
			16-QAM	1	0	21.7	20.9	33.0	-12.1
				1	49	21.7	21.0	33.0	-12.1
				1	99	21.6	20.9	33.0	-12.1
				50	0	20.3	19.5	33.0	-13.5
				50	24	20.4	19.6	33.0	-13.4
				50	49	20.3	19.6	33.0	-13.4
				100	0	20.4	19.6	33.0	-13.4
20.0	18900	1880.0	QPSK	1	0	22.5	21.7	33.0	-11.3
				1	49	22.2	21.5	33.0	-11.6
				1	99	22.2	21.4	33.0	-11.6
				50	0	21.3	20.5	33.0	-12.5
				50	24	21.3	20.5	33.0	-12.5
				50	49	21.2	20.4	33.0	-12.6
				100	0	21.3	20.5	33.0	-12.5
			16-QAM	1	0	22.0	21.2	33.0	-11.8
				1	49	21.8	21.0	33.0	-12.0
				1	99	21.6	20.9	33.0	-12.2
				50	0	20.3	19.6	33.0	-13.5
				50	24	20.3	19.6	33.0	-13.4
				50	49	20.2	19.5	33.0	-13.6
				100	0	20.3	19.5	33.0	-13.5
20.0	19100	1900.0	QPSK	1	0	22.2	21.5	33.0	-11.6
				1	49	22.1	21.4	33.0	-11.7
				1	99	22.0	21.3	33.0	-11.7
				50	0	21.1	20.3	33.0	-12.7
				50	24	21.2	20.4	33.0	-12.6
				50	49	21.1	20.3	33.0	-12.7
				100	0	21.2	20.4	33.0	-12.6
			16-QAM	1	0	21.6	20.8	33.0	-12.2
				1	49	21.5	20.7	33.0	-12.3
				1	99	21.4	20.6	33.0	-12.4
				50	0	20.1	19.3	33.0	-13.7
				50	24	20.2	19.4	33.0	-13.6
				50	49	20.1	19.3	33.0	-13.7
				100	0	20.2	19.4	33.0	-13.6

7.2.2. LTE BAND 4

ID:	38806	Date:	12/19/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 4 (1.4MHz)

Antenna Gain (dBi)		-1.38							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
1.4	19957	1710.7	QPSK	1	0	23.1	21.7	30.0	-8.3
				1	2	23.2	21.8	30.0	-8.2
				1	5	23.1	21.7	30.0	-8.3
				3	0	23.2	21.8	30.0	-8.2
				3	1	23.3	21.9	30.0	-8.1
				3	2	23.3	21.9	30.0	-8.1
			16QAM	6	0	22.1	20.7	30.0	-9.3
				1	0	22.2	20.8	30.0	-9.2
				1	2	22.2	20.9	30.0	-9.1
				1	5	22.2	20.8	30.0	-9.2
				3	0	22.3	20.9	30.0	-9.1
				3	1	22.3	20.9	30.0	-9.1
				3	2	22.3	20.9	30.0	-9.1
				6	0	21.3	19.9	30.0	-10.1
1.4	20175	1732.5	QPSK	1	0	23.2	21.8	30.0	-8.2
				1	2	23.2	21.8	30.0	-8.2
				1	5	23.2	21.8	30.0	-8.2
				3	0	23.3	21.9	30.0	-8.1
				3	1	23.3	21.9	30.0	-8.1
				3	2	23.3	21.9	30.0	-8.1
			16QAM	6	0	22.2	20.8	30.0	-9.2
				1	0	22.6	21.2	30.0	-8.8
				1	2	22.6	21.2	30.0	-8.8
				1	5	22.5	21.1	30.0	-8.9
				3	0	22.4	21.0	30.0	-9.0
				3	1	22.4	21.1	30.0	-8.9
				3	2	22.4	21.1	30.0	-8.9
				6	0	21.2	19.8	30.0	-10.2
1.4	20393	1754.3	QPSK	1	0	23.3	21.9	30.0	-8.1
				1	2	23.3	22.0	30.0	-8.0
				1	5	23.3	21.9	30.0	-8.1
				3	0	23.4	22.0	30.0	-8.0
				3	1	23.4	22.0	30.0	-8.0
				3	2	23.4	22.0	30.0	-8.0
			16QAM	6	0	22.3	20.9	30.0	-9.1
				1	0	22.3	20.9	30.0	-9.1
				1	2	22.4	21.0	30.0	-9.0
				1	5	22.3	20.9	30.0	-9.1
				3	0	22.5	21.1	30.0	-8.9
				3	1	22.5	21.1	30.0	-8.9
				3	2	22.5	21.1	30.0	-8.9
				6	0	21.5	20.1	30.0	-9.9

OUTPUT POWER FOR LTE BAND 4 (3.0 MHz)

Antenna Gain (dBi)		-1.38							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
3.0	19965	1711.5	QPSK	1	0	23.2	21.8	30.0	-8.2
				1	7	23.3	21.9	30.0	-8.1
				1	14	23.2	21.8	30.0	-8.2
				8	0	22.2	20.8	30.0	-9.2
				8	4	22.2	20.8	30.0	-9.2
				8	7	22.2	20.8	30.0	-9.2
				15	0	22.2	20.8	30.0	-9.2
			16QAM	1	0	22.2	20.8	30.0	-9.2
				1	7	22.3	20.9	30.0	-9.1
				1	14	22.2	20.8	30.0	-9.2
				8	0	21.4	20.0	30.0	-10.0
				8	4	21.4	20.0	30.0	-10.0
				8	7	21.4	20.1	30.0	-9.9
				15	0	21.2	19.8	30.0	-10.2
3.0	20175	1732.5	QPSK	1	0	23.3	21.9	30.0	-8.1
				1	7	23.3	21.9	30.0	-8.1
				1	14	23.2	21.9	30.0	-8.1
				8	0	22.2	20.8	30.0	-9.2
				8	4	22.2	20.8	30.0	-9.2
				8	7	22.3	20.9	30.0	-9.1
				15	0	22.2	20.9	30.0	-9.1
			16QAM	1	0	22.2	20.8	30.0	-9.2
				1	7	22.2	20.9	30.0	-9.1
				1	14	22.2	20.8	30.0	-9.2
				8	0	21.4	20.0	30.0	-10.0
				8	4	21.4	20.0	30.0	-10.0
				8	7	21.4	20.0	30.0	-10.0
				15	0	21.3	19.9	30.0	-10.1
3.0	20385	1753.5	QPSK	1	0	23.4	22.0	30.0	-8.0
				1	7	23.4	22.1	30.0	-7.9
				1	14	23.4	22.0	30.0	-8.0
				8	0	22.4	21.0	30.0	-9.0
				8	4	22.4	21.0	30.0	-9.0
				8	7	22.4	21.0	30.0	-9.0
				15	0	22.4	21.0	30.0	-9.0
			16QAM	1	0	22.7	21.3	30.0	-8.7
				1	7	22.8	21.5	30.0	-8.5
				1	14	22.7	21.4	30.0	-8.6
				8	0	21.3	19.9	30.0	-10.1
				8	4	21.3	19.9	30.0	-10.1
				8	7	21.3	19.9	30.0	-10.1
				15	0	21.4	20.1	30.0	-9.9

OUTPUT POWER FOR LTE BAND 4 (5.0 MHz)

Antenna Gain (dBi)		-1.38									
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)		
5.0	19975	1712.5	QPSK	1	0	23.3	21.9	30.0	-8.1		
				1	12	23.2	21.8	30.0	-8.2		
				1	24	23.3	21.9	30.0	-8.1		
				12	0	22.2	20.8	30.0	-9.2		
				12	6	22.2	20.8	30.0	-9.2		
				12	11	22.2	20.8	30.0	-9.2		
				25	0	22.2	20.8	30.0	-9.2		
			16QAM	1	0	22.3	21.0	30.0	-9.0		
				1	12	22.3	20.9	30.0	-9.1		
				1	24	22.3	21.0	30.0	-9.0		
				12	0	21.3	19.9	30.0	-10.1		
				12	6	21.3	19.9	30.0	-10.1		
				12	11	21.3	19.9	30.0	-10.1		
				25	0	21.2	19.8	30.0	-10.2		
5.0	20175	1732.5	QPSK	1	0	23.3	22.0	30.0	-8.0		
				1	12	23.3	21.9	30.0	-8.1		
				1	24	23.3	21.9	30.0	-8.1		
				12	0	22.3	20.9	30.0	-9.1		
				12	6	22.3	20.9	30.0	-9.1		
				12	11	22.3	20.9	30.0	-9.1		
				25	0	22.2	20.8	30.0	-9.2		
			16QAM	1	0	22.5	21.1	30.0	-8.9		
				1	12	22.4	21.0	30.0	-9.0		
				1	24	22.5	21.1	30.0	-8.9		
				12	0	21.3	20.0	30.0	-10.0		
				12	6	21.4	20.0	30.0	-10.0		
				12	11	21.4	20.0	30.0	-10.0		
				25	0	21.3	19.9	30.0	-10.1		
5.0	20375	1752.5	QPSK	1	0	23.5	22.1	30.0	-7.9		
				1	12	23.4	22.0	30.0	-8.0		
				1	24	23.4	22.1	30.0	-7.9		
				12	0	22.4	21.0	30.0	-9.0		
				12	6	22.4	21.0	30.0	-9.0		
				12	11	22.4	21.0	30.0	-9.0		
				25	0	22.4	21.0	30.0	-9.0		
			16QAM	1	0	22.9	21.5	30.0	-8.5		
				1	12	22.9	21.5	30.0	-8.5		
				1	24	22.9	21.5	30.0	-8.5		
				12	0	21.6	20.2	30.0	-9.8		
				12	6	21.6	20.2	30.0	-9.8		
				12	11	21.6	20.2	30.0	-9.8		
				25	0	21.5	20.1	30.0	-9.9		

OUTPUT POWER FOR LTE BAND 4 (10.0 MHz)

Antenna Gain (dBi)		-1.38							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10.0	20000	1715.0	QPSK	1	0	23.3	21.9	30.0	-8.1
				1	24	23.0	21.6	30.0	-8.4
				1	49	23.2	21.8	30.0	-8.2
				25	0	22.1	20.7	30.0	-9.3
				25	12	22.1	20.7	30.0	-9.3
				25	24	22.1	20.7	30.0	-9.3
			16QAM	50	0	22.1	20.7	30.0	-9.3
				1	0	22.3	20.9	30.0	-9.1
				1	24	22.0	20.6	30.0	-9.4
				1	49	22.2	20.8	30.0	-9.2
				25	0	21.2	19.8	30.0	-10.2
				25	12	21.1	19.8	30.0	-10.2
				25	24	21.2	19.8	30.0	-10.2
				50	0	21.2	19.8	30.0	-10.2
10.0	20175	1732.5	QPSK	1	0	23.4	22.0	30.0	-8.0
				1	24	23.0	21.6	30.0	-8.4
				1	49	23.3	21.9	30.0	-8.1
				25	0	22.2	20.8	30.0	-9.2
				25	12	22.1	20.7	30.0	-9.3
				25	24	22.1	20.8	30.0	-9.2
			16QAM	50	0	22.2	20.8	30.0	-9.2
				1	0	22.3	20.9	30.0	-9.1
				1	24	22.0	20.6	30.0	-9.4
				1	49	22.2	20.8	30.0	-9.2
				25	0	21.3	19.9	30.0	-10.1
				25	12	21.1	19.8	30.0	-10.2
				25	24	21.2	19.8	30.0	-10.2
				50	0	21.2	19.8	30.0	-10.2
10.0	20350	1750.0	QPSK	1	0	23.5	22.1	30.0	-7.9
				1	24	23.2	21.8	30.0	-8.2
				1	49	23.3	22.0	30.0	-8.0
				25	0	22.2	20.9	30.0	-9.1
				25	12	22.3	20.9	30.0	-9.1
				25	24	22.3	20.9	30.0	-9.1
			16QAM	50	0	22.3	21.0	30.0	-9.0
				1	0	22.8	21.4	30.0	-8.6
				1	24	22.6	21.2	30.0	-8.8
				1	49	22.7	21.3	30.0	-8.7
				25	0	21.3	19.9	30.0	-10.1
				25	12	21.3	19.9	30.0	-10.1
				25	24	21.3	20.0	30.0	-10.0
				50	0	21.4	20.0	30.0	-10.0

OUTPUT POWER FOR LTE BAND 4 (15.0 MHz)

Antenna Gain (dBi)		-1.38							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15.0	20025	1717.5	QPSK	1	0	23.2	21.9	30.0	-8.1
				1	37	22.8	21.4	30.0	-8.6
				1	74	23.2	21.8	30.0	-8.2
				36	0	22.0	20.6	30.0	-9.4
				36	16	21.9	20.5	30.0	-9.5
				36	35	22.0	20.6	30.0	-9.4
				75	0	22.0	20.6	30.0	-9.4
			16-QAM	1	0	22.5	21.2	30.0	-8.8
				1	37	22.2	20.8	30.0	-9.2
				1	74	22.5	21.2	30.0	-8.8
				36	0	21.0	19.6	30.0	-10.4
				36	16	20.9	19.5	30.0	-10.5
				36	35	21.0	19.6	30.0	-10.4
				75	0	21.0	19.7	30.0	-10.3
15.0	20175	1732.5	QPSK	1	0	23.4	22.0	30.0	-8.0
				1	37	22.8	21.4	30.0	-8.6
				1	74	23.2	21.8	30.0	-8.2
				36	0	22.2	20.8	30.0	-9.2
				36	16	22.0	20.6	30.0	-9.4
				36	35	22.0	20.7	30.0	-9.3
				75	0	22.0	20.7	30.0	-9.3
			16-QAM	1	0	22.2	20.8	30.0	-9.2
				1	37	21.7	20.4	30.0	-9.6
				1	74	22.1	20.7	30.0	-9.3
				36	0	21.2	19.8	30.0	-10.2
				36	16	21.0	19.6	30.0	-10.4
				36	35	21.1	19.7	30.0	-10.3
				75	0	21.1	19.7	30.0	-10.3
15.0	20325	1747.5	QPSK	1	0	23.5	22.1	30.0	-7.9
				1	37	22.7	21.3	30.0	-8.7
				1	74	23.2	21.9	30.0	-8.1
				36	0	22.2	20.8	30.0	-9.2
				36	16	22.1	20.7	30.0	-9.3
				36	35	22.1	20.8	30.0	-9.2
				75	0	22.1	20.7	30.0	-9.3
			16-QAM	1	0	22.8	21.4	30.0	-8.6
				1	37	22.4	21.0	30.0	-9.0
				1	74	22.6	21.2	30.0	-8.8
				36	0	21.2	19.9	30.0	-10.1
				36	16	21.1	19.7	30.0	-10.3
				36	35	21.2	19.8	30.0	-10.2
				75	0	21.2	19.8	30.0	-10.2

OUTPUT POWER FOR LTE BAND 4 (20.0 MHz)

Antenna Gain (dBi)		-1.38							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
20.0	20050	1720.0	QPSK	1	0	23.1	21.7	30.0	-8.3
				1	49	22.6	21.2	30.0	-8.8
				1	99	23.1	21.7	30.0	-8.3
				50	0	21.8	20.4	30.0	-9.6
				50	24	21.7	20.3	30.0	-9.7
				50	49	21.8	20.4	30.0	-9.6
				100	0	21.8	20.4	30.0	-9.6
			16-QAM	1	0	22.5	21.1	30.0	-8.9
				1	49	21.9	20.5	30.0	-9.5
				1	99	22.5	21.1	30.0	-8.9
				50	0	20.8	19.5	30.0	-10.5
				50	24	20.7	19.3	30.0	-10.7
				50	49	20.8	19.5	30.0	-10.5
				100	0	20.9	19.5	30.0	-10.5
20.0	20175	1732.5	QPSK	1	0	23.5	22.1	30.0	-7.9
				1	49	22.6	21.3	30.0	-8.7
				1	99	23.1	21.8	30.0	-8.2
				50	0	22.0	20.6	30.0	-9.4
				50	24	21.7	20.4	30.0	-9.6
				50	49	21.9	20.5	30.0	-9.5
				100	0	21.9	20.5	30.0	-9.5
			16-QAM	1	0	23.0	21.6	30.0	-8.4
				1	49	22.1	20.8	30.0	-9.2
				1	99	22.7	21.3	30.0	-8.7
				50	0	21.0	19.7	30.0	-10.3
				50	24	20.8	19.4	30.0	-10.6
				50	49	20.9	19.5	30.0	-10.5
				100	0	20.9	19.5	30.0	-10.5
20.0	20300	1745.0	QPSK	1	0	23.5	22.2	30.0	-7.8
				1	49	22.7	21.4	30.0	-8.6
				1	99	23.2	21.8	30.0	-8.2
				50	0	22.0	20.6	30.0	-9.4
				50	24	21.8	20.4	30.0	-9.6
				50	49	22.0	20.6	30.0	-9.4
				100	0	21.9	20.5	30.0	-9.5
			16-QAM	1	0	22.9	21.5	30.0	-8.5
				1	49	22.1	20.7	30.0	-9.3
				1	99	22.5	21.1	30.0	-8.9
				50	0	21.0	19.6	30.0	-10.4
				50	24	20.9	19.5	30.0	-10.5
				50	49	21.0	19.6	30.0	-10.4
				100	0	21.0	19.6	30.0	-10.4

7.2.3. LTE BAND 5

ID:	38806	Date:	12/19/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 5 (1.4MHz)

Antenna Gain (dBi)		0.36							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
1.4	20407	824.7	QPSK	1	0	23.8	22.0	38.45	-16.5
				1	2	23.8	22.0	38.45	-16.4
				1	5	23.8	22.0	38.45	-16.5
				3	0	23.9	22.1	38.45	-16.3
				3	1	23.9	22.1	38.45	-16.3
				3	2	24.0	22.2	38.45	-16.3
				6	0	22.8	21.0	38.45	-17.4
			16QAM	1	0	22.9	21.1	38.45	-17.3
				1	2	23.0	21.2	38.45	-17.3
				1	5	22.9	21.1	38.45	-17.3
				3	0	23.0	21.2	38.45	-17.3
				3	1	23.0	21.2	38.45	-17.3
				3	2	23.0	21.2	38.45	-17.2
				6	0	22.0	20.2	38.45	-18.3
1.4	20525	836.5	QPSK	1	0	23.8	22.0	38.45	-16.5
				1	2	23.8	22.0	38.45	-16.4
				1	5	23.7	21.9	38.45	-16.6
				3	0	23.7	21.9	38.45	-16.5
				3	1	23.8	22.0	38.45	-16.5
				3	2	23.8	22.0	38.45	-16.5
				6	0	22.7	20.9	38.45	-17.6
			16QAM	1	0	23.0	21.2	38.45	-17.2
				1	2	23.1	21.3	38.45	-17.2
				1	5	23.0	21.2	38.45	-17.2
				3	0	22.9	21.1	38.45	-17.4
				3	1	22.9	21.1	38.45	-17.3
				3	2	22.9	21.1	38.45	-17.3
				6	0	21.6	19.8	38.45	-18.7
1.4	20643	848.3	QPSK	1	0	23.6	21.8	38.45	-16.7
				1	2	23.6	21.8	38.45	-16.6
				1	5	23.6	21.8	38.45	-16.7
				3	0	23.7	21.9	38.45	-16.5
				3	1	23.7	22.0	38.45	-16.5
				3	2	23.8	22.0	38.45	-16.5
				6	0	22.6	20.8	38.45	-17.6
			16QAM	1	0	22.7	20.9	38.45	-17.6
				1	2	22.7	20.9	38.45	-17.6
				1	5	22.6	20.9	38.45	-17.6
				3	0	22.8	21.0	38.45	-17.4
				3	1	22.9	21.1	38.45	-17.4
				3	2	22.9	21.1	38.45	-17.4
				6	0	21.7	19.9	38.45	-18.5

OUTPUT POWER FOR LTE BAND 5 (3.0 MHz)

Antenna Gain (dBi)		0.36							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
3.0	20415	825.5	QPSK	1	0	23.8	22.0	38.45	-16.4
				1	7	23.9	22.1	38.45	-16.3
				1	14	23.7	21.9	38.45	-16.5
				8	0	22.8	21.0	38.45	-17.4
				8	4	22.8	21.0	38.45	-17.4
				8	7	22.8	21.0	38.45	-17.4
				15	0	22.8	21.0	38.45	-17.5
			16QAM	1	0	22.8	21.0	38.45	-17.4
				1	7	22.9	21.1	38.45	-17.3
				1	14	22.9	21.1	38.45	-17.4
				8	0	22.0	20.2	38.45	-18.2
				8	4	22.0	20.2	38.45	-18.2
				8	7	22.0	20.2	38.45	-18.2
				15	0	21.8	20.0	38.45	-18.5
3.0	20525	836.5	QPSK	1	0	23.8	22.0	38.45	-16.5
				1	7	23.8	22.0	38.45	-16.5
				1	14	23.7	21.9	38.45	-16.5
				8	0	22.7	20.9	38.45	-17.5
				8	4	22.7	20.9	38.45	-17.5
				8	7	22.8	21.0	38.45	-17.5
				15	0	22.8	21.0	38.45	-17.5
			16QAM	1	0	22.6	20.8	38.45	-17.6
				1	7	22.6	20.8	38.45	-17.6
				1	14	22.5	20.7	38.45	-17.7
				8	0	21.8	20.0	38.45	-18.5
				8	4	21.8	20.0	38.45	-18.5
				8	7	21.8	20.0	38.45	-18.4
				15	0	21.8	20.0	38.45	-18.4
3.0	20635	847.5	QPSK	1	0	23.7	21.9	38.45	-16.5
				1	7	23.7	21.9	38.45	-16.5
				1	14	23.6	21.9	38.45	-16.6
				8	0	22.7	20.9	38.45	-17.5
				8	4	22.7	21.0	38.45	-17.5
				8	7	22.7	20.9	38.45	-17.5
				15	0	22.7	20.9	38.45	-17.5
			16QAM	1	0	23.1	21.3	38.45	-17.2
				1	7	23.1	21.3	38.45	-17.1
				1	14	23.0	21.3	38.45	-17.2
				8	0	21.6	19.8	38.45	-18.6
				8	4	21.6	19.8	38.45	-18.7
				8	7	21.6	19.8	38.45	-18.6
				15	0	21.7	19.9	38.45	-18.5

OUTPUT POWER FOR LTE BAND 5 (5.0 MHz)

Antenna Gain (dBi)		0.36							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
5.0	20425	826.5	QPSK	1	0	24.0	22.2	38.45	-16.2
				1	12	23.8	22.0	38.45	-16.4
				1	24	23.8	22.0	38.45	-16.4
				12	0	22.8	21.1	38.45	-17.4
				12	6	22.9	21.1	38.45	-17.4
				12	11	22.8	21.0	38.45	-17.5
				25	0	22.8	21.1	38.45	-17.4
			16QAM	1	0	23.0	21.2	38.45	-17.2
				1	12	22.9	21.2	38.45	-17.3
				1	24	22.9	21.2	38.45	-17.3
				12	0	21.9	20.1	38.45	-18.3
				12	6	21.9	20.1	38.45	-18.3
				12	11	21.9	20.1	38.45	-18.3
				25	0	21.9	20.1	38.45	-18.3
5.0	20525	836.5	QPSK	1	0	23.8	22.0	38.45	-16.5
				1	12	23.7	21.9	38.45	-16.5
				1	24	23.8	22.0	38.45	-16.4
				12	0	22.8	21.0	38.45	-17.4
				12	6	22.8	21.0	38.45	-17.5
				12	11	22.7	20.9	38.45	-17.5
				25	0	22.8	21.0	38.45	-17.5
			16QAM	1	0	22.9	21.1	38.45	-17.4
				1	12	22.8	21.1	38.45	-17.4
				1	24	23.0	21.2	38.45	-17.3
				12	0	21.9	20.1	38.45	-18.4
				12	6	21.9	20.1	38.45	-18.4
				12	11	21.9	20.1	38.45	-18.3
				25	0	21.8	20.0	38.45	-18.4
5.0	20625	846.5	QPSK	1	0	23.8	22.0	38.45	-16.5
				1	12	23.7	21.9	38.45	-16.5
				1	24	23.7	21.9	38.45	-16.5
				12	0	22.7	21.0	38.45	-17.5
				12	6	22.7	20.9	38.45	-17.5
				12	11	22.7	20.9	38.45	-17.5
				25	0	22.7	20.9	38.45	-17.6
			16QAM	1	0	23.3	21.5	38.45	-16.9
				1	12	23.3	21.5	38.45	-16.9
				1	24	23.2	21.4	38.45	-17.0
				12	0	21.9	20.1	38.45	-18.4
				12	6	21.9	20.1	38.45	-18.4
				12	11	21.9	20.1	38.45	-18.3
				25	0	21.8	20.0	38.45	-18.5

OUTPUT POWER FOR LTE BAND 5 (10.0 MHz)

Antenna Gain (dBi)		0.36							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10.0	20450	829.0	QPSK	1	0	23.8	22.0	38.45	-16.4
				1	24	23.8	22.0	38.45	-16.5
				1	49	23.7	21.9	38.45	-16.6
				25	0	22.8	21.0	38.45	-17.4
				25	12	22.9	21.1	38.45	-17.4
				25	24	22.9	21.1	38.45	-17.4
				50	0	22.8	21.0	38.45	-17.4
			16QAM	1	0	22.7	20.9	38.45	-17.5
				1	24	22.8	21.0	38.45	-17.4
				1	49	22.9	21.1	38.45	-17.3
				25	0	21.9	20.1	38.45	-18.4
				25	12	22.0	20.2	38.45	-18.3
				25	24	22.0	20.2	38.45	-18.3
				50	0	21.9	20.1	38.45	-18.3
10.0	20525	836.5	QPSK	1	0	23.8	22.0	38.45	-16.5
				1	24	23.7	21.9	38.45	-16.5
				1	49	23.7	21.9	38.45	-16.6
				25	0	22.8	21.0	38.45	-17.5
				25	12	22.8	21.0	38.45	-17.4
				25	24	22.7	20.9	38.45	-17.5
				50	0	22.8	21.0	38.45	-17.5
			16QAM	1	0	22.6	20.8	38.45	-17.7
				1	24	22.6	20.8	38.45	-17.6
				1	49	22.5	20.7	38.45	-17.7
				25	0	21.7	19.9	38.45	-18.5
				25	12	21.8	20.0	38.45	-18.4
				25	24	21.8	20.0	38.45	-18.5
				50	0	21.8	20.0	38.45	-18.5
10.0	20600	844.0	QPSK	1	0	23.7	21.9	38.45	-16.5
				1	24	23.7	21.9	38.45	-16.5
				1	49	23.6	21.8	38.45	-16.7
				25	0	22.9	21.1	38.45	-17.4
				25	12	22.8	21.1	38.45	-17.4
				25	24	22.8	21.0	38.45	-17.5
				50	0	22.8	21.0	38.45	-17.4
			16QAM	1	0	23.1	21.3	38.45	-17.2
				1	24	23.1	21.3	38.45	-17.1
				1	49	23.0	21.2	38.45	-17.3
				25	0	21.9	20.1	38.45	-18.4
				25	12	21.8	20.0	38.45	-18.4
				25	24	21.7	20.0	38.45	-18.5
				50	0	21.8	20.0	38.45	-18.5

7.2.4. LTE BAND 7

ID:	38806	Date:	12/19/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 7 (5.0 MHZ)

Antenna Gain (dBi)		0.53							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5.0	20775	2502.5	QPSK	1	0	23.5	24.0	33.0	-9.0
				1	12	23.4	23.9	33.0	-9.1
				1	24	23.4	23.9	33.0	-9.1
				12	0	22.4	23.0	33.0	-10.0
				12	6	22.4	22.9	33.0	-10.1
				12	11	22.4	23.0	33.0	-10.1
				25	0	22.4	22.9	33.0	-10.1
			16QAM	1	0	22.7	23.2	33.0	-9.8
				1	12	22.5	23.0	33.0	-10.0
				1	24	22.5	23.0	33.0	-10.0
				12	0	21.4	22.0	33.0	-11.1
				12	6	21.4	22.0	33.0	-11.0
				12	11	21.5	22.0	33.0	-11.0
				25	0	21.4	21.9	33.0	-11.1
5.0	21100	2535.0	QPSK	1	0	23.5	24.0	33.0	-9.0
				1	12	23.3	23.8	33.0	-9.2
				1	24	23.3	23.8	33.0	-9.2
				12	0	22.4	22.9	33.0	-10.1
				12	6	22.4	22.9	33.0	-10.1
				12	11	22.3	22.8	33.0	-10.2
				25	0	22.3	22.9	33.0	-10.2
			16QAM	1	0	22.9	23.4	33.0	-9.6
				1	12	22.9	23.4	33.0	-9.6
				1	24	22.9	23.4	33.0	-9.6
				12	0	21.6	22.1	33.0	-10.9
				12	6	21.5	22.0	33.0	-11.0
				12	11	21.6	22.1	33.0	-10.9
				25	0	21.5	22.0	33.0	-11.0
5.0	21425	2567.5	QPSK	1	0	23.5	24.0	33.0	-9.0
				1	12	23.4	23.9	33.0	-9.1
				1	24	23.3	23.8	33.0	-9.2
				12	0	22.6	23.1	33.0	-9.9
				12	6	22.5	23.1	33.0	-10.0
				12	11	22.5	23.0	33.0	-10.0
				25	0	22.5	23.0	33.0	-10.0
			16QAM	1	0	22.6	23.2	33.0	-9.8
				1	12	22.5	23.0	33.0	-10.0
				1	24	22.5	23.0	33.0	-10.0
				12	0	21.7	22.2	33.0	-10.8
				12	6	21.6	22.2	33.0	-10.8
				12	11	21.6	22.1	33.0	-10.9
				25	0	21.5	22.1	33.0	-10.9

OUTPUT POWER FOR LTE BAND 7 (10.0 MHZ)

Antenna Gain (dBi)		0.53									
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)		
10.0	20800	2505.0	QPSK	1	0	23.4	23.9	33.0	-9.1		
				1	24	23.2	23.7	33.0	-9.3		
				1	49	23.2	23.7	33.0	-9.3		
				25	0	22.2	22.8	33.0	-10.3		
				25	12	22.2	22.7	33.0	-10.3		
				25	24	22.2	22.7	33.0	-10.3		
				50	0	22.3	22.8	33.0	-10.2		
			16QAM	1	0	22.7	23.2	33.0	-9.8		
				1	24	22.5	23.1	33.0	-10.0		
				1	49	22.5	23.0	33.0	-10.0		
				25	0	21.2	21.8	33.0	-11.3		
				25	12	21.2	21.7	33.0	-11.3		
				25	24	21.2	21.7	33.0	-11.3		
				50	0	21.2	21.8	33.0	-11.2		
10.0	21100	2535.0	QPSK	1	0	23.4	23.9	33.0	-9.1		
				1	24	23.1	23.7	33.0	-9.4		
				1	49	23.1	23.7	33.0	-9.3		
				25	0	22.2	22.7	33.0	-10.3		
				25	12	22.2	22.7	33.0	-10.3		
				25	24	22.1	22.7	33.0	-10.3		
				50	0	22.2	22.8	33.0	-10.3		
			16QAM	1	0	22.4	22.9	33.0	-10.1		
				1	24	22.2	22.7	33.0	-10.3		
				1	49	22.2	22.7	33.0	-10.3		
				25	0	21.3	21.8	33.0	-11.2		
				25	12	21.2	21.8	33.0	-11.2		
				25	24	21.2	21.7	33.0	-11.3		
				50	0	21.2	21.7	33.0	-11.3		
10.0	21400	2565.0	QPSK	1	0	23.5	24.0	33.0	-9.0		
				1	24	23.2	23.8	33.0	-9.3		
				1	49	23.0	23.5	33.0	-9.5		
				25	0	22.4	23.0	33.0	-10.0		
				25	12	22.4	22.9	33.0	-10.1		
				25	24	22.3	22.8	33.0	-10.2		
				50	0	22.4	22.9	33.0	-10.1		
			16QAM	1	0	22.4	22.9	33.0	-10.1		
				1	24	22.2	22.7	33.0	-10.3		
				1	49	21.9	22.4	33.0	-10.6		
				25	0	21.5	22.0	33.0	-11.0		
				25	12	21.4	21.9	33.0	-11.1		
				25	24	21.4	21.9	33.0	-11.1		
				50	0	21.4	21.9	33.0	-11.1		

OUTPUT POWER FOR LTE BAND 7 (15.0 MHZ)

Antenna Gain (dBi)		0.53							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15.0	20825	2507.5	QPSK	1	0	23.5	24.0	33.0	-9.0
				1	37	23.1	23.6	33.0	-9.4
				1	74	23.2	23.7	33.0	-9.3
				36	0	22.4	22.9	33.0	-10.1
				36	16	22.3	22.8	33.0	-10.2
				36	35	22.3	22.8	33.0	-10.2
				75	0	22.3	22.8	33.0	-10.2
			16-QAM	1	0	22.3	22.9	33.0	-10.1
				1	37	22.1	22.6	33.0	-10.4
				1	74	22.0	22.5	33.0	-10.5
				36	0	21.4	21.9	33.0	-11.1
				36	16	21.3	21.8	33.0	-11.2
				36	35	21.3	21.8	33.0	-11.2
				75	0	21.3	21.8	33.0	-11.2
15.0	21100	2535.0	QPSK	1	0	23.5	24.0	33.0	-9.0
				1	37	23.0	23.5	33.0	-9.5
				1	74	23.1	23.7	33.0	-9.4
				36	0	22.4	22.9	33.0	-10.1
				36	16	22.2	22.8	33.0	-10.3
				36	35	22.1	22.7	33.0	-10.3
				75	0	22.2	22.8	33.0	-10.3
			16-QAM	1	0	22.8	23.3	33.0	-9.7
				1	37	22.5	23.0	33.0	-10.0
				1	74	22.5	23.0	33.0	-10.0
				36	0	21.3	21.9	33.0	-11.1
				36	16	21.2	21.7	33.0	-11.3
				36	35	21.1	21.7	33.0	-11.4
				75	0	21.3	21.8	33.0	-11.2
15.0	21375	2562.5	QPSK	1	0	23.5	24.1	33.0	-8.9
				1	37	23.3	23.9	33.0	-9.2
				1	74	23.1	23.6	33.0	-9.4
				36	0	22.4	23.0	33.0	-10.0
				36	16	22.4	23.0	33.0	-10.1
				36	35	22.3	22.8	33.0	-10.2
				75	0	22.4	22.9	33.0	-10.1
			16-QAM	1	0	22.9	23.5	33.0	-9.6
				1	37	22.6	23.1	33.0	-9.9
				1	74	22.5	23.0	33.0	-10.0
				36	0	21.4	21.9	33.0	-11.1
				36	16	21.4	21.9	33.0	-11.1
				36	35	21.3	21.8	33.0	-11.2
				75	0	21.4	21.9	33.0	-11.1

OUTPUT POWER FOR LTE BAND 7 (20.0 MHZ)

Antenna Gain (dBi)		0.53							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
20.0	20850	2510.0	QPSK	1	0	23.5	24.1	33.0	-8.9
				1	49	23.1	23.7	33.0	-9.3
				1	99	23.0	23.6	33.0	-9.4
				50	0	22.4	23.0	33.0	-10.0
				50	24	22.3	22.8	33.0	-10.2
				50	49	22.1	22.7	33.0	-10.4
				100	0	22.3	22.9	33.0	-10.1
			16-QAM	1	0	22.9	23.4	33.0	-9.6
				1	49	22.6	23.1	33.0	-9.9
				1	99	22.5	23.0	33.0	-10.0
				50	0	21.4	21.9	33.0	-11.1
				50	24	21.2	21.8	33.0	-11.2
				50	49	21.1	21.7	33.0	-11.3
				100	0	21.3	21.8	33.0	-11.2
20.0	21100	2535.0	QPSK	1	0	23.5	24.0	33.0	-9.0
				1	49	23.0	23.6	33.0	-9.4
				1	99	23.0	23.5	33.0	-9.5
				50	0	22.4	22.9	33.0	-10.1
				50	24	22.2	22.7	33.0	-10.3
				50	49	22.1	22.7	33.0	-10.4
				100	0	22.2	22.8	33.0	-10.3
			16-QAM	1	0	22.9	23.4	33.0	-9.6
				1	49	22.6	23.2	33.0	-9.8
				1	99	22.6	23.1	33.0	-9.9
				50	0	21.4	21.9	33.0	-11.1
				50	24	21.2	21.7	33.0	-11.3
				50	49	21.1	21.6	33.0	-11.4
				100	0	21.2	21.7	33.0	-11.3
20.0	21350	2560.0	QPSK	1	0	23.4	23.9	33.0	-9.1
				1	49	23.2	23.7	33.0	-9.3
				1	99	23.0	23.6	33.0	-9.5
				50	0	22.4	23.0	33.0	-10.0
				50	24	22.3	22.8	33.0	-10.2
				50	49	22.2	22.8	33.0	-10.2
				100	0	22.3	22.8	33.0	-10.2
			16-QAM	1	0	22.9	23.4	33.0	-9.6
				1	49	22.5	23.1	33.0	-9.9
				1	99	22.4	23.0	33.0	-10.1
				50	0	21.4	22.0	33.0	-11.1
				50	24	21.3	21.8	33.0	-11.2
				50	49	21.2	21.8	33.0	-11.2
				100	0	21.3	21.8	33.0	-11.2

7.2.5. LTE BAND 12

ID:	38806	Date:	12/19/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 12 (1.4MHZz)

Antenna Gain (dBi)		-1.65							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
1.4	23017	699.7	QPSK	1	0	22.7	18.9	34.77	-15.9
				1	2	22.8	19.0	34.77	-15.8
				1	5	22.7	18.9	34.77	-15.8
				3	0	22.8	19.0	34.77	-15.8
				3	1	22.9	19.1	34.77	-15.7
				3	2	22.8	19.0	34.77	-15.8
				6	0	21.7	17.9	34.77	-16.9
			16QAM	1	0	21.8	18.0	34.77	-16.8
				1	2	21.9	18.1	34.77	-16.7
				1	5	21.8	18.0	34.77	-16.8
				3	0	21.8	18.0	34.77	-16.8
				3	1	21.8	18.0	34.77	-16.8
				3	2	21.8	18.0	34.77	-16.8
				6	0	20.8	17.0	34.77	-17.8
1.4	23095	707.5	QPSK	1	0	22.7	18.9	34.77	-15.9
				1	2	22.7	18.9	34.77	-15.9
				1	5	22.7	18.9	34.77	-15.9
				3	0	22.7	18.9	34.77	-15.9
				3	1	22.7	18.9	34.77	-15.8
				3	2	22.7	18.9	34.77	-15.9
				6	0	21.6	17.8	34.77	-16.9
			16QAM	1	0	22.0	18.2	34.77	-16.6
				1	2	22.1	18.3	34.77	-16.5
				1	5	22.0	18.2	34.77	-16.6
				3	0	21.8	18.0	34.77	-16.8
				3	1	21.8	18.0	34.77	-16.7
				3	2	21.8	18.0	34.77	-16.8
				6	0	20.6	16.8	34.77	-18.0
1.4	23173	715.3	QPSK	1	0	22.5	18.7	34.77	-16.1
				1	2	22.6	18.8	34.77	-16.0
				1	5	22.5	18.7	34.77	-16.0
				3	0	22.7	18.9	34.77	-15.9
				3	1	22.7	18.9	34.77	-15.9
				3	2	22.7	18.9	34.77	-15.8
				6	0	21.6	17.8	34.77	-17.0
			16QAM	1	0	21.6	17.8	34.77	-17.0
				1	2	21.6	17.8	34.77	-17.0
				1	5	21.6	17.8	34.77	-17.0
				3	0	21.8	18.0	34.77	-16.8
				3	1	21.8	18.0	34.77	-16.8
				3	2	21.8	18.0	34.77	-16.8
				6	0	20.7	16.9	34.77	-17.9

OUTPUT POWER FOR LTE BAND 12 (3.0 MHz)

Antenna Gain (dBi)		-1.65							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
3.0	23025	700.5	QPSK	1	0	22.8	19.0	34.77	-15.8
				1	7	22.8	19.0	34.77	-15.8
				1	14	22.7	18.9	34.77	-15.9
				8	0	21.8	18.0	34.77	-16.7
				8	4	21.8	18.0	34.77	-16.8
				8	7	21.8	18.0	34.77	-16.8
				15	0	21.8	18.0	34.77	-16.8
			16QAM	1	0	22.1	18.3	34.77	-16.5
				1	7	22.2	18.4	34.77	-16.4
				1	14	22.1	18.3	34.77	-16.5
				8	0	20.7	16.9	34.77	-17.9
				8	4	20.7	16.9	34.77	-17.9
				8	7	20.6	16.8	34.77	-17.9
				15	0	20.8	17.0	34.77	-17.8
3.0	23095	707.5	QPSK	1	0	22.6	18.8	34.77	-15.9
				1	7	22.8	19.0	34.77	-15.8
				1	14	22.7	18.9	34.77	-15.9
				8	0	21.7	17.9	34.77	-16.9
				8	4	21.7	17.9	34.77	-16.9
				8	7	21.7	17.9	34.77	-16.9
				15	0	21.7	17.9	34.77	-16.9
			16QAM	1	0	21.7	17.9	34.77	-16.9
				1	7	21.8	18.0	34.77	-16.8
				1	14	21.7	17.9	34.77	-16.8
				8	0	20.8	17.0	34.77	-17.7
				8	4	20.9	17.1	34.77	-17.7
				8	7	20.8	17.0	34.77	-17.7
				15	0	20.6	16.8	34.77	-17.9
3.0	23165	714.5	QPSK	1	0	22.6	18.8	34.77	-15.9
				1	7	22.6	18.8	34.77	-15.9
				1	14	22.6	18.8	34.77	-16.0
				8	0	21.6	17.8	34.77	-16.9
				8	4	21.6	17.8	34.77	-16.9
				8	7	21.6	17.8	34.77	-16.9
				15	0	21.7	17.9	34.77	-16.9
			16QAM	1	0	21.5	17.7	34.77	-17.1
				1	7	21.6	17.8	34.77	-17.0
				1	14	21.5	17.7	34.77	-17.1
				8	0	20.7	16.9	34.77	-17.9
				8	4	20.7	16.9	34.77	-17.9
				8	7	20.7	16.9	34.77	-17.8
				15	0	20.7	16.9	34.77	-17.9

OUTPUT POWER FOR LTE BAND 12 (5.0 MHz)

Antenna Gain (dBi)		-1.65									
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)		
5.0	23035	701.5	QPSK	1	0	22.8	19.0	34.77	-15.8		
				1	12	22.7	18.9	34.77	-15.9		
				1	24	22.7	18.9	34.77	-15.8		
				12	0	21.8	18.0	34.77	-16.8		
				12	6	21.8	18.0	34.77	-16.8		
				12	11	21.7	17.9	34.77	-16.8		
				25	0	21.7	17.9	34.77	-16.9		
			16QAM	1	0	22.3	18.5	34.77	-16.3		
				1	12	22.3	18.5	34.77	-16.3		
				1	24	22.3	18.5	34.77	-16.3		
				12	0	20.9	17.1	34.77	-17.6		
				12	6	20.9	17.1	34.77	-17.7		
				12	11	20.9	17.1	34.77	-17.7		
				25	0	20.8	17.0	34.77	-17.8		
5.0	23095	707.5	QPSK	1	0	22.7	18.9	34.77	-15.8		
				1	12	22.8	19.0	34.77	-15.8		
				1	24	22.8	19.0	34.77	-15.8		
				12	0	21.7	17.9	34.77	-16.9		
				12	6	21.7	17.9	34.77	-16.8		
				12	11	21.6	17.8	34.77	-17.0		
				25	0	21.7	17.9	34.77	-16.8		
			16QAM	1	0	21.9	18.1	34.77	-16.7		
				1	12	21.8	18.0	34.77	-16.8		
				1	24	21.8	18.0	34.77	-16.8		
				12	0	20.7	16.9	34.77	-17.8		
				12	6	20.8	17.0	34.77	-17.8		
				12	11	20.6	16.8	34.77	-17.9		
				25	0	20.7	16.9	34.77	-17.9		
5.0	23155	713.5	QPSK	1	0	22.7	18.9	34.77	-15.9		
				1	12	22.6	18.8	34.77	-15.9		
				1	24	22.7	18.9	34.77	-15.9		
				12	0	21.7	17.9	34.77	-16.9		
				12	6	21.7	17.9	34.77	-16.9		
				12	11	21.6	17.8	34.77	-16.9		
				25	0	21.7	17.9	34.77	-16.9		
			16QAM	1	0	21.8	18.0	34.77	-16.7		
				1	12	21.7	17.9	34.77	-16.8		
				1	24	21.8	18.0	34.77	-16.8		
				12	0	20.7	16.9	34.77	-17.8		
				12	6	20.7	16.9	34.77	-17.8		
				12	11	20.7	16.9	34.77	-17.9		
				25	0	20.7	16.9	34.77	-17.9		

OUTPUT POWER FOR LTE BAND 12 (10.0 MHz)

Antenna Gain (dBi)		-1.65							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10.0	23060	704.0	QPSK	1	0	22.7	18.9	34.77	-15.9
				1	24	22.6	18.8	34.77	-15.9
				1	49	22.7	18.9	34.77	-15.9
				25	0	21.8	18.0	34.77	-16.8
				25	12	21.8	18.0	34.77	-16.8
				25	24	21.7	17.9	34.77	-16.9
				50	0	21.8	18.0	34.77	-16.8
			16QAM	1	0	22.0	18.2	34.77	-16.5
				1	24	22.0	18.2	34.77	-16.5
				1	49	22.0	18.2	34.77	-16.5
				25	0	20.8	17.0	34.77	-17.8
				25	12	20.8	17.0	34.77	-17.8
				25	24	20.7	16.9	34.77	-17.8
				50	0	20.8	17.0	34.77	-17.8
10.0	23095	707.5	QPSK	1	0	22.6	18.8	34.77	-15.9
				1	24	22.7	18.9	34.77	-15.9
				1	49	22.6	18.8	34.77	-16.0
				25	0	21.7	17.9	34.77	-16.8
				25	12	21.8	18.0	34.77	-16.8
				25	24	21.7	17.9	34.77	-16.9
				50	0	21.8	18.0	34.77	-16.8
			16QAM	1	0	21.7	17.9	34.77	-16.9
				1	24	21.7	17.9	34.77	-16.9
				1	49	21.6	17.8	34.77	-17.0
				25	0	20.8	17.0	34.77	-17.7
				25	12	20.8	17.0	34.77	-17.8
				25	24	20.7	16.9	34.77	-17.8
				50	0	20.8	17.0	34.77	-17.8
10.0	23130	711.0	QPSK	1	0	22.6	18.8	34.77	-15.9
				1	24	22.6	18.8	34.77	-16.0
				1	49	22.6	18.8	34.77	-16.0
				25	0	21.8	18.0	34.77	-16.8
				25	12	21.7	17.9	34.77	-16.9
				25	24	21.7	17.9	34.77	-16.9
				50	0	21.7	17.9	34.77	-16.8
			16QAM	1	0	21.5	17.7	34.77	-17.1
				1	24	21.5	17.7	34.77	-17.0
				1	49	21.5	17.7	34.77	-17.1
				25	0	20.7	16.9	34.77	-17.9
				25	12	20.7	16.9	34.77	-17.9
				25	24	20.7	16.9	34.77	-17.9
				50	0	20.7	16.9	34.77	-17.8

7.2.6. LTE BAND 13

ID:	38806	Date:	12/19/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 13 (5.0 MHz)

Antenna Gain (dBi)		0.01							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
5.0	23207	779.5	QPSK	1	0	22.3	20.2	34.77	-14.6
				1	12	22.9	20.7	34.77	-14.1
				1	24	22.9	20.8	34.77	-14.0
				12	0	21.9	19.8	34.77	-15.0
				12	6	22.0	19.9	34.77	-14.9
				12	11	21.9	19.8	34.77	-15.0
				25	0	21.9	19.8	34.77	-15.0
			16QAM	1	0	21.5	19.4	34.77	-15.4
				1	12	21.9	19.7	34.77	-15.0
				1	24	22.0	19.9	34.77	-14.9
				12	0	20.9	18.8	34.77	-16.0
				12	6	21.0	18.9	34.77	-15.9
				12	11	21.1	18.9	34.77	-15.8
				25	0	20.9	18.8	34.77	-16.0
5.0	23230	782.0	QPSK	1	0	22.9	20.7	34.77	-14.0
				1	12	22.8	20.7	34.77	-14.1
				1	24	22.9	20.8	34.77	-14.0
				12	0	21.9	19.7	34.77	-15.0
				12	6	21.9	19.7	34.77	-15.0
				12	11	21.9	19.8	34.77	-15.0
				25	0	21.9	19.7	34.77	-15.1
			16QAM	1	0	22.4	20.2	34.77	-14.6
				1	12	22.4	20.3	34.77	-14.5
				1	24	22.4	20.3	34.77	-14.5
				12	0	21.1	18.9	34.77	-15.8
				12	6	21.0	18.9	34.77	-15.9
				12	11	21.1	19.0	34.77	-15.8
				25	0	21.0	18.8	34.77	-15.9
5.0	23255	784.5	QPSK	1	0	23.0	20.8	34.77	-14.0
				1	12	22.8	20.7	34.77	-14.1
				1	24	22.9	20.8	34.77	-14.0
				12	0	21.8	19.7	34.77	-15.1
				12	6	22.0	19.8	34.77	-15.0
				12	11	21.9	19.7	34.77	-15.1
				25	0	21.8	19.7	34.77	-15.1
			16QAM	1	0	22.0	19.9	34.77	-14.9
				1	12	21.8	19.6	34.77	-15.1
				1	24	22.0	19.8	34.77	-15.0
				12	0	21.0	18.8	34.77	-15.9
				12	6	21.1	18.9	34.77	-15.8
				12	11	21.0	18.8	34.77	-16.0
				25	0	20.9	18.7	34.77	-16.0

OUTPUT POWER FOR LTE BAND 13 (10.0 MHz)

Antenna Gain (dBi)		0.01							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10.0	23230	782.0	QPSK	1	0	22.8	20.7	34.77	-14.1
				1	24	22.9	20.8	34.77	-14.0
				1	49	22.9	20.7	34.77	-14.0
				25	0	22.0	19.9	34.77	-14.9
				25	12	22.1	19.9	34.77	-14.8
				25	24	22.0	19.9	34.77	-14.9
			16QAM	50	0	22.1	19.9	34.77	-14.8
				1	0	21.8	19.7	34.77	-15.1
				1	24	22.0	19.8	34.77	-14.9
				1	49	21.8	19.7	34.77	-15.1
				25	0	21.1	19.0	34.77	-15.8
				25	12	21.1	19.0	34.77	-15.8
				25	24	21.1	19.0	34.77	-15.8
				50	0	21.1	19.0	34.77	-15.8

7.2.7. LTE BAND 17

ID:	38806	Date:	12/19/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 17 (5.0 MHz)

Antenna Gain (dBi)		-1.65							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
5.0	23755	706.5	QPSK	1	0	22.8	19.0	34.77	-15.8
				1	12	22.8	19.0	34.77	-15.8
				1	24	22.7	18.9	34.77	-15.8
				12	0	21.8	18.0	34.77	-16.8
				12	6	21.8	18.0	34.77	-16.8
				12	11	21.8	18.0	34.77	-16.8
				25	0	21.8	18.0	34.77	-16.8
			16QAM	1	0	22.0	18.2	34.77	-16.6
				1	12	22.0	18.2	34.77	-16.6
				1	24	22.0	18.2	34.77	-16.6
				12	0	20.9	17.1	34.77	-17.7
				12	6	20.9	17.1	34.77	-17.6
				12	11	20.9	17.1	34.77	-17.7
				25	0	20.9	17.1	34.77	-17.7
5.0	23790	710.0	QPSK	1	0	22.8	19.0	34.77	-15.8
				1	12	22.6	18.8	34.77	-16.0
				1	24	22.6	18.8	34.77	-16.0
				12	0	21.6	17.8	34.77	-16.9
				12	6	21.7	17.9	34.77	-16.9
				12	11	21.7	17.9	34.77	-16.9
				25	0	21.7	17.9	34.77	-16.9
			16QAM	1	0	22.2	18.4	34.77	-16.3
				1	12	22.2	18.4	34.77	-16.4
				1	24	22.1	18.3	34.77	-16.4
				12	0	20.8	17.0	34.77	-17.8
				12	6	20.9	17.1	34.77	-17.7
				12	11	20.9	17.1	34.77	-17.6
				25	0	20.8	17.0	34.77	-17.7
5.0	23825	713.5	QPSK	1	0	22.7	18.9	34.77	-15.9
				1	12	22.5	18.7	34.77	-16.1
				1	24	22.6	18.8	34.77	-16.0
				12	0	21.6	17.8	34.77	-16.9
				12	6	21.6	17.8	34.77	-16.9
				12	11	21.6	17.8	34.77	-17.0
				25	0	21.6	17.8	34.77	-17.0
			16QAM	1	0	21.8	18.0	34.77	-16.8
				1	12	21.7	17.9	34.77	-16.9
				1	24	21.7	17.9	34.77	-16.8
				12	0	20.6	16.8	34.77	-17.9
				12	6	20.7	16.9	34.77	-17.9
				12	11	20.6	16.8	34.77	-17.9
				25	0	20.6	16.8	34.77	-18.0

OUTPUT POWER FOR LTE BAND 17 (10.0 MHz)

Antenna Gain (dBi)		-1.65							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10.0	23790	710.0	QPSK	1	0	22.6	18.8	34.77	-15.9
				1	24	22.5	18.7	34.77	-16.0
				1	49	22.5	18.7	34.77	-16.1
				25	0	21.8	18.0	34.77	-16.8
				25	12	21.7	17.9	34.77	-16.8
				25	24	21.6	17.8	34.77	-17.0
				50	0	21.7	17.9	34.77	-16.8
			16QAM	1	0	21.6	17.8	34.77	-17.0
				1	24	21.5	17.7	34.77	-17.1
				1	49	21.4	17.6	34.77	-17.1
				25	0	20.8	17.0	34.77	-17.8
				25	12	20.7	16.9	34.77	-17.8
				25	24	20.6	16.8	34.77	-18.0
				50	0	20.7	16.9	34.77	-17.9

7.2.8. LTE BAND 25

ID:	38806	Date:	12/19/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 25 (1.4MHz)

Antenna Gain (dBi)		-0.76							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
1.4	26047	1850.7	QPSK	1	0	22.4	21.6	33.0	-11.4
				1	2	22.4	21.7	33.0	-11.3
				1	5	22.4	21.6	33.0	-11.4
				3	0	22.5	21.7	33.0	-11.3
				3	1	22.5	21.8	33.0	-11.3
				3	2	22.5	21.8	33.0	-11.2
			16QAM	6	0	21.4	20.7	33.0	-12.3
				1	0	21.5	20.8	33.0	-12.3
				1	2	21.6	20.8	33.0	-12.2
				1	5	21.5	20.8	33.0	-12.2
				3	0	21.5	20.8	33.0	-12.2
				3	1	21.5	20.8	33.0	-12.2
				3	2	21.6	20.8	33.0	-12.2
				6	0	20.6	19.8	33.0	-13.2
1.4	26365	1882.5	QPSK	1	0	22.4	21.6	33.0	-11.4
				1	2	22.4	21.6	33.0	-11.4
				1	5	22.3	21.6	33.0	-11.4
				3	0	22.4	21.6	33.0	-11.4
				3	1	22.5	21.7	33.0	-11.3
				3	2	22.5	21.7	33.0	-11.3
			16QAM	6	0	21.3	20.6	33.0	-12.4
				1	0	21.7	20.9	33.0	-12.1
				1	2	21.8	21.0	33.0	-12.0
				1	5	21.6	20.9	33.0	-12.2
				3	0	21.5	20.8	33.0	-12.2
				3	1	21.5	20.8	33.0	-12.2
				3	2	21.5	20.8	33.0	-12.3
				6	0	20.2	19.5	33.0	-13.5
1.4	26683	1914.3	QPSK	1	0	22.2	21.4	33.0	-11.6
				1	2	22.3	21.5	33.0	-11.5
				1	5	22.2	21.4	33.0	-11.6
				3	0	22.4	21.6	33.0	-11.4
				3	1	22.4	21.6	33.0	-11.4
				3	2	22.4	21.7	33.0	-11.3
			16QAM	6	0	21.3	20.5	33.0	-12.5
				1	0	21.3	20.5	33.0	-12.5
				1	2	21.3	20.6	33.0	-12.5
				1	5	21.3	20.5	33.0	-12.5
				3	0	21.5	20.7	33.0	-12.3
				3	1	21.5	20.7	33.0	-12.3
				3	2	21.5	20.7	33.0	-12.3
				6	0	20.4	19.7	33.0	-13.4

OUTPUT POWER FOR LTE BAND 25 (3.0 MHz)

Antenna Gain (dBi)		-0.76							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
3.0	26055	1851.5	QPSK	1	0	22.5	21.7	33.0	-11.3
				1	7	22.5	21.8	33.0	-11.2
				1	14	22.4	21.6	33.0	-11.4
				8	0	21.5	20.8	33.0	-12.3
				8	4	21.5	20.7	33.0	-12.3
				8	7	21.5	20.7	33.0	-12.3
				15	0	21.5	20.7	33.0	-12.3
			16QAM	1	0	21.4	20.7	33.0	-12.4
				1	7	21.5	20.7	33.0	-12.3
				1	14	21.4	20.6	33.0	-12.4
				8	0	20.6	19.8	33.0	-13.2
				8	4	20.6	19.8	33.0	-13.2
				8	7	20.6	19.8	33.0	-13.2
				15	0	20.5	19.8	33.0	-13.3
3.0	26365	1882.5	QPSK	1	0	22.4	21.7	33.0	-11.4
				1	7	22.5	21.8	33.0	-11.3
				1	14	22.4	21.7	33.0	-11.3
				8	0	21.5	20.7	33.0	-12.3
				8	4	21.4	20.7	33.0	-12.4
				8	7	21.4	20.7	33.0	-12.4
				15	0	21.4	20.6	33.0	-12.4
			16QAM	1	0	21.8	21.0	33.0	-12.0
				1	7	21.8	21.1	33.0	-11.9
				1	14	21.8	21.0	33.0	-12.0
				8	0	20.3	19.6	33.0	-13.4
				8	4	20.3	19.6	33.0	-13.5
				8	7	20.3	19.5	33.0	-13.5
				15	0	20.4	19.7	33.0	-13.3
3.0	26675	1913.5	QPSK	1	0	22.3	21.5	33.0	-11.5
				1	7	22.4	21.6	33.0	-11.4
				1	14	22.2	21.5	33.0	-11.6
				8	0	21.3	20.6	33.0	-12.4
				8	4	21.3	20.6	33.0	-12.4
				8	7	21.3	20.6	33.0	-12.4
				15	0	21.3	20.5	33.0	-12.5
			16QAM	1	0	21.4	20.6	33.0	-12.4
				1	7	21.4	20.7	33.0	-12.3
				1	14	21.3	20.6	33.0	-12.4
				8	0	20.5	19.8	33.0	-13.3
				8	4	20.5	19.8	33.0	-13.3
				8	7	20.5	19.8	33.0	-13.2
				15	0	20.3	19.5	33.0	-13.5

OUTPUT POWER FOR LTE BAND 25 (5.0 MHz)

Antenna Gain (dBi)		-0.76							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5.0	26065	1852.5	QPSK	1	0	22.5	21.7	33.0	-11.3
				1	12	22.5	21.7	33.0	-11.3
				1	24	22.5	21.7	33.0	-11.3
				12	0	21.4	20.7	33.0	-12.3
				12	6	21.4	20.7	33.0	-12.3
				12	11	21.4	20.7	33.0	-12.3
				25	0	21.4	20.6	33.0	-12.4
			16QAM	1	0	22.0	21.2	33.0	-11.8
				1	12	22.0	21.2	33.0	-11.8
				1	24	21.9	21.2	33.0	-11.8
				12	0	20.5	19.8	33.0	-13.2
				12	6	20.5	19.8	33.0	-13.3
				12	11	20.5	19.8	33.0	-13.2
				25	0	20.5	19.7	33.0	-13.3
5.0	26365	1882.5	QPSK	1	0	22.4	21.7	33.0	-11.3
				1	12	22.3	21.6	33.0	-11.4
				1	24	22.3	21.6	33.0	-11.4
				12	0	21.3	20.5	33.0	-12.5
				12	6	21.3	20.6	33.0	-12.5
				12	11	21.2	20.5	33.0	-12.6
				25	0	21.3	20.5	33.0	-12.5
			16QAM	1	0	21.5	20.7	33.0	-12.3
				1	12	21.4	20.6	33.0	-12.4
				1	24	21.4	20.6	33.0	-12.4
				12	0	20.3	19.6	33.0	-13.5
				12	6	20.4	19.6	33.0	-13.4
				12	11	20.3	19.5	33.0	-13.5
				25	0	20.3	19.5	33.0	-13.5
5.0	26665	1912.5	QPSK	1	0	22.2	21.5	33.0	-11.5
				1	12	22.2	21.5	33.0	-11.5
				1	24	22.2	21.4	33.0	-11.6
				12	0	21.2	20.4	33.0	-12.6
				12	6	21.2	20.5	33.0	-12.5
				12	11	21.2	20.5	33.0	-12.5
				25	0	21.2	20.5	33.0	-12.6
			16QAM	1	0	21.4	20.6	33.0	-12.4
				1	12	21.4	20.7	33.0	-12.3
				1	24	21.4	20.6	33.0	-12.4
				12	0	20.3	19.5	33.0	-13.5
				12	6	20.3	19.5	33.0	-13.5
				12	11	20.3	19.5	33.0	-13.5
				25	0	20.2	19.5	33.0	-13.5

OUTPUT POWER FOR LTE BAND 25 (10.0 MHz)

Antenna Gain (dBi)		-0.76									
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)		
10.0	26090	1855.0	QPSK	1	0	22.5	21.7	33.0	-11.3		
				1	24	22.4	21.6	33.0	-11.4		
				1	49	22.5	21.7	33.0	-11.3		
				25	0	21.5	20.7	33.0	-12.3		
				25	12	21.5	20.7	33.0	-12.3		
				25	24	21.4	20.6	33.0	-12.4		
				50	0	21.5	20.7	33.0	-12.3		
			16QAM	1	0	21.5	20.7	33.0	-12.3		
				1	24	21.4	20.6	33.0	-12.4		
				1	49	21.4	20.7	33.0	-12.3		
				25	0	20.5	19.8	33.0	-13.2		
				25	12	20.5	19.8	33.0	-13.3		
				25	24	20.5	19.7	33.0	-13.3		
				50	0	20.5	19.7	33.0	-13.3		
10.0	26365	1882.5	QPSK	1	0	22.5	21.8	33.0	-11.3		
				1	24	22.3	21.5	33.0	-11.5		
				1	49	22.3	21.6	33.0	-11.4		
				25	0	21.4	20.6	33.0	-12.4		
				25	12	21.4	20.6	33.0	-12.4		
				25	24	21.3	20.6	33.0	-12.4		
				50	0	21.4	20.6	33.0	-12.4		
			16QAM	1	0	21.4	20.7	33.0	-12.3		
				1	24	21.2	20.4	33.0	-12.6		
				1	49	21.2	20.4	33.0	-12.6		
				25	0	20.4	19.6	33.0	-13.4		
				25	12	20.3	19.6	33.0	-13.4		
				25	24	20.3	19.5	33.0	-13.5		
				50	0	20.3	19.6	33.0	-13.4		
10.0	26640	1910.0	QPSK	1	0	22.3	21.5	33.0	-11.5		
				1	24	22.2	21.4	33.0	-11.6		
				1	49	22.3	21.5	33.0	-11.5		
				25	0	21.3	20.6	33.0	-12.4		
				25	12	21.3	20.5	33.0	-12.5		
				25	24	21.3	20.5	33.0	-12.5		
				50	0	21.3	20.6	33.0	-12.5		
			16QAM	1	0	21.6	20.9	33.0	-12.1		
				1	24	21.6	20.8	33.0	-12.2		
				1	49	21.6	20.8	33.0	-12.2		
				25	0	20.3	19.5	33.0	-13.5		
				25	12	20.3	19.5	33.0	-13.5		
				25	24	20.3	19.5	33.0	-13.5		
				50	0	20.3	19.5	33.0	-13.5		

OUTPUT POWER FOR LTE BAND 25 (15.0 MHz)

Antenna Gain (dBi)		-0.76							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15.0	26115	1857.5	QPSK	1	0	22.4	21.6	33.0	-11.4
				1	37	22.3	21.6	33.0	-11.5
				1	74	22.4	21.6	33.0	-11.4
				36	0	21.5	20.7	33.0	-12.3
				36	16	21.5	20.7	33.0	-12.3
				36	35	21.5	20.8	33.0	-12.2
				75	0	21.4	20.7	33.0	-12.3
			16-QAM	1	0	21.3	20.5	33.0	-12.5
				1	37	21.3	20.5	33.0	-12.5
				1	74	21.2	20.5	33.0	-12.5
				36	0	20.4	19.7	33.0	-13.3
				36	16	20.5	19.7	33.0	-13.3
				36	35	20.6	19.8	33.0	-13.2
				75	0	20.4	19.7	33.0	-13.3
15.0	26365	1882.5	QPSK	1	0	22.5	21.7	33.0	-11.3
				1	37	22.3	21.5	33.0	-11.5
				1	74	22.4	21.7	33.0	-11.4
				36	0	21.5	20.7	33.0	-12.3
				36	16	21.5	20.7	33.0	-12.3
				36	35	21.4	20.6	33.0	-12.4
				75	0	21.4	20.7	33.0	-12.4
			16-QAM	1	0	21.8	21.0	33.0	-12.0
				1	37	21.7	21.0	33.0	-12.0
				1	74	21.6	20.9	33.0	-12.1
				36	0	20.5	19.7	33.0	-13.3
				36	16	20.5	19.7	33.0	-13.3
				36	35	20.4	19.7	33.0	-13.3
				75	0	20.4	19.7	33.0	-13.3
15.0	26615	1907.5	QPSK	1	0	22.3	21.6	33.0	-11.4
				1	37	22.2	21.4	33.0	-11.6
				1	74	22.3	21.6	33.0	-11.5
				36	0	21.3	20.6	33.0	-12.4
				36	16	21.4	20.7	33.0	-12.4
				36	35	21.4	20.6	33.0	-12.4
				75	0	21.4	20.6	33.0	-12.4
			16-QAM	1	0	21.8	21.0	33.0	-12.0
				1	37	21.7	21.0	33.0	-12.0
				1	74	21.6	20.9	33.0	-12.1
				36	0	20.3	19.5	33.0	-13.5
				36	16	20.4	19.6	33.0	-13.4
				36	35	20.3	19.6	33.0	-13.4
				75	0	20.4	19.7	33.0	-13.4

OUTPUT POWER FOR LTE BAND 25 (20.0 MHz)

Antenna Gain (dBi)		-0.76							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
20.0	26140	1860.0	QPSK	1	0	22.4	21.7	33.0	-11.3
				1	49	22.4	21.7	33.0	-11.3
				1	99	22.3	21.6	33.0	-11.4
				50	0	21.4	20.7	33.0	-12.4
				50	24	21.5	20.7	33.0	-12.3
				50	49	21.5	20.7	33.0	-12.3
				100	0	21.5	20.7	33.0	-12.3
			16-QAM	1	0	21.8	21.1	33.0	-11.9
				1	49	21.8	21.1	33.0	-11.9
				1	99	21.8	21.0	33.0	-12.0
				50	0	20.4	19.6	33.0	-13.4
				50	24	20.5	19.7	33.0	-13.3
				50	49	20.4	19.7	33.0	-13.3
				100	0	20.4	19.6	33.0	-13.4
20.0	26365	1882.5	QPSK	1	0	22.5	21.8	33.0	-11.2
				1	49	22.3	21.6	33.0	-11.4
				1	99	22.2	21.5	33.0	-11.5
				50	0	21.4	20.7	33.0	-12.3
				50	24	21.4	20.6	33.0	-12.4
				50	49	21.3	20.6	33.0	-12.4
				100	0	21.4	20.6	33.0	-12.4
			16-QAM	1	0	22.0	21.2	33.0	-11.8
				1	49	21.9	21.1	33.0	-11.9
				1	99	21.8	21.0	33.0	-12.0
				50	0	20.5	19.7	33.0	-13.3
				50	24	20.4	19.6	33.0	-13.4
				50	49	20.3	19.6	33.0	-13.4
				100	0	20.3	19.6	33.0	-13.4
20.0	26590	1905.0	QPSK	1	0	22.3	21.5	33.0	-11.5
				1	49	22.3	21.5	33.0	-11.5
				1	99	22.3	21.5	33.0	-11.5
				50	0	21.3	20.6	33.0	-12.4
				50	24	21.3	20.6	33.0	-12.4
				50	49	21.3	20.6	33.0	-12.4
				100	0	21.4	20.6	33.0	-12.4
			16-QAM	1	0	21.7	20.9	33.0	-12.1
				1	49	21.6	20.9	33.0	-12.1
				1	99	21.6	20.9	33.0	-12.1
				50	0	20.3	19.5	33.0	-13.5
				50	24	20.3	19.6	33.0	-13.4
				50	49	20.3	19.6	33.0	-13.4
				100	0	20.3	19.6	33.0	-13.4

7.2.9. LTE BAND 26

ID:	38806	Date:	12/19/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 26 (1.4 MHz)

Antenna Gain (dBi)		0.22							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
1.4	26697	814.7	QPSK	1	0	23.9	21.9	38.45	-16.5
				1	2	23.9	22.0	38.45	-16.4
				1	5	23.9	22.0	38.45	-16.5
				3	0	24.0	22.1	38.45	-16.4
				3	1	24.0	22.1	38.45	-16.4
				3	2	24.0	22.1	38.45	-16.3
			16QAM	6	0	22.9	21.0	38.45	-17.5
				1	0	22.9	21.0	38.45	-17.4
				1	2	23.0	21.0	38.45	-17.4
				1	5	22.9	21.0	38.45	-17.4
				3	0	23.1	21.2	38.45	-17.3
				3	1	23.1	21.2	38.45	-17.3
				3	2	23.1	21.2	38.45	-17.3
				6	0	22.0	20.1	38.45	-18.3
1.4	26740	819.0	QPSK	1	0	23.6	21.7	38.45	-16.7
				1	2	23.7	21.8	38.45	-16.7
				1	5	23.7	21.7	38.45	-16.7
				3	0	23.7	21.8	38.45	-16.6
				3	1	23.8	21.9	38.45	-16.6
				3	2	23.8	21.8	38.45	-16.6
			16QAM	6	0	22.7	20.7	38.45	-17.7
				1	0	22.8	20.9	38.45	-17.6
				1	2	22.8	20.9	38.45	-17.6
				1	5	22.8	20.9	38.45	-17.6
				3	0	22.8	20.9	38.45	-17.6
				3	1	22.8	20.9	38.45	-17.6
				3	2	22.8	20.9	38.45	-17.5
				6	0	21.8	19.9	38.45	-18.6
1.4	26783	823.3	QPSK	1	0	23.2	21.3	38.45	-17.1
				1	2	23.1	21.2	38.45	-17.2
				1	5	22.8	20.9	38.45	-17.5
				3	0	23.2	21.3	38.45	-17.2
				3	1	23.2	21.2	38.45	-17.2
				3	2	23.1	21.1	38.45	-17.3
			16QAM	6	0	22.2	20.3	38.45	-18.2
				1	0	22.7	20.8	38.45	-17.7
				1	2	22.6	20.7	38.45	-17.8
				1	5	22.3	20.4	38.45	-18.1
				3	0	22.5	20.5	38.45	-17.9
				3	1	22.4	20.5	38.45	-18.0
				3	2	22.3	20.4	38.45	-18.1
				6	0	21.2	19.3	38.45	-19.2

OUTPUT POWER FOR LTE BAND 26 (3.0 MHz)

Antenna Gain (dBi)		0.22							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
3.0	26705	815.5	QPSK	1	0	23.9	22.0	38.45	-16.4
				1	7	24.0	22.1	38.45	-16.4
				1	14	23.9	22.0	38.45	-16.5
				8	0	23.0	21.1	38.45	-17.4
				8	4	23.0	21.0	38.45	-17.4
				8	7	23.0	21.1	38.45	-17.4
			16QAM	15	0	22.9	21.0	38.45	-17.4
				1	0	23.0	21.1	38.45	-17.3
				1	7	23.1	21.1	38.45	-17.3
				1	14	23.0	21.0	38.45	-17.4
				8	0	22.1	20.2	38.45	-18.3
				8	4	22.2	20.2	38.45	-18.2
				8	7	22.2	20.2	38.45	-18.2
				15	0	21.9	20.0	38.45	-18.5
				3.0	26740	819.0	QPSK	1	0
1	7	23.8	21.8					38.45	-16.6
1	14	23.7	21.8					38.45	-16.7
8	0	22.8	20.8					38.45	-17.6
8	4	22.8	20.8					38.45	-17.6
8	7	22.8	20.8					38.45	-17.6
16QAM	15	0	22.8				20.8	38.45	-17.6
	1	0	22.7				20.8	38.45	-17.7
	1	7	22.7				20.8	38.45	-17.6
3.0	26775	822.5	QPSK	1	14	22.6	20.7	38.45	-17.7
				8	0	21.9	19.9	38.45	-18.5
				8	4	21.8	19.9	38.45	-18.5
				8	7	21.8	19.9	38.45	-18.5
				15	0	21.8	19.8	38.45	-18.6
				1	0	23.6	21.6	38.45	-16.8
				1	7	23.5	21.5	38.45	-16.9
			16QAM	1	14	23.0	21.1	38.45	-17.4
				8	0	22.6	20.7	38.45	-17.8
				8	4	22.6	20.7	38.45	-17.8
				8	7	22.6	20.6	38.45	-17.8
				15	0	22.6	20.6	38.45	-17.8
				1	0	22.9	21.0	38.45	-17.4
				1	7	22.9	21.0	38.45	-17.5
				1	14	22.4	20.5	38.45	-17.9
8	0	21.5	19.5	38.45	-18.9				
8	4	21.4	19.5	38.45	-18.9				
8	7	21.5	19.5	38.45	-18.9				
15	0	21.6	19.7	38.45	-18.8				

OUTPUT POWER FOR LTE BAND 26 (5.0 MHz)

Antenna Gain (dBi)		0.22							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
5.0	26715	816.5	QPSK	1	0	24.0	22.1	38.45	-16.4
				1	12	23.9	22.0	38.45	-16.4
				1	24	24.0	22.1	38.45	-16.4
				12	0	23.0	21.0	38.45	-17.4
				12	6	23.0	21.1	38.45	-17.4
				12	11	22.9	21.0	38.45	-17.4
			16QAM	25	0	23.0	21.0	38.45	-17.4
				1	0	23.2	21.2	38.45	-17.2
				1	12	23.1	21.1	38.45	-17.3
				1	24	23.1	21.2	38.45	-17.3
				12	0	22.0	20.1	38.45	-18.3
				12	6	22.0	20.1	38.45	-18.4
				12	11	22.0	20.1	38.45	-18.4
				25	0	21.9	20.0	38.45	-18.5
5.0	26740	819.0	QPSK	1	0	23.8	21.9	38.45	-16.6
				1	12	23.7	21.8	38.45	-16.6
				1	24	23.7	21.8	38.45	-16.6
				12	0	22.8	20.9	38.45	-17.6
				12	6	22.8	20.9	38.45	-17.6
				12	11	22.7	20.8	38.45	-17.6
			16QAM	25	0	22.8	20.8	38.45	-17.6
				1	0	23.0	21.1	38.45	-17.4
				1	12	22.9	21.0	38.45	-17.5
				1	24	22.9	21.0	38.45	-17.5
				12	0	21.8	19.9	38.45	-18.5
				12	6	21.8	19.9	38.45	-18.5
				12	11	21.8	19.9	38.45	-18.6
				25	0	21.7	19.8	38.45	-18.6
5.0	26765	821.5	QPSK	1	0	23.7	21.7	38.45	-16.7
				1	12	23.6	21.6	38.45	-16.8
				1	24	23.0	21.1	38.45	-17.3
				12	0	22.6	20.7	38.45	-17.8
				12	6	22.6	20.7	38.45	-17.8
				12	11	22.6	20.6	38.45	-17.8
			16QAM	25	0	22.6	20.6	38.45	-17.8
				1	0	23.2	21.2	38.45	-17.2
				1	12	23.2	21.2	38.45	-17.2
				1	24	22.6	20.7	38.45	-17.8
				12	0	21.8	19.8	38.45	-18.6
				12	6	21.8	19.8	38.45	-18.6
				12	11	21.8	19.8	38.45	-18.6
				25	0	21.6	19.7	38.45	-18.7

OUTPUT POWER FOR LTE BAND 26 (10.0 MHz)

Antenna Gain (dBi)		0.22							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10.0	26740	819.0	QPSK	1	0	24.0	22.0	38.45	-16.4
				1	24	24.0	22.0	38.45	-16.4
				1	49	23.9	21.9	38.45	-16.5
				25	0	23.1	21.1	38.45	-17.3
				25	12	23.1	21.2	38.45	-17.3
				25	24	23.0	21.1	38.45	-17.4
				50	0	23.0	21.1	38.45	-17.4
			16QAM	1	0	23.0	21.0	38.45	-17.4
				1	24	22.9	21.0	38.45	-17.4
				1	49	22.8	20.9	38.45	-17.5
				25	0	22.1	20.2	38.45	-18.3
				25	12	22.1	20.2	38.45	-18.3
				25	24	22.0	20.1	38.45	-18.4
				50	0	22.0	20.1	38.45	-18.4

7.2.10. LTE BAND 27

ID:	38806	Date:	12/19/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 27 (1.4 MHz)

Antenna Gain (dBi)		0.22							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
1.4	27117	814.7	QPSK	1	0	21.9	20.0	50.00	-30.0
				1	2	22.0	20.0	50.00	-30.0
				1	5	21.9	20.0	50.00	-30.0
				3	0	22.0	20.0	50.00	-30.0
				3	1	22.0	20.1	50.00	-29.9
				3	2	22.0	20.1	50.00	-29.9
			16QAM	6	0	20.9	18.9	50.00	-31.1
				1	0	20.9	19.0	50.00	-31.0
				1	2	21.0	19.0	50.00	-31.0
				1	5	20.9	19.0	50.00	-31.0
				3	0	21.0	19.1	50.00	-30.9
				3	1	21.0	19.1	50.00	-30.9
				3	2	21.0	19.1	50.00	-30.9
				6	0	20.0	18.1	50.00	-31.9
1.4	27160	819.0	QPSK	1	0	22.0	20.0	50.00	-30.0
				1	2	21.9	20.0	50.00	-30.0
				1	5	21.9	20.0	50.00	-30.0
				3	0	22.0	20.1	50.00	-29.9
				3	1	22.0	20.0	50.00	-30.0
				3	2	21.9	20.0	50.00	-30.0
			16QAM	6	0	20.9	18.9	50.00	-31.1
				1	0	21.3	19.4	50.00	-30.6
				1	2	21.3	19.3	50.00	-30.7
				1	5	21.2	19.3	50.00	-30.7
				3	0	21.1	19.2	50.00	-30.8
				3	1	21.1	19.1	50.00	-30.9
				3	2	21.1	19.1	50.00	-30.9
				6	0	19.8	17.9	50.00	-32.1
1.4	27203	823.3	QPSK	1	0	21.9	20.0	50.00	-30.0
				1	2	21.8	19.9	50.00	-30.1
				1	5	21.8	19.8	50.00	-30.2
				3	0	22.0	20.1	50.00	-29.9
				3	1	21.9	20.0	50.00	-30.0
				3	2	21.9	19.9	50.00	-30.1
			16QAM	6	0	20.9	18.9	50.00	-31.1
				1	0	20.9	19.0	50.00	-31.0
				1	2	20.9	19.0	50.00	-31.0
				1	5	20.9	18.9	50.00	-31.1
				3	0	21.0	19.0	50.00	-31.0
				3	1	21.0	19.1	50.00	-30.9
				3	2	21.0	19.1	50.00	-30.9
				6	0	20.0	18.1	50.00	-31.9

OUTPUT POWER FOR LTE BAND 27 (3.0 MHz)

Antenna Gain (dBi)		0.22							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
3.0	27125	815.5	QPSK	1	0	22.0	20.0	50.00	-30.0
				1	7	21.9	20.0	50.00	-30.0
				1	14	21.9	19.9	50.00	-30.1
				8	0	20.9	19.0	50.00	-31.0
				8	4	20.9	18.9	50.00	-31.1
				8	7	20.9	19.0	50.00	-31.0
				15	0	20.9	18.9	50.00	-31.1
			16QAM	1	0	21.2	19.3	50.00	-30.7
				1	7	21.3	19.4	50.00	-30.6
				1	14	21.3	19.3	50.00	-30.7
				8	0	19.8	17.9	50.00	-32.1
				8	4	19.8	17.8	50.00	-32.2
				8	7	19.8	17.9	50.00	-32.1
				15	0	20.0	18.0	50.00	-32.0
3.0	27160	819.0	QPSK	1	0	21.8	19.9	50.00	-30.1
				1	7	21.9	19.9	50.00	-30.1
				1	14	21.9	20.0	50.00	-30.0
				8	0	20.9	18.9	50.00	-31.1
				8	4	20.9	19.0	50.00	-31.0
				8	7	20.9	18.9	50.00	-31.1
				15	0	20.8	18.9	50.00	-31.1
			16QAM	1	0	20.9	18.9	50.00	-31.1
				1	7	20.9	19.0	50.00	-31.0
				1	14	21.0	19.0	50.00	-31.0
				8	0	20.1	18.1	50.00	-31.9
				8	4	20.1	18.2	50.00	-31.8
				8	7	20.0	18.1	50.00	-31.9
				15	0	19.8	17.9	50.00	-32.1
3.0	27195	822.5	QPSK	1	0	21.8	19.9	50.00	-30.1
				1	7	21.8	19.9	50.00	-30.1
				1	14	21.7	19.8	50.00	-30.2
				8	0	20.8	18.9	50.00	-31.1
				8	4	20.8	18.9	50.00	-31.1
				8	7	20.8	18.9	50.00	-31.1
				15	0	20.8	18.9	50.00	-31.1
			16QAM	1	0	20.7	18.8	50.00	-31.2
				1	7	20.7	18.8	50.00	-31.2
				1	14	20.6	18.7	50.00	-31.3
				8	0	20.0	18.0	50.00	-32.0
				8	4	20.0	18.1	50.00	-31.9
				8	7	20.1	18.1	50.00	-31.9
				15	0	20.0	18.1	50.00	-31.9

OUTPUT POWER FOR LTE BAND 27 (5.0 MHz)

Antenna Gain (dBi)		0.22							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
5.0	27135	816.5	QPSK	1	0	22.0	20.1	50.00	-29.9
				1	12	21.8	19.9	50.00	-30.1
				1	24	21.9	20.0	50.00	-30.0
				12	0	20.9	19.0	50.00	-31.0
				12	6	20.9	19.0	50.00	-31.0
				12	11	20.9	18.9	50.00	-31.1
				25	0	20.8	18.9	50.00	-31.1
			16QAM	1	0	21.4	19.5	50.00	-30.5
				1	12	21.4	19.5	50.00	-30.5
				1	24	21.4	19.5	50.00	-30.5
				12	0	20.0	18.1	50.00	-31.9
				12	6	20.1	18.1	50.00	-31.9
				12	11	20.1	18.1	50.00	-31.9
				25	0	20.0	18.0	50.00	-32.0
5.0	27160	819.0	QPSK	1	0	22.0	20.1	50.00	-29.9
				1	12	21.9	20.0	50.00	-30.0
				1	24	22.0	20.0	50.00	-30.0
				12	0	20.8	18.9	50.00	-31.1
				12	6	20.9	18.9	50.00	-31.1
				12	11	20.9	19.0	50.00	-31.0
				25	0	20.9	18.9	50.00	-31.1
			16QAM	1	0	21.0	19.1	50.00	-30.9
				1	12	20.9	19.0	50.00	-31.0
				1	24	21.0	19.1	50.00	-30.9
				12	0	19.9	18.0	50.00	-32.0
				12	6	19.9	18.0	50.00	-32.0
				12	11	20.0	18.0	50.00	-32.0
				25	0	20.0	18.0	50.00	-32.0
5.0	27185	821.5	QPSK	1	0	21.9	20.0	50.00	-30.0
				1	12	21.8	19.8	50.00	-30.2
				1	24	21.9	19.9	50.00	-30.1
				12	0	20.9	18.9	50.00	-31.1
				12	6	20.9	18.9	50.00	-31.1
				12	11	20.8	18.9	50.00	-31.1
				25	0	20.9	19.0	50.00	-31.0
			16QAM	1	0	21.1	19.1	50.00	-30.9
				1	12	20.9	19.0	50.00	-31.0
				1	24	21.1	19.1	50.00	-30.9
				12	0	20.0	18.1	50.00	-31.9
				12	6	20.1	18.1	50.00	-31.9
				12	11	20.0	18.1	50.00	-31.9
				25	0	20.0	18.0	50.00	-32.0

OUTPUT POWER FOR LTE BAND 27 (10.0 MHz)

Antenna Gain (dBi)		0.22							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10.0	27160	819.0	QPSK	1	0	21.9	20.0	50.00	-30.0
				1	24	22.0	20.1	50.00	-29.9
				1	49	21.9	20.0	50.00	-30.0
				25	0	21.1	19.2	50.00	-30.8
				25	12	21.2	19.2	50.00	-30.8
				25	24	21.1	19.2	50.00	-30.8
				50	0	21.1	19.2	50.00	-30.8
			16QAM	1	0	21.0	19.0	50.00	-31.0
				1	24	20.9	19.0	50.00	-31.0
				1	49	21.0	19.1	50.00	-30.9
				25	0	20.2	18.2	50.00	-31.8
				25	12	20.2	18.3	50.00	-31.7
				25	24	20.2	18.3	50.00	-31.7
				50	0	20.2	18.3	50.00	-31.7

7.2.11. LTE BAND 30

ID:	38806	Date:	12/19/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 30 (5.0 MH)

Antenna Gain (dBi)		-0.55							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5.0	27685	2307.5	QPSK	1	0	22.0	21.4	24.0	-2.6
				1	12	21.9	21.4	24.0	-2.6
				1	24	21.9	21.3	24.0	-2.7
				12	0	21.0	20.4	24.0	-3.6
				12	6	21.0	20.4	24.0	-3.6
				12	11	20.8	20.3	24.0	-3.7
				25	0	20.9	20.3	24.0	-3.7
			16QAM	1	0	21.1	20.5	24.0	-3.5
				1	12	21.0	20.4	24.0	-3.6
				1	24	21.0	20.5	24.0	-3.5
				12	0	19.9	19.4	24.0	-4.6
				12	6	20.0	19.4	24.0	-4.6
				12	11	19.8	19.2	24.0	-4.8
				25	0	19.9	19.3	24.0	-4.7
5.0	27710	2310.0	QPSK	1	0	22.0	21.4	24.0	-2.6
				1	12	21.8	21.3	24.0	-2.7
				1	24	21.9	21.4	24.0	-2.6
				12	0	20.9	20.4	24.0	-3.6
				12	6	20.8	20.3	24.0	-3.7
				12	11	20.8	20.2	24.0	-3.8
				25	0	20.8	20.3	24.0	-3.7
			16QAM	1	0	21.5	20.9	24.0	-3.1
				1	12	21.3	20.8	24.0	-3.2
				1	24	21.4	20.9	24.0	-3.1
				12	0	20.0	19.5	24.0	-4.5
				12	6	19.9	19.4	24.0	-4.6
				12	11	19.9	19.4	24.0	-4.6
				25	0	19.9	19.3	24.0	-4.7
5.0	27735	2312.5	QPSK	1	0	22.0	21.4	24.0	-2.6
				1	12	21.7	21.2	24.0	-2.8
				1	24	21.9	21.3	24.0	-2.7
				12	0	20.9	20.3	24.0	-3.7
				12	6	20.9	20.3	24.0	-3.7
				12	11	20.9	20.3	24.0	-3.7
				25	0	20.8	20.3	24.0	-3.7
			16QAM	1	0	21.1	20.6	24.0	-3.4
				1	12	20.9	20.3	24.0	-3.7
				1	24	21.0	20.4	24.0	-3.6
				12	0	19.9	19.3	24.0	-4.7
				12	6	19.9	19.3	24.0	-4.7
				12	11	19.9	19.4	24.0	-4.6
				25	0	19.8	19.2	24.0	-4.8

OUTPUT POWER FOR LTE BAND 30 (10.0 MHz)

Antenna Gain (dBi)		-0.55							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10.0	27710	2310.0	QPSK	1	0	22.0	21.5	24.0	-2.5
				1	24	21.7	21.1	24.0	-2.9
				1	49	21.8	21.3	24.0	-2.7
				25	0	20.9	20.4	24.0	-3.6
				25	12	20.8	20.2	24.0	-3.8
				25	24	20.8	20.3	24.0	-3.7
				50	0	20.8	20.3	24.0	-3.7
			16QAM	1	0	21.0	20.5	24.0	-3.5
				1	24	20.6	20.1	24.0	-3.9
				1	49	20.8	20.2	24.0	-3.8
				25	0	20.0	19.4	24.0	-4.6
				25	12	19.8	19.2	24.0	-4.8
				25	24	19.8	19.3	24.0	-4.7
				50	0	19.8	19.2	24.0	-4.8

7.2.12. **LTE BAND 41**

ID:	38806	Date:	12/19/16
------------	-------	--------------	----------

OUTPUT POWER FOR LTE BAND 41 (5.0 MHz)

Antenna Gain (dBi)		0.56							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5.0	39675	2498.5	QPSK	1	0	22.0	22.6	33.0	-10.4
				1	12	21.9	22.5	33.0	-10.5
				1	24	21.9	22.5	33.0	-10.5
				12	0	20.9	21.5	33.0	-11.6
				12	6	20.9	21.4	33.0	-11.6
				12	11	20.9	21.5	33.0	-11.5
				25	0	20.9	21.4	33.0	-11.6
			16QAM	1	0	21.3	21.9	33.0	-11.1
				1	12	21.2	21.7	33.0	-11.3
				1	24	21.2	21.7	33.0	-11.3
				12	0	20.0	20.6	33.0	-12.5
				12	6	19.9	20.5	33.0	-12.5
				12	11	20.0	20.5	33.0	-12.5
				25	0	19.8	20.4	33.0	-12.6
5.0	40620	2593.0	QPSK	1	0	22.0	22.6	33.0	-10.4
				1	12	21.9	22.5	33.0	-10.5
				1	24	22.0	22.5	33.0	-10.5
				12	0	21.0	21.5	33.0	-11.5
				12	6	21.0	21.5	33.0	-11.5
				12	11	20.9	21.5	33.0	-11.5
				25	0	20.9	21.5	33.0	-11.5
			16QAM	1	0	21.2	21.8	33.0	-11.2
				1	12	21.2	21.8	33.0	-11.3
				1	24	21.2	21.7	33.0	-11.3
				12	0	19.9	20.5	33.0	-12.5
				12	6	19.9	20.5	33.0	-12.5
				12	11	19.9	20.5	33.0	-12.5
				25	0	19.9	20.5	33.0	-12.5
5.0	41565	2687.5	QPSK	1	0	21.8	22.4	33.0	-10.6
				1	12	21.8	22.4	33.0	-10.6
				1	24	21.8	22.4	33.0	-10.6
				12	0	20.8	21.3	33.0	-11.7
				12	6	20.7	21.3	33.0	-11.7
				12	11	20.7	21.3	33.0	-11.7
				25	0	20.7	21.3	33.0	-11.7
			16QAM	1	0	21.2	21.8	33.0	-11.2
				1	12	21.2	21.7	33.0	-11.3
				1	24	21.2	21.8	33.0	-11.3
				12	0	19.9	20.4	33.0	-12.6
				12	6	19.8	20.4	33.0	-12.6
				12	11	19.8	20.3	33.0	-12.7
				25	0	19.7	20.3	33.0	-12.7

OUTPUT POWER FOR LTE BAND 41 (10.0 MHz)

Antenna Gain (dBi)		0.56							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10.0	39700	2501.0	QPSK	1	0	21.8	22.4	33.0	-10.6
				1	24	21.5	22.1	33.0	-10.9
				1	49	21.6	22.2	33.0	-10.8
				25	0	20.6	21.1	33.0	-11.9
				25	12	20.6	21.1	33.0	-11.9
				25	24	20.5	21.1	33.0	-11.9
				50	0	20.6	21.2	33.0	-11.9
			16QAM	1	0	21.1	21.7	33.0	-11.3
				1	24	20.9	21.4	33.0	-11.6
				1	49	20.9	21.5	33.0	-11.5
				25	0	19.6	20.2	33.0	-12.8
				25	12	19.6	20.1	33.0	-12.9
				25	24	19.6	20.1	33.0	-12.9
				50	0	19.6	20.2	33.0	-12.8
10.0	40620	2593.0	QPSK	1	0	21.9	22.4	33.0	-10.6
				1	24	21.6	22.1	33.0	-10.9
				1	49	21.6	22.2	33.0	-10.8
				25	0	20.7	21.2	33.0	-11.8
				25	12	20.6	21.1	33.0	-11.9
				25	24	20.6	21.1	33.0	-11.9
				50	0	20.6	21.2	33.0	-11.8
			16QAM	1	0	21.1	21.7	33.0	-11.3
				1	24	20.8	21.4	33.0	-11.6
				1	49	20.9	21.4	33.0	-11.6
				25	0	19.6	20.2	33.0	-12.8
				25	12	19.6	20.1	33.0	-12.9
				25	24	19.5	20.1	33.0	-12.9
				50	0	19.6	20.1	33.0	-12.9
10.0	41540	2685.0	QPSK	1	0	21.7	22.2	33.0	-10.8
				1	24	21.4	21.9	33.0	-11.1
				1	49	21.4	22.0	33.0	-11.0
				25	0	20.4	21.0	33.0	-12.0
				25	12	20.3	20.9	33.0	-12.1
				25	24	20.3	20.9	33.0	-12.1
				50	0	20.4	21.0	33.0	-12.0
			16QAM	1	0	21.1	21.6	33.0	-11.4
				1	24	20.8	21.4	33.0	-11.6
				1	49	20.9	21.5	33.0	-11.6
				25	0	19.5	20.0	33.0	-13.0
				25	12	19.4	19.9	33.0	-13.1
				25	24	19.3	19.9	33.0	-13.1
				50	0	19.4	19.9	33.0	-13.1

OUTPUT POWER FOR LTE BAND 41 (15.0 MHz)

Antenna Gain (dBi)		0.56							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15.0	39725	2503.5	QPSK	1	0	21.7	22.3	33.0	-10.7
				1	37	21.9	22.4	33.0	-10.6
				1	74	21.5	22.0	33.0	-11.0
				36	0	20.6	21.2	33.0	-11.8
				36	16	20.6	21.1	33.0	-11.9
				36	35	20.5	21.1	33.0	-11.9
				75	0	20.5	21.1	33.0	-11.9
			16-QAM	1	0	20.8	21.3	33.0	-11.7
				1	37	20.6	21.2	33.0	-11.8
				1	74	20.6	21.2	33.0	-11.8
				36	0	19.6	20.1	33.0	-12.9
				36	16	19.5	20.1	33.0	-12.9
				36	35	19.5	20.1	33.0	-13.0
				75	0	19.6	20.2	33.0	-12.9
15.0	40620	2593.0	QPSK	1	0	22.0	22.6	33.0	-10.4
				1	37	21.5	22.1	33.0	-10.9
				1	74	21.6	22.1	33.0	-10.9
				36	0	20.7	21.3	33.0	-11.7
				36	16	20.6	21.2	33.0	-11.8
				36	35	20.6	21.1	33.0	-11.9
				75	0	20.6	21.2	33.0	-11.8
			16-QAM	1	0	21.4	21.9	33.0	-11.1
				1	37	21.0	21.6	33.0	-11.5
				1	74	20.9	21.5	33.0	-11.5
				36	0	19.7	20.3	33.0	-12.8
				36	16	19.6	20.2	33.0	-12.8
				36	35	19.6	20.1	33.0	-12.9
				75	0	19.6	20.2	33.0	-12.8
15.0	41515	2682.5	QPSK	1	0	21.8	22.3	33.0	-10.7
				1	37	21.8	22.4	33.0	-10.6
				1	74	21.3	21.9	33.0	-11.1
				36	0	20.6	21.2	33.0	-11.8
				36	16	20.6	21.1	33.0	-11.9
				36	35	20.5	21.0	33.0	-12.0
				75	0	20.5	21.1	33.0	-11.9
			16-QAM	1	0	21.1	21.7	33.0	-11.3
				1	37	20.9	21.4	33.0	-11.6
				1	74	20.8	21.3	33.0	-11.7
				36	0	19.6	20.2	33.0	-12.8
				36	16	19.5	20.0	33.0	-13.0
				36	35	19.5	20.0	33.0	-13.0
				75	0	19.5	20.1	33.0	-12.9

OUTPUT POWER FOR LTE BAND 41 (20.0 MHz)

Antenna Gain (dBi)		0.56							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
20.0	39750	2506.0	QPSK	1	0	21.8	22.4	33.0	-10.6
				1	49	21.6	22.2	33.0	-10.8
				1	99	21.8	22.4	33.0	-10.7
				50	0	20.7	21.3	33.0	-11.7
				50	24	20.6	21.2	33.0	-11.8
				50	49	20.7	21.2	33.0	-11.8
				100	0	20.7	21.3	33.0	-11.7
			16-QAM	1	0	21.2	21.8	33.0	-11.2
				1	49	21.0	21.5	33.0	-11.5
				1	99	21.1	21.7	33.0	-11.3
				50	0	19.7	20.3	33.0	-12.8
				50	24	19.7	20.2	33.0	-12.8
				50	49	19.7	20.2	33.0	-12.8
				100	0	19.7	20.3	33.0	-12.8
20.0	40620	2593.0	QPSK	1	0	22.0	22.6	33.0	-10.4
				1	49	21.7	22.3	33.0	-10.7
				1	99	21.7	22.2	33.0	-10.8
				50	0	21.0	21.6	33.0	-11.4
				50	24	20.8	21.3	33.0	-11.7
				50	49	20.7	21.2	33.0	-11.8
				100	0	20.8	21.4	33.0	-11.6
			16-QAM	1	0	21.5	22.0	33.0	-11.0
				1	49	20.9	21.5	33.0	-11.5
				1	99	20.9	21.5	33.0	-11.5
				50	0	20.0	20.5	33.0	-12.5
				50	24	19.7	20.3	33.0	-12.7
				50	49	19.7	20.2	33.0	-12.8
				100	0	19.7	20.3	33.0	-12.7
20.0	41490	2680.0	QPSK	1	0	21.9	22.5	33.0	-10.5
				1	49	21.6	22.2	33.0	-10.8
				1	99	21.6	22.2	33.0	-10.8
				50	0	20.7	21.3	33.0	-11.8
				50	24	20.6	21.2	33.0	-11.8
				50	49	20.6	21.1	33.0	-11.9
				100	0	20.7	21.2	33.0	-11.8
			16-QAM	1	0	21.0	21.6	33.0	-11.5
				1	49	20.7	21.3	33.0	-11.7
				1	99	20.8	21.3	33.0	-11.7
				50	0	19.7	20.2	33.0	-12.8
				50	24	19.6	20.2	33.0	-12.8
				50	49	19.5	20.1	33.0	-12.9
				100	0	19.6	20.2	33.0	-12.8

8. CONDUCTED TEST RESULTS

8.1. OCCUPIED BANDWIDTH

RULE PART(S)

FCC: §2.1049

LIMITS

For reporting purposes only

TEST PROCEDURE

The transmitter output was connected to a calibrated coaxial cable and coupler, the other end of which was connected to a spectrum analyzer. The occupied bandwidth was measured with the spectrum analyzer at the middle channel in each band. The -26dB bandwidth was also measured and recorded.

MODES TESTED

- LTE Band 2
- LTE Band 4
- LTE Band 5
- LTE Band 7
- LTE Band 12
- LTE Band 13
- LTE Band 17
- LTE Band 25
- LTE Band 26
- LTE Band 27
- LTE Band 30
- LTE Band 41

RESULTS

LTE BAND 2

BAND	MODE	RB SIZE/RB OFFSET	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 2	1.4 MHz, QPSK	6/0	1880.0	1.0789	1.227
	1.4 MHz,16QAM			1.0835	1.229
	3 MHz, QPSK	15/0		2.6944	2.972
	3 MHz, 16QAM			2.7002	2.988
	5 MHz, QPSK	25/0		4.5038	4.938
	5 MHz, 16QAM			4.4963	4.952
	10 MHz, QPSK	50/0		8.9663	9.746
	10 MHz, 16QAM			8.9721	9.785
	15 MHz, QPSK	75/0		13.443	14.58
	15 MHz, 16QAM			13.437	14.61
	20 MHz, QPSK	100/0		17.931	19.29
	20 MHz, 16QAM			17.915	19.34

LTE BAND 4

BAND	MODE	RB SIZE/RB OFFSET	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 4	1.4 MHz, QPSK	6/0	1732.5	1.0793	1.230
	1.4 MHz,16QAM			1.0826	1.231
	3 MHz, QPSK	15/0		2.6959	2.975
	3 MHz, 16QAM			2.6989	3.004
	5 MHz, QPSK	25/0		4.5022	4.935
	5 MHz, 16QAM			4.4898	4.976
	10 MHz, QPSK	50/0		8.9563	9.726
	10 MHz, 16QAM			8.9704	9.754
	15 MHz, QPSK	75/0		13.442	14.60
	15 MHz, 16QAM			13.449	14.59
	20 MHz, QPSK	100/0		17.915	19.27
	20 MHz, 16QAM			17.900	19.29

LTE BAND 5

BAND	MODE	RB SIZE/RB OFFSET	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 5	1.4 MHz, QPSK	6/0	836.5	1.0832	1.230
	1.4 MHz,16QAM			1.0926	1.235
	3 MHz, QPSK	15/0		2.6939	2.962
	3 MHz, 16QAM			2.7003	3.004
	5 MHz, QPSK	25/0		4.5020	4.929
	5 MHz, 16QAM			4.4946	4.956
	10 MHz, QPSK	50/0		8.9541	9.752
	10 MHz, 16QAM			8.9690	9.763

LTE BAND 7

BAND	MODE	RB SIZE/RB OFFSET	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 7	5 MHz, QPSK	25/0	2535.0	4.4868	4.948
	5 MHz, 16QAM			4.4868	4.938
	10 MHz, QPSK	50/0		8.9523	9.750
	10 MHz, 16QAM			8.9929	9.790
	15 MHz, QPSK	75/0		13.442	14.56
	15 MHz, 16QAM			13.454	14.56
	20 MHz, QPSK	100/0		17.949	19.33
	20 MHz, 16QAM			17.904	19.36

LTE BAND 12

BAND	MODE	RB SIZE/RB OFFSET	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 12	1.4 MHz, QPSK	6/0	707.5	1.0849	1.223
	1.4 MHz,16QAM			1.0931	1.238
	3 MHz, QPSK	15/0		2.6976	2.972
	3 MHz, 16QAM			2.7030	3.007
	5 MHz, QPSK	25/0		4.5058	4.919
	5 MHz, 16QAM			4.4917	4.955
	10 MHz, QPSK	50/0		8.9677	9.735
	10 MHz, 16OAM			8.9661	9.775

LTE BAND 13

BAND	MODE	RB SIZE/RB OFFSET	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 13	5 MHz, QPSK	25/0	782.0	4.4772	4.928
	5 MHz, 16QAM			4.4773	4.905
	10 MHz, QPSK	50/0		8.9554	9.764
	10 MHz, 16QAM			8.9625	9.750

LTE BAND 17

BAND	MODE	RB SIZE/RB OFFSET	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 17	5 MHz, QPSK	25/0	710.0	4.4802	4.941
	5 MHz, 16QAM			4.4823	4.900
	10 MHz, QPSK	50/0		8.9764	9.798
	10 MHz, 16QAM			8.9747	9.802

LTE BAND 25

BAND	MODE	RB SIZE/RB OFFSET	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 25	1.4 MHz, QPSK	6/0	1882.5	1.0830	1.235
	1.4 MHz, 16QAM			1.0919	1.236
	3 MHz, QPSK	15/0		2.6949	2.972
	3 MHz, 16QAM			2.6999	3.000
	5 MHz, QPSK	25/0		4.5026	4.942
	5 MHz, 16QAM			4.4929	4.970
	10 MHz, QPSK	50/0		8.9687	9.724
	10 MHz, 16QAM			8.9790	9.775
	15 MHz, QPSK	75/0		13.424	14.54
	15 MHz, 16QAM			13.439	14.59
	20 MHz, QPSK	100/0		17.906	19.34
	20 MHz, 16QAM			17.917	19.25

LTE BAND 26

BAND	MODE	RB SIZE/RB OFFSET	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 26	1.4 MHz, QPSK	6/0	819.0	1.0794	1.208
	1.4 MHz, 16QAM			1.0851	1.233
	3 MHz, QPSK	15/0		2.6957	2.948
	3 MHz, 16QAM			2.6954	2.990
	5 MHz, QPSK	25/0		4.4969	4.899
	5 MHz, 16QAM			4.4820	4.811
	10 MHz, QPSK	50/0		8.9419	9.800
	10 MHz, 16QAM			8.9402	9.785

LTE BAND 27

BAND	MODE	RB SIZE/RB OFFSET	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 27	1.4 MHz, QPSK	6/0	819.0	0.20461	0.2977
		1/0		1.0924	1.240
	1.4 MHz, 16QAM	6/0		0.20834	0.3201
		1/0		1.1028	1.243
	3 MHz, QPSK	15/0		0.20761	0.3131
		1/0		2.6866	2.928
	3 MHz, 16QAM	15/0		0.21563	0.3259
		1/0		2.6783	2.922
	5 MHz, QPSK	25/0		0.21781	0.3171
		1/0		4.4935	4.865
	5 MHz, 16QAM	25/0		0.22675	0.3711
		1/0		4.4828	4.919
	10 MHz, QPSK	50/0		0.24584	0.4003
		1/0		8.9495	9.669
	10 MHz, 16QAM	50/0		0.23658	0.3986
		1/0		8.9568	9.642

LTE BAND 30


BAND	MODE	RB SIZE/RB OFFSET	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 30	5 MHz, QPSK	25/0	2310.0	4.5011	4.948
	5 MHz, 16QAM			4.4967	4.960
	10 MHz, QPSK	50/0		8.9477	9.743
	10 MHz, 16QAM			8.9800	9.745

LTE BAND 41


BAND	MODE	RB SIZE/RB OFFSET	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 41	5 MHz, QPSK	25/0	2593.0	4.4928	4.954
	5 MHz, 16QAM			4.4970	4.966
	10 MHz, QPSK	50/0		8.9519	9.693
	10 MHz, 16QAM			8.9823	9.773
	15 MHz, QPSK	75/0		13.446	14.57
	15 MHz, 16QAM			13.457	14.50
	20 MHz, QPSK	100/0		17.947	19.46
	20 MHz, 16QAM			17.935	19.46

8.1.1. LTE BAND 2


QPSK, (1.4 MHz BAND WIDTH)




16QAM, (1.4 MHz BAND WIDTH)




QPSK, (3.0 MHz BAND WIDTH)




16QAM, (3.0 MHz BAND WIDTH)




QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)




QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




QPSK, (15.0 MHz BAND WIDTH)




16QAM, (15.0 MHz BAND WIDTH)



QPSK, (20.0 MHz BAND WIDTH)




16QAM, (20.0 MHz BAND WIDTH)




8.1.2. LTE BAND 4


QPSK, (1.4 MHz BAND WIDTH)




16QAM, (1.4 MHz BAND WIDTH)




QPSK, (3.0 MHz BAND WIDTH)




16QAM, (3.0 MHz BAND WIDTH)




QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)




QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




QPSK, (15.0 MHz BAND WIDTH)




16QAM, (15.0 MHz BAND WIDTH)



QPSK, (20.0 MHz BAND WIDTH)




16QAM, (20.0 MHz BAND WIDTH)




8.1.3. LTE BAND 5


QPSK, (1.4 MHz BAND WIDTH)




16QAM, (1.4 MHz BAND WIDTH)




QPSK, (3.0 MHz BAND WIDTH)




16QAM, (3.0 MHz BAND WIDTH)




QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)



QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




8.1.4. LTE BAND 7


QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)




QPSK, (10.0 MHz BAND WIDTH)



16QAM, (10.0 MHz BAND WIDTH)



QPSK, (15.0 MHz BAND WIDTH)



16QAM, (15.0 MHz BAND WIDTH)

