



## MEASUREMENT REPORT LTE

**Applicant Name:**

 Apple Inc.  
 One Apple Park Way  
 Cupertino, CA 95014  
 United States

**Date of Testing:**

07/27/2018-10/10/2018

**Test Site/Location:**

PCTEST Lab. Morgan Hill, CA, USA

**Test Report Serial No.:**

1C1806220015-03.BCG

**FCC ID:**
**BCGA1934**
**APPLICANT:**
**Apple Inc.**
**Application Type:**

Certification

**Model:**

A1934, A1979

**EUT Type:**

Tablet Device

**FCC Classification:**

PCS Licensed Transmitter (PCB)

**FCC Rule Part(s):**

22, 24, &amp; 27

**Test Procedure(s):**

ANSI C63.26-2015, ANSI/TIA-603-E-2016, KDB 971168 D01 v03r01

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.


  
 Randy Ortanez  
 President


FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 1 of 370

## T A B L E   O F   C O N T E N T S

1.0	INTRODUCTION .....	5
1.1	Scope .....	5
1.2	PCTEST Test Location .....	5
1.3	Test Facility / Accreditations .....	5
2.0	PRODUCT INFORMATION .....	6
2.1	Equipment Description .....	6
2.2	Device Capabilities .....	6
2.3	Antenna Description .....	7
2.4	Test Support Equipment .....	7
2.5	Test Configuration .....	8
2.6	Software and Firmware .....	8
2.7	EMI Suppression Device(s)/Modifications .....	8
3.0	DESCRIPTION OF TESTS .....	9
3.1	Measurement Procedure .....	9
3.2	Block C Frequency Range .....	9
3.3	Block A Frequency Range .....	9
3.4	Cellular - Base Frequency Blocks .....	9
3.5	Cellular - Mobile Frequency Blocks .....	9
3.6	PCS - Base Frequency Blocks .....	10
3.7	PCS - Mobile Frequency Blocks .....	10
3.8	AWS - Base Frequency Blocks .....	10
3.9	AWS - Mobile Frequency Blocks .....	10
3.10	WCS – Mobile/Base Frequency Blocks .....	11
3.11	BRS/EBS Frequency Block .....	11
3.12	Radiated Power and Radiated Spurious Emissions .....	12
4.0	MEASUREMENT UNCERTAINTY .....	13
5.0	TEST EQUIPMENT CALIBRATION DATA .....	14
6.0	SAMPLE CALCULATIONS .....	15
7.0	TEST RESULTS .....	16
7.1	Summary .....	16
7.2	Occupied Bandwidth .....	18
7.3	Spurious and Harmonic Emissions at Antenna Terminal .....	67
7.4	Band Edge Emissions at Antenna Terminal .....	105
7.5	Peak-Average Ratio .....	187
7.6	Uplink Carrier Aggregation .....	222
7.7	Radiated Power (ERP/EIRP) .....	249
7.7.1	PORT-A RADIATED POWER (ERP/EIRP) .....	251
7.7.2	PORT-B RADIATED POWER (ERP/EIRP) .....	261
7.7.3	PORT-C RADIATED POWER (ERP/EIRP) .....	271
7.7.4	PORT-D RADIATED POWER (ERP/EIRP) .....	278
7.8	Radiated Spurious Emissions Measurements .....	285
7.8.1	ANT 3 (PORT-A) RADIATED SPURIOUS EMISSIONS MEASUREMENTS .....	287
7.8.2	ANT 4B (PORT-A) RADIATED SPURIOUS EMISSIONS MEASUREMENTS .....	294
7.8.3	ANT 1 (PORT-B) RADIATED SPURIOUS EMISSIONS MEASUREMENTS .....	307
7.8.4	ANT 2B (PORT-B) RADIATED SPURIOUS EMISSIONS MEASUREMENTS .....	313
7.8.5	ANT 4A (PORT-C) RADIATED SPURIOUS EMISSIONS MEASUREMENTS .....	323
7.8.6	ANT 2A (PORT-D) RADIATED SPURIOUS EMISSIONS MEASUREMENTS .....	333
7.9	Uplink Carrier Aggregation Radiated Measurements .....	343
7.10	Frequency Stability / Temperature Variation .....	353
8.0	CONCLUSION .....	370

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 2 of 370



# MEASUREMENT REPORT

FCC Part 22, 24, & 27

Mode	FCC Rule Part	Tx Frequency (MHz)	ERP		EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)	Max. Power (W)	Max. Power (dBm)		
LTE Band 12	27	699.7 - 715.3	0.130	21.13	0.213	23.28	1M11G7W	QPSK
LTE Band 12	27	699.7 - 715.3	0.108	20.32	0.176	22.47	1M11D7W	16QAM
LTE Band 12	27	699.7 - 715.3	0.087	19.40	0.143	21.55	1M10D7W	64QAM
LTE Band 12	27	700.5 - 714.5	0.121	20.82	0.198	22.97	2M73G7W	QPSK
LTE Band 12	27	700.5 - 714.5	0.103	20.12	0.169	22.27	2M72D7W	16QAM
LTE Band 12	27	700.5 - 714.5	0.087	19.42	0.144	21.57	2M73D7W	64QAM
LTE Band 12	27	701.5 - 713.5	0.124	20.93	0.203	23.08	4M55G7W	QPSK
LTE Band 12	27	701.5 - 713.5	0.110	20.43	0.181	22.58	4M52D7W	16QAM
LTE Band 12	27	701.5 - 713.5	0.089	19.49	0.146	21.64	4M53D7W	64QAM
LTE Band 12	27	704 - 711	0.121	20.83	0.199	22.98	9M05G7W	QPSK
LTE Band 12	27	704 - 711	0.107	20.28	0.175	22.43	9M02D7W	16QAM
LTE Band 12	27	704 - 711	0.090	19.55	0.148	21.70	9M05D7W	64QAM
LTE Band 17	27	706.5 - 713.5	0.133	21.23	0.218	23.38	4M55G7W	QPSK
LTE Band 17	27	706.5 - 713.5	0.104	20.19	0.171	22.34	4M52D7W	16QAM
LTE Band 17	27	706.5 - 713.5	0.091	19.60	0.150	21.75	4M53D7W	64QAM
LTE Band 17	27	709 - 711	0.116	20.66	0.191	22.81	9M05G7W	QPSK
LTE Band 17	27	709 - 711	0.104	20.15	0.170	22.30	9M02D7W	16QAM
LTE Band 17	27	709 - 711	0.090	19.52	0.147	21.67	9M05D7W	64QAM
LTE Band 13	27	779.5 - 784.5	0.130	21.15	0.214	23.30	4M53G7W	QPSK
LTE Band 13	27	779.5 - 784.5	0.116	20.66	0.191	22.81	4M52D7W	16QAM
LTE Band 13	27	779.5 - 784.5	0.092	19.64	0.151	21.79	4M54D7W	64QAM
LTE Band 13	27	782	0.121	20.84	0.199	22.99	8M99G7W	QPSK
LTE Band 13	27	782	0.110	20.40	0.180	22.55	8M99D7W	16QAM
LTE Band 13	27	782	0.092	19.66	0.152	21.81	9M02D7W	64QAM
LTE Band 5	22H	824.7 - 848.3	0.162	22.09	0.266	24.24	1M10G7W	QPSK
LTE Band 5	22H	824.7 - 848.3	0.150	21.77	0.246	23.92	1M11D7W	16QAM
LTE Band 5	22H	824.7 - 848.3	0.129	21.12	0.212	23.27	1M11D7W	64QAM
LTE Band 5	22H	825.5 - 847.5	0.162	22.08	0.265	24.23	2M72G7W	QPSK
LTE Band 5	22H	825.5 - 847.5	0.151	21.78	0.247	23.93	2M72D7W	16QAM
LTE Band 5	22H	825.5 - 847.5	0.127	21.03	0.208	23.18	2M72D7W	64QAM
LTE Band 5	22H	826.5 - 846.5	0.169	22.29	0.278	24.44	4M54G7W	QPSK
LTE Band 5	22H	826.5 - 846.5	0.151	21.80	0.248	23.95	4M52D7W	16QAM
LTE Band 5	22H	826.5 - 846.5	0.131	21.17	0.215	23.32	4M55D7W	64QAM
LTE Band 5	22H	829 - 844	0.167	22.23	0.274	24.38	9M05G7W	QPSK
LTE Band 5	22H	829 - 844	0.152	21.83	0.250	23.98	9M04D7W	16QAM
LTE Band 5	22H	829 - 844	0.132	21.20	0.216	23.35	9M04D7W	64QAM
LTE Band 26	22H	824.7 - 848.3	0.162	22.10	0.266	24.25	1M10G7W	QPSK
LTE Band 26	22H	824.7 - 848.3	0.156	21.93	0.256	24.08	1M11D7W	16QAM
LTE Band 26	22H	824.7 - 848.3	0.126	21.00	0.207	23.15	1M11D7W	64QAM
LTE Band 26	22H	825.5 - 847.5	0.167	22.24	0.275	24.39	2M72G7W	QPSK
LTE Band 26	22H	825.5 - 847.5	0.149	21.74	0.245	23.89	2M72D7W	16QAM
LTE Band 26	22H	825.5 - 847.5	0.126	20.99	0.206	23.14	2M72D7W	64QAM
LTE Band 26	22H	826.5 - 846.5	0.174	22.41	0.286	24.56	4M54G7W	QPSK
LTE Band 26	22H	826.5 - 846.5	0.155	21.90	0.254	24.05	4M52D7W	16QAM
LTE Band 26	22H	826.5 - 846.5	0.127	21.04	0.208	23.19	4M55D7W	64QAM
LTE Band 26	22H	829 - 844	0.164	22.15	0.269	24.30	9M05G7W	QPSK
LTE Band 26	22H	829 - 844	0.148	21.72	0.244	23.87	9M04D7W	16QAM
LTE Band 26	22H	829 - 844	0.129	21.10	0.211	23.25	9M04D7W	64QAM

## EUT Overview (<1GHz)

FCC ID: BCGA1934	 PCTEST <sup>®</sup> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 3 of 370

Mode	FCC Rule Part	Tx Frequency (MHz)	EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)		
LTE Band 4	27	1710.7 - 1754.3	0.215	23.33	1M10G7W	QPSK
LTE Band 4	27	1710.7 - 1754.3	0.190	22.80	1M10D7W	16QAM
LTE Band 4	27	1710.7 - 1754.3	0.146	21.63	1M11D7W	64QAM
LTE Band 4	27	1711.5 - 1753.5	0.215	23.32	2M72G7W	QPSK
LTE Band 4	27	1711.5 - 1753.5	0.190	22.79	2M73D7W	16QAM
LTE Band 4	27	1711.5 - 1753.5	0.147	21.67	2M72D7W	64QAM
LTE Band 4	27	1712.5 - 1752.5	0.223	23.48	4M52G7W	QPSK
LTE Band 4	27	1712.5 - 1752.5	0.192	22.84	4M51D7W	16QAM
LTE Band 4	27	1712.5 - 1752.5	0.149	21.73	4M53D7W	64QAM
LTE Band 4	27	1715 - 1750	0.224	23.50	9M04G7W	QPSK
LTE Band 4	27	1715 - 1750	0.194	22.87	9M00D7W	16QAM
LTE Band 4	27	1715 - 1750	0.148	21.71	9M05D7W	64QAM
LTE Band 4	27	1717.5 - 1747.5	0.224	23.50	13M6G7W	QPSK
LTE Band 4	27	1717.5 - 1747.5	0.195	22.90	13M6D7W	16QAM
LTE Band 4	27	1717.5 - 1747.5	0.148	21.70	13M6D7W	64QAM
LTE Band 4	27	1720 - 1745	0.224	23.50	18M1G7W	QPSK
LTE Band 4	27	1720 - 1745	0.198	22.96	18M0D7W	16QAM
LTE Band 4	27	1720 - 1745	0.149	21.74	18M1D7W	64QAM
LTE Band 66	27	1710.7 - 1779.3	0.224	23.49	1M10G7W	QPSK
LTE Band 66	27	1710.7 - 1779.3	0.195	22.90	1M10D7W	16QAM
LTE Band 66	27	1710.7 - 1779.3	0.152	21.81	1M11D7W	64QAM
LTE Band 66	27	1711.5 - 1778.5	0.222	23.47	2M72G7W	QPSK
LTE Band 66	27	1711.5 - 1778.5	0.192	22.84	2M73D7W	16QAM
LTE Band 66	27	1711.5 - 1778.5	0.155	21.91	2M72D7W	64QAM
LTE Band 66	27	1712.5 - 1777.5	0.223	23.49	4M52G7W	QPSK
LTE Band 66	27	1712.5 - 1777.5	0.187	22.72	4M51D7W	16QAM
LTE Band 66	27	1712.5 - 1777.5	0.156	21.83	4M53D7W	64QAM
LTE Band 66	27	1715 - 1775	0.224	23.50	9M04G7W	QPSK
LTE Band 66	27	1715 - 1775	0.194	22.87	9M00D7W	16QAM
LTE Band 66	27	1715 - 1775	0.156	21.93	9M05D7W	64QAM
LTE Band 66	27	1717.5 - 1772.5	0.224	23.50	13M6G7W	QPSK
LTE Band 66	27	1717.5 - 1772.5	0.193	22.86	13M6D7W	16QAM
LTE Band 66	27	1717.5 - 1772.5	0.154	21.87	13M6D7W	64QAM
LTE Band 66	27	1720 - 1770	0.219	23.41	18M1G7W	QPSK
LTE Band 66	27	1720 - 1770	0.198	22.97	18M0D7W	16QAM
LTE Band 66	27	1720 - 1770	0.154	21.88	18M1D7W	64QAM
LTE Band 2	24E	1850.7 - 1909.3	0.210	23.23	1M10G7W	QPSK
LTE Band 2	24E	1850.7 - 1909.3	0.207	23.17	1M11D7W	16QAM
LTE Band 2	24E	1850.7 - 1909.3	0.152	21.83	1M10D7W	64QAM
LTE Band 2	24E	1851.5 - 1908.5	0.210	23.23	2M73G7W	QPSK
LTE Band 2	24E	1851.5 - 1908.5	0.199	23.00	2M72D7W	16QAM
LTE Band 2	24E	1851.5 - 1908.5	0.152	21.81	2M72D7W	64QAM
LTE Band 2	24E	1852.5 - 1907.5	0.217	23.36	4M52G7W	QPSK
LTE Band 2	24E	1852.5 - 1907.5	0.196	22.93	4M52D7W	16QAM
LTE Band 2	24E	1852.5 - 1907.5	0.152	21.82	4M53D7W	64QAM
LTE Band 2	24E	1855 - 1905	0.213	23.29	9M07G7W	QPSK
LTE Band 2	24E	1855 - 1905	0.198	22.97	9M06D7W	16QAM
LTE Band 2	24E	1855 - 1905	0.155	21.89	9M06D7W	64QAM
LTE Band 2	24E	1857.5 - 1902.5	0.214	23.30	13M6G7W	QPSK
LTE Band 2	24E	1857.5 - 1902.5	0.192	22.82	13M6D7W	16QAM
LTE Band 2	24E	1857.5 - 1902.5	0.155	21.90	13M6D7W	64QAM
LTE Band 2	24E	1860 - 1900	0.209	23.21	18M1G7W	QPSK
LTE Band 2	24E	1860 - 1900	0.187	22.73	18M0D7W	16QAM
LTE Band 2	24E	1860 - 1900	0.155	21.91	18M1D7W	64QAM
LTE Band 25	24E	1850.7 - 1914.3	0.212	23.27	1M10G7W	QPSK
LTE Band 25	24E	1850.7 - 1914.3	0.191	22.80	1M11D7W	16QAM
LTE Band 25	24E	1850.7 - 1914.3	0.152	21.82	1M10D7W	64QAM
LTE Band 25	24E	1851.5 - 1913.5	0.210	23.22	2M73G7W	QPSK
LTE Band 25	24E	1851.5 - 1913.5	0.187	22.73	2M72D7W	16QAM
LTE Band 25	24E	1851.5 - 1913.5	0.151	21.80	2M72D7W	64QAM
LTE Band 25	24E	1852.5 - 1912.5	0.218	23.39	4M52G7W	QPSK
LTE Band 25	24E	1852.5 - 1912.5	0.198	22.92	4M52D7W	16QAM
LTE Band 25	24E	1852.5 - 1912.5	0.154	21.88	4M53D7W	64QAM
LTE Band 25	24E	1855 - 1910	0.217	23.37	9M07G7W	QPSK
LTE Band 25	24E	1855 - 1910	0.192	22.82	9M06D7W	16QAM
LTE Band 25	24E	1855 - 1910	0.154	21.88	9M05D7W	64QAM
LTE Band 25	24E	1857.5 - 1907.5	0.211	23.23	13M6G7W	QPSK
LTE Band 25	24E	1857.5 - 1907.5	0.192	22.83	13M6D7W	16QAM
LTE Band 25	24E	1857.5 - 1907.5	0.154	21.88	13M6D7W	64QAM
LTE Band 25	24E	1860 - 1905	0.210	23.23	18M1G7W	QPSK
LTE Band 25	24E	1860 - 1905	0.194	22.87	18M0D7W	16QAM
LTE Band 25	24E	1860 - 1905	0.160	22.04	18M1D7W	64QAM
LTE Band 30	27	2307.5 - 2312.5	0.123	20.90	4M57G7W	QPSK
LTE Band 30	27	2307.5 - 2312.5	0.109	20.37	4M52D7W	16QAM
LTE Band 30	27	2307.5 - 2312.5	0.082	19.12	4M53D7W	64QAM
LTE Band 30	27	2310	0.123	20.90	9M06G7W	QPSK
LTE Band 30	27	2310	0.107	20.30	9M04D7W	16QAM
LTE Band 30	27	2310	0.082	19.13	9M05D7W	64QAM
LTE Band 7	27	2502.5 - 2567.5	0.230	23.62	4M52G7W	QPSK
LTE Band 7	27	2502.5 - 2567.5	0.194	22.88	4M53D7W	16QAM
LTE Band 7	27	2502.5 - 2567.5	0.145	21.62	4M54D7W	64QAM
LTE Band 7	27	2505 - 2565	0.227	23.57	9M03G7W	QPSK
LTE Band 7	27	2505 - 2565	0.202	23.05	9M03D7W	16QAM
LTE Band 7	27	2505 - 2565	0.147	21.67	9M03D7W	64QAM
LTE Band 7	27	2507.5 - 2562.5	0.225	23.52	13M6G7W	QPSK
LTE Band 7	27	2507.5 - 2562.5	0.195	22.91	13M6D7W	16QAM
LTE Band 7	27	2507.5 - 2562.5	0.149	21.74	13M6D7W	64QAM
LTE Band 7	27	2510 - 2560	0.226	23.55	18M1G7W	QPSK
LTE Band 7	27	2510 - 2560	0.199	22.98	18M1D7W	16QAM
LTE Band 7	27	2510 - 2560	0.150	21.77	18M1D7W	64QAM
LTE Band 41 (PC2)	27	2498.5 - 2687.5	0.321	25.06	4M55G7W	QPSK
LTE Band 41 (PC2)	27	2498.5 - 2687.5	0.279	24.46	4M56D7W	16QAM
LTE Band 41 (PC2)	27	2498.5 - 2687.5	0.197	22.95	4M56D7W	64QAM
LTE Band 41 (PC2)	27	2501 - 2685	0.318	25.02	9M04G7W	QPSK
LTE Band 41 (PC2)	27	2501 - 2685	0.273	24.37	9M09D7W	16QAM
LTE Band 41 (PC2)	27	2501 - 2685	0.205	23.11	9M11D7W	64QAM
LTE Band 41 (PC2)	27	2503.5 - 2682.5	0.307	24.88	13M6G7W	QPSK
LTE Band 41 (PC2)	27	2503.5 - 2682.5	0.264	24.22	13M6D7W	16QAM
LTE Band 41 (PC2)	27	2503.5 - 2682.5	0.204	23.10	13M6D7W	64QAM
LTE Band 41 (PC2)	27	2506 - 2680	0.313	24.95	18M1G7W	QPSK
LTE Band 41 (PC2)	27	2506 - 2680	0.278	24.45	18M0D7W	16QAM
LTE Band 41 (PC2)	27	2506 - 2680	0.204	23.09	18M0D7W	64QAM

### EUT Overview (>1GHz)

FCC ID: BCGA1934	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device		Page 4 of 370
© 2018 PCTEST Engineering Laboratory, Inc.				V 8.4 08/10/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

## 1.0 INTRODUCTION

### 1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

### 1.2 PCTEST Test Location

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 18855 Adams Court, Morgan Hill, CA 95037. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014 and KDB 414788 D01 v01.

### 1.3 Test Facility / Accreditations

**Measurements were performed at PCTEST Engineering Lab located in Morgan Hill, CA 95037, U.S.A.**

- PCTEST is an ISO 17025-2005 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.02 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- PCTEST facility is a registered (22831) test laboratory with the site description on file with ISED.

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 5 of 370

## 2.0 PRODUCT INFORMATION

### 2.1 Equipment Description

The Equipment Under Test (EUT) is the **Apple Tablet Device FCC ID: BCGA1934**. The test data contained in this report pertains only to the emissions due to the EUT's LTE function.

**Test Device Serial No.:** DLXX4014KR4X, DLXX5005KR4V

### 2.2 Device Capabilities

This device contains the following capabilities:

850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, Multi-band LTE, 802.11b/g/n WLAN, 802.11a/n/ac UNII, Bluetooth (1x, EDR, LE, HDR4, HDR8)

LTE Band 12 (698 - 716 MHz) overlaps the entire frequency range of LTE Band 17 (704 - 716 MHz). Therefore, test data provided in this report covers Band 17 as well as Band 12.

LTE Band 26 (814.7 – 849 MHz) overlaps the entire frequency range of LTE Band 5 (824 – 849 MHz). Therefore, test data provided in this report covers Band 5 and the portion of Band 26 subject to Part 22.

LTE Band 66 (1710 - 1780 MHz) overlaps the entire frequency range of LTE Band 4 (1710 - 1755 MHz). Therefore, test data provided in this report covers Band 4 as well as Band 66.

LTE Band 25 (1850 - 1915 MHz) overlaps the entire frequency range of LTE Band 2 (1850 - 1910 MHz). Therefore, test data provided in this report covers Band 2 as well as Band 25.

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device		Page 6 of 370

## 2.3 Antenna Description

Following antenna was used for the testing.

Frequency [MHz]	Antennas			
	Port A	Port B	Port C	Port D
700-800	ANT 3	ANT 1	N/A	
820-960				
1700-1800	ANT 4b	ANT 2b	ANT 4a	ANT 2a
1820-2100				
2300-2520				
2540-2700				

Table 2-1. Antennas vs Ports

Frequency [MHz]	Antenna Gain (dBi)			
	Port A	Port B	Port C	Port D
700-800	-2.1	-4.2	N/A	
820-960	-0.6	-2.9		
1700-1800	-2.0	-2.0	-2.4	-1.1
1820-2100	-2.1	-2.1	-1.8	0.0
2300-2520	-2.4	-2.4	0.5	0.5
2540-2700	-1.9	-1.9	0.0	0.1

Table 2-2. Antenna Peak Gain

## 2.4 Test Support Equipment

Test Support Equipment Used				
1	Apple MacBook w/AC/DC Adapter	Model: A1398 Model: A1435	S/N: C2QKP008F6F3 S/N: C04325505K1F288BG	
2	Apple USB-C Cable	Model: Chimp	S/N: 300C44	
3	USB-C Cable w/ AC Adapter	Model: A146 Model: A1720	S/N: N/A S/N: C3D8257A2EPGKVP2C	
4	USB-C to 3.5mm Aux Adapter	Model: A2049	S/N: DWH413100GJJKLT12	
5	DC Power Supply	Model: KPS3010D	S/N: N/A	

Table 2-3. Test Support Equipment Used

FCC ID: BCGA1934	 PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 7 of 370

## 2.5 Test Configuration

The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

There are two vendors of the radio modules, variant 1 and variant 2. Both radio modules have the same mechanical outline, same on-board antenna matching circuit, identical antenna structure, and are built and tested to conform to the same specifications and to operate within the same tolerances. The worst case configuration was found between the two variants. The EUT was also investigated with and without charger.

The emissions below 1GHz and above 18GHz were tested with the highest transmitting power channel and the worst case configuration.

The EUT was manipulated through three orthogonal planes of X-orientation (flatbed), Y-orientation (landscape), and Z-orientation (portrait) during the testing. Only the worst case emissions were reported in this test report. The worst orientation was found to be Y-orientation (landscape).

## 2.6 Software and Firmware

The test was conducted with firmware version 16B64 installed on the EUT.

## 2.7 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 8 of 370

## 3.0 DESCRIPTION OF TESTS

### 3.1 Measurement Procedure

The measurement procedures described in the document titled “Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards” (ANSI/TIA-603-E-2016) and “Procedures for Compliance Measurement of the Fundamental Emission Power of Licensed Wideband (> 1 MHz) Digital Transmission Systems” (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

### 3.2 Block C Frequency Range


Two paired channels of 11 megahertz each are available for assignment in Block C in the 746-757 MHz and 776-787 MHz bands. In the event that no licenses for two channels in this Block C are assigned based on the results of the first auction in which such licenses were offered because the auction results do not satisfy the applicable reserve price, the spectrum in the 746-757 MHz and 776-787 MHz bands will instead be made available for assignment at a subsequent auction as follows: (i) Two paired channels of 6 megahertz each available for assignment in Block C1 in the 746-752 MHz and 776-782 MHz bands. (ii) Two paired channels of 5 megahertz each available for assignment in Block C2 in the 752-757 MHz and 782-787 MHz bands.

### 3.3 Block A Frequency Range

698-746 MHz band. The following frequencies are available for licensing pursuant to this part in the 698-746 MHz band: (1) Three paired channel blocks of 12 megahertz each are available for assignment as follows:

Block A: 698-704 MHz and 728-734 MHz;  
 Block B: 704-710 MHz and 734-740 MHz; and  
 Block C: 710-716 MHz and 740-746 MHz.


### 3.4 Cellular - Base Frequency Blocks



BLOCK 1: 869 – 880 MHz (A\* Low + A)  
 BLOCK 2: 880 – 890 MHz (B)

BLOCK 3: 890 – 891.5 MHz (A\* High)  
 BLOCK 4: 891.5 – 894 MHz (B\*)

### 3.5 Cellular - Mobile Frequency Blocks




BLOCK 1: 824 – 835 MHz (A\* Low + A)  
 BLOCK 2: 835 – 845 MHz (B)


BLOCK 3: 845 – 846.5 MHz (A\* High)  
 BLOCK 4: 846.5 – 849 MHz (B\*)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device		Page 9 of 370


### 3.6 PCS - Base Frequency Blocks




### 3.7 PCS - Mobile Frequency Blocks



### 3.8 AWS - Base Frequency Blocks



### 3.9 AWS - Mobile Frequency Blocks



FCC ID: BCGA1934	 PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 10 of 370

### 3.10 WCS – Mobile/Base Frequency Blocks

The following frequencies are available for WCS in the 2305-2320 MHz and 2345-2360 MHz bands:


**BLOCK 1: 2305-2310 and 2350-2355 MHz (A)**

**BLOCK 2: 2310-2315 and 2355-236 MHz (B)**

**BLOCK 3: 2315-2320 MHz (C)**

**BLOCK 4: 2345-2350 MHz (D)**

### 3.11 BRS/EBS Frequency Block



FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device		Page 11 of 370

### 3.12 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer. Per the guidelines of KDB 412172 D01 v01r01, radiated power levels are measured using the following formula:

$$\text{ERP or EIRP} = P_T + G_T - L_c$$

Where  $P_T$  is the transmitter output power, expressed in dBm,  $G_T$  is the gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP), and  $L_c$  signal attenuation in the connecting cable between the transmitter and antenna in dB.

Per the guidance of ANSI/TIA-603-E-2016, a half-wave dipole is then substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d [\text{dBm}] = P_g [\text{dBm}] - \text{cable loss } [\text{dB}] + \text{antenna gain } [\text{dBd/dBi}]$$

Where,  $P_d$  is the dipole equivalent power,  $P_g$  is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to  $P_g [\text{dBm}] - \text{cable loss } [\text{dB}]$ .

The calculated  $P_d$  levels are then compared to the absolute spurious emission limit of -13dBm which is equivalent to the required minimum attenuation of  $43 + 10\log_{10}(\text{Power } [\text{Watts}])$ . For Band 7 and 41, the calculated  $P_d$  levels are compared to the absolute spurious emission limit of -25dBm which is equivalent to the required minimum attenuation of  $55 + 10\log_{10}(\text{Power } [\text{Watts}])$ . For Band 30, the calculated  $P_d$  levels are compared to the absolute spurious emission limit of -40dBm which is equivalent to the required minimum attenuation of  $70 + 10\log_{10}(\text{Power } [\text{Watts}])$ .

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 12 of 370

## 4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of  $k = 2$  to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the  $U_{CISPR}$  measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty ( $\pm$ dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: BCGA1934	 <b>PCTEST</b> <small>ENGINEERING LABORATORY, INC.</small>	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 13 of 370

## 5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
ATM	180-442A-KF	20dB Nominal Gain Horn Antenna	3/13/2018	Annual	3/13/2019	T058601-02
COM-POWER	LIN-120A	LISN	3/7/2018	Annual	3/7/2019	241296
ESPEC	SU-241	Temperature Chamber	8/10/2018	Annual	8/10/2019	92009574
Keysight Technologies	N9030A	3Hz-44GHz PXA Signal Analyzer	2/27/2018	Annual	2/27/2019	MY49430244
Rohde & Schwarz	FSV40	Signal Analyzer (10Hz-40GHz)	2/6/2018	Annual	2/6/2019	101619
Rohde & Schwarz	ESW44	EMI Test Receiver	12/20/2017	Annual	12/20/2018	101668
Rohde & Schwarz	ESW44	EMI Test Receiver	11/16/2017	Annual	11/16/2018	101570
Rohde & Schwarz	CMW500	Wideband Radio Communication Tester	6/11/2018	Annual	6/11/2019	161675
Rohde & Schwarz	CMW500	Wideband Radio Communication Tester	4/16/2018	Annual	4/16/2019	161617
Rohde & Schwarz	CMW500	Wideband Radio Communication Tester	12/8/2017	Annual	12/8/2018	164175
Rohde & Schwarz	SFUNIT-RX	Shielded Filter Unit	9/11/2017	Annual	9/11/2018	102132
Rohde & Schwarz	SFUNIT-RX	Shielded Filter Unit	12/11/2017	Annual	12/11/2018	102136
Rohde & Schwarz	TS-PR1840	Pre-Amplifier (18GHz - 40GHz)	6/11/2018	Annual	6/11/2019	100051
Rohde & Schwarz	TS-PR8	Pre-Amplifier (30MHz - 8GHz)	1/25/2018	Annual	1/25/2019	102333
Rohde & Schwarz	HL562E	Ultra Broadband Antenna (30MHz - 6GHz)	6/8/2018	Annual	6/8/2019	100810
Rohde & Schwarz	TC-TA18	Cross Polarized Vivaldi Antenna(400MHz-18GHz)	11/13/2017	Annual	11/13/2018	101057
Rohde & Schwarz	TC-TA18	Cross Polarized Vivaldi Antenna (400MHz-18GHz)	11/29/2017	Annual	11/29/2018	101063

**Table 5-1. Test Equipment**

**Notes:**

For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.

FCC ID: BCGA1934	 PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 14 of 370

## 6.0 SAMPLE CALCULATIONS

### Emission Designator

#### QPSK Modulation

**Emission Designator = 8M62G7D**

LTE BW = 8.62 MHz

G = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

#### QAM Modulation

**Emission Designator = 8M45W7D**

LTE BW = 8.45 MHz

W = Amplitude/Angle Modulated

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

### Spurious Radiated Emission – LTE Band

#### **Example: Middle Channel LTE Mode 2<sup>nd</sup> Harmonic (1564 MHz)**

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.501 dBm so this harmonic was 25.501 dBm - (-24.80).

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 15 of 370

## 7.0 TEST RESULTS

### 7.1 Summary

Company Name: Apple Inc.  
 FCC ID: BCGA1934  
 FCC Classification: PCS Licensed Transmitter (PCB)  
 Mode(s): LTE

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
2.1049	Occupied Bandwidth	N/A	CONDUCTED	PASS	Section 7.2
2.1051 2.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Out of Band Emissions	> 43 + 10log <sub>10</sub> (P[Watts]) at Band Edge and for all out-of-band emissions			Section 7.3, 7.4
27.53(m)	Out of Band Emissions	Undesirable emissions must meet the limits detailed in 27.53(m)			Section 7.3, 7.4
27.53(a)	Out of Band Emissions	Undesirable emissions must meet the limits detailed in 27.53(a)			Section 7.3, 7.4
24.232(d) 27.50(d)(5)	Peak-Average Ratio	< 13 dB			Section 0
2.1046	Transmitter Conducted Output Power	N/A			See RF Exposure Report
2.1055 22.355 24.235 27.54	Frequency Stability	< 2.5 ppm (Part 22) and fundamental emissions stay within authorized frequency block (Part 24, 27)			Section 7.10

Table 7-1. Summary of Conducted Test Results

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 16 of 370

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
22.913(a)(5)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 5, 26)	< 7 Watts max. ERP	RADIATED	PASS	Section 0
27.50(b)(10) 27.50(c)(10)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 12, 17, 13)	< 3 Watts max. ERP			Section 0
24.232(c) 27.50(h)(2)	Equivalent Isotropic Radiated Power (Band 2, 25, 7, 41)	< 2 Watts max. EIRP			Section 0
27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 4, 66)	< 1 Watts max. EIRP			Section 0
27.50(a)(3)	Equivalent Isotropic Radiated Power (Band 30)	< 0.25 Watts max. EIRP			Section 0
2.1053 22.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Undesirable Emissions	> $43 + 10\log_{10}(P[\text{Watts}])$ for all out-of-band emissions			Section 7.8
27.53(f)	Undesirable Emissions (Band 13)	< -70 dBW/MHz (for wideband signals) < -80 dBW (for discrete emissions less than 700Hz BW) For all emissions in the band 1559 - 1610 MHz			Section 7.8
27.53(a)	Undesirable Emissions (Band 30)	> $70 + 10\log_{10}(P[\text{Watts}])$			Section 7.8
27.53(m)	Undesirable Emissions	Undesirable emissions must meet the limits detailed in 27.53(m)			Section 7.8

Table 7-2. Summary of Radiated Test Results

**Notes:**

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots (Sections 7.2, 7.3, 7.4, 0) were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST "LTE Automation," Version 4.8.

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 17 of 370

## 7.2 Occupied Bandwidth

### Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

### Test Procedure Used


KDB 971168 D01 v03r01 – Section 4.2

### Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW  $\geq$  3 x RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




**Figure 7-1. Test Instrument & Measurement Setup**

### Test Notes

1. All ports were tested and only the worst case data were reported.
2. Refer to Table 2-1 Section 2.3 of this test report for correlation between Antennas and Ports.

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 18 of 370

## Band 12/17




Plot 7-1. Occupied Bandwidth Plot (Band 12 – 1.4MHz QPSK – RB Size 6)



Plot 7-2. Occupied Bandwidth Plot (Band 12 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 19 of 370



Plot 7-3. Occupied Bandwidth Plot (Band 12 – 1.4MHz 64-QAM – RB Size 6)



Plot 7-4. Occupied Bandwidth Plot (Band 12 – 3.0MHz QPSK – RB Size 15)

FCC ID: BCGA1934	<b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 20 of 370



Plot 7-5. Occupied Bandwidth Plot (Band 12 – 3.0MHz 16-QAM – RB Size 15)



Plot 7-6. Occupied Bandwidth Plot (Band 12 – 3.0MHz 64-QAM – RB Size 15)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 21 of 370	




Plot 7-7. Occupied Bandwidth Plot (Band 12/17 – 5.0MHz QPSK – RB Size 25)



Plot 7-8. Occupied Bandwidth Plot (Band 12/17 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 22 of 370	



Plot 7-9. Occupied Bandwidth Plot (Band 12/17 – 5.0MHz 64-QAM – RB Size 25)



Plot 7-10. Occupied Bandwidth Plot (Band 12/17 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA1934	<b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 23 of 370



Plot 7-11. Occupied Bandwidth Plot (Band 12/17 – 10.0MHz 16-QAM – RB Size 50)



Plot 7-12. Occupied Bandwidth Plot (Band 12/17 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA1934	<b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 24 of 370

## Band 13




Plot 7-13. Occupied Bandwidth Plot (Band 13 – 5.0MHz QPSK – RB Size 25)



Plot 7-14. Occupied Bandwidth Plot (Band 13 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA1934	 PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 25 of 370



Plot 7-15. Occupied Bandwidth Plot (Band 13 – 5.0MHz 64-QAM – RB Size 25)



Plot 7-16. Occupied Bandwidth Plot (Band 13 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 26 of 370	




**Plot 7-17. Occupied Bandwidth Plot (Band 13 – 10.0MHz 16-QAM – RB Size 50)**




**Plot 7-18. Occupied Bandwidth Plot (Band 13 – 10.0MHz 64-QAM – RB Size 50)**

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Approved by: Quality Manager	

## Band 26/5




Plot 7-19. Occupied Bandwidth Plot (Band 26/5 – 1.4MHz QPSK – RB Size 6)



Plot 7-20. Occupied Bandwidth Plot (Band 26/5 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 28 of 370



Plot 7-21. Occupied Bandwidth Plot (Band 26/5 – 1.4MHz 64-QAM – RB Size 6)




Plot 7-22. Occupied Bandwidth Plot (Band 26/5 – 3.0MHz QPSK – RB Size 15)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 29 of 370	



Plot 7-23. Occupied Bandwidth Plot (Band 26/5 – 3.0MHz 16-QAM – RB Size 15)



Plot 7-24. Occupied Bandwidth Plot (Band 26/5 – 3.0MHz 64-QAM – RB Size 15)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 30 of 370




Plot 7-25. Occupied Bandwidth Plot (Band 26/5 – 5.0MHz QPSK – RB Size 25)



Plot 7-26. Occupied Bandwidth Plot (Band 26/5 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device		Page 31 of 370



Plot 7-27. Occupied Bandwidth Plot (Band 26/5 – 5.0MHz 64-QAM – RB Size 25)




Plot 7-28. Occupied Bandwidth Plot (Band 26/5 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA1934	<b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 32 of 370



Plot 7-29. Occupied Bandwidth Plot (Band 26/5 – 10.0MHz 16-QAM – RB Size 50)




Plot 7-30. Occupied Bandwidth Plot (Band 26/5 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device		Page 33 of 370

## Band 66/4




Plot 7-31. Occupied Bandwidth Plot (Band 66/4 – 1.4MHz QPSK – RB Size 6)




Plot 7-32. Occupied Bandwidth Plot (Band 66/4 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 34 of 370	



Plot 7-33. Occupied Bandwidth Plot (Band 66/4 – 1.4MHz 64-QAM – RB Size 6)



Plot 7-34. Occupied Bandwidth Plot (Band 66/4 – 3.0MHz QPSK – RB Size 15)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device			



Plot 7-35. Occupied Bandwidth Plot (Band 66/4 – 3.0MHz 16-QAM – RB Size 15)




Plot 7-36. Occupied Bandwidth Plot (Band 66/4 – 3.0MHz 64-QAM – RB Size 15)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 36 of 370	




Plot 7-37. Occupied Bandwidth Plot (Band 66/4 – 5.0MHz QPSK – RB Size 25)




Plot 7-38. Occupied Bandwidth Plot (Band 66/4 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device		Page 37 of 370



Plot 7-39. Occupied Bandwidth Plot (Band 66/4 – 5.0MHz 64-QAM – RB Size 25)




Plot 7-40. Occupied Bandwidth Plot (Band 66/4 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 38 of 370



Plot 7-41. Occupied Bandwidth Plot (Band 66/4 – 10.0MHz 16-QAM – RB Size 50)




Plot 7-42. Occupied Bandwidth Plot (Band 66/4 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 39 of 370	




Plot 7-43. Occupied Bandwidth Plot (Band 66/4 – 15.0MHz QPSK – RB Size 75)



Plot 7-44. Occupied Bandwidth Plot (Band 66/4 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 40 of 370




Plot 7-45. Occupied Bandwidth Plot (Band 66/4 – 15.0MHz 64-QAM – RB Size 75)



Plot 7-46. Occupied Bandwidth Plot (Band 66/4 – 20.0MHz QPSK – RB Size 100)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 41 of 370	




Plot 7-47. Occupied Bandwidth Plot (Band 66/4 – 20.0MHz 16-QAM – RB Size 100)




Plot 7-48. Occupied Bandwidth Plot (Band 66/4 – 20.0MHz 64-QAM – RB Size 100)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 42 of 370	

## Band 25/2




Plot 7-49. Occupied Bandwidth Plot (Band 25/2 – 1.4MHz QPSK – RB Size 6)




Plot 7-50. Occupied Bandwidth Plot (Band 25/2 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 43 of 370	




Plot 7-51. Occupied Bandwidth Plot (Band 25/2 – 1.4MHz 64-QAM – RB Size 6)




Plot 7-52. Occupied Bandwidth Plot (Band 25/2 – 3.0MHz QPSK – RB Size 15)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Approved by: Quality Manager	



Plot 7-53. Occupied Bandwidth Plot (Band 25/2 – 3.0MHz 16-QAM – RB Size 15)



Plot 7-54. Occupied Bandwidth Plot (Band 25/2 – 3.0MHz 64-QAM – RB Size 15)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 45 of 370	




Plot 7-55. Occupied Bandwidth Plot (Band 25/2 – 5.0MHz QPSK – RB Size 25)




Plot 7-56. Occupied Bandwidth Plot (Band 25/2 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA1934	 PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 46 of 370



Plot 7-57. Occupied Bandwidth Plot (Band 25/2 – 5.0MHz 64-QAM – RB Size 25)



Plot 7-58. Occupied Bandwidth Plot (Band 25/2 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device			




Plot 7-59. Occupied Bandwidth Plot (Band 25/2 – 10.0MHz 16-QAM – RB Size 50)



Plot 7-60. Occupied Bandwidth Plot (Band 25/2 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 48 of 370	




Plot 7-61. Occupied Bandwidth Plot (Band 25/2 – 15.0MHz QPSK – RB Size 75)




Plot 7-62. Occupied Bandwidth Plot (Band 25/2 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: BCGA1934	<b>PCTEST</b> ENGINEERING LABORATORY, INC.		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 49 of 370	




Plot 7-63. Occupied Bandwidth Plot (Band 25/2 – 15.0MHz 64-QAM – RB Size 75)




Plot 7-64. Occupied Bandwidth Plot (Band 25/2 – 20.0MHz QPSK – RB Size 100)

FCC ID: BCGA1934	<b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 50 of 370




Plot 7-65. Occupied Bandwidth Plot (Band 25/2 – 20.0MHz 16-QAM – RB Size 100)



Plot 7-66. Occupied Bandwidth Plot (Band 25/2 – 20.0MHz 64-QAM – RB Size 100)

FCC ID: BCGA1934	<b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 51 of 370

## Band 30




Plot 7-67. Occupied Bandwidth Plot (Band 30 – 5.0MHz QPSK – RB Size 25)




Plot 7-68. Occupied Bandwidth Plot (Band 30 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA1934	 PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 52 of 370




Plot 7-69. Occupied Bandwidth Plot (Band 30 – 5.0MHz 64-QAM – RB Size 25)




Plot 7-70. Occupied Bandwidth Plot (Band 30 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device		




Plot 7-71. Occupied Bandwidth Plot (Band 30 – 10.0MHz 16-QAM – RB Size 50)



Plot 7-72. Occupied Bandwidth Plot (Band 30 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 54 of 370

## Band 7




Plot 7-73. Occupied Bandwidth Plot (Band 7 – 5.0MHz QPSK – RB Size 25)



Plot 7-74. Occupied Bandwidth Plot (Band 7 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 55 of 370



Plot 7-75. Occupied Bandwidth Plot (Band 7 – 5.0MHz 64-QAM – RB Size 25)




Plot 7-76. Occupied Bandwidth Plot (Band 7 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Approved by: Quality Manager	




Plot 7-77. Occupied Bandwidth Plot (Band 7 – 10.0MHz 16-QAM – RB Size 50)




Plot 7-78. Occupied Bandwidth Plot (Band 7 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 57 of 370	




Plot 7-79. Occupied Bandwidth Plot (Band 7 – 15.0MHz QPSK – RB Size 75)



Plot 7-80. Occupied Bandwidth Plot (Band 7 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: BCGA1934	<b>PCTEST</b> ENGINEERING LABORATORY, INC.		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 58 of 370	



Plot 7-81. Occupied Bandwidth Plot (Band 7 – 15.0MHz 64-QAM – RB Size 75)




Plot 7-82. Occupied Bandwidth Plot (Band 7 – 20.0MHz QPSK – RB Size 100)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device			




Plot 7-83. Occupied Bandwidth Plot (Band 7 – 20.0MHz 16-QAM – RB Size 100)




Plot 7-84. Occupied Bandwidth Plot (Band 7 – 20.0MHz 64-QAM – RB Size 100)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Approved by: Quality Manager	

## Band 41




Plot 7-85. Occupied Bandwidth Plot (Band 41 – 5.0MHz QPSK – RB Size 25)



Plot 7-86. Occupied Bandwidth Plot (Band 41 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 61 of 370	



Plot 7-87. Occupied Bandwidth Plot (Band 41 – 5.0MHz 64-QAM – RB Size 25)




Plot 7-88. Occupied Bandwidth Plot (Band 41 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device			



Plot 7-89. Occupied Bandwidth Plot (Band 41 – 10.0MHz 16-QAM – RB Size 50)



Plot 7-90. Occupied Bandwidth Plot (Band 41 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 63 of 370	



Plot 7-91. Occupied Bandwidth Plot (Band 41 – 15.0MHz QPSK – RB Size 75)




Plot 7-92. Occupied Bandwidth Plot (Band 41 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device		Page 64 of 370




Plot 7-93. Occupied Bandwidth Plot (Band 41 – 15.0MHz 64-QAM – RB Size 75)




Plot 7-94. Occupied Bandwidth Plot (Band 41 – 20.0MHz QPSK – RB Size 100)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 65 of 370	



Plot 7-95. Occupied Bandwidth Plot (Band 41 – 20.0MHz 16-QAM – RB Size 100)



Plot 7-96. Occupied Bandwidth Plot (Band 41 – 20.0MHz 64-QAM – RB Size 100)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 66 of 370	

## 7.3 Spurious and Harmonic Emissions at Antenna Terminal

### Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10<sup>th</sup> harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

***The minimum permissible attenuation level of any spurious emission is  $43 + \log_{10}(P_{[Watts]})$ , where P is the transmitter power in Watts.***

***For Band 30, the minimum permissible attenuation level of any spurious emission <2288MHz and >2365MHz is  $70 + \log_{10}(P_{[Watts]})$ .***

***For Band 7 and 41, the minimum permissible attenuation level of any spurious emission is  $55 + \log_{10}(P_{[Watts]})$ .***

### Test Procedure Used


KDB 971168 D01 v03r01 – Section 6.0

### Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to at least 10 \* the fundamental frequency (separated into at least two plots per channel)
2. Detector = RMS
3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
4. Sweep time = auto couple
5. The trace was allowed to stabilize
6. Please see test notes below for RBW and VBW settings

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




**Figure 7-2. Test Instrument & Measurement Setup**

### Test Notes


1. Compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater for frequencies less than 1 GHz and 1 MHz or greater for frequencies greater than 1 GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.
2. All ports were tested and only the worst case data were reported.
3. Refer to Table 2-1 Section 2.3 of this test report for correlation between Antennas and Ports.

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 67 of 370

## Band 12/17




Plot 7-97. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0– Low Channel)




Plot 7-98. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device		Page 68 of 370




Plot 7-99. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)




Plot 7-100. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device		Page 69 of 370




Plot 7-101. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)




Plot 7-102. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device		Page 70 of 370




Plot 7-103. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)



Plot 7-104. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)


FCC ID: BCGA1934	<b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 71 of 370




Plot 7-105. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)

FCC ID: BCGA1934	<b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 72 of 370

## Band 13




Plot 7-106. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)




Plot 7-107. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)

FCC ID: BCGA1934	 <b>PCTEST</b> ENGINEERING LABORATORY, INC.		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device		Page 73 of 370




Plot 7-108. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)




Plot 7-109. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: BCGA1934	<b>PCTEST</b> ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device	Page 74 of 370



Plot 7-110. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)



Plot 7-111. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: BCGA1934	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C1806220015-03.BCG	Test Dates: 07/27/2018-10/10/2018	EUT Type: Tablet Device		Page 75 of 370