


Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11n / 20 MHz / MIMO / 2Tx STBC / BPSK / MCS0 / Port WF1**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3857	≥500	3357	Complied



Single Channel

Results: 802.11n / 20 MHz / MIMO / 2Tx STBC / BPSK / MCS0 / Port WF2


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3857	≥500	3357	Complied



Single Channel

Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11n / 40 MHz / MIMO / 2Tx STBC / BPSK / MCS0 / Port WF1**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3235	≥500	2735	Complied



Single Channel

Results: 802.11n / 40 MHz / MIMO / 2Tx STBC / BPSK / MCS0 / Port WF2


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3235	≥500	2735	Complied



Single Channel

Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11ac / 80 MHz / MIMO / 2Tx STBC / BPSK / MCS0 / Port WF1**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3379	≥500	2879	Complied



Single Channel

Results: 802.11ac / 80 MHz / MIMO / 2Tx STBC / BPSK / MCS0 / Port WF2


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3379	≥500	2879	Complied



Single Channel

Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11n / 20 MHz / MIMO / 2Tx TxBF / BPSK / MCS0 / Port WF1**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3205	≥500	2705	Complied



Single Channel

Results: 802.11n / 20 MHz / MIMO / 2Tx TxBF / BPSK / MCS0 / Port WF2


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	2945	≥500	2445	Complied



Single Channel

Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11n / 40 MHz / MIMO / 2Tx TxBF / BPSK / MCS0 / Port WF1**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3235	≥500	2735	Complied



Single Channel

Results: 802.11n / 40 MHz / MIMO / 2Tx TxBF / BPSK / MCS0 / Port WF2


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3235	≥500	2735	Complied



Single Channel

Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11ac / 80 MHz / MIMO / 2Tx TxBF / BPSK / MCS0 / Port WF1**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3379	≥500	2879	Complied



Single Channel

Results: 802.11ac / 80 MHz / MIMO / 2Tx TxBF / BPSK / MCS0 / Port WF2


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3379	≥500	2879	Complied



Single Channel

Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Port WF1**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3857	≥500	3357	Complied



Single Channel

Results: 802.11n / 20 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Port WF2


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3857	≥500	3357	Complied



Single Channel


Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Port WF3**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3814	≥500	3314	Complied

**Single Channel**

Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11n / 40 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Port WF1**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3235	≥500	2735	Complied



Single Channel

Results: 802.11n / 40 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Port WF2


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3235	≥500	2735	Complied



Single Channel


Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11n / 40 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Port WF3**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3235	≥500	2735	Complied

**Single Channel**

Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11ac / 80 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Port WF1**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3379	≥500	2879	Complied



Single Channel

Results: 802.11ac / 80 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Port WF2


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3379	≥500	2879	Complied



Single Channel


Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11ac / 80 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Port WF3**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3379	≥500	2879	Complied

**Single Channel**

Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx STBC / BPSK / MCS0 / Port WF1**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3814	≥500	3314	Complied



Single Channel

Results: 802.11n / 20 MHz / MIMO / 3Tx STBC / BPSK / MCS0 / Port WF2


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3857	≥500	3357	Complied



Single Channel


Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx STBC / BPSK / MCS0 / Port WF3**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3857	≥500	3357	Complied

**Single Channel**

Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11n / 40 MHz / MIMO / 3Tx STBC / BPSK / MCS0 / Port WF1**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3235	≥500	2735	Complied



Single Channel

Results: 802.11n / 40 MHz / MIMO / 3Tx STBC / BPSK / MCS0 / Port WF2


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3235	≥500	2735	Complied



Single Channel


Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11n / 40 MHz / MIMO / 3Tx STBC / BPSK / MCS0 / Port WF3**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3321	≥500	2821	Complied

**Single Channel**

Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11ac / 80 MHz / MIMO / 3Tx STBC / BPSK / MCS0 / Port WF1**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3379	≥500	2879	Complied



Single Channel

Results: 802.11ac / 80 MHz / MIMO / 3Tx STBC / BPSK / MCS0 / Port WF2


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3032	≥500	2532	Complied



Single Channel


Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11ac / 80 MHz / MIMO / 3Tx STBC / BPSK / MCS0 / Port WF3**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3379	≥500	2879	Complied

**Single Channel**

Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx TxBF / BPSK / MCS0 / Port WF1**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3857	≥500	3357	Complied



Single Channel

Results: 802.11n / 20 MHz / MIMO / 3Tx TxBF / BPSK / MCS0 / Port WF2


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3857	≥500	3357	Complied



Single Channel


Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx TxBF / BPSK / MCS0 / Port WF3**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3814	≥500	3314	Complied

**Single Channel**

Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11n / 40 MHz / MIMO / 3Tx TxBF / BPSK / MCS0 / Port WF1**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3321	≥500	2821	Complied



Single Channel

Results: 802.11n / 40 MHz / MIMO / 3Tx TxBF / BPSK / MCS0 / Port WF2


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3321	≥500	2821	Complied



Single Channel


Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11n / 40 MHz / MIMO / 3Tx TxBF / BPSK / MCS0 / Port WF3**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3321	≥500	2821	Complied

**Single Channel**

Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11ac / 80 MHz / MIMO / 3Tx TxBF / BPSK / MCS0 / Port WF1**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3379	≥500	2879	Complied



Single Channel

Results: 802.11ac / 80 MHz / MIMO / 3Tx TxBF / BPSK / MCS0 / Port WF2


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3379	≥500	2879	Complied



Single Channel




Transmitter Minimum 6 dB Bandwidth (Straddle Channels) (continued)**Results: 802.11ac / 80 MHz / MIMO / 3Tx TxBF / BPSK / MCS0 / Port WF3**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	3379	≥500	2879	Complied

**Single Channel**




Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**4.3.2. 5.725-5.85 GHz band****Results: 802.11a / 20 MHz / SISO / BPSK / 6 Mbps / Port WF2**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	16411	≥500	15911	Complied
Middle	16411	≥500	15911	Complied
Top	16411	≥500	15911	Complied





Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 20 MHz / SISO / BPSK / MCS0 / Port WF2**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	17670	≥500	17170	Complied
Middle	17627	≥500	17127	Complied
Top	17670	≥500	17170	Complied

**Bottom Channel****Middle Channel****Top Channel**


Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 40 MHz / SISO / BPSK / MCS0 / Port WF2**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	36382	≥500	35882	Complied
Top	36469	≥500	35969	Complied

**Bottom Channel****Top Channel**




Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11ac / 80 MHz / SISO / BPSK / MCS0 / Port WF2**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	75543	≥500	75043	Complied

**Single Channel**




Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 2Tx CDD / BPSK / MCS0 / Port WF1**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	17670	≥500	17170	Complied
Middle	17627	≥500	17127	Complied
Top	17670	≥500	17170	Complied

**Bottom Channel****Middle Channel****Top Channel**


Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 2Tx CDD / BPSK / MCS0 / Port WF2**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	17670	≥500	17170	Complied
Middle	17627	≥500	17127	Complied
Top	17670	≥500	17170	Complied

**Bottom Channel****Middle Channel****Top Channel**



Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 40 MHz / MIMO / 2Tx CDD / BPSK / MCS0 / Port WF1**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	36469	≥500	35969	Complied
Top	36469	≥500	35969	Complied

**Bottom Channel****Top Channel**


Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 40 MHz / MIMO / 2Tx CDD / BPSK / MCS0 / Port WF2**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	36382	≥500	35882	Complied
Top	36469	≥500	35969	Complied

**Bottom Channel****Top Channel**

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11ac / 80 MHz / MIMO / 2Tx CDD / BPSK / MCS0 / Port WF1**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	76237	≥500	75737	Complied



Single Channel

Results: 802.11ac / 80 MHz / MIMO / 2Tx CDD / BPSK / MCS0 / Port WF2




Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	75543	≥500	75043	Complied



Single Channel




Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 2Tx STBC / BPSK / MCS0 / Port WF1**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	17670	≥500	17170	Complied
Middle	17627	≥500	17127	Complied
Top	17670	≥500	17170	Complied

**Bottom Channel****Middle Channel****Top Channel**



Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 2Tx STBC / BPSK / MCS0 / Port WF2**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	17670	≥500	17170	Complied
Middle	17627	≥500	17127	Complied
Top	17670	≥500	17170	Complied

**Bottom Channel****Middle Channel****Top Channel**



Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 40 MHz / MIMO / 2Tx STBC / BPSK / MCS0 / Port WF1**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	36556	≥500	36056	Complied
Top	36469	≥500	35969	Complied

**Bottom Channel****Top Channel**

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 40 MHz / MIMO / 2Tx STBC / BPSK / MCS0 / Port WF2**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	36382	≥500	35882	Complied
Top	36469	≥500	35969	Complied

**Bottom Channel****Top Channel**

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11ac / 80 MHz / MIMO / 2Tx STBC / BPSK / MCS0 / Port WF1**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	75543	≥500	75043	Complied



Single Channel

Results: 802.11ac / 80 MHz / MIMO / 2Tx STBC / BPSK / MCS0 / Port WF2




Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	75543	≥500	75043	Complied



Single Channel

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 2Tx TxBF / BPSK / MCS0 / Port WF1**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	15152	≥500	14652	Complied
Middle	14457	≥500	13957	Complied
Top	15195	≥500	14695	Complied

**Bottom Channel****Middle Channel****Top Channel**