




Plot 7-328. Upper Band Edge Plot (Band 25 – 20.0MHz QPSK – RB Size 100)



Plot 7-329. Upper Extended Band Edge Plot (Band 25 – 20.0MHz QPSK – RB Size 100)

FCC ID: BCGA2068	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 194 of 421

Band 30



Plot 7-330. Lower Band Edge Plot (Band 30 – 5.0MHz QPSK – RB Size 25)



Plot 7-331. Lower Extended Band Edge Plot (Band 30 – 5.0MHz QPSK – RB Size 25)

FCC ID: BCGA2068	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 195 of 421




Plot 7-332. Upper Band Edge Plot (Band 30 – 5.0MHz QPSK – RB Size 25)



Plot 7-333. Upper Extended Band Edge Plot (Band 30 – 5.0MHz QPSK – RB Size 25)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device		Page 196 of 421



Plot 7-334. Lower Band Edge Plot (Band 30 – 10.0MHz QPSK – RB Size 50)




Plot 7-335. Lower Extended Band Edge Plot (Band 30 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device		Page 197 of 421




Plot 7-336. Upper Band Edge Plot (Band 30 – 10.0MHz QPSK – RB Size 50)




Plot 7-337. Upper Extended Band Edge Plot (Band 30 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA2068	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 198 of 421

Band 7




Plot 7-338. Lower ACP Plot (Band 7 – 5.0MHz QPSK – RB Size 25)



Plot 7-339. Upper ACP Plot (Band 7 – 5.0MHz QPSK – RB Size 25)

FCC ID: BCGA2068	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 199 of 421



Plot 7-340. Lower ACP Plot (Band 7 – 10.0MHz QPSK – RB Size 50)



Plot 7-341. Upper ACP Plot (Band 7 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA2068	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 200 of 421



Plot 7-342. Lower ACP Plot (Band 7 – 15.0MHz QPSK – RB Size 75)



Plot 7-343. Upper ACP Plot (Band 7 – 15.0MHz QPSK – RB Size 75)

FCC ID: BCGA2068	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 201 of 421



Plot 7-344. Lower ACP Plot (Band 7 – 20.0MHz QPSK – RB Size 100)



Plot 7-345. Upper ACP Plot (Band 7 – 20.0MHz QPSK – RB Size 100)

FCC ID: BCGA2068	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 202 of 421

Band 41



Plot 7-346. Lower ACP Plot (Band 41 – 5.0MHz QPSK – RB Size 25)



Plot 7-347. Upper ACP Plot (Band 41 – 5.0MHz QPSK – RB Size 25)

FCC ID: BCGA2068	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 203 of 421




Plot 7-348. Lower ACP Plot (Band 41 – 10.0MHz QPSK – RB Size 50)



Plot 7-349. Upper ACP Plot (Band 41 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA2068	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 204 of 421



Plot 7-350. Lower ACP Plot (Band 41 – 15.0MHz QPSK – RB Size 75)



Plot 7-351. Upper ACP Plot (Band 41 – 15.0MHz QPSK – RB Size 75)

FCC ID: BCGA2068	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 205 of 421



Plot 7-352. Lower ACP Plot (Band 41 – 20.0MHz QPSK – RB Size 100)



Plot 7-353. Upper ACP Plot (Band 41 – 20.0MHz QPSK – RB Size 100)

FCC ID: BCGA2068	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 206 of 421

7.5 Peak-Average Ratio

Test Overview

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 5.7.1

Test Settings

1. The signal analyzer's CCDF measurement profile is enabled
2. Frequency = carrier center frequency
3. Measurement BW \geq OBW or specified reference bandwidth
4. The signal analyzer was set to collect one million samples to generate the CCDF curve
5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal "RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the "on time" of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-4. Test Instrument & Measurement Setup

Test Notes

1. All ports were tested and only the worst case data were reported.
2. Refer to Table 2-1 Section 2.3 of this test report for correlation between Antennas and Ports.


FCC ID: BCGA2068	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 207 of 421

Mode	BW (MHz)	Modulation	Average Power [dBm]	PAR at 0.1% [dB]	Limit [dB]	Margin [dB]
LTE Band 4	1.4	QPSK	24.61	5.45	13	-7.55
LTE Band 4	1.4	16QAM	23.68	6.2	13	-6.80
LTE Band 4	1.4	64QAM	22.68	6.53	13	-6.47
LTE Band 4	3	QPSK	24.58	5.55	13	-7.45
LTE Band 4	3	16QAM	23.66	6.3	13	-6.70
LTE Band 4	3	64QAM	22.66	6.59	13	-6.41
LTE Band 4	5	QPSK	24.64	5.56	13	-7.44
LTE Band 4	5	16QAM	23.66	6.23	13	-6.77
LTE Band 4	5	64QAM	22.68	6.5	13	-6.50
LTE Band 4	10	QPSK	24.61	5.58	13	-7.42
LTE Band 4	10	16QAM	23.63	6.27	13	-6.73
LTE Band 4	10	64QAM	22.62	6.52	13	-6.48
LTE Band 4	15	QPSK	24.54	5.61	13	-7.39
LTE Band 4	15	16QAM	23.56	6.20	13	-6.80
LTE Band 4	15	64QAM	22.61	6.44	13	-6.56
LTE Band 4	20	QPSK	24.54	5.61	13	-7.39
LTE Band 4	20	16QAM	23.74	6.07	13	-6.93
LTE Band 4	20	64QAM	22.74	6.39	13	-6.61
LTE Band 66	1.4	QPSK	24.75	5.15	13	-7.85
LTE Band 66	1.4	16QAM	23.97	5.88	13	-7.12
LTE Band 66	1.4	64QAM	22.84	6.33	13	-6.67
LTE Band 66	3	QPSK	24.77	5.42	13	-7.58
LTE Band 66	3	16QAM	23.83	6.15	13	-6.85
LTE Band 66	3	64QAM	22.82	6.45	13	-6.55
LTE Band 66	5	QPSK	25.05	5.17	13	-7.83
LTE Band 66	5	16QAM	24.06	5.87	13	-7.13
LTE Band 66	5	64QAM	23.08	6.27	13	-6.73
LTE Band 66	10	QPSK	25.07	5.11	13	-7.89
LTE Band 66	10	16QAM	24.07	5.84	13	-7.16
LTE Band 66	10	64QAM	23.12	6.26	13	-6.74
LTE Band 66	15	QPSK	25.06	5.33	13	-7.67
LTE Band 66	15	16QAM	24.07	5.93	13	-7.07
LTE Band 66	15	64QAM	23.08	6.3	13	-6.70
LTE Band 66	20	QPSK	25.08	5.06	13	-7.94
LTE Band 66	20	16QAM	24.08	5.83	13	-7.17
LTE Band 66	20	64QAM	23.11	6.23	13	-6.77
LTE Band 2	1.4	QPSK	24.82	5.69	13	-7.31
LTE Band 2	1.4	16QAM	23.91	6.38	13	-6.62
LTE Band 2	1.4	64QAM	22.9	6.53	13	-6.47
LTE Band 2	3	QPSK	24.8	5.77	13	-7.23
LTE Band 2	3	16QAM	23.81	6.46	13	-6.54
LTE Band 2	3	64QAM	22.78	6.53	13	-6.47
LTE Band 2	5	QPSK	24.84	5.73	13	-7.27
LTE Band 2	5	16QAM	23.86	6.33	13	-6.67
LTE Band 2	5	64QAM	22.9	6.49	13	-6.51
LTE Band 2	10	QPSK	24.89	5.63	13	-7.37
LTE Band 2	10	16QAM	23.91	6.36	13	-6.64
LTE Band 2	10	64QAM	22.94	6.54	13	-6.46
LTE Band 2	15	QPSK	24.85	5.83	13	-7.17
LTE Band 2	15	16QAM	23.93	6.31	13	-6.69
LTE Band 2	15	64QAM	22.92	6.49	13	-6.51
LTE Band 2	20	QPSK	24.92	5.51	13	-7.49
LTE Band 2	20	16QAM	23.91	6.27	13	-6.73
LTE Band 2	20	64QAM	22.94	6.44	13	-6.56
LTE Band 25	1.4	QPSK	24.82	5.69	13	-7.31
LTE Band 25	1.4	16QAM	23.91	6.38	13	-6.62
LTE Band 25	1.4	64QAM	22.9	6.53	13	-6.47
LTE Band 25	3	QPSK	24.15	5.78	13	-7.22
LTE Band 25	3	16QAM	23.21	6.48	13	-6.52
LTE Band 25	3	64QAM	22.16	6.51	13	-6.49
LTE Band 25	5	QPSK	24.19	5.75	13	-7.25
LTE Band 25	5	16QAM	23.23	6.35	13	-6.65
LTE Band 25	5	64QAM	22.20	6.47	13	-6.53
LTE Band 25	10	QPSK	24.27	5.71	13	-7.29
LTE Band 25	10	16QAM	23.3	6.37	13	-6.63
LTE Band 25	10	64QAM	22.29	6.54	13	-6.46
LTE Band 25	15	QPSK	24.76	5.74	13	-7.26
LTE Band 25	15	16QAM	23.77	6.28	13	-6.72
LTE Band 25	15	64QAM	22.79	6.5	13	-6.50
LTE Band 25	20	QPSK	24.56	5.54	13	-7.46
LTE Band 25	20	16QAM	23.63	6.26	13	-6.74
LTE Band 25	20	64QAM	22.63	6.49	13	-6.51

Table 7-6. PAR Results

FCC ID: BCGA2068	PCTEST® MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device		Page 208 of 421

Band 4




Plot 7-354. PAR Plot (Band 4 – 1.4MHz QPSK – RB Size 6)




Plot 7-355. PAR Plot (Band 4 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 209 of 421	




Plot 7-356. PAR Plot (Band 4 – 1.4MHz 64-QAM – RB Size 6)



Plot 7-357. PAR Plot (Band 4 – 3.0MHz QPSK – RB Size 15)

FCC ID: BCGA2068	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 210 of 421




Plot 7-358. PAR Plot (Band 4 – 3.0MHz 16-QAM – RB Size 15)




Plot 7-359. PAR Plot (Band 4 – 3.0MHz 64-QAM – RB Size 15)

FCC ID: BCGA2068	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 211 of 421




Plot 7-360. PAR Plot (Band 4 – 5.0MHz QPSK – RB Size 25)




Plot 7-361. PAR Plot (Band 4 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA2068	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 212 of 421



Plot 7-362. PAR Plot (Band 4 – 5.0MHz 64-QAM – RB Size 25)



Plot 7-363. PAR Plot (Band 4 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 213 of 421	




Plot 7-364. PAR Plot (Band 4 – 10.0MHz 16-QAM – RB Size 50)




Plot 7-365. PAR Plot (Band 4 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device		Page 214 of 421



Plot 7-366. PAR Plot (Band 4 – 15.0MHz QPSK – RB Size 75)



Plot 7-367. PAR Plot (Band 4 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device		Page 215 of 421




Plot 7-368. PAR Plot (Band 4 – 15.0MHz 64-QAM – RB Size 75)




Plot 7-369. PAR Plot (Band 4 – 20.0MHz QPSK – RB Size 100)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device		Page 216 of 421




Plot 7-370. PAR Plot (Band 4 – 20.0MHz 16QAM – RB Size 100)




Plot 7-371. PAR Plot (Band 4 – 20.0MHz 64QAM – RB Size 100)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device		Page 217 of 421

Band 66




Plot 7-372. PAR Plot (Band 66 – 1.4MHz QPSK – RB Size 6)




Plot 7-373. PAR Plot (Band 66 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device		Page 218 of 421



Plot 7-374. PAR Plot (Band 66 – 1.4MHz 64-QAM – RB Size 6)



Plot 7-375. PAR Plot (Band 66 – 3.0MHz QPSK – RB Size 15)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device		Page 219 of 421




Plot 7-376. PAR Plot (Band 66 – 3.0MHz 16-QAM – RB Size 15)




Plot 7-377. PAR Plot (Band 66 – 3.0MHz 64-QAM – RB Size 15)

FCC ID: BCGA2068	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 220 of 421



Plot 7-378. PAR Plot (Band 66 – 5.0MHz QPSK – RB Size 25)



Plot 7-379. PAR Plot (Band 66 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device		Page 221 of 421




Plot 7-380. PAR Plot (Band 66 – 5.0MHz 64-QAM – RB Size 25)




Plot 7-381. PAR Plot (Band 66 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA2068	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 222 of 421




Plot 7-382. PAR Plot (Band 66 – 10.0MHz 16-QAM – RB Size 50)




Plot 7-383. PAR Plot (Band 66 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 223 of 421	




Plot 7-384. PAR Plot (Band 66 – 15.0MHz QPSK – RB Size 75)




Plot 7-385. PAR Plot (Band 66 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 224 of 421	




Plot 7-386. PAR Plot (Band 66 – 15.0MHz 64-QAM – RB Size 75)




Plot 7-387. PAR Plot (Band 66 – 20.0MHz QPSK – RB Size 100)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 225 of 421	



Plot 7-388. PAR Plot (Band 66 – 20.0MHz 16-QAM – RB Size 75)



Plot 7-389. PAR Plot (Band 66 – 20.0MHz 64-QAM – RB Size 75)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device		Page 226 of 421

Band 2




Plot 7-390. PAR Plot (Band 2 – 1.4MHz QPSK – RB Size 6)




Plot 7-391. PAR Plot (Band 2 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device		Page 227 of 421




Plot 7-392. PAR Plot (Band 2 – 1.4MHz 64-QAM – RB Size 6)




Plot 7-393. PAR Plot (Band 2 – 3.0MHz QPSK – RB Size 15)

FCC ID: BCGA2068	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 228 of 421




Plot 7-394. PAR Plot (Band 2 – 3.0MHz 16-QAM – RB Size 15)




Plot 7-395. PAR Plot (Band 2 – 3.0MHz 64-QAM – RB Size 15)

FCC ID: BCGA2068	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 229 of 421




Plot 7-396. PAR Plot (Band 2 – 5.0MHz QPSK – RB Size 25)




Plot 7-397. PAR Plot (Band 2 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA2068	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 230 of 421




Plot 7-398. PAR Plot (Band 2 – 5.0MHz 64-QAM – RB Size 25)




Plot 7-399. PAR Plot (Band 2 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device		Page 231 of 421




Plot 7-400. PAR Plot (Band 2 – 10.0MHz 16-QAM – RB Size 50)




Plot 7-401. PAR Plot (Band 2 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA2068	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 232 of 421



Plot 7-402. PAR Plot (Band 2 – 15.0MHz QPSK – RB Size 75)



Plot 7-403. PAR Plot (Band 2 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device		Page 233 of 421




Plot 7-404. PAR Plot (Band 2 – 15.0MHz 64-QAM – RB Size 75)




Plot 7-405. PAR Plot (Band 2 – 20.0MHz QPSK – RB Size 100)

FCC ID: BCGA2068	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 234 of 421




Plot 7-406. PAR Plot (Band 2 – 20.0MHz 16-QAM – RB Size 100)




Plot 7-407. PAR Plot (Band 2 – 20.0MHz 64-QAM – RB Size 100)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 235 of 421	

Band 25




Plot 7-408. PAR Plot (Band 25 – 1.4MHz QPSK – RB Size 6)




Plot 7-409. PAR Plot (Band 25 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 236 of 421	




Plot 7-410. PAR Plot (Band 25 – 1.4MHz 64-QAM – RB Size 6)




Plot 7-411. PAR Plot (Band 25 – 3.0MHz QPSK – RB Size 15)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 237 of 421	




Plot 7-412. PAR Plot (Band 25 – 3.0MHz 16-QAM – RB Size 15)




Plot 7-413. PAR Plot (Band 25 – 3.0MHz 64-QAM – RB Size 15)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 238 of 421	




Plot 7-414. PAR Plot (Band 25 – 5.0MHz QPSK – RB Size 25)




Plot 7-415. PAR Plot (Band 25 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA2068	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 239 of 421




Plot 7-416. PAR Plot (Band 25 – 5.0MHz 64-QAM – RB Size 25)




Plot 7-417. PAR Plot (Band 25 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA2068	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 240 of 421




Plot 7-418. PAR Plot (Band 25 – 10.0MHz 16-QAM – RB Size 50)




Plot 7-419. PAR Plot (Band 25 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA2068	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 241 of 421




Plot 7-420. PAR Plot (Band 25 – 15.0MHz QPSK – RB Size 75)




Plot 7-421. PAR Plot (Band 25 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: BCGA2068	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 242 of 421




Plot 7-422. PAR Plot (Band 25 – 15.0MHz 64-QAM – RB Size 75)




Plot 7-423. PAR Plot (Band 25 – 20.0MHz QPSK – RB Size 100)

FCC ID: BCGA2068	 PCTEST		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device		Page 243 of 421



Plot 7-424. PAR Plot (Band 25 – 20.0MHz 16-QAM – RB Size 100)



Plot 7-425. PAR Plot (Band 25 – 20.0MHz 64-QAM – RB Size 100)

FCC ID: BCGA2068	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 244 of 421

7.6 Additional Maximum Power Reduction (A-MPR)

§2.1046

Test Overview

A-MPR is implemented in this device when operating at Power Class 2 in LTE Band 41 per the A-MPR specification in 3GPP TS 36.101. The conducted powers are shown herein to cover the different A-MPR levels specified in the standard. Conducted power measurements are performed to measure the average output power of the EUT. The averaging is to be performed only over duration of active transmissions at maximum output power level. The average measurements do not include averaging over periods when the transmitter is quiescent or when operating at reduced power level.

Test Procedure Used

KDB 971168 D01 v03

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below



Figure 7-5. Conducted Power Measurement Setup

Test Notes

None.

FCC ID: BCGA2068	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 245 of 421

Test Case	NS	MCC	MNC	Channel BW [MHz]	Channel Number	Channel Frequency [MHz]	Modulation	RB Size	RB Offset	MPR [dB]	A-MPR [dB]	Measured Power [dBm]	Lowest Typical Power [dBm]	Delta [dB]
1	01	312	530	5	39675	2498.5	QPSK	1	0	0	≤ 3	27.69	23.7	3.99
2							16-QAM			≤ 1		27.33	22.7	4.63
3							64-QAM			≤ 2		25.30	21.7	3.60
4				10	39700	2501	QPSK	1	9	0	0	27.75	26.7	1.05
5							16-QAM			≤ 1		27.31	25.7	1.61
6							64-QAM			≤ 2		25.32	24.7	0.62
7				10	39700	2501	QPSK	20	0	0	≤ 2	26.34	21.7	4.64
8							16-QAM			≤ 1		25.97	20.7	5.27
9							64-QAM			≤ 2		25.26	19.7	5.56
10				15	39725	2503.5	QPSK	50	0	0	≤ 3	26.28	23.7	2.58
11							16-QAM			≤ 1		25.61	22.7	2.91
12							64-QAM			≤ 2		24.82	21.7	3.12
13				15	39725	2503.5	QPSK	25	20	0	≤ 1	26.60	22.7	3.90
14							16-QAM			≤ 1		25.81	21.7	4.11
15							64-QAM			≤ 2		24.85	20.7	4.15
16				15	39725	2503.5	QPSK	100	0	0	≤ 2	26.85	24.7	2.15
17							16-QAM			≤ 1		25.88	23.7	2.18
18							64-QAM			≤ 2		24.90	22.7	2.20
19				20	39750	2506	QPSK	1	36	0	0	26.96	26.7	0.26
							16-QAM			≤ 1		26.62	25.7	0.92
							64-QAM			≤ 2		25.89	24.7	1.19
				20	39750	2506	QPSK	75	0	0	≤ 4	26.12	21.7	4.42
							16-QAM			≤ 1		25.78	20.7	5.08
							64-QAM			≤ 2		25.08	19.7	5.38
				20	39750	2506	QPSK	20	0	0	≤ 3	26.11	23.7	2.41
							16-QAM			≤ 1		25.45	22.7	2.75
							64-QAM			≤ 2		24.64	21.7	2.94
				20	39750	2506	QPSK	75	0	0	≤ 4	26.78	21.7	5.08
							16-QAM			≤ 1		25.82	20.7	5.12
							64-QAM			≤ 2		24.81	19.7	5.11
				15	39725	2503.5	QPSK	50	15	0	≤ 3	26.74	22.7	4.04
							16-QAM			≤ 1		25.77	21.7	4.07
							64-QAM			≤ 2		24.81	20.7	4.11
				15	39725	2503.5	QPSK	1	60	0	0	27.87	26.7	1.17
							16-QAM			≤ 1		27.32	25.7	1.62
							64-QAM			≤ 2		26.35	24.7	1.65
				20	39750	2506	QPSK	1	0	0	≤ 5	26.30	21.7	4.60
							16-QAM			≤ 1		25.86	20.7	5.16
							64-QAM			≤ 2		25.12	19.7	5.42
				20	39750	2506	QPSK	20	0	0	≤ 2	26.25	23.7	2.55
							16-QAM			≤ 1		25.56	22.7	2.86
							64-QAM			≤ 2		24.81	21.7	3.11
				20	39750	2506	QPSK	100	0	0	≤ 4	26.78	21.7	5.08
							16-QAM			≤ 1		25.78	20.7	5.08
							64-QAM			≤ 2		24.86	19.7	5.16
				20	39750	2506	QPSK	75	24	0	≤ 3	26.85	22.7	4.15
							16-QAM			≤ 1		25.84	21.7	4.14
							64-QAM			≤ 2		24.93	20.7	4.23
				20	39750	2506	QPSK	1	77	0	0	27.87	26.7	1.17
							16-QAM			≤ 1		27.36	25.7	1.66
							64-QAM			≤ 2		26.46	24.7	1.76
				5	39675	2498.5	QPSK	1	0	0	≤ 3	27.63	23.7	3.93
							16-QAM			≤ 1		27.19	22.7	4.49
							64-QAM			≤ 2		25.21	21.7	3.51
				5	39675	2498.5	QPSK	1	0	0	0	27.70	26.7	1.00
							16-QAM			≤ 1		27.27	25.7	1.57
							64-QAM			≤ 2		25.20	24.7	0.50

Table 7-7. A-MPR Conducted Power Measurements

FCC ID: BCGA2068	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 246 of 421 V 9.5 12/16/2019

7.7 Uplink Carrier Aggregation

§27.53(m)

Test Overview

The EUT is set up to transmit two contiguous LTE channels. The power level of both carriers and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

For Band 5, the minimum permissible attenuation level of any spurious emission is $43 + \log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

For Band 7 and 41, the minimum permissible attenuation level of any spurious emission is $55 + \log_{10}(P_{[Watts]})$.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 6.0

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to at least 10 * the fundamental frequency (separated into at least two plots per channel)
2. Detector = RMS
3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
4. Sweep time = auto couple
5. The trace was allowed to stabilize
6. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-6. Test Instrument & Measurement Setup

FCC ID: BCGA2068	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 247 of 421

Test Notes

1. Uplink carrier aggregation is supported in this EUT while operating in Power Class 2 and Power Class 3.
2. Conducted power and spurious emissions measurements were evaluated for the two contiguous channels using various combinations of RB size, RB offset, modulation, and channel bandwidth. Channel bandwidth data is shown in the tables below based only on the channel bandwidths that were supported in this device. The worst case (highest) powers were found while operating with QPSK modulation, as shown in Table 7-3 to 7-18 below, with both carriers set to transmit using 1RB.
3. Compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater for frequencies less than 1 GHz and 1 MHz or greater for frequencies greater than 1 GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.
4. All possible configurations and ports were tested and only the worst case data were reported.
5. Refer to Table 2-3 Section 2.3 of this test report for correlation between Antennas and Ports.

FCC ID: BCGA2068	 PCTEST[®]		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device		Page 248 of 421

Port-A

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B5	10	20450	829	QPSK	1	49	LTE B5	10	20899	838.9	QPSK	1	0	24.98
Max	LTE B5	10	20525	836.5	QPSK	1	49	LTE B5	5	20947	843.7	QPSK	1	0	25.00
Max	LTE B5	10	20600	844	QPSK	1	0	LTE B5	10	20851	834.1	QPSK	1	49	24.95

Table 7-8. Conducted Powers (B5 – Left Carrier: RB Size 1 Offset Max Right Carrier: RB Size 1 Offset 0)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B5	10	20450	829	QPSK	50	0	LTE B5	10	20549	838.9	QPSK	50	0	22.65
Max	LTE B5	10	20450	829	16-QAM	50	0	LTE B5	10	20549	838.9	16-QAM	50	0	21.77
Max	LTE B5	10	20450	829	64-QAM	50	0	LTE B5	10	20549	838.9	64-QAM	50	0	21.70

Table 7-9. Conducted Powers (B5 with Various Combinations for 10MHz Channel Bandwidth)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B7	20	20850	2510	QPSK	1	99	LTE B7	20	21048	2529.8	QPSK	1	0	25.00
Max	LTE B7	20	21100	2535	QPSK	1	99	LTE B7	20	21298	2554.8	QPSK	1	0	24.84
Max	LTE B7	20	21350	2560	QPSK	1	0	LTE B7	20	21152	2540.2	QPSK	1	99	24.77

Table 7-10. Conducted Powers (B7 – Left Carrier: RB Size 1 Offset Max Right Carrier: RB Size 1 Offset 0)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B7	20	20850	2510	QPSK	100	0	LTE B7	20	21048	2529.8	QPSK	100	0	23.00
Max	LTE B7	20	20850	2510	16-QAM	100	0	LTE B7	20	21048	2529.8	16-QAM	100	0	21.99
Max	LTE B7	20	20850	2510	64-QAM	100	0	LTE B7	20	21048	2529.8	64-QAM	100	0	22.00

Table 7-11. Conducted Powers (B7 with Various Combinations for 20MHz Channel Bandwidth)

FCC ID: BCGA2068	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)							Approved by: Quality Manager	
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device								Page 249 of 421

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B41	20	39750	2506	QPSK	1	99	LTE B41	20	39948	2525.8	QPSK	1	0	26.99
Max	LTE B41	20	40620	2593	QPSK	1	99	LTE B41	20	40818	2612.8	QPSK	1	0	27.00
Max	LTE B41	20	41490	2680	QPSK	1	0	LTE B41	20	41292	2660.2	QPSK	1	99	26.96

Table 7-12. Conducted Powers (B41-PC2 – Left Carrier: RB Size 1 Offset Max Right Carrier: RB Size 1 Offset 0)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B41	20	39750	2506	QPSK	100	0	LTE B41	20	39948	2525.8	QPSK	100	0	25.00
Max	LTE B41	20	39750	2506	16-QAM	100	0	LTE B41	20	39948	2525.8	16-QAM	100	0	24.00
Max	LTE B41	20	39750	2506	64-QAM	100	0	LTE B41	20	39948	2525.8	64-QAM	100	0	23.98

Table 7-13. Conducted Powers (B41-PC2 with Various Combinations for 20MHz Channel Bandwidth)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B41	20	39750	2506	QPSK	1	99	LTE B41	20	39948	2525.8	QPSK	1	0	24.94
Max	LTE B41	20	40620	2593	QPSK	1	99	LTE B41	20	40818	2612.8	QPSK	1	0	24.89
Max	LTE B41	20	41490	2680	QPSK	1	0	LTE B41	20	41292	2660.2	QPSK	1	99	25.00

Table 7-14. Conducted Powers (B41-PC3 – Left Carrier: RB Size 1 Offset Max Right Carrier: RB Size 1 Offset 0)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B41	20	39750	2506	QPSK	100	0	LTE B41	20	39948	2525.8	QPSK	100	0	22.87
Max	LTE B41	20	39750	2506	16-QAM	100	0	LTE B41	20	39948	2525.8	16-QAM	100	0	21.85
Max	LTE B41	20	39750	2506	64-QAM	100	0	LTE B41	20	39948	2525.8	64-QAM	100	0	21.89

Table 7-15. Conducted Powers (B41-PC3 with Various Combinations for 20MHz Channel Bandwidth)

FCC ID: BCGA2068	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)								Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device								Page 250 of 421

Port-B

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B5	10	20450	829	QPSK	1	49	LTE B5	10	20899	838.9	QPSK	1	0	23.44
Max	LTE B5	10	20525	836.5	QPSK	1	49	LTE B5	5	20947	843.7	QPSK	1	0	23.50
Max	LTE B5	10	20600	844	QPSK	1	0	LTE B5	10	20851	834.1	QPSK	1	49	23.47

Table 7-16. Conducted Powers (B5 – Left Carrier: RB Size 1 Offset Max Right Carrier: RB Size 1 Offset 0)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B5	10	20450	829	QPSK	50	0	LTE B5	10	20549	838.9	QPSK	50	0	21.18
Max	LTE B5	10	20450	829	16-QAM	50	0	LTE B5	10	20549	838.9	16-QAM	50	0	20.24
Max	LTE B5	10	20450	829	64-QAM	50	0	LTE B5	10	20549	838.9	64-QAM	50	0	20.29

Table 7-17. Conducted Powers (B5 with Various Combinations for 10MHz Channel Bandwidth)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B7	20	20850	2510	QPSK	1	99	LTE B7	20	21048	2529.8	QPSK	1	0	21.45
Max	LTE B7	20	21100	2535	QPSK	1	99	LTE B7	20	21298	2554.8	QPSK	1	0	21.50
Max	LTE B7	20	21350	2560	QPSK	1	0	LTE B7	20	21152	2540.2	QPSK	1	99	21.48

Table 7-18. Conducted Powers (B7 – Left Carrier: RB Size 1 Offset Max Right Carrier: RB Size 1 Offset 0)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B7	20	20850	2510	QPSK	100	0	LTE B7	20	21048	2529.8	QPSK	100	0	19.23
Max	LTE B7	20	20850	2510	16-QAM	100	0	LTE B7	20	21048	2529.8	16-QAM	100	0	18.30
Max	LTE B7	20	20850	2510	64-QAM	100	0	LTE B7	20	21048	2529.8	64-QAM	100	0	18.30

Table 7-19. Conducted Powers (B7 with Various Combinations for 20MHz Channel Bandwidth)

FCC ID: BCGA2068	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)							Approved by: Quality Manager	
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device								Page 251 of 421

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B41	20	39750	2506	QPSK	1	99	LTE B41	20	39948	2525.8	QPSK	1	0	23.50
Max	LTE B41	20	40620	2593	QPSK	1	99	LTE B41	20	40818	2612.8	QPSK	1	0	23.49
Max	LTE B41	20	41490	2680	QPSK	1	0	LTE B41	20	41292	2660.2	QPSK	1	99	23.42

Table 7-20. Conducted Powers (B41-PC2 – Left Carrier: RB Size 1 Offset Max Right Carrier: RB Size 1 Offset 0)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B41	20	39750	2506	QPSK	100	0	LTE B41	20	39948	2525.8	QPSK	100	0	21.47
Max	LTE B41	20	39750	2506	16-QAM	100	0	LTE B41	20	39948	2525.8	16-QAM	100	0	20.50
Max	LTE B41	20	39750	2506	64-QAM	100	0	LTE B41	20	39948	2525.8	64-QAM	100	0	20.45

Table 7-21. Conducted Powers (B41-PC2 with Various Combinations for 20MHz Channel Bandwidth)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B41	20	39750	2506	QPSK	1	99	LTE B41	20	39948	2525.8	QPSK	1	0	21.43
Max	LTE B41	20	40620	2593	QPSK	1	99	LTE B41	20	40818	2612.8	QPSK	1	0	21.40
Max	LTE B41	20	41490	2680	QPSK	1	0	LTE B41	20	41292	2660.2	QPSK	1	99	21.50

Table 7-22. Conducted Powers (B41-PC3 – Left Carrier: RB Size 1 Offset Max Right Carrier: RB Size 1 Offset 0)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B41	20	39750	2506	QPSK	100	0	LTE B41	20	39948	2525.8	QPSK	100	0	19.50
Max	LTE B41	20	39750	2506	16-QAM	100	0	LTE B41	20	39948	2525.8	16-QAM	100	0	18.43
Max	LTE B41	20	39750	2506	64-QAM	100	0	LTE B41	20	39948	2525.8	64-QAM	100	0	18.44

Table 7-23. Conducted Powers (B41-PC3 with Various Combinations for 20MHz Channel Bandwidth)

FCC ID: BCGA2068	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)							Approved by: Quality Manager	
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device								Page 252 of 421



Port-C

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	
Max	LTE B7	20	20850	2510	QPSK	1	99	LTE B7	20	21048	2529.8	QPSK	1	0	24.47
Max	LTE B7	20	21100	2535	QPSK	1	99	LTE B7	20	21298	2554.8	QPSK	1	0	24.43
Max	LTE B7	20	21350	2560	QPSK	1	0	LTE B7	20	21152	2540.2	QPSK	1	99	24.50

Table 7-24. Conducted Powers (B7 – Left Carrier: RB Size 1 Offset Max Right Carrier: RB Size 1 Offset 0)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	
Max	LTE B7	20	20850	2510	QPSK	100	0	LTE B7	20	21048	2529.8	QPSK	100	0	22.48
Max	LTE B7	20	20850	2510	16-QAM	100	0	LTE B7	20	21048	2529.8	16-QAM	100	0	21.50
Max	LTE B7	20	20850	2510	64-QAM	100	0	LTE B7	20	21048	2529.8	64-QAM	100	0	21.49

Table 7-25. Conducted Powers (B7 with Various Combinations for 20MHz Channel Bandwidth)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	
Max	LTE B41	20	39750	2506	QPSK	1	99	LTE B41	20	39948	2525.8	QPSK	1	0	26.47
Max	LTE B41	20	40620	2593	QPSK	1	99	LTE B41	20	40818	2612.8	QPSK	1	0	26.50
Max	LTE B41	20	41490	2680	QPSK	1	0	LTE B41	20	41292	2660.2	QPSK	1	99	26.49

Table 7-26. Conducted Powers (B41-PC2 – Left Carrier: RB Size 1 Offset Max Right Carrier: RB Size 1 Offset 0)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	
Max	LTE B41	20	39750	2506	QPSK	100	0	LTE B41	20	39948	2525.8	QPSK	100	0	24.50
Max	LTE B41	20	39750	2506	16-QAM	100	0	LTE B41	20	39948	2525.8	16-QAM	100	0	23.48
Max	LTE B41	20	39750	2506	64-QAM	100	0	LTE B41	20	39948	2525.8	64-QAM	100	0	23.44

Table 7-27. Conducted Powers (B41-PC2 with Various Combinations for 20MHz Channel Bandwidth)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	
Max	LTE B41	20	39750	2506	QPSK	1	99	LTE B41	20	39948	2525.8	QPSK	1	0	24.50
Max	LTE B41	20	40620	2593	QPSK	1	99	LTE B41	20	40818	2612.8	QPSK	1	0	24.48
Max	LTE B41	20	41490	2680	QPSK	1	0	LTE B41	20	41292	2660.2	QPSK	1	99	24.42

Table 7-28. Conducted Powers (B41-PC3 – Left Carrier: RB Size 1 Offset Max Right Carrier: RB Size 1 Offset 0)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	
Max	LTE B41	20	39750	2506	QPSK	100	0	LTE B41	20	39948	2525.8	QPSK	100	0	22.40
Max	LTE B41	20	39750	2506	16-QAM	100	0	LTE B41	20	39948	2525.8	16-QAM	100	0	21.46
Max	LTE B41	20	39750	2506	64-QAM	100	0	LTE B41	20	39948	2525.8	64-QAM	100	0	21.45

Table 7-29. Conducted Powers (B41-PC3 with Various Combinations for 20MHz Channel Bandwidth)

FCC ID: BCGA2068		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 253 of 421

Port-D

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B7	20	20850	2510	QPSK	1	99	LTE B7	20	21048	2529.8	QPSK	1	0	22.00
Max	LTE B7	20	21100	2535	QPSK	1	99	LTE B7	20	21298	2554.8	QPSK	1	0	21.96
Max	LTE B7	20	21350	2560	QPSK	1	0	LTE B7	20	21152	2540.2	QPSK	1	99	21.91

Table 7-30. Conducted Powers (B7 – Left Carrier: RB Size 1 Offset Max Right Carrier: RB Size 1 Offset 0)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B7	20	20850	2510	QPSK	100	0	LTE B7	20	21048	2529.8	QPSK	100	0	19.98
Max	LTE B7	20	20850	2510	16-QAM	100	0	LTE B7	20	21048	2529.8	16-QAM	100	0	18.99
Max	LTE B7	20	20850	2510	64-QAM	100	0	LTE B7	20	21048	2529.8	64-QAM	100	0	18.98

Table 7-31. Conducted Powers (B7 with Various Combinations for 20MHz Channel Bandwidth)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B41	20	39750	2506	QPSK	1	99	LTE B41	20	39948	2525.8	QPSK	1	0	22.47
Max	LTE B41	20	40620	2593	QPSK	1	99	LTE B41	20	40818	2612.8	QPSK	1	0	22.29
Max	LTE B41	20	41490	2680	QPSK	1	0	LTE B41	20	41292	2660.2	QPSK	1	99	22.34

Table 7-32. Conducted Powers (B41-PC2 – Left Carrier: RB Size 1 Offset Max Right Carrier: RB Size 1 Offset 0)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B41	20	39750	2506	QPSK	100	0	LTE B41	20	39948	2525.8	QPSK	100	0	20.49
Max	LTE B41	20	39750	2506	16-QAM	100	0	LTE B41	20	39948	2525.8	16-QAM	100	0	19.50
Max	LTE B41	20	39750	2506	64-QAM	100	0	LTE B41	20	39948	2525.8	64-QAM	100	0	19.48

Table 7-33. Conducted Powers (B41-PC2 with Various Combinations for 20MHz Channel Bandwidth)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B41	20	39750	2506	QPSK	1	99	LTE B41	20	39948	2525.8	QPSK	1	0	21.00
Max	LTE B41	20	40620	2593	QPSK	1	99	LTE B41	20	40818	2612.8	QPSK	1	0	20.81
Max	LTE B41	20	41490	2680	QPSK	1	0	LTE B41	20	41292	2660.2	QPSK	1	99	20.70


Table 7-34. Conducted Powers (B41-PC3 – Left Carrier: RB Size 1 Offset Max Right Carrier: RB Size 1 Offset 0)

Power State	PCC							SCC							Power
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	ULCA Tx.Power (dBm)
Max	LTE B41	20	39750	2506	QPSK	100	0	LTE B41	20	39948	2525.8	QPSK	100	0	18.94
Max	LTE B41	20	39750	2506	16-QAM	100	0	LTE B41	20	39948	2525.8	16-QAM	100	0	18.00
Max	LTE B41	20	39750	2506	64-QAM	100	0	LTE B41	20	39948	2525.8	64-QAM	100	0	17.96


Table 7-35. Conducted Powers (B41-PC3 with Various Combinations for 20MHz Channel Bandwidth)

FCC ID: BCGA2068	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)										Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device										Page 254 of 421

Band 5




Plot 7-426. Conducted Spurious Plot (Band 5 – 10.0MHz QPSK – PCC 1/49 SCC 1/0 – Low Channel)




Plot 7-427. Conducted Spurious Plot (Band 5 – 10.0MHz QPSK – PCC 1/49 SCC 1/0 – Low Channel)

FCC ID: BCGA2068	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 255 of 421



Plot 7-428. Conducted Spurious Plot (Band 5 – 10.0MHz QPSK – PCC 1/49 SCC 1/0 – Low Channel)



Plot 7-429. Conducted Spurious Plot (Band 5 – 10.0MHz QPSK – PCC 1/49 SCC 1/0 – Low Channel)

FCC ID: BCGA2068	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170051-03.BCG	Test Dates: 12/10/2019 - 02/11/2020	EUT Type: Tablet Device	Page 256 of 421