

PCTEST

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: 5d026

Communication System: UID 0, CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium: 1900 MHz Body Medium parameters used (interpolated):

$f = 1900 \text{ MHz}$; $\sigma = 1.58 \text{ S/m}$; $\epsilon_r = 52.228$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 01-18-2020; Ambient Temp: 19.9°C; Tissue Temp: 20.5°C

Probe: EX3DV4 - SN7420; ConvF(7.64, 7.64, 7.64) @ 1900 MHz; Calibrated: 11/21/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1213; Calibrated: 11/13/2019

Phantom: Twin-SAM V4.0; Type: QD 000 P40 CA; Serial: 1275

Measurement SW: DASY52, Version 52.10 (3);SEMCAD X Version 14.6.13 (7474)

1900 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x11x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 7.66 W/kg

SAR(1 g) = 4.19 W/kg; SAR(10 g) = 2.16 W/kg

Deviation(1 g) = 5.01%



0 dB = 6.50 W/kg = 8.13 dBW/kg

PCTEST

DUT: Dipole 2300 MHz; Type: D2300V3; Serial: SN1038

Communication System: UID 0, CW; Frequency: 2300 MHz; Duty Cycle: 1:1

Medium: 2300 MHz Body Medium parameters used:

$f = 2300 \text{ MHz}$; $\sigma = 1.849 \text{ S/m}$; $\epsilon_r = 51.29$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 01-19-2020; Ambient Temp: 22.4°C; Tissue Temp: 20.4°C

Probe: EX3DV4 - SN7532; ConvF(7.93, 7.93, 7.93) @ 2300 MHz; Calibrated: 4/12/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn501; Calibrated: 4/17/2019

Phantom: Twin-SAM V4.0; Type: QD 000 P40 CC; Serial: 1179

Measurement SW: DASY52, Version 52.10 (3);SEMCAD X Version 14.6.13 (7474)

2300 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 8.83 W/kg

SAR(1 g) = 4.45 W/kg; SAR(10 g) = 2.15 W/kg

Deviation(1 g) = -4.71%



0 dB = 7.16 W/kg = 8.55 dBW/kg

PCTEST

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: 921

Communication System: UID 0, CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium: 2450 MHz Body Medium parameters used:

$f = 2450 \text{ MHz}$; $\sigma = 2.036 \text{ S/m}$; $\epsilon_r = 51.076$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-20-2019; Ambient Temp: 21.0°C; Tissue Temp: 20.0°C

Probe: EX3DV4 - SN7532; ConvF(7.66, 7.66, 7.66) @ 2450 MHz; Calibrated: 4/12/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn501; Calibrated: 4/17/2019

Phantom: Twin-SAM V4.0; Type: QD 000 P40 CC; Serial: 1179

Measurement SW: DASY52, Version 52.10 (3);SEMCAD X Version 14.6.13 (7474)

2450 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: $dx=12\text{mm}$, $dy=12\text{mm}$

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 10.9 W/kg

SAR(1 g) = 5.36 W/kg; SAR(10 g) = 2.48 W/kg

Deviation(1 g) = 5.51%



0 dB = 8.52 W/kg = 9.30 dBW/kg

PCTEST

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: 921

Communication System: UID 0, CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium: 2450-2600 MHz Body Medium parameters used:

$f = 2450$ MHz; $\sigma = 2.012$ S/m; $\epsilon_r = 51.869$; $\rho = 1000$ kg/m³

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-26-2019; Ambient Temp: 21.6°C; Tissue Temp: 20.7°C

Probe: EX3DV4 - SN7532; ConvF(7.66, 7.66, 7.66) @ 2450 MHz; Calibrated: 4/12/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn501; Calibrated: 4/17/2019

Phantom: Twin-SAM V4.0; Type: QD 000 P40 CC; Serial: 1179

Measurement SW: DASY52, Version 52.10 (3);SEMCAD X Version 14.6.13 (7474)

2450 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 11.1 W/kg

SAR(1 g) = 5.26 W/kg; SAR(10 g) = 2.4 W/kg

Deviation(1 g) = 3.54%



0 dB = 8.81 W/kg = 9.45 dBW/kg

PCTEST

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: 921

Communication System: UID 0, CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium: 2450-2600 MHz Body Medium parameters used:

$f = 2450$ MHz; $\sigma = 2.016$ S/m; $\epsilon_r = 51.029$; $\rho = 1000$ kg/m³

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 01-05-2020; Ambient Temp: 22.2°C; Tissue Temp: 21.0°C

Probe: EX3DV4 - SN7532; ConvF(7.66, 7.66, 7.66) @ 2450 MHz; Calibrated: 4/12/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn501; Calibrated: 4/17/2019

Phantom: Twin-SAM V4.0; Type: QD 000 P40 CC; Serial: 1179

Measurement SW: DASY52, Version 52.10 (3);SEMCAD X Version 14.6.13 (7474)

2450 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 10.9 W/kg

SAR(1 g) = 5.26 W/kg; SAR(10 g) = 2.41 W/kg

Deviation(1 g) = 3.54%



0 dB = 8.80 W/kg = 9.44 dBW/kg

PCTEST

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: 921

Communication System: UID 0, CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium: 2450 MHz Body Medium parameters used:

$f = 2450 \text{ MHz}$; $\sigma = 1.948 \text{ S/m}$; $\epsilon_r = 50.877$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 01-14-2020; Ambient Temp: 22.1°C; Tissue Temp: 21.0°C

Probe: EX3DV4 - SN7532; ConvF(7.66, 7.66, 7.66) @ 2450 MHz; Calibrated: 4/12/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn501; Calibrated: 4/17/2019

Phantom: Twin-SAM V4.0; Type: QD 000 P40 CC; Serial: 1179

Measurement SW: DASY52, Version 52.10 (3);SEMCAD X Version 14.6.13 (7474)

2450 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: $dx=12\text{mm}$, $dy=12\text{mm}$

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 10.5 W/kg

SAR(1 g) = 5.12 W/kg; SAR(10 g) = 2.36 W/kg

Deviation(1 g) = 0.79%



0 dB = 8.54 W/kg = 9.31 dBW/kg

PCTEST

DUT: Dipole 2600 MHz; Type: D2600V2; Serial: 1069

Communication System: UID 0, CW; Frequency: 2600 MHz; Duty Cycle: 1:1

Medium: 2450-2600 MHz Body Medium parameters used:

$f = 2600$ MHz; $\sigma = 2.236$ S/m; $\epsilon_r = 51.259$; $\rho = 1000$ kg/m³

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-26-2019; Ambient Temp: 21.6°C; Tissue Temp: 20.7°C

Probe: EX3DV4 - SN7532; ConvF(7.47, 7.47, 7.47) @ 2600 MHz; Calibrated: 4/12/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn501; Calibrated: 4/17/2019

Phantom: Twin-SAM V4.0; Type: QD 000 P40 CC; Serial: 1179

Measurement SW: DASY52, Version 52.10 (3);SEMCAD X Version 14.6.13 (7474)

2600 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 13.1 W/kg

SAR(1 g) = 5.61 W/kg; SAR(10 g) = 2.4 W/kg

Deviation(1 g) = 1.45%



PCTEST

DUT: Dipole 2600 MHz; Type: D2600V2; Serial: 1069

Communication System: UID 0, CW; Frequency: 2600 MHz; Duty Cycle: 1:1

Medium: 2450-2600 MHz Body Medium parameters used:

$f = 2600$ MHz; $\sigma = 2.233$ S/m; $\epsilon_r = 50.441$; $\rho = 1000$ kg/m³

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 01-05-2020; Ambient Temp: 22.2°C; Tissue Temp: 21.0°C

Probe: EX3DV4 - SN7532; ConvF(7.47, 7.47, 7.47) @ 2600 MHz; Calibrated: 4/12/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn501; Calibrated: 4/17/2019

Phantom: Twin-SAM V4.0; Type: QD 000 P40 CC; Serial: 1179

Measurement SW: DASY52, Version 52.10 (3);SEMCAD X Version 14.6.13 (7474)

2600 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 12.1 W/kg

SAR(1 g) = 5.38 W/kg; SAR(10 g) = 2.35 W/kg

Deviation(1 g) = -2.71%



0 dB = 9.34 W/kg = 9.70 dBW/kg

PCTEST

DUT: Dipole 3500 MHz; Type: D3500V2; Serial: 1068

Communication System: UID 0, CW; Frequency: 3500 MHz; Duty Cycle: 1:1

Medium: 3500-3730 MHz Body Medium parameters used:

$f = 3500$ MHz; $\sigma = 3.387$ S/m; $\epsilon_r = 49.066$; $\rho = 1000$ kg/m³

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 01-07-2020; Ambient Temp: 22.3°C; Tissue Temp: 21.0°C

Probe: EX3DV4 - SN3949; ConvF(6.88, 6.88, 6.88) @ 3500 MHz; Calibrated: 8/29/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1408; Calibrated: 8/12/2019

Phantom: Twin-SAM V4.0; Type: QD 000 P40 CC; Serial: 1596

Measurement SW: DASY52, Version 52.10 (3);SEMCAD X Version 14.6.13 (7474)

3500 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x8)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=4mm

Peak SAR (extrapolated) = 16.2 W/kg

SAR(1 g) = 6.33 W/kg; SAR(10 g) = 2.36 W/kg

Deviation(1 g) = -3.06%



0 dB = 12.4 W/kg = 10.93 dBW/kg

PCTEST

DUT: Dipole 3700 MHz; Type: D3700V2; Serial: 1029

Communication System: UID 0, CW; Frequency: 3700 MHz; Duty Cycle: 1:1

Medium: 3500-3730 MHz Body Medium parameters used (interpolated):

$f = 3700 \text{ MHz}$; $\sigma = 3.658 \text{ S/m}$; $\epsilon_r = 48.527$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 01-07-2020; Ambient Temp: 22.3°C; Tissue Temp: 21.0°C

Probe: EX3DV4 - SN3949; ConvF(6.78, 6.78, 6.78) @ 3700 MHz; Calibrated: 8/29/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1408; Calibrated: 8/12/2019

Phantom: Twin-SAM V4.0; Type: QD 000 P40 CC; Serial: 1596

Measurement SW: DASY52, Version 52.10 (3);SEMCAD X Version 14.6.13 (7474)

3700 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: $dx=12\text{mm}$, $dy=12\text{mm}$

Zoom Scan (7x7x8)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=4\text{mm}$

Peak SAR (extrapolated) = 17.7 W/kg

SAR(1 g) = 6.39 W/kg; SAR(10 g) = 2.27 W/kg

Deviation(1 g) = -1.54%



0 dB = 13.0 W/kg = 11.14 dBW/kg

PCTEST

DUT: Dipole 5 GHz; Type: D5GHzV2; Serial: 1123

Communication System: UID 0, CW; Frequency: 5250 MHz; Duty Cycle: 1:1

Medium: 5 GHz Body Medium parameters used (interpolated):

$f = 5250 \text{ MHz}$; $\sigma = 5.15 \text{ S/m}$; $\epsilon_r = 47.477$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-16-2019; Ambient Temp: 22.6°C; Tissue Temp: 21.0°C

Probe: EX3DV4 - SN3837; ConvF(4.77, 4.77, 4.77) @ 5250 MHz; Calibrated: 1/28/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn793; Calibrated: 1/15/2019

Phantom: Twin-SAM V4.0 (20deg probe tilt) SUB use; Type: QD 000 P40 CC;

Measurement SW: DASY52, Version 52.10 (3);SEMCAD X Version 14.6.13 (7474)

5250 MHz System Verification at 17.0 dBm (50 mW)


Area Scan (7x7x1): Measurement grid: $dx=10\text{mm}$, $dy=10\text{mm}$

Zoom Scan (8x8x7)/Cube 0: Measurement grid: $dx=4\text{mm}$, $dy=4\text{mm}$, $dz=1.4\text{mm}$; Graded Ratio: 1.4

Peak SAR (extrapolated) = 13.9 W/kg

SAR(1 g) = 3.47 W/kg; SAR(10 g) = 0.985 W/kg

Deviation(1 g) = -6.22%



0 dB = 8.38 W/kg = 9.23 dBW/kg

PCTEST

DUT: Dipole 5 GHz; Type: D5GHzV2; Serial: 1123

Communication System: UID 0, CW; Frequency: 5250 MHz; Duty Cycle: 1:1

Medium: 5 GHz Body Medium parameters used (interpolated):

$f = 5600$ MHz; $\sigma = 5.648$ S/m; $\epsilon_r = 46.793$; $\rho = 1000$ kg/m³

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-16-2019; Ambient Temp: 22.6°C; Tissue Temp: 21.0°C

Probe: EX3DV4 - SN3837; ConvF(4.77, 4.77, 4.77) @ 5250 MHz; Calibrated: 1/28/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn793; Calibrated: 1/15/2019

Phantom: Twin-SAM V4.0 (20deg probe tilt) SUB use; Type: QD 000 P40 CC;

Measurement SW: DASY52, Version 52.10 (3);SEMCAD X Version 14.6.13 (7474)

5600 MHz System Verification at 17.0 dBm (50 mW)


Area Scan (7x7x1): Measurement grid: dx=10mm, dy=10mm

Zoom Scan (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm; Graded Ratio: 1.4

Peak SAR (extrapolated) = 14.2 W/kg

SAR(1 g) = 3.58 W/kg; SAR(10 g) = 1.03 W/kg

Deviation(1 g) = -7.73%



0 dB = 8.33 W/kg = 9.21 dBW/kg

PCTEST

DUT: Dipole 5 GHz; Type: D5GHzV2; Serial: 1123

Communication System: UID 0, CW; Frequency: 5750 MHz; Duty Cycle: 1:1

Medium: 5 GHz Body Medium parameters used (interpolated):

$f = 5750$ MHz; $\sigma = 5.869$ S/m; $\epsilon_r = 46.523$; $\rho = 1000$ kg/m³

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-16-2019; Ambient Temp: 22.6°C; Tissue Temp: 21.0°C

Probe: EX3DV4 - SN3837; ConvF(4.34, 4.34, 4.34) @ 5750 MHz; Calibrated: 1/28/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn793; Calibrated: 1/15/2019

Phantom: Twin-SAM V4.0 (20deg probe tilt) SUB use; Type: QD 000 P40 CC; Serial: 1403

Measurement SW: DASY52, Version 52.10 (3);SEMCAD X Version 14.6.13 (7474)

5750 MHz System Verification at 17.0 dBm (50 mW)


Area Scan (7x7x1): Measurement grid: dx=10mm, dy=10mm

Zoom Scan (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm; Graded Ratio: 1.4

Peak SAR (extrapolated) = 14.4 W/kg

SAR(1 g) = 3.52 W/kg; SAR(10 g) = 1.01 W/kg

Deviation(1 g) = -5.76%



0 dB = 8.39 W/kg = 9.24 dBW/kg

APPENDIX C: SAR TISSUE SPECIFICATIONS

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Approved by: Quality Manager
Test Dates: 12/16/2019 - 1/21/2020	DUT Type: Tablet Device		APPENDIX C: Page 1 of 3

Measurement Procedure for Tissue verification:

- 1) The network analyzer and probe system was configured and calibrated.
- 2) The probe was immersed in the tissue. The tissue was placed in a nonmetallic container. Trapped air bubbles beneath the flange were minimized by placing the probe at a slight angle.
- 3) The complex admittance with respect to the probe aperture was measured
- 4) The complex relative permittivity ϵ' can be calculated from the below equation (Pournaropoulos and Misra):

$$Y = \frac{j2\omega\epsilon_r\epsilon_0}{[\ln(b/a)]^2} \int_a^b \int_a^b \int_0^\pi \cos\phi' \frac{\exp[-j\omega r(\mu_0\epsilon_r'\epsilon_0)^{1/2}]}{r} d\phi' d\rho' d\rho$$

where Y is the admittance of the probe in contact with the sample, the primed and unprimed coordinates refer to source and observation points, respectively, $r^2 = \rho^2 + \rho'^2 - 2\rho\rho' \cos\phi'$, ω is the angular frequency, and $j = \sqrt{-1}$.

3 Composition / Information on ingredients

3.2 Mixtures

Description: Aqueous solution with surfactants and inhibitors

Declarable, or hazardous components:

CAS: 107-21-1 EINECS: 203-473-3 Reg.nr.: 01-2119456816-28-0000	Ethanedial STOT RE 2, H373; Acute Tox. 4, H302	>1.0-4.9%
CAS: 68608-26-4 EINECS: 271-781-5 Reg.nr.: 01-2119527859-22-0000	Sodium petroleum sulfonate Eye Irrit. 2, H319	< 2.9%
CAS: 107-41-5 EINECS: 203-489-0 Reg.nr.: 01-2119539582-35-0000	Hexylene Glycol / 2-Methyl-pentane-2,4-diol Skin Irrit. 2, H315; Eye Irrit. 2, H319	< 2.9%
CAS: 68920-66-1 NLP: 500-236-9 Reg.nr.: 01-2119489407-26-0000	Alkoxyated alcohol, > C₁₆ Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319	< 2.0%

Additional information:

For the wording of the listed risk phrases refer to section 16.

Not mentioned CAS-, EINECS- or registration numbers are to be regarded as Proprietary/Confidential.

The specific chemical identity and/or exact percentage concentration of proprietary components is withheld as a trade secret.

Figure C-1

Note: Liquid recipes are proprietary SPEAG. Since the composition is approximate to the actual liquids utilized, the manufacturer tissue-equivalent liquid data sheets are provided below.

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Approved by: Quality Manager
Test Dates: 12/16/2019 - 1/21/2020	DUT Type: Tablet Device		APPENDIX C: Page 2 of 3

Measurement Certificate / Material Test

Item Name **Body Tissue Simulating Liquid (MBBL600-6000V6)**
 Product No. SL AAM U16 BC (Batch: 181029-1)
 Manufacturer SPEAG

Measurement Method

TSL dielectric parameters measured using calibrated DAK probe.

Target Parameters

Target parameters as defined in the KDB 865864 compliance standard.

Test Condition



Ambient Condition 22°C ; 30% humidity
 TSL Temperature 22°C
 Test Date 30-Oct-18
 Operator CL

Additional Information

TSL Density
 TSL Heat-capacity

Results

f [MHz]	Measured			Target		Diff.to Target [%]	
	e'	e''	sigma	eps	sigma	Δ-eps	Δ-sigma
800	55.1	21.3	0.95	55.3	0.97	-0.4	-2.1
825	55.1	20.8	0.96	55.2	0.98	-0.3	-2.0
835	55.1	20.6	0.96	55.1	0.99	0.0	-2.5
850	55.1	20.4	0.96	55.2	0.99	-0.1	-3.0
900	55.0	19.7	0.98	55.0	1.05	0.0	-6.7
1400	54.2	15.6	1.22	54.1	1.28	0.2	-4.7
1450	54.1	15.4	1.24	54.0	1.30	0.2	-4.6
1500	54.1	15.3	1.27	53.9	1.33	0.3	-4.5
1550	54.0	15.1	1.30	53.9	1.36	0.2	-4.4
1600	53.9	15.0	1.33	53.8	1.39	0.2	-4.3
1625	53.9	14.9	1.35	53.8	1.41	0.3	-4.3
1640	53.9	14.9	1.36	53.7	1.42	0.3	-4.2
1650	53.8	14.9	1.36	53.7	1.43	0.2	-4.9
1700	53.8	14.8	1.40	53.6	1.46	0.4	-4.1
1750	53.7	14.7	1.43	53.4	1.49	0.5	-4.0
1800	53.7	14.6	1.46	53.3	1.52	0.8	-3.9
1810	53.7	14.6	1.47	53.3	1.52	0.8	-3.3
1825	53.7	14.6	1.48	53.3	1.52	0.8	-2.6
1850	53.6	14.5	1.50	53.3	1.52	0.6	-1.3
1900	53.5	14.5	1.53	53.3	1.52	0.4	0.7
1950	53.5	14.5	1.57	53.3	1.52	0.4	3.3
2000	53.4	14.4	1.60	53.3	1.52	0.2	5.3
2050	53.4	14.4	1.64	53.2	1.57	0.3	4.5
2100	53.3	14.4	1.68	53.2	1.62	0.2	3.7
2150	53.3	14.4	1.72	53.1	1.66	0.4	3.6
2200	53.2	14.4	1.76	53.0	1.71	0.3	2.9
2250	53.1	14.4	1.81	53.0	1.76	0.2	2.8
2300	53.1	14.4	1.85	52.9	1.81	0.4	2.2
2350	53.0	14.5	1.89	52.8	1.85	0.3	2.2
2400	52.9	14.5	1.94	52.8	1.90	0.2	2.1
2450	52.9	14.5	1.98	52.7	1.95	0.4	1.5
2500	52.8	14.6	2.03	52.6	2.02	0.3	0.5
2550	52.7	14.6	2.07	52.6	2.09	0.2	-1.0
2600	52.6	14.7	2.12	52.5	2.16	0.2	-1.9



3500	51.1	15.5	3.02	51.3	3.31	-0.4	-8.8
3700	50.8	15.7	3.24	51.1	3.55	-0.5	-8.8
5200	48.1	18.2	5.27	49.0	5.30	-1.8	-0.6
5250	48.0	18.3	5.34	49.0	5.36	-1.9	-0.4
5300	47.9	18.4	5.41	48.9	5.42	-2.0	-0.2
5500	47.5	18.6	5.70	48.6	5.65	-2.2	0.8
5600	47.3	18.8	5.84	48.5	5.77	-2.3	1.3
5700	47.1	18.9	5.99	48.3	5.88	-2.5	1.8
5800	47.0	19.0	6.14	48.2	6.00	-2.6	2.3

TSL Dielectric Parameters

1

Figure C-2
 600 – 5800 MHz Body Tissue Equivalent Matter

FCC ID: BCGA2068		SAR EVALUATION REPORT	Approved by: Quality Manager
Test Dates: 12/16/2019 - 1/21/2020	DUT Type: Tablet Device		APPENDIX C: Page 3 of 3

APPENDIX D: SAR SYSTEM VALIDATION

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Approved by: Quality Manager
Test Dates: 12/16/2019 - 1/21/2020	DUT Type: Tablet Device		APPENDIX D: Page 1 of 2

Per FCC KDB Publication 865664 D02v01r02, SAR system validation status should be documented to confirm measurement accuracy. The SAR systems (including SAR probes, system components and software versions) used for this device were validated against its performance specifications prior to the SAR measurements. Reference dipoles were used with the required tissue- equivalent media for system validation, according to the procedures outlined in FCC KDB Publication 865664 D01v01r04 and IEEE 1528-2013. Since SAR probe calibrations are frequency dependent, each probe calibration point was validated at a frequency within the valid frequency range of the probe calibration point, using the system that normally operates with the probe for routine SAR measurements and according to the required tissue-equivalent media.

A tabulated summary of the system validation status including the validation date(s), measurement frequencies, SAR probes and tissue dielectric parameters has been included.

Table D-1
SAR System Validation Summary – 1g

SAR SYSTEM #	FREQ. [MHz]	DATE	PROBE SN	PROBE CAL. POINT	COND.	PERM.	CW VALIDATION			MOD. VALIDATION		
					(σ)	(ε _r)	SENSITIVITY	PROBE LINEARITY	PROBE ISOTROPY	MOD. TYPE	DUTY FACTOR	PAR
AM1	750	7/15/2019	7421	750	Body	0.93	53.942	PASS	PASS	PASS	N/A	N/A
AM7	835	2/21/2019	3837	835	Body	1.013	53.782	PASS	PASS	PASS	GMSK	PASS
AM8	835	8/2/2019	7416	835	Body	0.994	53.524	PASS	PASS	PASS	GMSK	PASS
AM8	1750	8/5/2019	7416	1750	Body	1.495	52.93	PASS	PASS	PASS	N/A	N/A
AM6	1750	3/12/2019	7427	1750	Body	1.456	51.525	PASS	PASS	PASS	N/A	N/A
AM5	1900	8/13/2019	7491	1900	Body	1.525	52.611	PASS	PASS	PASS	GMSK	PASS
AM1	1900	7/15/2019	7421	1900	Body	1.548	51.802	PASS	PASS	PASS	GMSK	PASS
AM2	1900	12/5/2019	7420	1900	Body	1.49	52.56	PASS	PASS	PASS	GMSK	PASS
AM4	2300	4/23/2019	7532	2300	Body	1.897	50.974	PASS	PASS	PASS	N/A	N/A
AM4	2450	4/23/2019	7532	2450	Body	2.027	50.762	PASS	PASS	PASS	OFDM/TDD	PASS
AM4	2600	4/23/2019	7532	2600	Body	2.167	50.527	PASS	PASS	PASS	TDD	PASS
AM3	3500	12/11/2019	3949	3500	Body	3.448	50.786	PASS	PASS	PASS	TDD	PASS
AM3	3700	12/11/2019	3949	3700	Body	3.67	50.471	PASS	PASS	PASS	TDD	PASS
AM7	5250	4/8/2019	3837	5250	Body	5.453	47.04	PASS	PASS	PASS	OFDM	N/A
AM7	5600	4/8/2019	3837	5600	Body	5.95	46.354	PASS	PASS	PASS	OFDM	N/A
AM7	5750	4/8/2019	3837	5600	Body	6.176	46.059	PASS	PASS	PASS	OFDM	N/A

NOTE: While the probes have been calibrated for both CW and modulated signals, all measurements were performed using communication systems calibrated for CW signals only. Modulations in the table above represent test configurations for which the measurement system has been validated per FCC KDB Publication 865664 D01v01r04 for scenarios when CW probe calibrations are used with other signal types. SAR systems were validated for modulated signals with a periodic duty cycle, such as GMSK, or with a high peak to average ratio (>5 dB), such as OFDM according to FCC KDB Publication 865664 D01v01r04.

FCC ID: BCGA2068		SAR EVALUATION REPORT	Approved by: Quality Manager
Test Dates: 12/16/2019 - 1/21/2020	DUT Type: Tablet Device		APPENDIX D: Page 2 of 2

APPENDIX F: DOWNLINK LTE CA RF CONDUCTED POWERS

1.1 LTE Downlink Only Carrier Aggregation Test Reduction Methodology

SAR test exclusion for LTE downlink Carrier Aggregation is determined by power measurements according to the number of component carriers (CCs) supported by the product implementation. Per April 2018 TCBC Workshop Notes, the following test reduction methodology was applied to determine the combinations required for conducted power measurements.

LTE DLCA Test Reduction Methodology:

- The supported combinations were arranged by the number of component carriers in columns.
- Any limitations on the PCC or SCC for each combination were identified alongside the combination (e.g. CA_2A-2A-4A-12A, but B12 can only be configured as a SCC).
- Power measurements were performed for "supersets" (LTE CA combinations with multiple components carriers) and any "subsets" (LTE CA combinations with fewer component carriers) that were not completely covered by the supersets.
- Only subsets that have the exact same components as a superset were excluded for measurement.
- When there were certain restrictions on component carriers that existed in the superset that were not applied for the subset, the subset configuration was additionally evaluated.
- Both inter-band and intra-band downlink carrier aggregation scenarios were considered.
- Downlink CA combinations for SISO and 4x4 Downlink MIMO operations were measured independently, per May 2017 TCBC Workshop notes.

Table 1 – Example of Exclusion Table for SISO Configurations

Index	ACC	Supported Channel Bandwidth (MHz)	Restriction	Completely Covered by Measurement Superset
ACC #1	CA_2A	5, 10, 15, 20	None	Yes
ACC #2	CA_2A-2A	5, 10, 15, 20	None	Yes
ACC #3	CA_2A-2A-2A	5, 10, 15, 20	None	Yes
ACC #4	CA_2A-2A-4A	5, 10, 15, 20	None	Yes
ACC #5	CA_2A-2A-4A-12A	5, 10, 15, 20	None	Yes
ACC #6	CA_2A-2A-4A-12A-12A	5, 10, 15, 20	None	Yes
ACC #7	CA_2A-2A-4A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #8	CA_2A-2A-4A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #9	CA_2A-2A-4A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #10	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #11	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #12	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #13	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #14	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #15	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #16	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #17	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #18	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #19	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #20	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes

Table 2 – Example of Exclusion Table for 4x4 Downlink MIMO Configurations

Index	ACC	Supported Channel Bandwidth (MHz)	Restriction	Completely Covered by Measurement Superset
ACC #1	CA_2A	5, 10, 15, 20	None	Yes
ACC #2	CA_2A-2A	5, 10, 15, 20	None	Yes
ACC #3	CA_2A-2A-2A	5, 10, 15, 20	None	Yes
ACC #4	CA_2A-2A-4A	5, 10, 15, 20	None	Yes
ACC #5	CA_2A-2A-4A-12A	5, 10, 15, 20	None	Yes
ACC #6	CA_2A-2A-4A-12A-12A	5, 10, 15, 20	None	Yes
ACC #7	CA_2A-2A-4A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #8	CA_2A-2A-4A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #9	CA_2A-2A-4A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #10	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #11	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #12	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #13	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #14	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #15	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #16	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #17	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #18	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #19	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes
ACC #20	CA_2A-2A-4A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A-12A	5, 10, 15, 20	None	Yes

Note: [CC] indicates component carrier with 4x4 DL MIMO antenna configuration

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device	APPENDIX F: Page 1 of 33

1.2 LTE Downlink Only Carrier Aggregation Test Selection and Setup

SAR test exclusion for LTE downlink Carrier Aggregation is determined by power measurements according to the number component carriers (CCs) supported by the product implementation. For those configurations required by April 2018 TCBC Workshop Notes, conducted power measurements with LTE Carrier Aggregation (CA) (downlink only) active are made in accordance to KDB Publication 941225 D05Av01r02. The RRC connection is only handled by one cell, the primary component carrier (PCC) for downlink and uplink communications. After making a data connection to the PCC, the UE device adds secondary component carrier(s) (SCC) on the downlink only. All uplink communications and acknowledgements remain identical to specifications when downlink carrier aggregation is inactive on the PCC. Additional conducted output powers are measured with the downlink carrier aggregation active for the configuration with highest measured maximum conducted power with downlink carrier aggregation inactive measured among the channel bandwidth, modulation, and RB combinations in each frequency band.

This device supports LAA with downlink carrier aggregation only. It uses carrier aggregation in the downlink to combine LTE in the unlicensed spectrum (i.e. LTE Band 46) with LTE in the licensed band (served as PCC). All uplink communications and acknowledgements on the PCC remain identical to specifications when downlink carrier aggregation is inactive.

Per FCC KDB Publication 941225 D05Av01r02, no SAR measurements are required for carrier aggregation configurations when the maximum average output power with downlink only carrier aggregation active is not more than 0.25 dB higher than the average output power with downlink only carrier aggregation inactive. All bands required for SAR testing per FCC KDB procedures were considered. Based on the measured maximum powers below, no additional SAR tests were required for DLCA SAR configurations.

General PCC and SCC configuration selection procedure

- PCC uplink channel, channel bandwidth, modulation and RB configurations were selected based on section C)3)b)ii) of KDB 941225 D05 V01r02. The downlink PCC channel was paired with the selected PCC uplink channel according to normal configurations without carrier aggregation.
- To maximize aggregated bandwidth, highest channel bandwidth available for that CA combination was selected for SCC. For inter-band CA, the SCC downlink channels were selected near the middle of their transmission bands. For contiguous intra-band CA, the downlink channel spacing between the component carriers was set to multiple of 300 kHz less than the nominal channel spacing defined in section 5.4.1A of 3GPP TS 36.521. For non-contiguous intra-band CA, the downlink channel spacing between the component carriers was set to be larger than the nominal channel spacing and provided maximum separation between the component carriers.
- All selected PCC and SCC(s) remained fully within the uplink/downlink transmission band of the respective component carrier.




Figure 1
DL CA Power Measurement Setup

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device	APPENDIX F: Page 2 of 33




Figure 2
DL CA with DL 4x4 MIMO Power Measurement Setup

1.3 Downlink Carrier Aggregation RF Conducted Powers

1.3.1 LTE Band 71 as PCC

Table 1
Output Powers – Ant 1

Combination	PCC Band	PCC BW [MHz]	PCC (UL) Ch	PCC				PCC UL RB	PCC UL RB Offset	PCC (DL) Channel	PCC (DL Freq. [MHz])	SCC 1			SCC 2			SCC 3			Power		
				Mod.	PCC UL RB	PCC UL RB Offset	SCC Band					SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	LTE Tx Power with DL CA Enabled (dBm)
CA_4A-4A-71A	LTE B71	20	133297	680.5	QPSK	1	99	68761	634.5	LTE B4	20	2175	2132.5	LTE B4	10	2350	2150	-	-	-	-	19.79	19.80
CA_2A-4A-71A	LTE B71	20	133297	680.5	QPSK	1	99	68761	634.5	LTE B2	20	900	1960	LTE B4	20	2175	2132.5	-	-	-	-	19.77	19.80
CA_2A-2A-66A-71A	LTE B71	20	133297	680.5	QPSK	1	99	68761	634.5	LTE B2	20	900	1980	LTE B2	20	700	1940	LTE B66	20	66786	2145	19.76	19.80
CA_2A-66A-66A-71A	LTE B71	20	133297	680.5	QPSK	1	99	68761	634.5	LTE B2	20	900	1980	LTE B66	20	67236	2150	LTE B66	20	67236	2150	19.74	19.80
CA_2A-66C-71A	LTE B71	20	133297	680.5	QPSK	1	99	68761	634.5	LTE B2	20	900	1980	LTE B66	20	66786	2145	LTE B66	20	66984	2164.8	19.79	19.80

Table 2
Output Powers – Ant 3

Combination	PCC Band	PCC BW [MHz]	PCC (UL) Ch	PCC				SCC 1				SCC 2				SCC 3				Power			
				Mod.	PCC UL RB	PCC UL RB Offset	PCC (DL) Channel	PCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	LTE Tx Power with DL CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)	
CA_4A-4A-71A	LTE B71	10	133297	680.5	64QAM	1	49	68761	634.5	LTE B4	20	2175	2132.5	LTE B4	10	2350	2150	-	-	-	-	21.83	21.95
CA_2A-4A-71A	LTE B71	10	133297	680.5	64QAM	1	49	68761	634.5	LTE B2	20	900	1980	LTE B4	20	2175	2132.5	-	-	-	-	21.82	21.95
CA_2A-2A-66A-71A	LTE B71	10	133297	680.5	64QAM	1	49	68761	634.5	LTE B2	20	900	1980	LTE B2	20	700	1940	LTE B66	20	66786	2145	21.78	21.95
CA_2A-66A-66A-71A	LTE B71	10	133297	680.5	64QAM	1	49	68761	634.5	LTE B2	20	900	1980	LTE B66	20	66786	2145	LTE B66	20	67236	2150	21.83	21.95
CA_2A-66C-71A	LTE B71	10	133297	680.5	64QAM	1	49	68761	634.5	LTE B2	20	900	1980	LTE B66	20	66786	2145	LTE B66	20	66984	2164.8	21.89	21.95

FCC ID: BCGA2068



SAR EVALUATION REPORT

Reviewed by:
Quality Manager

Test Dates:
12/16/2019-01/21/2020

DUT Type:
Tablet Device

APPENDIX F:
Page 3 of 33

LTE Band 26 as PCC

Table 11
Output Powers – Ant 1

Combination	PCC									SCC 1				SCC 2				Power	
	PCC Band	PCC BW [MHz]	PCC [UL] Ch.	PCC [UL] Freq. [MHz]	Mod.	PCC UL# RB	PCC UL RB Offset	PCC [DL] Channel	PCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	LTE Tx Power with DL CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)
CA 7A-26A	LTE B26	10	26865	831.5	16QAM	1	0	8865	876.5	LTE B7	20	8100	2655	-	-	-	-	20.60	20.57
CA 25A-26A	LTE B26	10	26865	831.5	16QAM	1	0	8865	876.5	LTE B25	20	8365	1962.5	-	-	-	-	20.46	20.57
CA 26A-41A	LTE B26	10	26865	831.5	16QAM	1	0	8865	876.5	LTE B41	20	40620	2593	-	-	-	-	20.58	20.57
CA 7A-7A-26A	LTE B26	10	26865	831.5	16QAM	1	0	8865	876.5	LTE B7	20	8100	2655	LTE B7	20	2850	2630	20.31	20.57
CA 25A-25A-26A	LTE B26	5	27015	846.5	64QAM	1	0	9015	891.5	LTE B25	20	8365	1962.5	LTE B25	20	8590	1985	20.40	20.56
CA 26A-41C	LTE B26	10	26865	831.5	16QAM	1	0	8865	876.5	LTE B41	20	40620	2593	LTE B41	20	40422	2573.2	20.55	20.57

Table 12
Output Powers – Ant 3

Combination	PCC									SCC 1				SCC 2				Power	
	PCC Band	PCC BW [MHz]	PCC (UL) Ch.	PCC (UL) Freq. [MHz]	Mod.	PCC UL RB	PCC UL RB Offset	PCC (DL) Channel	PCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	LTE Tx.Power with DL CA Enabled (dBm)	LTE Single Carrier TxPower (dBm)
CA 7A-26A	LTE B26	10	26740	819	QPSK	25	25	8740	864	LTE B7	20	3100	2655	-	-	-	-	20.22	20.30
CA 25A-26A	LTE B26	10	26740	819	QPSK	25	25	8740	864	LTE B25	20	8365	1962.5	-	-	-	-	20.24	20.30
CA 26A-41A	LTE B26	10	26740	819	QPSK	25	25	8740	864	LTE B41	20	40620	2593	-	-	-	-	20.21	20.30
CA 7A-7A-26A	LTE B26	10	26740	819	QPSK	25	25	8740	864	LTE B7	20	3100	2655	LTE B7	20	2850	2630	20.25	20.30
CA 25A-25A-26A	LTE B26	3	26705	815.5	QPSK	8	0	8705	860.5	LTE B25	20	8365	1962.5	LTE B25	20	8590	1985	20.28	20.30
CA 26A-41C	LTE B26	10	26740	819	QPSK	25	25	8740	864	LTE B41	20	40620	2593	LTE B41	20	40422	2573.2	20.28	20.30

1.3.7

LTE Band 66 as PCC

Table 13
Output Powers – Ant 2A

[illegible]

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device	APPENDIX F: Page 6 of 33

Output Powers – Ant 2B

[illegible]

Output Powers – Ant 4A

[illegible]

ECC ID: BCGA2068

Test Dates:

12/16/2019-01/21/2020

© 2020 PCTEST Engineering Laboratory, Inc.



DUT Type

Tablet Device

SAR EVALUATION REPORT

Reviewed by:

Quality Manager

APPENDIX F

Page 7 of 33

REV 21.3 M

02/15/2019

Output Powers – Ant 4B

[illegible]

1.3.8

LTE Band 25 as PCC

Output Powers – Ant 2A

Power																											
PCC																SCC 1				SCC 2		SCC 3		SCC 4		Power	
Combination	PCC Band	PCC BW [MHz]	PCC [UL] Ch. Freq. [MHz]	PCC [DL] Freq. [MHz]	Mod.	PCC UL RB	PCC UL RB Offset	PCC [DL] Channel	PCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	LTE Power [dBm]	LTE Single Carrier Tx Power [dBm]					
CA 5A_25A	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B81	10	2626	881.5	10	2626	881.5	10	2626	881.5	10	14.81	15.00					
	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B81	10	2626	881.5	10	2626	881.5	10	2626	881.5	10	14.81	15.00					
CA 25A_25A	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B81	10	2626	881.5	10	2626	881.5	10	2626	881.5	10	14.81	15.00					
	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B81	10	2626	881.5	10	2626	881.5	10	2626	881.5	10	14.81	15.00					
CA 25A_25A	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B81	10	2626	881.5	10	2626	881.5	10	2626	881.5	10	14.81	15.00					
	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B81	10	2626	881.5	10	2626	881.5	10	2626	881.5	10	14.81	15.00					
CA 25A_40A	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B40	20	6066	6066.5	10	6066	6066.5	10	6066	6066.5	10	14.81	15.00					
	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B40	20	6066	6066.5	10	6066	6066.5	10	6066	6066.5	10	14.81	15.00					
CA 25A_25A_25A	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B20	20	4040	1540	LTE B40	20	6066	6066.5	10	6066	6066.5	10	14.81	15.00				
	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B20	20	4040	1540	LTE B40	20	6066	6066.5	10	6066	6066.5	10	14.81	15.00				
CA 25A_41C	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B41	20	4040	2093	LTE B41	20	4040	2093	10	4040	2093	10	14.81	15.00				
	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B41	20	4040	2093	LTE B41	20	4040	2093	10	4040	2093	10	14.81	15.00				
CA 25A_41C	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B41	20	4040	2093	LTE B41	20	4040	2093	10	4040	2093	10	14.81	15.00				
	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B41	20	4040	2093	LTE B41	20	4040	2093	10	4040	2093	10	14.81	15.00				
CA 25A_25A_41C	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B20	20	4040	1540	LTE B41	20	4040	2093	LTE B41	20	4040	2093	10	14.81	15.00			
	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B20	20	4040	1540	LTE B41	20	4040	2093	LTE B41	20	4040	2093	10	14.81	15.00			
CA 25A_25A_41D	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B20	20	4040	1540	LTE B41	20	4040	2093	LTE B41	20	4040	2093	10	14.81	15.00			
	LTE B20	20	26500	1505	HQDM	1	50	8590	1505	LTE B20	20	4040	1540	LTE B41	20	4040	2093	LTE B41	20	4040	2093	10	14.81	15.00			

Output Powers – Ant 2B

Combination	PCB Band	PCC						SSC1				SSC2				SSC3				SSC4				Power						
		PCC BW [MHz]	PCC [UL] Freq. [MHz]	PCC [DL] Freq. [MHz]	PCC UL RB Offset	PCC DL RB Offset	PCC [DL] Freq. [MHz]	SSC Band	SSC BW [MHz]	SSC [DL] Channel	SSC [DL] Freq. [MHz]	SSC Band	SSC BW [MHz]	SSC [DL] Channel	SSC [DL] Freq. [MHz]	SSC Band	SSC BW [MHz]	SSC [DL] Channel	SSC [DL] Freq. [MHz]	SSC Band	SSC BW [MHz]	SSC [DL] Channel	SSC [DL] Freq. [MHz]	LTE Tx Power with CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)					
CA 5A-25A	LTE B25	20	26500	1905	QPSK	1	99	8950	1985	LTE B8	10	2525	881.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
CA 12A-25A	LTE B25	20	26500	1905	QPSK	1	99	8950	1985	LTE B12	10	5095	737.5	-	-	-	-	-	-	-	-	-	-	-	-	-				
CA 25A-26A	LTE B25	20	26500	1905	QPSK	1	99	8950	1985	LTE B26	10	8865	876.5	-	-	-	-	-	-	-	-	-	-	-	-	-				
CA 25A-46A	LTE B25	20	26500	1905	QPSK	1	99	8950	1985	LTE B46	20	50565	5837.5	-	-	-	-	-	-	-	-	-	-	-	-	-				
CA 25A-35A-26A	LTE B25	20	26500	1905	QPSK	1	99	8950	1985	LTE B25	20	8140	1940	LTE B26	5	8865	876.5	-	-	-	-	-	-	-	-	-	-			
CA 25A-25A-41A	LTE B25	20	26500	1905	QPSK	1	99	8950	1985	LTE B41	20	8140	1940	LTE B41	20	40520	2593	-	-	-	-	-	-	-	-	-	-			
CA 25A-41C	LTE B25	20	26500	1905	QPSK	1	99	8950	1985	LTE B41	20	40520	2593	LTE B41	20	40422	2573.2	-	-	-	-	-	-	-	-	-	-			
CA 26A-46C	LTE B25	20	26500	1905	QPSK	1	99	8950	1985	LTE B46	20	50605	5937.5	LTE B46	20	50487	5917.7	-	-	-	-	-	-	-	-	-	-			
CA 25A-25A-41C	LTE B25	20	26500	1905	QPSK	1	99	8950	1985	LTE B25	20	8140	1940	LTE B41	20	40520	2593	LTE B41	20	40422	2573.2	-	-	-	-	-	-	-		
CA 25A-46C	LTE B25	20	26500	1905	QPSK	1	99	8950	1985	LTE B46	20	50605	5937.5	LTE B46	20	50487	5917.7	-	-	-	-	-	-	-	-	-	-			
CA 25A-25A-41C	LTE B25	20	26500	1905	QPSK	1	99	8950	1985	LTE B25	20	8140	1940	LTE B41	20	40422	2573.2	LTE B41	20	40520	2593	LTE B41	20	40818	2622.8	-	-	-	-	-

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device	APPENDIX F: Page 8 of 33

Table 19
Output Powers – Ant 4A

Combination	PCC Band	PCC BW [MHz]	PCC (UL) Ch	PCC (UL) Freq. [MHz]	Mod.	PCC UL RB	PCC UL RB Offset	PCC (DL) Freq. [MHz]	SCC Band	SCC 1			SCC 2			SCC 3			SCC 4			Power			
										SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	LTE Tx Power with DL CA Enabled (dBm)
CA 5A-25A	LTE B25	20	26500	1905	QPSK	1	0	8590	1985	LTE B5	10	2505	881.5	-	-	-	-	-	-	-	-	-	14.86	14.90	
CA 12A-25A	LTE B25	20	26500	1905	QPSK	1	0	8590	1985	LTE B12	10	5095	737.5	-	-	-	-	-	-	-	-	-	14.86	14.90	
CA 25A-25A	LTE B25	20	26500	1905	QPSK	1	0	8590	1985	LTE B26	10	8865	876.5	-	-	-	-	-	-	-	-	-	14.86	14.90	
CA 25A-46A	LTE B25	20	26500	1905	QPSK	1	0	8590	1985	LTE B46	20	5005	5537.5	-	-	-	-	-	-	-	-	-	14.90	14.90	
CA 25A-25A-25A	LTE B25	20	26500	1905	QPSK	1	0	8590	1985	LTE B25	20	8140	1940	LTE B26	5	8865	876.5	-	-	-	-	-	-	14.90	14.90
CA 25A-25A-44A	LTE B25	20	26500	1905	QPSK	1	0	8590	1985	LTE B25	20	8140	1940	LTE B41	20	40422	2573.2	-	-	-	-	-	-	14.90	14.90
CA 25A-44C	LTE B25	20	26500	1905	QPSK	1	0	8590	1985	LTE B46	20	5005	5537.5	LTE B46	20	50467	5517.7	-	-	-	-	-	-	14.90	14.90
CA 25A-25A-44C	LTE B25	20	26500	1905	QPSK	1	0	8590	1985	LTE B25	20	8140	1940	LTE B41	20	40422	2573.2	-	-	-	-	-	-	14.90	14.90
CA 25A-44C	LTE B25	20	26500	1905	QPSK	1	0	8590	1985	LTE B46	20	5005	5537.5	LTE B46	20	50467	5517.7	LTE B41	20	40422	2573.2	-	-	14.86	14.90
CA 25A-25A-44D	LTE B25	20	26500	1905	QPSK	1	0	8590	1985	LTE B25	20	8140	1940	LTE B41	20	40422	2573.2	LTE B41	20	40418	2512.8	-	-	14.76	14.90

Table 20
Output Powers – Ant 4B

Combination	PCC Band	PCC BW [MHz]	PCC (UL) Ch Freq. [MHz]	PCC		PCC UL RB	PCC UL RB Offset	PCC (DL) Channel	PCC (DL) Freq. [MHz]	SCC 1			SCC 2			SCC 3			SCC 4			Power			
				Mod.	SCC Band					SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	LTE Tx Power with DL CA Enabled (dBm)
CA 5A-25A	LTE B25	15	26115	1857.5	16QAM	1	0	8115	1937.5	LTE B5	10	2525	881.5	-	-	-	-	-	-	-	-	-	14.08	14.12	
CA 12A-25A	LTE B25	15	26115	1857.5	16QAM	1	0	8115	1937.5	LTE B12	10	5095	737.5	-	-	-	-	-	-	-	-	-	14.05	14.12	
CA 25A-25A	LTE B25	15	26115	1857.5	16QAM	1	0	8115	1937.5	LTE B26	10	8865	876.5	-	-	-	-	-	-	-	-	-	14.02	14.12	
CA 25A-46A	LTE B25	15	26115	1857.5	16QAM	1	0	8115	1937.5	LTE B46	20	5065	5537.5	-	-	-	-	-	-	-	-	-	14.05	14.12	
CA 25A-25A-25A	LTE B25	15	26115	1857.5	16QAM	1	0	8115	1937.5	LTE B25	20	8590	1985	LTE B26	5	8865	876.5	-	-	-	-	-	-	14.07	14.12
CA 25A-25A-41A	LTE B25	15	26115	1857.5	16QAM	1	0	8115	1937.5	LTE B25	20	8590	1985	LTE B41	20	40520	2593	-	-	-	-	-	-	14.08	14.12
CA 25A-41C	LTE B25	15	26115	1857.5	16QAM	1	0	8115	1937.5	LTE B41	20	40620	2593	LTE B41	20	40422	2573.2	-	-	-	-	-	-	14.10	14.12
CA 25A-41C	LTE B25	15	26115	1857.5	16QAM	1	0	8115	1937.5	LTE B41	20	40620	2593	LTE B41	20	40422	2573.2	-	-	-	-	-	-	14.11	14.12
CA 25A-25A-41C	LTE B25	15	26115	1857.5	16QAM	1	0	8115	1937.5	LTE B25	20	8590	1985	LTE B41	20	40422	2573.2	-	-	-	-	-	-	14.07	14.12
CA 25A-41C	LTE B25	15	26115	1857.5	16QAM	1	0	8115	1937.5	LTE B46	20	5065	5537.5	LTE B46	20	50467	5517.7	LTE B41	20	40422	2573.2	-	-	14.14	14.12
CA 25A-25A-41D	LTE B25	15	26115	1857.5	16QAM	1	0	8115	1937.5	LTE B25	20	8590	1985	LTE B41	20	40620	2593	LTE B41	20	40418	2622.8	-	-	14.84	14.12

1.3.9

LTE Band 30 as PCC

Table 21
Output Powers – Ant 2A

Combination	PCC Band	PCC BW [MHz]	PCC					SCC 1			SCC 2			SCC 3			SCC 4			Power					
			PCC (UL) Ch.	PCC (UL) Freq. [MHz]	Mod.	PCC UL RB	PCC UL RB Offset	PCC (DL) Channel	PCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	LTE Tx Power with CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)		
CA 2C-30A	LTE B30	5	27710	2310	64QAM	1	12	9820	2355	LTE B2	20	900	1960	LTE B2	20	702	1940.2	-	-	-	-	-	12.13	12.27	
CA 2A-2A-29A-30A	LTE B30	5	27710	2310	64QAM	1	12	9820	2355	LTE B9	20	900	1960	LTE B2	20	702	1940	LTE B29	10	9715	722.5	-	-	12.14	12.27
CA 4A-4A-30A	LTE B30	5	27710	2310	64QAM	1	12	9820	2355	LTE B4	20	2175	2132.5	LTE B4	10	2250	2150	LTE B5	10	2525	881.5	-	-	12.13	12.27
CA 4A-4A-12A-30A	LTE B30	5	27710	2310	64QAM	1	12	9820	2355	LTE B4	20	2175	2132.5	LTE B12	10	2250	2150	LTE B12	10	2525	737.5	-	-	12.08	12.27
CA 2A-4A-30A-30A	LTE B30	5	27710	2310	64QAM	1	12	9820	2355	LTE B20	20	900	1960	LTE B4	10	2175	2132.5	LTE B5	10	2525	881.5	-	-	12.09	12.27
CA 2A-4A-12A-30A	LTE B30	5	27710	2310	64QAM	1	12	9820	2355	LTE B20	20	900	1960	LTE B4	10	2175	2132.5	LTE B12	10	2525	737.5	-	-	12.14	12.27
CA 2A-4A-30A-66A	LTE B30	5	27710	2310	64QAM	1	12	9820	2355	LTE B20	20	900	1960	LTE B29	10	9715	722.5	LTE B66	20	66786	2145	-	-	12.17	12.27
CA 2A-2A-30A-66A	LTE B30	5	27710	2310	64QAM	1	12	9820	2355	LTE B20	20	900	1960	LTE B29	10	9715	722.5	LTE B66	20	66786	2145	-	-	12.17	12.27
CA 2A-2A-12A-30A-66A	LTE B30	5	27710	2310	64QAM	1	12	9820	2355	LTE B20	20	900	1960	LTE B12	10	9715	737.5	LTE B66	20	66786	2145	-	-	12.24	12.27
CA 2A-2A-12A-30A-66A	LTE B30	5	27710	2310	64QAM	1	12	9820	2355	LTE B20	20	900	1960	LTE B12	10	9715	737.5	LTE B66	20	66786	2145	-	-	12.19	12.27
CA 2A-2A-30A-66A-66A	LTE B30	5	27710	2310	64QAM	1	12	9820	2355	LTE B20	20	900	1960	LTE B5	10	2525	881.5	LTE B66	20	66786	2145	-	-	12.21	12.27
CA 2A-2A-30A-66A-66A	LTE B30	5	27710	2310	64QAM	1	12	9820	2355	LTE B20	20	900	1960	LTE B5	10	2525	881.5	LTE B66	20	66786	2145	-	-	12.21	12.27
CA 2A-2B-30A-66A	LTE B30	5	27710	2310	64QAM	1	12	9820	2355	LTE B20	20	900	1960	LTE B5	10	2525	881.5	LTE B66	20	66786	2145	-	-	12.24	12.27
CA 2A-12A-30A-66A	LTE B30	5	27710	2310	64QAM	1	12	9820	2355	LTE B20	20	900	1960	LTE B12	10	9715	737.5	LTE B66	20	66786	2145	-	-	12.20	12.27
CA 2A-12A-30A-66A-66A	LTE B30	5	27710	2310	64QAM	1	12	9820	2355	LTE B20	20	900	1960	LTE B12	10	9715	737.5	LTE B66	20	66786	2145	-	-	12.25	12.27

Table 22
Output Powers – Ant 2B

Combination	PCC Band	PCC BW [MHz]	PCC (UL) Ch	PCC		Mod.	PCC UL RB	PCC UL RB Offset	PCC (DL) Channel	PCC (DL) Freq [MHz]	SCC 1			SCC 2			SCC 3			SCC 4			Power				
				PCC (UL) Freq [MHz]	PCC (UL) Freq [MHz]						SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq [MHz]	LTE Tx Power with DC CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)			
CA 2C-30A	LTE B30	5	27710	2310	QPSK	25	25	9820	2355	LTE B2	20	900	1960	LTE B2	20	702	1940.2	-	-	-	-	-	12.13	12.15			
CA 2A-2A-29A-30A	LTE B30	5	27710	2310	QPSK	25	25	9820	2355	LTE B2	20	900	1960	LTE B2	20	702	1940	LTE B29	10	9715	722.5	-	-	12.04	12.15		
CA 4A-4A-30A	LTE B30	5	27710	2310	QPSK	25	25	9820	2355	LTE B4	20	2175	2132.5	LTE B4	10	2250	2150	LTE B5	10	2525	881.5	-	-	12.03	12.15		
CA 4A-4A-12A-30A	LTE B30	5	27710	2310	QPSK	25	25	9820	2355	LTE B4	20	2175	2132.5	LTE B4	10	2250	2150	LTE B12	10	2525	737.5	-	-	12.07	12.15		
CA 2A-4A-30A	LTE B30	5	27710	2310	QPSK	25	25	9820	2355	LTE B20	20	900	1960	LTE B4	10	2175	2132.5	LTE B5	10	2525	881.5	-	-	12.07	12.15		
CA 2A-4A-12A-30A	LTE B30	5	27710	2310	QPSK	25	25	9820	2355	LTE B20	20	900	1960	LTE B4	10	2175	2132.5	LTE B12	10	2525	737.5	-	-	12.10	12.15		
CA 2A-4A-30A-30A	LTE B30	5	27710	2310	QPSK	25	25	9820	2355	LTE B20	20	900	1960	LTE B4	10	2175	2132.5	LTE B29	10	9715	722.5	-	-	12.04	12.15		
CA 2A-2A-30A-66A	LTE B30	5	27710	2310	QPSK	25	25	9820	2355	LTE B20	20	900	1960	LTE B29	10	9715	722.5	LTE B66	20	66780	2145	-	-	12.03	12.15		
CA 2A-30A-66A-66A	LTE B30	5	27710	2310	QPSK	25	25	9820	2355	LTE B5	10	2125	881.5	LTE B5	5	2433	874.3	LTE B66	20	66780	2145	-	-	12.06	12.15		
CA 2A-2A-29A-30A-66A	LTE B30	5	27710	2310	QPSK	25	25	9820	2355	LTE B20	20	900	1960	LTE B29	10	9715	722.5	LTE B66	20	66780	2145	-	-	12.03	12.15		
CA 2A-2A-12A-30A-66A	LTE B30	5	27710	2310	QPSK	25	25	9820	2355	LTE B20	20	900	1960	LTE B2	20	702	1940	LTE B12	10	9595	737.5	-	-	12.07	12.15		
CA 2A-2A-30A-30A-66A	LTE B30	5	27710	2310	QPSK	25	25	9820	2355	LTE B20	20	900	1960	LTE B2	20	702	1940	LTE B12	10	9595	737.5	-	-	12.07	12.15		
CA 2A-2A-30A-66A-66A	LTE B30	5	27710	2310	QPSK	25	25	9820	2355	LTE B20	20	900	1960	LTE B29	10	9715	722.5	LTE B66	20	66780	2145	-	-	12.03	12.15		
CA 2A-2A-30A-66A	LTE B30	5	27710	2310	QPSK	25	25	9820	2355	LTE B20	20	900	1960	LTE B5	10	2125	881.5	LTE B5	5	2433	874.3	LTE B66	20	66780	2145	12.08	12.15
CA 2A-2A-30A-66A-66A	LTE B30	5	27710	2310	QPSK	25	25	9820	2355	LTE B20	20	900	1960	LTE B5	10	2125	723.5	LTE B66	20	66780	2145	-	-	12.06	12.15		
CA 2A-1A-30A-66A-66A	LTE B30	5	27710	2310	QPSK	25	25	9820	2355	LTE B20	20	900	1960	LTE B14	10	2330	881.5	LTE B66	20	66780	2145	-	-	12.06	12.15		

Output Powers – Ant 4B

Combination	PCB Band	PCF BW [MHz]	PCF [UL] Ch. Freq. [MHz]	PCC				SCC1				SCC2				SCC3				SCC4				Power			
				Mod.	PCF UL BW	PCF UL BW Offset	PCF [DL] Channel	PCF [DL] Freq. [MHz]	SCC Band	SCC [BW] [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC [BW] [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC [BW] [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC [BW] [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	LTE Tx Power with CA Carrier Power [dBm]	LTE Single Carrier Tx Power [dBm]	
CA 2C-3A	LTE E30	10	27710	2310	QPSK	25	25	9620	2555	LTE E2	20	900	1900	LTE E2	20	702	190-2	-	-	-	-	-	-	-	13.50	13.47	
CA 2A-2A-20A-20A	LTE E30	10	27710	2310	QPSK	25	25	9620	2555	LTE E2	20	900	1900	LTE E2	20	700	190-0	LTE E20	10	9715	722.5	-	-	13.50	13.47		
CA 4A-4A-3A-3A	LTE E30	10	27710	2310	QPSK	25	25	9620	2555	LTE E4	20	2175	2122.5	LTE E4	20	2250	2150	LTE E15	10	2526	881.5	-	-	13.43	13.47		
CA 4A-4A-12A-3A	LTE E30	10	27710	2310	QPSK	25	25	9620	2555	LTE E4	20	2175	2122.5	LTE E4	20	2250	2150	LTE E15	10	5095	777.5	-	-	13.50	13.47		
CA 2A-2A-3A-3A-3A	LTE E30	10	27710	2310	QPSK	25	25	9620	2555	LTE E2	20	900	1900	LTE E2	20	700	190-0	LTE E15	10	5095	777.5	-	-	13.50	13.47		
CA 2A-2A-12A-3A	LTE E30	10	27710	2310	QPSK	25	25	9620	2555	LTE E2	20	900	1900	LTE E4	20	2175	2122.5	LTE E15	10	5095	777.5	-	-	13.48	13.47		
CA 2A-2A-20A-3A	LTE E30	10	27710	2310	QPSK	25	25	9620	2555	LTE E2	20	900	1900	LTE E4	20	2175	2122.5	LTE E15	10	9715	722.5	-	-	13.50	13.47		
CA 2A-2A-3A-6A	LTE E30	10	27710	2310	QPSK	25	25	9620	2555	LTE E2	20	900	1900	LTE E2	20	9715	722.5	LTE E15	10	6878	714.0	-	-	13.50	13.47		
CA 8A-2A-6A-6A-6A	LTE E30	10	27710	2310	QPSK	25	25	9620	2555	LTE E5	10	2125	881.5	LTE E5	5	2453	874.3	LTE E60	20	6878	2145	6878	2180	13.41	13.47		
CA 2A-2A-3A-6A-6A	LTE E30	10	27710	2310	QPSK	25	25	9620	2555	LTE E2	20	900	1900	LTE E2	20	700	190-0	LTE E15	10	2125	881.5	LTE E60	20	6878	2145	13.40	13.47
CA 2A-2A-12A-3A-6A	LTE E30	10	27710	2310	QPSK	25	25	9620	2555	LTE E2	20	900	1900	LTE E2	20	700	190-0	LTE E15	10	5095	777.5	LTE E60	20	6878	2145	13.41	13.47
CA 2A-2A-3A-10A-6A	LTE E30	10	27710	2310	QPSK	25	25	9620	2555	LTE E2	20	900	1900	LTE E2	20	2140	LTE E14	10	3393	737.5	2145	40	6878	2145	13.47	13.47	
CA 2A-2A-3A-6A-6A	LTE E30	10	27710	2310	QPSK	25	25	9620	2555	LTE E2	20	900	1900	LTE E15	10	2125	881.5	LTE E60	20	6878	2145	6878	2180	13.42	13.47		
CA 2A-2A-3A-6A	LTE E30	10	27710	2310	QPSK	25	25	9620	2555	LTE E2	20	900	1900	LTE E15	10	2125	881.5	LTE E15	5	2453	874.3	LTE E60	20	6878	2145	13.41	13.47
CA 2A-2A-3A-6A-6A	LTE E30	10	27710	2310	QPSK	25	25	9620	2555	LTE E2	20	900	1900	LTE E15	10	2125	881.5	LTE E60	20	6878	2145	6878	2180	13.42	13.47		
CA 2A-14A-3A-6A-6A	LTE E30	10	27710	2310	QPSK	25	25	9620	2555	LTE E2	20	900	1900	LTE E14	10	5330	763	LTE E60	20	6878	2145	6878	2180	13.38	13.47		

1.3.10

LTE Band 7 as PCC

Table 25

[illegible]

Table 26

Combination	PCB Band	PC1				SC1				SC2				SC3				SC4				Power					
		PCB BW [MHz]	PC1 [UL] Ch.	PC1 [UL] Freq. [MHz]	Mod.	PC1 ULs RB	PC1 ULs RB Offset	PC1 [DL] Channel	SC1 [UL] Freq. [MHz]	SC1 Band	SC1 BW [MHz]	SC1 [DL] Channel	SC1 [UL] Freq. [MHz]	SC1 Band	SC1 BW [MHz]	SC1 [DL] Channel	SC1 [UL] Freq. [MHz]	SC1 Band	SC1 BW [MHz]	SC1 [DL] Channel	SC1 [UL] Freq. [MHz]	LTE Tx Power with CA Enabled [dBm]	LTE Single Carrier Tx Power (dBm)				
CA-TB	LTE-B7	10	20850	2507.5	QPSK	1	0	2850	2507.5	LTE-B7	5	2085	2636.8										13.30	12.30			
CA-SA-7A	LTE-B7	10	20850	2510	64QAM	1	0	2850	2630	LTE-B8	10	2855	881.5										13.30	12.30			
CA-7A-26A	LTE-B7	10	20850	2510	64QAM	1	0	2850	2630	LTE-B8b	10	8865	876.5										13.30	12.30			
CA-7A-16A-11	LTE-B7	10	20850	2510	64QAM	1	0	2850	2630	LTE-B8	10	5065	5537.5										13.30	12.30			
CA-8A-4A-7A (1)	LTE-B7	10	20850	2510	64QAM	1	0	2850	2630	LTE-B7	10	2175	2132.5	LTE-B4	10	2580	2180							13.30	12.30		
CA-8A-7A-7A	LTE-B7	10	20850	2510	64QAM	1	0	2850	2630	LTE-B7	10	3350	2650	LTE-B5	10	2570	881.5							13.25	12.30		
CA-8A-7A-3A	LTE-B7	10	20850	2510	64QAM	1	0	2850	2630	LTE-B7	10	3045	3449.8	LTE-B5	10	2570	881.5							13.25	12.30		
CA-7A-16A-11	LTE-B7	10	20850	2510	64QAM	1	0	2850	2630	LTE-B7	10	3350	2650	LTE-B7	10	8865	876.5							13.25	12.30		
CA-7A-66C (1)	LTE-B7	10	20850	2510	64QAM	1	0	2850	2630	LTE-B8b	10	5065	5537.5	LTE-B4b	10	5045	5517.7							13.30	12.30		
CA-7A-66C (2)	LTE-B7	10	20850	2510	64QAM	1	0	2850	2630	LTE-B8b	10	5045	5517.7	LTE-B4b	10	5045	5517.7							13.25	12.30		
CA-7A-66D (1)	LTE-B7	10	20850	2510	64QAM	1	0	2850	2630	LTE-B8b	10	5065	5537.5	LTE-B4b	10	5045	5517.7							13.25	12.30		
CA-7A-66D (2)	LTE-B7	10	20850	2510	64QAM	1	0	2850	2630	LTE-B8b	10	3045	3449.8	LTE-B4b	10	5065	5537.5							13.25	12.30		
CA-2A-4A-7A-7A	LTE-B7	10	20850	2510	64QAM	1	0	2850	2630	LTE-B7	10	3350	2650	LTE-B2	10	905	1560	LTE-B4	20	2175	2132.5			13.03	12.30		
CA-2A-4A-7A-2A	LTE-B7	10	20850	2510	64QAM	1	0	2850	2630	LTE-B7	10	3045	3449.8	LTE-B2	10	905	1560	LTE-B4	20	2175	2132.5			13.03	12.30		
CA-2A-4A-7A-12A	LTE-B7	10	20850	2510	64QAM	1	0	2850	2630	LTE-B2	10	905	1560	LTE-B4	20	2175	2132.5							13.03	12.30		
CA-2A-7A-12A-66A	LTE-B7	10	20850	2510	64QAM	1	0	2850	2630	LTE-B7	10	3350	2650	LTE-B2	10	905	1560	LTE-B4b	20	6678	2448			13.07	12.30		
CA-2A-7A-12A-66A	LTE-B7	10	20850	2510	64QAM	1	0	2850	2630	LTE-B7	10	905	1560	LTE-B2	10	905	1560	LTE-B4b	20	6678	2448			13.07	12.30		
CA-7A-66D	LTE-B7	10	20850	2510	64QAM	1	0	2850	2630	LTE-B7	10	3045	3449.8	LTE-B4	10	5065	5537.5	LTE-B4b	20	5045	5517.7	LTE-B4b	20	5065	5537.5	13.27	13.30

Table 27

Combination	PCB Band	PCC										SSC 1				SSC 2				SSC 3				SSC 4				Power					
		PCC BW [MHz]	PCC [UL] [FHz]	PCC [DL] [FHz]	Mod.	PCC LMR RB	PCC UL RB Offset	PCC CA Channel	PCC [DL] Freq. [MHz]	PCC [UL] Freq. [MHz]	SSC BW [MHz]	SSC [DL] Channel	SSC [DL] Freq. [MHz]	SSC Band	SSC BW [MHz]	SSC [DL] Channel	SSC [DL] Freq. [MHz]	SSC Band	SSC BW [MHz]	SSC [DL] Channel	SSC [DL] Freq. [MHz]	SSC Band	SSC BW [MHz]	SSC [DL] Channel	SSC [DL] Freq. [MHz]	SSC Band	SSC BW [MHz]	SSC [DL] Channel	SSC [DL] Freq. [MHz]	LTE Tx Power with CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)		
CA 7B	LTE B7	15	20925	2507.5	64QAM	1	74	2825	2627.5	LTE B7	5	2918	2036.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15.48	15.48		
CA 5A-7A	LTE B7	20	20950	2510	64QAM	1	99	2850	2630	LTE B5	10	2925	881.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12.40	12.50		
CA 7A-9A	LTE B7	20	20950	2510	64QAM	1	99	2850	2630	LTE B5B	10	8865	876.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12.40	12.50		
CA 7A-6A-1	LTE B7	20	20950	2510	64QAM	1	99	2850	2630	LTE B4B	20	9065	937.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12.40	12.50		
CA 4B-4A-7A (1)	LTE B7	20	20950	2510	64QAM	1	99	2850	2630	LTE B4	20	2175	2122.5	LTE B4	20	2925	2150	-	-	-	-	-	-	-	-	-	-	-	-	-	12.38	12.50	
CA 5A-7A-7A	LTE B7	20	20950	2510	64QAM	1	99	2850	2630	LTE B7	20	3350	2680	LTE B5	10	2925	881.5	-	-	-	-	-	-	-	-	-	-	-	-	-	12.38	12.50	
CA 5A-7C	LTE B7	20	20950	2510	64QAM	1	99	2850	2630	LTE B7	20	3048	2649.8	LTE B5	10	2925	881.5	-	-	-	-	-	-	-	-	-	-	-	-	-	12.38	12.50	
CA 7A-7A-6A	LTE B7	20	20950	2510	64QAM	1	99	2850	2630	LTE B7	20	3350	2680	LTE B5	10	2925	881.5	-	-	-	-	-	-	-	-	-	-	-	-	-	12.38	12.50	
CA 7A-6A-2 (1)	LTE B7	20	20950	2510	64QAM	1	99	2850	2630	LTE B4B	20	9065	937.5	LTE B4B	20	9047	937.7	-	-	-	-	-	-	-	-	-	-	-	-	-	12.29	12.50	
CA 7A-6A	LTE B7	20	20950	2510	64QAM	1	99	2850	2630	LTE B7	20	3048	2649.8	LTE B4B	20	9065	937.5	-	-	-	-	-	-	-	-	-	-	-	-	-	12.35	12.50	
CA 7A-6A-1 (1)	LTE B7	20	20950	2510	64QAM	1	99	2850	2630	LTE B7	20	3048	2649.8	LTE B4B	20	9065	937.7	LTE B4B	20	9062	937.3	-	-	-	-	-	-	-	-	-	12.42	12.50	
CA 7C-4B-6C	LTE B7	20	20950	2510	64QAM	1	99	2850	2630	LTE B7	20	3048	2649.8	LTE B4B	20	9065	937.7	-	-	-	-	-	-	-	-	-	-	-	-	-	12.31	12.50	
CA 2A-4A-7A-7A	LTE B7	20	20950	2510	64QAM	1	99	2850	2630	LTE B7	20	3350	2680	LTE B2	20	9000	1560	LTE B4	20	2175	2122.5	-	-	-	-	-	-	-	-	-	-	12.37	12.50
CA 2A-6A-7C	LTE B7	20	20950	2510	64QAM	1	99	2850	2630	LTE B7	20	3048	2649.8	LTE B2	20	9000	1560	LTE B4	20	2175	2122.5	-	-	-	-	-	-	-	-	-	-	12.37	12.50
CA 2A-7A-12A-12A	LTE B7	20	20950	2510	64QAM	1	99	2850	2630	LTE B7	20	9000	1560	LTE B2	20	2175	2122.5	LTE B12	20	8095		-	-	-	-	-	-	-	-	-	-	12.44	12.50
CA 2A-7A-12A-6A	LTE B7	20	20950	2510	64QAM	1	99	2850	2630	LTE B7	20	3350	2680	LTE B2	20	9000	1560	LTE B8B	20	6678	2348	-	-	-	-	-	-	-	-	-	-	12.38	12.50
CA 2A-7A-12A-6A-1	LTE B7	20	20950	2510	64QAM	1	99	2850	2630	LTE B7	20	3350	2680	LTE B12	20	8142	937.7	LTE B8B	20	6678	2348	-	-	-	-	-	-	-	-	-	-	12.38	12.50
CA 7A-6A-2	LTE B7	20	20950	2510	64QAM	1	99	2850	2630	LTE B7	20	3048	2649.8	LTE B4B	20	9065	937.5	LTE B4B	20	9047	937.7	-	-	-	-	-	-	-	-	-	12.50	12.50	

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device	APPENDIX F: Page 10 of 33

Table 28
Output Powers – Ant 4B

Combination	PCC Band	PCC BW [MHz]	PCC (UL) Ch.	PCC		PCC UL RB	PCC UL RB Offset	PCC (DL) Channel	PCC (DL) Freq. [MHz]	SCC 1			SCC Band	SCC 2			SCC 3			SCC 4			Power				
				PCC (UL) Freq. [MHz]	Mod.					SCC Band	SCC BW [MHz]	SCC (DL) Channel		SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	LTE Tx Power with DL CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)			
CA 1B	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B7	5	2918	2638.8	-	-	-	-	-	-	-	-	-	-	-			
CA 5A-7A	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B5	10	2526	881.5	-	-	-	-	-	-	-	-	-	-	13.27	13.30		
CA 7A-26A	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B26	10	8895	876.5	-	-	-	-	-	-	-	-	-	-	-	13.26	13.30	
CA 7A-46A (1)	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B46	20	50065	5537.5	-	-	-	-	-	-	-	-	-	-	-	13.28	13.30	
CA 4A-5A-7A (1)	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B4	20	21275	2132.5	LTE B4	20	2350	2150	-	-	-	-	-	-	-	-	13.30	13.30
CA 5A-7A-7A	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B7	20	3350	2680	LTE B5	10	2526	881.5	-	-	-	-	-	-	-	-	13.15	13.30
CA 5A-7C	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B7	20	2996	2644.6	LTE B5	10	2526	881.5	-	-	-	-	-	-	-	-	13.24	13.30
CA 7A-7A-26A	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B7	20	3350	2680	LTE B26	10	8895	876.5	-	-	-	-	-	-	-	-	13.23	13.30
CA 7A-46C (1)	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B46	20	50065	5537.5	LTE B46	20	50065	5537.5	-	-	-	-	-	-	-	-	13.22	13.30
CA 7C-46A	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B7	20	2996	2644.6	LTE B46	20	50065	5537.5	-	-	-	-	-	-	-	-	13.19	13.30
CA 7A-46D (1)	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B46	20	50065	5537.5	LTE B46	20	50065	5537.5	LTE B46	20	50065	5537.5	-	-	-	-	13.22	13.30
CA 7C-46C	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B7	20	2996	2644.6	LTE B46	20	50065	5537.5	LTE B46	20	50065	5537.5	-	-	-	-	13.21	13.30
CA 2A-4A-7A-7A	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B7	20	3350	2680	LTE B2	20	900	1960	LTE B4	20	21375	2132.5	-	-	-	-	13.30	13.30
CA 2A-4A-7C	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B7	20	2996	2644.6	LTE B2	20	900	1960	LTE B4	20	21375	2132.5	-	-	-	-	13.30	13.30
CA 2A-4A-7A-12A	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B2	20	900	1960	LTE B4	20	21375	2132.5	LTE B12	10	900	737.5	-	-	-	-	13.29	13.30
CA 2A-7A-7A-66A	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B7	20	3350	2680	LTE B2	20	900	1960	LTE B66	20	60780	2147	-	-	-	-	13.29	13.30
CA 2A-7A-12A-66A	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B2	20	900	1960	LTE B12	10	900	737.5	LTE B66	20	60780	2147	-	-	-	-	13.26	13.30
CA 7C-46D	LTE B7	15	20825	2507.5	64QAM	1	0	20825	2627.5	LTE B7	20	2996	2644.6	LTE B46	20	50065	5537.5	LTE B46	20	50065	5537.5	LTE B46	20	50065	5537.5	13.25	13.30

1.3.11 LTE Band 41 as PCC

Table 29
Output Powers – Ant 2A

Combination	PCC Band	PCC BW [MHz]	PCC (UL) Ch.	PCC		PCC UL RB	PCC UL RB Offset	PCC (DL) Channel	PCC (DL) Freq. [MHz]	SCC 1		SCC 2		SCC 3		SCC 4		Power									
				Mod.	SCC Band					SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	LTE Tx Power with DL CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)					
CA 41A-41A (1)	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	41490	2680	-	-	-	-	-	14.46								
CA 5A-41A	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B5	10	2525	881.5	-	-	-	-	-	14.47								
CA 26A-41A	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B26	10	8895	876.5	-	-	-	-	-	14.47								
CA 41A-41C	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	41292	2660.2	LTE B41	20	41490	2680	-	14.43								
CA 41C-41A	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B41	20	41490	2680	-	14.46								
CA 26A-26A-41A	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B26	20	8895	1862.5	LTE B26	20	8895	1862.5	-	14.47								
CA 26A-41C	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B26	10	8895	1862.5	-	14.47								
CA 26A-41C	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B26	10	8895	1862.5	-	14.46								
CA 41E	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B41	20	40146	2545.6	LTE B41	20	40344	2566.4	-	14.45				
CA 41A-41D	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	41292	2660.2	LTE B41	20	41292	2660.2	LTE B41	20	41490	2680	-	14.47				
CA 41C-41D	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B41	20	40146	2545.6	LTE B41	20	41490	2680	-	14.45				
CA 41C-41C	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B41	20	41292	2660.2	LTE B41	20	41490	2680	-	14.47				
CA 26A-26A-41C	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B26	10	8895	1862.5	LTE B26	10	8895	1862.5	-	14.47				
CA 41C-41D	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B41	20	41292	2660.2	LTE B41	20	41490	2680	-	14.43				
CA 41D-41C	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B41	20	40146	2545.6	LTE B41	20	41292	2660.2	LTE B41	20	41490	2680	14.42	14.46
CA 26A-26A-41D	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B41	20	40146	2545.6	LTE B26	10	8895	1862.5	LTE B26	20	8895	1862.5	14.46	14.46

Table 30
Output Powers – Ant 2B

Combination	PCC Band	PCC BW [MHz]	PCC (UL) Ch.	PCC		PCC UL RB	PCC UL RB Offset	PCC (DL) Channel	PCC (DL) Freq. [MHz]	SCC1		SCC Band	SCC2		SCC Band	SCC3		SCC Band	SCC4		Power				
				PCC (UL) Freq. [MHz]	Mod.					SCC (DL) Channel	SCC (DL) Freq. [MHz]		SCC (DL) Channel	SCC (DL) Freq. [MHz]		SCC (DL) Channel	SCC (DL) Freq. [MHz]		SCC (DL) Channel	SCC (DL) Freq. [MHz]	LTE Tx Power with DL CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)			
CA 41A-41A (1)	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	41490	2680	-	-	-	-	-	-	-	-	14.18	14.18		
CA 5A-41A	LTE B41	20	39750	2506	16QAM	1	50	39750	2506	LTE B5	10	2525	881.5	-	-	-	-	-	-	-	-	14.18	14.18		
CA 26A-41A	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B26	10	8895	876.5	-	-	-	-	-	-	-	-	14.19	14.19		
CA 41A-41C	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	41292	2660.2	LTE B41	20	41490	2680	-	-	-	-	-	14.19	14.20	
CA 41C-41A	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B41	20	41490	2680	-	-	-	-	-	14.19	14.20	
CA 26A-26A-41A	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	LTE B26	20	8895	1862.5	LTE B26	20	8895	1862.5	-	-	-	-	-	14.19	14.20	
CA 26A-41C	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B26	10	8895	1862.5	-	-	-	-	-	14.19	14.20	
CA 26A-41C	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B26	10	8895	1862.5	-	-	-	-	-	14.16	14.20	
CA 41E	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B41	20	40119	2542.9	LTE B41	20	40317	2562.7	-	-	14.20	14.20
CA 41A-41D	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	41292	2660.2	LTE B41	20	41490	2680	-	-	-	-	-	14.20	14.20	
CA 41D-41A	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B41	20	40317	2542.9	LTE B41	20	41490	2680	-	-	14.20	14.20
CA 41C-41C	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B41	20	41292	2660.2	LTE B41	20	41490	2680	-	-	14.20	14.20
CA 26A-26A-41C	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B26	10	8895	1862.5	LTE B26	20	8895	1862.5	-	-	14.19	14.20
CA 41C-41C	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B41	20	41292	2660.2	LTE B41	20	41490	2680	-	-	14.20	14.20
CA 41A-41D	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B41	20	40317	2542.9	LTE B41	20	41490	2680	-	-	14.20	14.20
CA 26A-26A-41D	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	LTE B41	20	39948	2526.8	LTE B26	10	8895	1862.5	LTE B26	20	8895	1862.5	-	-	14.20	14.20

Table 32
Output Powers – Ant 4B

Combination	PCC Band	PCC BW [MHz]	PCC [UL] Ch.	PCC [UL] Freq. [MHz]	Mod.	PCC UL RB	PCC UL RB Offset	PCC [DL] Channel	PCC [DL] Freq. [MHz]	SCC 1			SCC 2			SCC 3			SCC 4			LTE Tx Power with DL CA Enabled [dBm]	LTE Single Carrier Tx Power [dBm]
										SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]		
CA 41A-41A (1)	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	LTE B41	20	41490	2680	-	-	-	-	-	-	-	-	13.85	13.90
CA 5A-41A	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	LTE B5	10	2525	881.5	-	-	-	-	-	-	-	-	15.87	15.90
CA 25A-41A	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	LTE B26	20	8865	876.5	-	-	-	-	-	-	-	-	15.85	15.90
CA 41A-41C	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	LTE B41	20	41292	2660.2	LTE B41	20	41490	2680	-	-	-	-	13.82	13.90
CA 41C-41A	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	LTE B41	20	39948	2626.8	LTE B41	20	41490	2680	-	-	-	-	13.84	13.90
CA 25A-25A-41A	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	LTE B26	20	8865	1862.5	LTE B26	20	8865	1862.5	-	-	-	-	13.73	13.90
CA 25A-41C	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	LTE B41	20	39948	2626.8	LTE B26	20	8865	1862.5	-	-	-	-	13.74	13.90
CA 25A-41D	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	LTE B41	20	39948	2626.8	LTE B26	20	8865	876.5	-	-	-	-	13.68	13.90
CA 41E	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	LTE B41	20	39948	2626.8	LTE B41	20	40146	2545.6	LTE B41	20	40344	2565.4	13.88	13.90
CA 41A-41D	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	LTE B41	20	41084	2640.4	LTE B41	20	41292	2660.2	LTE B41	20	41490	2680	13.81	13.90
CA 41D-41A	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	LTE B41	20	39948	2626.8	LTE B41	20	40146	2545.6	LTE B41	20	41490	2680	13.86	13.90
CA 41C-41C	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	LTE B41	20	39948	2626.8	LTE B41	20	41292	2660.2	LTE B41	20	41490	2680	13.87	13.90
CA 25A-25A-41C	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	LTE B41	20	39948	2626.8	LTE B26	20	8865	1862.5	LTE B26	20	8865	1862.5	13.72	13.90
CA 41C-41D	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	LTE B41	20	39948	2626.8	LTE B41	20	40344	2545.6	LTE B41	20	41292	2660.2	13.89	13.90
CA 41D-41C	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	LTE B41	20	39948	2626.8	LTE B41	20	40146	2545.6	LTE B41	20	41292	2660.2	13.90	13.90
CA 25A-25A-41D	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	LTE B41	20	39948	2626.8	LTE B41	20	40146	2545.6	LTE B26	20	8865	1862.5	13.90	13.90

1.3.12

LTE Band 41 PC2 as PCC

Table 33
Output Powers – Ant 2A

Combination	PCC Band	PCC BW [MHz]	PCC [UL] Ch.	PCC [UL] Freq. [MHz]	Mod.	PCC UL RB	PCC UL RB Offset	PCC [DL] Channel	PCC [DL] Freq. [MHz]	SCC 1			SCC 2			SCC 3			SCC 4			LTE Tx Power with DL CA Enabled [dBm]	LTE Single Carrier Tx Power [dBm]
										SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]		
CA 41A-41A (1)	LTE B41 PC2	10	39750	2506	64QAM	1	0	39750	2506	LTE B41 PC2	20	41490	2680	-	-	-	-	-	-	-	-	14.14	14.14
CA 5A-41A	LTE B41 PC2	20	39750	2506	64QAM	1	0	39750	2506	LTE B5	10	2525	881.5	-	-	-	-	-	-	-	-	14.14	14.14
CA 25A-41A	LTE B41 PC2	10	39750	2506	64QAM	1	0	39750	2506	LTE B26	20	8865	876.5	-	-	-	-	-	-	-	-	14.10	14.14
CA 41A-41C	LTE B41 PC2	10	39750	2506	64QAM	1	0	39750	2506	LTE B41 PC2	20	41292	2660.2	LTE B41 PC2	20	41490	2680	-	-	-	-	14.12	14.14
CA 41C-41A	LTE B41 PC2	10	39750	2506	64QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B41 PC2	20	41490	2680	-	-	-	-	14.38	14.14
CA 25A-25A-41A	LTE B41 PC2	10	39750	2506	64QAM	1	0	39750	2506	LTE B26	20	8865	1862.5	LTE B26	20	8865	1862.5	-	-	-	-	14.40	14.14
CA 25A-41C	LTE B41 PC2	10	39750	2506	64QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B26	20	8865	1862.5	-	-	-	-	14.44	14.14
CA 25A-41D	LTE B41 PC2	10	39750	2506	64QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B26	20	8865	876.5	-	-	-	-	14.39	14.14
CA 41E	LTE B41 PC2	15	39750	2506	64QAM	1	0	39750	2506	LTE B41 PC2	20	39921	2623.1	LTE B41 PC2	20	40119	2542.9	LTE B41 PC2	20	40317	2562.7	14.46	14.14
CA 41A-41D	LTE B41 PC2	10	39750	2506	64QAM	1	0	39750	2506	LTE B41 PC2	20	41084	2640.4	LTE B41 PC2	20	41292	2660.2	LTE B41 PC2	20	41490	2680	14.44	14.14
CA 41D-41A	LTE B41 PC2	10	39750	2506	64QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B41 PC2	20	40344	2540.2	LTE B41 PC2	20	41490	2680	14.44	14.14
CA 41C-41C	LTE B41 PC2	10	39750	2506	64QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B41 PC2	20	41292	2660.2	LTE B41 PC2	20	41490	2680	14.44	14.14
CA 25A-25A-41C	LTE B41 PC2	10	39750	2506	64QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B26	20	8865	1862.5	LTE B26	20	8865	1862.5	14.44	14.14
CA 41C-41D	LTE B41 PC2	10	39750	2506	64QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B41 PC2	20	40344	2540.2	LTE B41 PC2	20	41292	2660.2	14.39	14.14
CA 41D-41C	LTE B41 PC2	10	39750	2506	64QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B41 PC2	20	40344	2540.2	LTE B41 PC2	20	41292	2660.2	14.10	14.14
CA 25A-25A-41D	LTE B41 PC2	10	39750	2506	64QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B41 PC2	20	40344	2540.2	LTE B26	20	8865	1862.5	14.42	14.14

Table 34
Output Powers – Ant 2B

PCC																			SCC 1			SCC 2			SCC 3			SCC 4			Power	
Combination	PCC Band	PCC BW [MHz]	PCC [UL] Ch.	PCC [UL] Freq. [MHz]	Mod.	PCC UL RB	PCC UL RB Offset	PCC [DL] Channel	PCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	LTE Tx Power with DL CA Enabled [dBm]	LTE Single Carrier Tx Power [dBm]					
CA 41A-41A (1)	LTE B41 PC2	10	39750	2506	16QAM	1	0	39750	2506	LTE B41 PC2	20	41490	2680	-	-	-	-	-	-	-	-	-	-	-	-	-	14.18	14.18				
CA 5A-41A	LTE B41 PC2	20	39750	2506	64QAM	1	0	39750	2506	LTE B5	10	2525	881.5	-	-	-	-	-	-	-	-	-	-	-	-	-	13.86	14.14				
CA 25A-41A	LTE B41 PC2	20	39750	2506	16QAM	1	0	39750	2506	LTE B26	20	8865	876.5	-	-	-	-	-	-	-	-	-	-	-	-	-	13.89	14.18				
CA 41A-41C	LTE B41 PC2	10	39750	2506	16QAM	1	0	39750	2506	LTE B41 PC2	20	41292	2660.2	LTE B41 PC2	20	41490	2680	-	-	-	-	-	-	-	-	-	13.87	14.18				
CA 41C-41A	LTE B41 PC2	10	39750	2506	16QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B41 PC2	20	41490	2680	-	-	-	-	-	-	-	-	-	13.89	14.18				
CA 25A-25A-41A	LTE B41 PC2	10	39750	2506	16QAM	1	0	39750	2506	LTE B26	20	8865	1862.5	LTE B26	20	8865	1862.5	-	-	-	-	-	-	-	-	-	13.85	14.18				
CA 25A-41C	LTE B41 PC2	10	39750	2506	16QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B26	20	8865	1862.5	-	-	-	-	-	-	-	-	-	13.67	14.18				
CA 25A-41D	LTE B41 PC2	10	39750	2506	16QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B26	20	8865	876.5	-	-	-	-	-	-	-	-	-	13.79	14.18				
CA 41E	LTE B41 PC2	15	39750	2506	16QAM	1	0	39750	2506	LTE B41 PC2	20	39921	2623.1	LTE B41 PC2	20	40119	2542.9	LTE B41 PC2	20	40317	2562.7	-	-	-	-	-	13.90	14.18				
CA 41A-41D	LTE B41 PC2	10	39750	2506	16QAM	1	0	39750	2506	LTE B41 PC2	20	41084	2640.4	LTE B41 PC2	20	41292	2660.2	LTE B41 PC2	20	41490	2680	-	-	-	-	-	13.80	14.18				
CA 41D-41A	LTE B41 PC2	10	39750	2506	16QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B41 PC2	20	40344	2540.2	LTE B41 PC2	20	41490	2680	-	-	-	-	-	13.89	14.18				
CA 41C-41C	LTE B41 PC2	10	39750	2506	16QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B41 PC2	20	41292	2660.2	LTE B41 PC2	20	41490	2680	-	-	-	-	-	13.80	14.18				
CA 25A-25A-41C	LTE B41 PC2	10	39750	2506	16QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B26	20	8865	1862.5	LTE B26	20	8865	1862.5	-	-	-	-	-	14.18	14.18				
CA 41C-41D	LTE B41 PC2	10	39750	2506	16QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B41 PC2	20	40344	2540.2	LTE B41 PC2	20	41292	2660.2	LTE B41 PC2	20	41490	2680	14.20	14.18					
CA 41D-41C	LTE B41 PC2	10	39750	2506	16QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B41 PC2	20	40344	2540.2	LTE B41 PC2	20	41292	2660.2	LTE B41 PC2	20	41490	2680	14.20	14.18					
CA 25A-25A-41D	LTE B41 PC2	10	39750	2506	16QAM	1	0	39750	2506	LTE B41 PC2	20	39948	2620.4	LTE B26	20	8865	1862.5	LTE B26	20	8865	1862.5	-	-	-	-	-	14.20	14.18				

Output Powers – Ant 4B

Combination		PCC Band	PCC				SCC 1				SCC 2				SCC 3				SCC 4				Power		
			PCC BW [MHz]	PCC [UL] Ch.	PCC [DL] Freq. [MHz]	Mod.	PCC ICR RB	PCC UL RB Offset	PCC [DL] Channel	PCC [DL] Freq. [MHz]	SCC BW [MHz]	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	LTE Power with CA Enabled (dBm)
CA 4A-41A (1)	LTE B41 PC2	20	40620	2593	1560M	1	0	40620	2593	LTE B41 PC2	20	41490	2680											13.90	13.90
CA 5A-41A	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B8	10	2525	881.5											13.60	13.50
CA 5A-25A	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B8	10	2525	881.5											13.60	13.50
CA 41A-41C	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B41 PC2	20	41292	2660.2	LTE B41 PC2	20	41490	2680							13.89	13.90
CA 41C-41A	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B41 PC2	20	40818	2612.8	LTE B41 PC2	20	39750	2506							13.84	13.50
CA 5A-25A-41A	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B8	10	2525	881.5	LTE B8	10	8090	1985							13.90	13.50
CA 25A-41C	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B41 PC2	20	40818	2612.8	LTE B25	20	8090	1982.5							13.90	13.50
CA 25A-41C	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B41 PC2	20	40818	2612.8	LTE B25	20	8090	1982.5							13.87	13.50
CA 41A-41D	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B41 PC2	20	40818	2612.8	LTE B41 PC2	20	40818	2612.8	LTE B41 PC2	20	40818	2612.8			13.87	13.50
CA 41D-41A	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B41 PC2	20	40818	2612.8	LTE B41 PC2	20	40818	2612.8	LTE B41 PC2	20	40818	2612.8			13.87	13.50
CA 5A-25A-41C	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B8	10	2525	881.5	LTE B25	20	8090	1982.5							13.89	13.50
CA 41A-41D	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B41 PC2	20	40818	2612.8	LTE B41 PC2	20	40818	2612.8	LTE B41 PC2	20	40818	2612.8			13.87	13.50
CA 41D-41A	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B41 PC2	20	40818	2612.8	LTE B41 PC2	20	40818	2612.8	LTE B41 PC2	20	40818	2612.8			13.87	13.50
CA 5A-25A-41C	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B8	10	2525	881.5	LTE B25	20	8090	1982.5							13.89	13.50
CA 41A-41D	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B41 PC2	20	40818	2612.8	LTE B41 PC2	20	40818	2612.8	LTE B41 PC2	20	40818	2612.8			13.87	13.50
CA 41D-41A	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B41 PC2	20	40818	2612.8	LTE B41 PC2	20	40818	2612.8	LTE B41 PC2	20	40818	2612.8			13.87	13.50
CA 5A-25A-41C	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B8	10	2525	881.5	LTE B25	20	8090	1982.5							13.89	13.50
CA 41A-41D	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B41 PC2	20	40818	2612.8	LTE B41 PC2	20	40818	2612.8	LTE B41 PC2	20	40818	2612.8			13.87	13.50
CA 41D-41A	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B41 PC2	20	40818	2612.8	LTE B41 PC2	20	40818	2612.8	LTE B41 PC2	20	40818	2612.8			13.87	13.50
CA 5A-25A-41C	LTE B41 PC2	20	40620	2593	1600M	1	0	40620	2593	LTE B8	10	2525	881.5	LTE B25	20	8090	1982.5							13.89	13.50

LTE Band 48 as PCC

Output Powers – Ant 1

[illegible]

Output Powers – Ant 3

[illegible]

Output Powers – Ant 2B

Combination	PCB Band	PCB BW [MHz]	PCC				SCS1				SCS2				SCS3				SCS4				SCS5				Power	
			PCB (LH) Ch	PCB (RL) Freq [MHz]	Mod.	PCB IAB RB Offset	PCB (DL) Channel	PCB (DL) Freq [MHz]	SCB Band	SCB BW [MHz]	SCB (DL) Channel	SCB (DL) Freq [MHz]	SCB Band	SCB BW [MHz]	SCB (DL) Channel	SCB (DL) Freq [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq [MHz]	LTE Tx Power [dBm]	LTE Single Carrier Power [dBm]		
CA-SA-66A	1.7E-64B	20	56640	56640	QPSK	50	50	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	15.20	15.20	
CA-2A-66A-66B	1.7E-64B	20	56640	56640	QPSK	50	50	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	15.20	15.20	
CA-1A-66A-66B	1.7E-64B	20	56640	56640	QPSK	50	50	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	15.20	15.20	
CA-4A-66A-66B	1.7E-64B	20	56640	56640	QPSK	50	50	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	15.20	15.20	
CA-5A-66A-66B	1.7E-64B	20	56640	56640	QPSK	50	50	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	15.20	15.20	
CA-6A-66A-66B	1.7E-64B	20	56640	56640	QPSK	50	50	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	15.20	15.20	
CA-7A-66A-66B	1.7E-64B	20	56640	56640	QPSK	50	50	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	15.20	15.20	
CA-8A-66A-66B	1.7E-64B	20	56640	56640	QPSK	50	50	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	15.20	15.20	
CA-9A-66A-66B	1.7E-64B	20	56640	56640	QPSK	50	50	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	15.20	15.20	
CA-10A-66A-66B	1.7E-64B	20	56640	56640	QPSK	50	50	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	15.20	15.20	
CA-11A-66A-66B	1.7E-64B	20	56640	56640	QPSK	50	50	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	15.20	15.20	
CA-12A-66A-66B	1.7E-64B	20	56640	56640	QPSK	50	50	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	15.20	15.20	
CA-13A-66A-66B	1.7E-64B	20	56640	56640	QPSK	50	50	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	1.7E-64B	20	56640	56640	15.20	15.20	

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device	APPENDIX F: Page 13 of 33

Table 40

Output Powers – Ant 4B

Combination	PCB Band	PCB BW [MHz]	PCB [DL] Ch Freq. [MHz]	PCC				SCS1				SCS2				SCS3				SCS4				SCS5				LTE TDD with CA	LTE Single Carrier Tx Power [dBm]
				Mod.	PCB UA RB	PCB UA RB Offset	PCB [DL] Channel	PCB [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Ch Freq. [MHz]	SCC Band	SCC [DL] Ch Freq. [MHz]	SCC Band	SCC [DL] Ch Freq. [MHz]	SCC Band	SCC [DL] Ch Freq. [MHz]	SCC Band	SCC [DL] Ch Freq. [MHz]	SCC Band	SCC [DL] Ch Freq. [MHz]	SCC Band	SCC [DL] Ch Freq. [MHz]						
CA 5A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 13A-4A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 13A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 2A-4A-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	50	50		
CA 40C-40A-5A	LTE B48	10	50200	3555	QPSK	1	48	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20	50200	3555	LTE B48	20						

1.4 DL CA with DL 4x4 MIMO RF Conduction Powers

This device supports downlink 4x4 MIMO operations for some LTE bands. Uplink transmission is limited to a single output stream. When carrier aggregation was applicable, the general test selection and setup procedures described in Section 1.2 were applied.

Per May 2017 TCB Workshop Notes, SAR for 4x4 DL MIMO was not needed since the maximum average output power in 4x4 DL MIMO mode was not more than 0.25 dB higher than the maximum output power with 4x4 DL MIMO inactive. Additionally, SAR for 4x4 MIMO Downlink Carrier Aggregation was not needed since the maximum average output power in 4x4 MIMO Downlink Carrier Aggregation mode was not more than 0.25 dB higher than the maximum output power with 4x4 MIMO Downlink and downlink carrier aggregation inactive.

1.4.1 LTE 4x4 MIMO DL Standalone Powers

Table 41

Output Powers – Ant 1

LTE Band	Bandwidth [MHz]	Channel	Frequency [MHz]	Modulation	RB Size	RB Offset	4x4 DL MIMO Tx. Power [dBm]	Single Antenna Tx. Power [dBm]	Maximum allowed Power [dBm]
48	10	55757	3601.7	64QAM	1	49	15.30	15.29	15.30

Table 42

Output Powers – Ant 3

LTE Band	Bandwidth [MHz]	Channel	Frequency [MHz]	Modulation	RB Size	RB Offset	4x4 DL MIMO Tx. Power [dBm]	Single Antenna Tx. Power [dBm]	Max allowed Power [dBm]
48	15	56215	3647.5	64QAM	1	0	16.42	16.43	16.50

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device	APPENDIX F: Page 14 of 33

Table 43
Output Powers – Ant 2A

LTE Band	Bandwidth [MHz]	Channel	Frequency [MHz]	Modulation	RB Size	RB Offset	4x4 DL MIMO Tx. Power [dBm]	Single Antenna Tx. Power [dBm]
66	20	132072	1720	64QAM	1	99	14.12	14.50
25	20	26590	1905	16QAM	1	50	14.70	15.06
7	20	20850	2510	64QAM	1	50	12.11	12.44
30	5	27710	2310	64QAM	1	12	11.90	12.27
41	20	39750	2506	16QAM	1	0	14.53	14.46
41 PC2	10	39750	2506	64QAM	1	0	14.47	14.42

Table 44
Output Powers – Ant 2B

LTE Band	Bandwidth [MHz]	Channel	Frequency [MHz]	Modulation	RB Size	RB Offset	4x4 DL MIMO Tx. Power [dBm]	Single Antenna Tx. Power [dBm]	Maximum allowed Power [dBm]
66	20	132072	1720	64QAM	1	99	14.55	14.60	14.90
25	1.4	26683	1914.3	64QAM	1	2	14.09	14.10	14.10
7	20	20850	2510	64QAM	1	0	12.24	12.30	12.30
30	10	27710	2310	QPSK	25	25	13.08	13.15	13.40
41	10	39750	2506	16QAM	1	0	14.14	14.20	14.20
41 PC2	10	39750	2506	16QAM	1	0	14.15	14.18	14.20
48	20	56640	3690	QPSK	50	50	15.26	15.23	15.30

Table 45
Output Powers – Ant 4A

LTE Band	Bandwidth [MHz]	Channel	Frequency [MHz]	Modulation	RB Size	RB Offset	4x4 DL MIMO Tx. Power [dBm]	Single Antenna Tx. Power [dBm]	Max allowed Power [dBm]
66	20	132072	1720	16QAM	1	50	14.47	14.49	14.50
25	20	26590	1905	QPSK	1	50	14.86	14.90	14.90
7	20	20850	2510	64QAM	1	99	12.46	12.50	12.50
30	5	27710	2310	64QAM	1	24	12.69	12.70	13.20
41	15	39750	2506	QPSK	1	0	14.07	14.15	14.20
41 PC2	20	39750	2506	16QAM	1	50	14.14	14.20	14.20

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device	APPENDIX F: Page 15 of 33

Table 46
Output Powers – Ant 4B

LTE Band	Bandwidth [MHz]	Channel	Frequency [MHz]	Modulation	RB Size	RB Offset	4x4 DL MIMO Tx. Power [dBm]	Single Antenna Tx. Power [dBm]	Max Allowed Power [dBm]
66	20	132072	1720	QPSK	1	0	14.01	14.05	14.50
25	15	26115	1857.5	16QAM	1	0	14.07	14.12	14.70
7	15	20825	2507.5	64QAM	1	0	13.25	13.30	13.30
30	10	27710	2310	QPSK	25	25	13.43	13.47	13.70
41	20	39750	2506	16QAM	1	99	15.80	15.90	15.90
41 PC2	20	40620	2593	16QAM	1	0	15.79	15.90	15.90
48	10	55290	3555	QPSK	1	49	16.15	16.23	16.30

1.4.2 LTE Band 71 as PCC

Table 47
Output Powers – Ant 1

Combination	PCC										SCC 1					SCC 2					SCC 3					Power									
	PCC Band	PCC BW [MHz]	PCC [UL] Ch.	PCC [UL] Freq. [MHz]	Mod.	PCC UL# RB	PCC UL RB Offset	PCC [DL] Ch.	PCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	LTE Tx Power with DL CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)			
CA [4A]-[4A]-71A	LTE B71	20	133297	680.5	QPSK	1	99	68761	634.5	2x2	LTE B4	20	2175	2132.5	4x4	LTE B4	10	2350	2150	4x4	-	-	-	-	-	-	-	-	-	-	-	-	19.77	19.80	
CA [2A]-[4A]-71A	LTE B71	20	133297	680.5	QPSK	1	99	68761	634.5	2x2	LTE B2	20	900	1960	4x4	LTE B4	20	2175	2132.5	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	19.76	19.80
CA [2A]-[2A]-[66A]-71A	LTE B71	20	133297	680.5	QPSK	1	99	68761	634.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B66	20	66786	2145	4x4	LTE B66	20	66786	2145	4x4	-	-	-	19.80	19.80
CA [2A]-[66A]-[66A]-71A	LTE B71	20	133297	680.5	QPSK	1	99	68761	634.5	2x2	LTE B2	20	900	1960	4x4	LTE B66	20	66786	2145	4x4	LTE B66	20	66786	2145	4x4	LTE B66	20	66786	2145	4x4	-	-	-	19.77	19.80
CA [2A]-[66C]-71A	LTE B71	20	133297	680.5	QPSK	1	99	68761	634.5	2x2	LTE B2	20	900	1960	4x4	LTE B66	20	66786	2145	4x4	LTE B66	20	66786	2145	4x4	LTE B66	20	66984	2164.8	4x4	-	-	-	19.78	19.80

Table 48
Output Powers – Ant 3

Combination	PCC Band	PCC										SCC 1					SCC 2					SCC 3					Power					
		PCC BW [MHz]	PCC [UL] Ch.	PCC [UL] Freq. [MHz]	Mod.	PCC UL# RB	PCC UL RB Offset	PCC [DL] Ch.	PCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	LTE Tx Power with DL CA Enabled (dBm)	LTE Single Carrier Tx Power (dbm)					
CA [4A]-[4A]-71A	LTE B71	10	133297	680.5	64QAM	1	49	68761	634.5	2x2	LTE B4	20	2175	2132.5	4x4	LTE B4	10	2350	2150	4x4	-	-	-	-	-	-	-	21.94	21.95			
CA [2A]-[4A]-71A	LTE B71	10	133297	680.5	64QAM	1	49	68761	634.5	2x2	LTE B2	20	900	1960	4x4	LTE B4	20	2175	2132.5	4x4	-	-	-	-	-	-	-	21.92	21.95			
CA [2A]-[66A]-71A	LTE B71	10	133297	680.5	64QAM	1	49	68761	634.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B66	20	66786	2145	4x4	LTE B66	20	66786	2145	4x4	21.74	21.95
CA [2A]-[66B]-[66A]-71A	LTE B71	10	133297	680.5	64QAM	1	49	68761	634.5	2x2	LTE B2	20	900	1960	4x4	LTE B66	20	66786	2145	4x4	LTE B66	20	66786	2145	4x4	LTE B66	20	66984	2164.8	4x4	21.72	21.95

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device		APPENDIX F: Page 16 of 33

LTE Band 12 as PCC

Table 49
Output Powers – Ant 1

Combination		PCC										SCC1				SCC2				SCC3				SCC4				Power										
		PCC Band	PCC BW [MHz]	PCC [UL] [MHz]	PCC [DL] [MHz]	Mod.	PCC UL RB	PCC UL RB Offset	PCC [UL] [MHz]	PCC [DL] [MHz]	PCC [UL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	LTE Tx Power with SC CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)				
CA [2A]12A (1)	LTE B12	10	23095	707.5	707.5	QPSK	1	0	5095	737.5	2x2	LTE B82	20	900	1960	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CA [4A]12A (1)	LTE B12	10	23095	707.5	707.5	QPSK	1	0	5095	737.5	2x2	LTE B84	20	2175	2123.5	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CA [4A]12A (2A)	LTE B12	10	23095	707.5	707.5	QPSK	1	0	5095	737.5	2x2	LTE B84	20	2175	2123.5	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CA [2A]12A (5A)	LTE B12	10	23095	707.5	707.5	QPSK	1	0	5095	737.5	2x2	LTE B82S	20	8365	1982.5	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CA [2A]16A (3)	LTE B12	10	23095	707.5	707.5	QPSK	1	0	5095	737.5	2x2	LTE B86S	20	66786	2145	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CA [2A]16A (4)	LTE B12	10	23095	707.5	707.5	QPSK	1	0	5095	737.5	2x2	LTE B86S	20	66786	2145	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CA [2C]12A	LTE B12	10	23095	707.5	707.5	QPSK	1	0	5095	737.5	2x2	LTE B82	20	900	1960	4x4	LTE B82	20	900	1960	4x4	LTE B82	20	900	1960	4x4	LTE B82	20	900	1960	4x4	LTE B82	20	900	1960	4x4	21.47	21.49
CA [2A] [4A]12A (12B)	LTE B12	10	23155	713.5	713.5	16QAM	1	24	5155	743.5	2x2	LTE B12	10	5093	736.3	2x2	LTE B82	20	900	1960	4x4	LTE B82	20	900	1960	4x4	LTE B82	20	900	1960	4x4	LTE B82	20	900	1960	4x4	21.26	21.30
CA [4A] [4A]12A (1)	LTE B12	5	23155	713.5	713.5	16QAM	1	24	5155	743.5	2x2	LTE B12	10	5093	736.3	2x2	LTE B84	20	2175	2123.5	4x4	LTE B84	20	2175	2123.5	4x4	LTE B84	20	2175	2123.5	4x4	LTE B84	20	2175	2123.5	4x4	21.27	21.30
CA [2A] [2A] [2A]12A (1)	LTE B12	10	23095	707.5	707.5	QPSK	1	0	5095	737.5	2x2	LTE B82	20	900	1960	4x4	LTE B82	20	900	1960	4x4	LTE B82	20	900	1960	4x4	LTE B82	20	900	1960	4x4	LTE B82	20	900	1960	4x4	21.39	21.49
CA [2A] [2A] [2A]12A (1A)	LTE B12	10	23095	707.5	707.5	QPSK	1	0	5095	737.5	2x2	LTE B82	20	900	1960	4x4	LTE B82	20	900	1960	4x4	LTE B82	20</															

Table 50
Output Powers – Ant 3

Combination	PCB Band	PCF BW [MHz]	PCF [UL] Freq. [MHz]	Mod.	PCF CC				SCC 1				DL Ant. Config.	SCC 2				DL Ant. Config.	SCC 3				DL Ant. Config.	SCC 4				Power		
					PCF RB	PCF UL RB Offset	PCF [DL] Ch.	PCF [UL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]		SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]		SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]		SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	LTE Tx Power with CA Enabled [dBm]	LTE Single Carrier Tx Power [dBm]	
CA (2A)-(3A) (1)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B12	20	900	1960	4x4													19.70	19.80	
CA (4A)-(3A) (2)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B4	20	2175	2132.5	4x4													19.70	19.80	
CA (4A)-(3A) (3)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B4	20	2175	2132.5	4x4													19.70	19.80	
CA (3A)-(2A) (1)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B12	20	900	1960	4x4													19.70	19.80	
CA (3A)-(4A) (1)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B06	20	6678.6	2145	4x4													19.76	19.80	
CA (4A)-(4A) (1)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B06	20	6678.6	2145	4x4													19.76	19.80	
CA (3A)-(3A) (1)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B12	20	900	1960	4x4													19.70	19.80	
CA (3A)-(3A) (2)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B12	20	900	1960	4x4													19.70	19.80	
CA (2A)-(4A)-(2B) (1)	LTE B12	5	23035	701.5	1GQAM	1	12	5035	731.5	2x2	LTE B12	20	5107	738.7	2x2	LTE B12	20	900	1960	4x4									19.71	19.80
CA (4A)-(4A)-(2B) (1)	LTE B12	5	23035	701.5	1GQAM	1	12	5035	731.5	2x2	LTE B12	20	5107	738.7	2x2	LTE B4	20	2175	2132.5	4x4									19.71	19.80
CA (2A)-(2A)-(2A)-(2B) (1)	LTE B12	5	23035	701.5	1GQAM	1	12	5035	731.5	2x2	LTE B12	20	5107	738.7	2x2	LTE B4	20	2175	2132.5	4x4									19.71	19.80
CA (2A)-(2A)-(2A)-(2B) (2)	LTE B12	5	23035	701.5	1GQAM	1	12	5035	731.5	2x2	LTE B12	20	5107	738.7	2x2	LTE B4	20	2175	2132.5	4x4									19.71	19.80
CA (2A)-(2A)-(2A)-(2B) (3)	LTE B12	5	23035	701.5	1GQAM	1	12	5035	731.5	2x2	LTE B12	20	5107	738.7	2x2	LTE B4	20	2175	2132.5	4x4									19.71	19.80
CA (2A)-(2A)-(2A)-(2B) (4)	LTE B12	5	23035	701.5	1GQAM	1	12	5035	731.5	2x2	LTE B12	20	5107	738.7	2x2	LTE B4	20	2175	2132.5	4x4									19.71	19.80
CA (2A)-(2A)-(2A)-(2B) (5)	LTE B12	5	23035	701.5	1GQAM	1	12	5035	731.5	2x2	LTE B12	20	5107	738.7	2x2	LTE B4	20	2175	2132.5	4x4									19.71	19.80
CA (2A)-(2A)-(2A)-(2B) (6)	LTE B12	5	23035	701.5	1GQAM	1	12	5035	731.5	2x2	LTE B12	20	5107	738.7	2x2	LTE B4	20	2175	2132.5	4x4									19.71	19.80
CA (2A)-(4A)-(2A) (1)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B12	20	900	1960	4x4													19.73	19.80	
CA (2A)-(4A)-(2A) (2)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B12	20	900	1960	4x4													19.73	19.80	
CA (2A)-(4A)-(2A) (3)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B12	20	900	1960	4x4													19.73	19.80	
CA (2A)-(4A)-(2A) (4)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B12	20	900	1960	4x4													19.73	19.80	
CA (2A)-(4A)-(2A) (5)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B12	20	900	1960	4x4													19.73	19.80	
CA (2A)-(4A)-(2A) (6)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B12	20	900	1960	4x4													19.73	19.80	
CA (2A)-(2A)-(2A)-(4A) (1)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B12	20	900	1960	4x4													19.69	19.80	
CA (2A)-(2A)-(2A)-(4A) (2)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B12	20	900	1960	4x4													19.69	19.80	
CA (2A)-(2A)-(2A)-(4A) (3)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B12	20	900	1960	4x4													19.69	19.80	
CA (2A)-(2A)-(2A)-(4A) (4)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B12	20	900	1960	4x4													19.69	19.80	
CA (2A)-(2A)-(2A)-(4A) (5)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B12	20	900	1960	4x4													19.69	19.80	
CA (2A)-(2A)-(2A)-(4A) (6)	LTE B12	10	23095	707.5	1GQAM	1	49	5095	737.5	2x2	LTE B12	20	900	1960	4x4													19.69	19.80	

LTE Band 13 as PCC

Table 51
Output Powers – Ant 1

[illegible]

Table 52
Output Powers – Ant 3

Combination	PCB Band	PCB BW [MHz]	PCF [UL] Freq. [MHz]	PCF [UL] Freq. Offset	PCC				SCC 1				SCC 2				SCC 3				SCC 4				Power		
					PCC BW [MHz]	PCC [UL] Freq. [MHz]	PCC [UL] Freq. Offset	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Freq. [MHz]	DL Ant. Config.	LTE Tx Power with CA Enabled [dBm]	LTE Single Carrier Tx Power [dBm]	
CA [14A]-[44A]-[33A]	LTE B13	10	52330	785	OPSK	1	12	52330	751	242	LTE B34	20	51375	513.5	44x	LTE B46	20	52320	5150	44x	LTE B34	20	52320	5150	44x	19.80	19.80
CA [24A]-[44A]-[33A]	LTE B13	10	52330	785	OPSK	25	12	52330	751	242	LTE B32	20	51375	513.5	44x	LTE B46	20	52320	5150	44x	LTE B34	20	52320	5150	44x	19.76	19.80
CA [24A]-[33A]-[46A]	LTE B13	5	52330	785	OPSK	1	12	52330	751	242	LTE B32	20	51375	513.5	44x	LTE B46	20	52320	5150	44x	LTE B34	20	52320	5150	44x	19.83	19.80
CA [24A]-[33A]-[46A]	LTE B13	5	52330	785	OPSK	1	12	52330	751	242	LTE B34	20	51375	513.5	44x	LTE B46	20	52320	5150	44x	LTE B34	20	52320	5150	44x	19.83	19.80
CA [33A]-[44A]-[66A]	LTE B13	10	52330	785	OPSK	1	12	52330	751	242	LTE B46	20	51375	513.5	44x	LTE B34	20	52320	5150	44x	LTE B34	20	52320	5150	44x	19.86	19.80
CA [33A]-[66A]-[66A]	LTE B13	5	52330	785	OPSK	1	12	52330	751	242	LTE B34	20	51375	513.5	44x	LTE B46	20	52320	5150	44x	LTE B34	20	52320	5150	44x	19.86	19.80
CA [33A]-[66A]-[66A]	LTE B13	5	52330	785	OPSK	1	12	52330	751	242	LTE B34	20	51375	513.5	44x	LTE B46	20	52320	5150	44x	LTE B34	20	52320	5150	44x	19.86	19.80
CA [24A]-[24A]-[33A]-[66A]	LTE B13	5	52330	785	OPSK	1	12	52330	751	242	LTE B32	20	51375	513.5	44x	LTE B46	20	52320	5150	44x	LTE B34	20	52320	5150	44x	19.81	19.80
CA [24A]-[33A]-[33A]-[66A]	LTE B13	5	52330	785	OPSK	1	12	52330	751	242	LTE B32	20	51375	513.5	44x	LTE B46	20	52320	5150	44x	LTE B34	20	52320	5150	44x	19.81	19.80
CA [24A]-[33A]-[66A]	LTE B13	5	52330	785	OPSK	1	12	52330	751	242	LTE B32	20	51375	513.5	44x	LTE B46	20	52320	5150	44x	LTE B34	20	52320	5150	44x	19.81	19.80
CA [24A]-[33A]-[66A]	LTE B13	5	52330	785	OPSK	1	12	52330	751	242	LTE B32	20	51375	513.5	44x	LTE B46	20	52320	5150	44x	LTE B34	20	52320	5150	44x	19.84	19.80
CA [33A]-[33A]-[66A]	LTE B13	5	52330	785	OPSK	1	12	52330	751	242	LTE B34	20	51375	513.5	44x	LTE B46	20	52320	5150	44x	LTE B34	20	52320	5150	44x	19.84	19.80
CA [33A]-[46A]-[66A]	LTE B13	5	52330	785	OPSK	1	12	52330	751	242	LTE B46	20	51375	513.5	44x	LTE B34	20	52320	5150	44x	LTE B34	20	52320	5150	44x	19.84	19.80
CA [33A]-[46A]-[66A]	LTE B13	5	52330	785	OPSK	1	12	52330	751	242	LTE B46	20															

FIGURE 10-10

Test Dates:

12/16/2019-01/21/2020



SAR EVALUATION REPORT

DUT Type:

Tablet Device

Reviewed by:

Quality Man

APPENDIX F:

Page 17 of 33

LTE Band 14 as PCC

Table 53
Output Powers – Ant 1

[illegible]

Table 54
Output Powers – Ant 3

Combination	PCC										SCC1				SCC2				SCC3				SCC4				Power			
	PCC Band	PCC BW [MHz]	PCC (DL) Freq. [MHz]	Mod.	PCC UCI RB	PCC UCI RB	PCC UCI RB	PCC (DL) Freq. [MHz]	DL Ant. Config.	PCC Band	PCC BW [MHz]	PCC (DL) Freq. [MHz]	DL Ant. Config.	PCC Band	PCC BW [MHz]	PCC (DL) Freq. [MHz]	DL Ant. Config.	PCC Band	PCC BW [MHz]	PCC (DL) Freq. [MHz]	DL Ant. Config.	PCC Band	PCC BW [MHz]	PCC (DL) Freq. [MHz]	DL Ant. Config.	LTE Tx Power [dBm]	LTE Single Carrier Tx Power [dBm]			
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30	9830	2303	4x4	18.82	18.82
CA (2x25.5x14.4x14.4x14.4)	LTE-B14	10	21330	793	180M	1	49	5330	763	2x2	LTE-B2	20	1960	4x4	LTE-B2	20	1960	4x4	LTE-B30	30	9830	2303	4x4	LTE-B30	30					

LTE Band 5 as PCC

Table 55
Output Powers – Ant 1

[illegible]

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device	APPENDIX F: Page 18 of 33

Output Powers – Ant 2B

Combinator	PCB Band	PCB Rev	PCC										SSC1										SSC2										SSC3										SSC4										SSC5										Power																																																																																																																																																																																																																																																																																																																			
			PCB DA1	PCB DA2	PCB DA3	PCB DA4	PCB DA5	PCB DA6	PCB DA7	PCB DA8	PCB DA9	PCB DA10	PCB DA11	PCB DA12	PCB DA13	PCB DA14	PCB DA15	PCB DA16	PCB DA17	PCB DA18	PCB DA19	PCB DA20	PCB DA21	PCB DA22	PCB DA23	PCB DA24	PCB DA25	PCB DA26	PCB DA27	PCB DA28	PCB DA29	PCB DA30	PCB DA31	PCB DA32	PCB DA33	PCB DA34	PCB DA35	PCB DA36	PCB DA37	PCB DA38	PCB DA39	PCB DA40	PCB DA41	PCB DA42	PCB DA43	PCB DA44	PCB DA45	PCB DA46	PCB DA47	PCB DA48	PCB DA49	PCB DA50	PCB DA51	PCB DA52	PCB DA53	PCB DA54	PCB DA55	PCB DA56	PCB DA57	PCB DA58	PCB DA59	PCB DA60		PCB DA61	PCB DA62	PCB DA63	PCB DA64	PCB DA65	PCB DA66	PCB DA67	PCB DA68	PCB DA69	PCB DA70	PCB DA71	PCB DA72	PCB DA73	PCB DA74	PCB DA75	PCB DA76	PCB DA77	PCB DA78	PCB DA79	PCB DA80	PCB DA81	PCB DA82	PCB DA83	PCB DA84	PCB DA85	PCB DA86	PCB DA87	PCB DA88	PCB DA89	PCB DA90	PCB DA91	PCB DA92	PCB DA93	PCB DA94	PCB DA95	PCB DA96	PCB DA97	PCB DA98	PCB DA99	PCB DA100	PCB DA101	PCB DA102	PCB DA103	PCB DA104	PCB DA105	PCB DA106	PCB DA107	PCB DA108	PCB DA109	PCB DA110	PCB DA111	PCB DA112	PCB DA113	PCB DA114	PCB DA115	PCB DA116	PCB DA117	PCB DA118	PCB DA119	PCB DA120	PCB DA121	PCB DA122	PCB DA123	PCB DA124	PCB DA125	PCB DA126	PCB DA127	PCB DA128	PCB DA129	PCB DA130	PCB DA131	PCB DA132	PCB DA133	PCB DA134	PCB DA135	PCB DA136	PCB DA137	PCB DA138	PCB DA139	PCB DA140	PCB DA141	PCB DA142	PCB DA143	PCB DA144	PCB DA145	PCB DA146	PCB DA147	PCB DA148	PCB DA149	PCB DA150	PCB DA151	PCB DA152	PCB DA153	PCB DA154	PCB DA155	PCB DA156	PCB DA157	PCB DA158	PCB DA159	PCB DA160	PCB DA161	PCB DA162	PCB DA163	PCB DA164	PCB DA165	PCB DA166	PCB DA167	PCB DA168	PCB DA169	PCB DA170	PCB DA171	PCB DA172	PCB DA173	PCB DA174	PCB DA175	PCB DA176	PCB DA177	PCB DA178	PCB DA179	PCB DA180	PCB DA181	PCB DA182	PCB DA183	PCB DA184	PCB DA185	PCB DA186	PCB DA187	PCB DA188	PCB DA189	PCB DA190	PCB DA191	PCB DA192	PCB DA193	PCB DA194	PCB DA195	PCB DA196	PCB DA197	PCB DA198	PCB DA199	PCB DA200	PCB DA201	PCB DA202	PCB DA203	PCB DA204	PCB DA205	PCB DA206	PCB DA207	PCB DA208	PCB DA209	PCB DA210	PCB DA211	PCB DA212	PCB DA213	PCB DA214	PCB DA215	PCB DA216	PCB DA217	PCB DA218	PCB DA219	PCB DA220	PCB DA221	PCB DA222	PCB DA223	PCB DA224	PCB DA225	PCB DA226	PCB DA227	PCB DA228	PCB DA229	PCB DA230	PCB DA231	PCB DA232	PCB DA233	PCB DA234	PCB DA235	PCB DA236	PCB DA237	PCB DA238	PCB DA239	PCB DA240	PCB DA241	PCB DA242	PCB DA243	PCB DA244	PCB DA245	PCB DA246	PCB DA247	PCB DA248	PCB DA249	PCB DA250	PCB DA251	PCB DA252	PCB DA253	PCB DA254	PCB DA255	PCB DA256	PCB DA257	PCB DA258	PCB DA259	PCB DA260	PCB DA261	PCB DA262	PCB DA263	PCB DA264	PCB DA265	PCB DA266	PCB DA267	PCB DA268	PCB DA269	PCB DA270	PCB DA271	PCB DA272	PCB DA273	PCB DA274	PCB DA275	PCB DA276	PCB DA277	PCB DA278	PCB DA279	PCB DA280	PCB DA281	PCB DA282	PCB DA283	PCB DA284	PCB DA285	PCB DA286	PCB DA287	PCB DA288	PCB DA289	PCB DA290	PCB DA291	PCB DA292	PCB DA293	PCB DA294	PCB DA295	PCB DA296	PCB DA297	PCB DA298	PCB DA299	PCB DA300	PCB DA301	PCB DA302	PCB DA303	PCB DA304	PCB DA305	PCB DA306	PCB DA307	PCB DA308	PCB DA309	PCB DA310	PCB DA311	PCB DA312	PCB DA313	PCB DA314	PCB DA315	PCB DA316	PCB DA317	PCB DA318	PCB DA319	PCB DA320	PCB DA321	PCB DA322	PCB DA323	PCB DA324	PCB DA325	PCB DA326	PCB DA327	PCB DA328	PCB DA329	PCB DA330	PCB DA331	PCB DA332	PCB DA333	PCB DA334	PCB DA335	PCB DA336	PCB DA337	PCB DA338	PCB DA339	PCB DA340	PCB DA341	PCB DA342	PCB DA343	PCB DA344	PCB DA345	PCB DA346	PCB DA347	PCB DA348	PCB DA349	PCB DA350	PCB DA351	PCB DA352	PCB DA353	PCB DA354	PCB DA355	PCB DA356	PCB DA357	PCB DA358	PCB DA359	PCB DA360	PCB DA361	PCB DA362	PCB DA363	PCB DA364	PCB DA365	PCB DA366	PCB DA367

FCC ID: BCGA2068

Test Dates:

12/16/2019-01/21/2020



DUT Type:

Tablet Device

SAR EVALUATION REPORT

Reviewed by:

Quality Manager

APPENDIX F

Page 21 of 33

Output Powers – Ant 4A

[illegible]

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device	APPENDIX F: Page 22 of 33

Output Powers – Ant 4B

[illegible]

1.4.9 LTE Band 25 as PCC

Output Powers – Ant 2A

Combination	PCC								SEC 1				SEC 2				SEC 3				SEC 4				Power			
	PCC Band	PCC BW [MHz]	PCC [UL] Freq. [MHz]	PCC Mod.	PCC ULAR RB	PCC UL RB Offset	PCC [DL] Freq. [MHz]	DL Ant. Config.	SCB Band	SCB BW [MHz]	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCB Band	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCB Band	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCB Band	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCB Band	SCC [DL] Freq. [MHz]	DL Ant. Config.	LTE Tx Power with DC CA [dBm]	LTE Single Carrier Tx Power [dBm]		
CA 5A/25A	LTE B25	20	26190	1500	1	50	8190	1985	4x4	LTE B4	20	2725	8215	2x2	-	-	-	-	-	-	-	-	-	-	-	15.03	15.06	
CA 12A/25A	LTE B25	20	26190	1500	1	50	8190	1985	4x4	LTE B12	10	5095	737.5	2x2	-	-	-	-	-	-	-	-	-	-	-	14.99	15.06	
CA 12A/25A/28A	LTE B25	20	26190	1500	1	50	8190	1985	4x4	LTE B20	10	8865	876.5	2x2	-	-	-	-	-	-	-	-	-	-	-	15.03	15.06	
CA 12A/25A/45A	LTE B25	20	26190	1500	1	50	8190	1985	4x4	LTE B20	10	8865	876.5	2x2	-	-	-	-	-	-	-	-	-	-	-	14.99	15.06	
CA 25A/25A/28A	LTE B25	20	26190	1500	1	50	8190	1985	4x4	LTE B25	20	8140	1940	4x4	LTE B20	5	8865	876.5	2x2	-	-	-	-	-	-	-	15.03	15.06
CA 25A/25A/45A	LTE B25	20	26190	1500	1	50	8190	1985	4x4	LTE B25	20	8140	1940	4x4	LTE B41	20	4020	2593	4x4	LTE B41	20	4020	2593	4x4	LTE B4	20	14.93	15.06
CA 25A/25A/45A/28A	LTE B25	20	26190	1500	1	50	8190	1985	4x4	LTE B25	20	8140	1940	4x4	LTE B41	20	4020	2593	4x4	LTE B41	20	4020	2593	4x4	LTE B4	20	14.93	15.06
CA 25A/25A/45A/28A/12A	LTE B25	20	26190	1500	1	50	8190	1985	4x4	LTE B25	20	8140	1940	4x4	LTE B41	20	4020	2593	4x4	LTE B41	20	4020	2593	4x4	LTE B4	20	14.93	15.06
CA 25A/25A/45A/28A/12A/10A	LTE B25	20	26190	1500	1	50	8190	1985	4x4	LTE B25	20	8140	1940	4x4	LTE B41	20	4020	2593	4x4	LTE B41	20	4020	2593	4x4	LTE B4	20	14.93	15.06
CA 25A/25A/45A/28A/12A/10A/8A	LTE B25	20	26190	1500	1	50	8190	1985	4x4	LTE B25	20	8140	1940	4x4	LTE B41	20	4020	2593	4x4	LTE B41	20	4020	2593	4x4	LTE B4	20	14.93	15.06
CA 25A/25A/45A/28A/12A/10A/8A/6A	LTE B25	20	26190	1500	1	50	8190	1985	4x4	LTE B25	20	8140	1940	4x4	LTE B41	20	4020	2593	4x4	LTE B41	20	4020	2593	4x4	LTE B4	20	14.93	15.06
CA 25A/25A/45A/28A/12A/10A/8A/6A/4A	LTE B25	20	26190	1500	1	50	8190	1985	4x4	LTE B25	20	8140	1940	4x4	LTE B41	20	4020	2593	4x4	LTE B41	20	4020	2593	4x4	LTE B4	20	14.93	15.06
CA 25A/25A/45A/28A/12A/10A/8A/6A/4A/2A	LTE B25	20	26190	1500	1	50	8190	1985	4x4	LTE B25	20	8140	1940	4x4	LTE B41	20	4020	2593	4x4	LTE B41	20	4020	2593	4x4	LTE B4	20	14.93	15.06
CA 25A/25A/45A/28A/12A/10A/8A/6A/4A/2A/1A	LTE B25	20	26190	1500	1	50	8190	1985	4x4	LTE B25	20	8140	1940	4x4	LTE B41	20	4020	2593	4x4	LTE B41	20	4020	2593	4x4	LTE B4	20	14.93	15.06

FCC ID: BCGA2068



SAR EVALUATION REPORT

Test Dates:

12/16/2019-01/21/2020

DUT Type:

Tablet Device

Reviewed by:

Quality Manager

APPENDIX F:

Page 23 of 33

Table 64

PCC														SSC 1				SSC 2				SSC 3				SSC 4				Power	
Combination	PCC Band	PCC BW [MHz]	PCC [UL] Freq. [MHz]	PCC Mod.	PCC UL RB	PCC UL RB Offset	PCC	PCC [DL] Freq. [MHz]	DL Ant. Config.	SSC Band	SSC BW [MHz]	SSC [DL] Freq. [MHz]	DL Ant. Config.	SSC Band	SSC BW [MHz]	SSC [DL] Freq. [MHz]	DL Ant. Config.	SSC Band	SSC BW [MHz]	SSC [DL] Freq. [MHz]	DL Ant. Config.	SSC Band	SSC BW [MHz]	SSC [DL] Freq. [MHz]	DL Ant. Config.	LTE Tx Power with CA [dBm]	LTE Single Carrier Tx Power [dBm]				
CA 5A/25A	LTE B20	20	261000	QPSK	1	99	8300	1985	4x4	LTE B5	10	2325	881.5	2x2	-	-	-	-	-	-	-	-	-	-	-	-	14.08	14.08			
CA 12A/25A	LTE B20	20	261000	QPSK	1	99	8300	1985	4x4	LTE B12	10	5095	773.5	2x2	-	-	-	-	-	-	-	-	-	-	-	-	14.08	14.08			
CA 25A/26A	LTE B20	20	261000	QPSK	1	99	8300	1985	4x4	LTE B20	10	8865	879.5	2x2	-	-	-	-	-	-	-	-	-	-	-	-	14.08	14.08			
CA 25A/40A	LTE B20	20	261000	QPSK	1	99	8300	1985	4x4	LTE B40	20	5317.5	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	14.08	14.08			
CA 25A/25A/26A	LTE B20	20	261000	QPSK	1	99	8300	1985	4x4	LTE B20	20	8140	1940	4x4	LTE B20	5	8865	879.5	2x2	-	-	-	-	-	-	-	-	14.08	14.08		
CA 25A/25A/40A	LTE B20	20	261000	QPSK	1	99	8300	1985	4x4	LTE B20	20	8140	1940	4x4	LTE B40	20	40020	2593	4x4	-	-	-	-	-	-	-	-	13.96	14.08		
CA 25A/40A/40A	LTE B20	20	261000	QPSK	1	99	8300	1985	4x4	LTE B40	20	40020	2593	4x4	LTE B40	20	40020	2593	4x4	-	-	-	-	-	-	-	-	13.92	14.08		
CA 25A/40A/46C	LTE B20	20	261000	QPSK	1	99	8300	1985	4x4	LTE B40	20	50065	5337.5	2x2	LTE B40	20	50067	5337.5	2x2	-	-	-	-	-	-	-	-	14.08	14.08		
CA 25A/46C	LTE B20	20	261000	QPSK	1	99	8300	1985	4x4	LTE B20	20	8140	1940	4x4	LTE B40	20	40020	2593	4x4	LTE B4	20	40422	2573.2	4x4	-	-	14.08	14.08			
CA 25A/40A/40D	LTE B20	20	261000	QPSK	1	99	8300	1985	4x4	LTE B40	20	40020	2573.2	4x4	LTE B40	20	40020	2593	4x4	LTE B40	20	40018	2617.8	4x4	-	-	14.08	14.08			
CA 25A/40A/46C	LTE B20	20	261000	QPSK	1	99	8300	1985	4x4	LTE B40	20	40020	5337.5	2x2	LTE B40	20	40020	5337.5	2x2	LTE B40	20	40018	5337.5	2x2	-	-	13.92	14.08			
CA 25A/40A/41D	LTE B20	20	261000	QPSK	1	99	8300	1985	4x4	LTE B20	20	8140	1940	4x4	LTE B40	20	40020	2573.2	4x4	LTE B40	20	40018	2617.8	4x4	-	-	13.93	14.08			

Table 65

Combination	PCC										SSC 1				SSC 2				SSC 3				SSC 4				Power		
	PCC Band	PCC BW [MHz]	PCC [UL] Freq. [MHz]	PCC Mod.	PCC ULA RB	PCC UL RB Offset	PCC	PCC [DL] Freq. [MHz]	DL Ant. Config	SSC Band	SSC BW [MHz]	SSC [DL] Freq. [MHz]	DL Ant. Config	SSC Band	SSC BW [MHz]	SSC [DL] Freq. [MHz]	DL Ant. Config	SSC Band	SSC BW [MHz]	SSC [DL] Freq. [MHz]	DL Ant. Config	SSC Band	SSC BW [MHz]	SSC [DL] Freq. [MHz]	DL Ant. Config	LTE Tx Power with 20 CA Power Enabled (dBm)	LTE Single Carrier Tx Power (dBm)		
CA 3A/25A	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B25	20	27235	1811.5	2x2	-	-	-	-	-	-	-	-	-	-	-	14.80	14.90	
CA 12A/25A	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B12	10	8095	273.5	2x2	-	-	-	-	-	-	-	-	-	-	-	14.80	14.90	
CA 25A/28A	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B28	10	8865	578.5	2x2	-	-	-	-	-	-	-	-	-	-	-	14.80	14.90	
CA 25A/40A	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	5317.5	2x2	-	-	-	-	-	-	-	-	-	-	-	14.80	14.90	
CA 25A/25A/28A	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B25	20	8140	1940	4x4	LTE B28	9	8860	876.5	2x2	-	-	-	-	-	-	-	14.80	14.90
CA 25A/25A/40A	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B25	20	8140	1940	4x4	LTE B40	20	10060	2993	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B46	20	10065	5317.5	2x2	LTE B40	20	10067	517.7	2x2	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B25	20	8140	1940	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B25	20	8140	1940	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B25	20	8140	1940	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B25	20	8140	1940	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-	-	-	14.80	14.90
CA 25A/40A/46C	LTE B25	20	26190	1905	QPSK	1	50	8190	1985	4x4	LTE B40	20	10060	2993	4x4	LTE B46	10	10420	2173.2	4x4	-	-	-	-	-				

Table 66

[illegible]

Table 67

Combination	PCB Band	PCC BW [MHz]	PCC [UL] Freq. [MHz]	PCC				SCC 1				SCC 2				SCC 3				SCC 4				Power					
				Mod.	PCC UL BW	PCC UL Int. Offset	PCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Freq. [MHz]	DL Ant. Config.	LTE Tx Power with SCs Fulfilled (dBm)	LTE Single Carrier Tx Power (dBm)			
CA [2C] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	702	1840	2	4x4	LTE B3	20	702	1840	2	4x4	12.24	12.27
CA [2A] [2A] [3A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B5	20	2520	883.5	2x2	12.24	12.27		
CA [2A] [2A] [3A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B12	20	5090	737	2x2	12.24	12.27		
CA [2A] [2A] [2A] [14A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B14	10	5130	763	2x2	12.26	12.27		
CA [2A] [2A] [2A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B5	20	5130	722.5	2x2	12.26	12.27		
CA [2A] [2A] [2A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	2x2	LTE B5	20	6678	2145	4x4	LTE B6	20	6720	2190	4x4	12.26	12.27		
CA [4A] [4A] [5A] [6A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B4	20	2175	2122.5	4x4	LTE B4	20	2120	2150	4x4	LTE B5	20	2520	883.5	2x2	12.25	12.27		
CA [4A] [4A] [5A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B4	20	2175	2122.5	4x4	LTE B4	20	2120	2150	4x4	LTE B5	20	2520	883.5	2x2	12.25	12.27		
CA [4A] [3A] [6A] [6A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B5	20	2525	883.5	2x2	LTE B6	20	6678	2145	4x4	LTE B6	20	6720	2190	4x4	12.23	12.27		
CA [2A] [2A] [2A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B5	20	5130	722.5	2x2	12.26	12.27		
CA [14A] [14A] [3A] [6A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B14	10	5130	763	2x2	LTE B6	20	6678	2145	4x4	LTE B6	20	6720	2190	4x4	12.27	12.27		
CA [2A] [2A] [14A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B14	10	5130	763	2x2	12.24	12.27		
CA [2A] [2A] [2A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B5	20	5130	722.5	2x2	12.26	12.27		
CA [4A] [4A] [5A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B4	20	2175	2122.5	4x4	LTE B4	20	2120	2150	4x4	LTE B5	20	2520	883.5	2x2	12.25	12.27		
CA [4A] [4A] [5A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B4	20	2175	2122.5	4x4	LTE B4	20	2120	2150	4x4	LTE B5	20	2520	883.5	2x2	12.25	12.27		
CA [4A] [3A] [6A] [6A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B5	20	2525	883.5	2x2	LTE B6	20	6678	2145	4x4	LTE B6	20	6720	2190	4x4	12.23	12.27		
CA [2A] [2A] [2A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B5	20	5130	722.5	2x2	12.26	12.27		
CA [14A] [14A] [3A] [6A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B14	10	5130	763	2x2	LTE B6	20	6678	2145	4x4	LTE B6	20	6720	2190	4x4	12.27	12.27		
CA [2A] [2A] [14A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B14	10	5130	763	2x2	12.24	12.27		
CA [2A] [2A] [2A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B5	20	5130	722.5	2x2	12.26	12.27		
CA [4A] [4A] [5A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B4	20	2175	2122.5	4x4	LTE B4	20	2120	2150	4x4	LTE B5	20	2520	883.5	2x2	12.25	12.27		
CA [4A] [4A] [5A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B4	20	2175	2122.5	4x4	LTE B4	20	2120	2150	4x4	LTE B5	20	2520	883.5	2x2	12.25	12.27		
CA [4A] [3A] [6A] [6A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B5	20	2525	883.5	2x2	LTE B6	20	6678	2145	4x4	LTE B6	20	6720	2190	4x4	12.23	12.27		
CA [2A] [2A] [2A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B5	20	5130	722.5	2x2	12.26	12.27		
CA [14A] [14A] [3A] [6A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B14	10	5130	763	2x2	LTE B6	20	6678	2145	4x4	LTE B6	20	6720	2190	4x4	12.27	12.27		
CA [2A] [2A] [14A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B14	10	5130	763	2x2	12.24	12.27		
CA [2A] [2A] [2A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B5	20	5130	722.5	2x2	12.26	12.27		
CA [4A] [4A] [5A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B4	20	2175	2122.5	4x4	LTE B4	20	2120	2150	4x4	LTE B5	20	2520	883.5	2x2	12.25	12.27		
CA [4A] [4A] [5A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B4	20	2175	2122.5	4x4	LTE B4	20	2120	2150	4x4	LTE B5	20	2520	883.5	2x2	12.25	12.27		
CA [4A] [3A] [6A] [6A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B5	20	2525	883.5	2x2	LTE B6	20	6678	2145	4x4	LTE B6	20	6720	2190	4x4	12.23	12.27		
CA [2A] [2A] [2A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B5	20	5130	722.5	2x2	12.26	12.27		
CA [14A] [14A] [3A] [6A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B14	10	5130	763	2x2	LTE B6	20	6678	2145	4x4	LTE B6	20	6720	2190	4x4	12.27	12.27		
CA [2A] [2A] [14A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B14	10	5130	763	2x2	12.24	12.27		
CA [2A] [2A] [2A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B5	20	5130	722.5	2x2	12.26	12.27		
CA [4A] [4A] [5A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B4	20	2175	2122.5	4x4	LTE B4	20	2120	2150	4x4	LTE B5	20	2520	883.5	2x2	12.25	12.27		
CA [4A] [4A] [5A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B4	20	2175	2122.5	4x4	LTE B4	20	2120	2150	4x4	LTE B5	20	2520	883.5	2x2	12.25	12.27		
CA [4A] [3A] [6A] [6A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B5	20	2525	883.5	2x2	LTE B6	20	6678	2145	4x4	LTE B6	20	6720	2190	4x4	12.23	12.27		
CA [2A] [2A] [2A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B5	20	5130	722.5	2x2	12.26	12.27		
CA [14A] [14A] [3A] [6A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B14	10	5130	763	2x2	LTE B6	20	6678	2145	4x4	LTE B6	20	6720	2190	4x4	12.27	12.27		
CA [2A] [2A] [14A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B14	10	5130	763	2x2	12.24	12.27		
CA [2A] [2A] [2A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B5	20	5130	722.5	2x2	12.26	12.27		
CA [4A] [4A] [5A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B4	20	2175	2122.5	4x4	LTE B4	20	2120	2150	4x4	LTE B5	20	2520	883.5	2x2	12.25	12.27		
CA [4A] [4A] [5A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B4	20	2175	2122.5	4x4	LTE B4	20	2120	2150	4x4	LTE B5	20	2520	883.5	2x2	12.25	12.27		
CA [4A] [3A] [6A] [6A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B5	20	2525	883.5	2x2	LTE B6	20	6678	2145	4x4	LTE B6	20	6720	2190	4x4	12.23	12.27		
CA [2A] [2A] [2A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B5	20	5130	722.5	2x2	12.26	12.27		
CA [14A] [14A] [3A] [6A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B14	10	5130	763	2x2	LTE B6	20	6678	2145	4x4	LTE B6	20	6720	2190	4x4	12.27	12.27		
CA [2A] [2A] [14A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B14	10	5130	763	2x2	12.24	12.27		
CA [2A] [2A] [2A] [3A]	LTE B30	5	27120	2310	64QAM	1	12	1820	2355	4x4	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B5	20	5130	722.5	2x2	12.26	12.27		
CA [4A] [4A] [5A]																													

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device	APPENDIX F: Page 24 of 33

LTE Band 7 as PCC

Table 71
Output Powers – Ant 2A

Combination	PCB Band	PCB BW [MHz]	PCC [UL] Freq. [MHz]	PCC				SCC1				SCC2				SCC3				SCC4				Power		
				Mod.	PCB UL RB	PCB UL RB Offset	PCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]
CA [7B]	LTE B7	15	20825	2507.5	16QAM	1	50	2825	2627.5	4x4	LTE B7	5	2918	2636	4x4	LTE B7	5	2918	2636	4x4	LTE B7	5	2918	2636	12.38	12.48
CA [A-17A]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B5	10	2525	881.5	2x2	LTE B5	10	2525	881.5	2x2	LTE B5	10	2525	881.5	12.38	12.48
CA [A-17A-26A]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B5	10	8805	876.5	2x2	LTE B5	10	8805	876.5	2x2	LTE B5	10	8805	876.5	12.38	12.48
CA [A-17A-26A-17C]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B5	10	8805	876.5	2x2	LTE B5	10	8805	876.5	2x2	LTE B5	10	8805	876.5	12.38	12.48
CA [2A][7A][7A]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B4	20	3350	2680	4x4	LTE B2	20	900	1960	4x4	LTE B4	20	900	1960	12.23	12.48
CA [4A][4A][7A][7A]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B4	20	2175	2123.5	4x4	LTE B4	20	2175	2123.5	4x4	LTE B4	20	2175	2123.5	12.23	12.48
CA [6A][7A][7A]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B7	20	3350	2680	4x4	LTE B5	10	2525	881.5	2x2	LTE B5	10	2525	881.5	12.26	12.48
CA [6A][7A-26A]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B7	20	3350	2680	4x4	LTE B5	10	8805	876.5	2x2	LTE B5	10	8805	876.5	12.26	12.48
CA [7A][7A-26A]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B7	20	3350	2680	4x4	LTE B5	10	8805	876.5	2x2	LTE B5	10	8805	876.5	12.23	12.48
CA [7A-40C]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B4	20	5065	5537.5	2x2	LTE B4	20	5065	5537.5	2x2	LTE B4	20	5065	5537.5	12.22	12.48
CA [7C][40C]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B7	20	3350	2680	4x4	LTE B5	10	8805	876.5	2x2	LTE B5	10	8805	876.5	12.26	12.48
CA [2A][7A-17C][66A]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B5	20	900	1960	4x4	LTE B5	20	6678	2145	4x4	LTE B5	20	6678	2145	12.23	12.48
CA [7A][40D]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B4	20	5065	5537.5	2x2	LTE B4	20	5065	5537.5	2x2	LTE B4	20	5065	5537.5	12.30	12.48
CA [7C][40C]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B7	20	3350	2680	4x4	LTE B5	10	8805	876.5	2x2	LTE B5	10	8805	876.5	12.27	12.48
CA [2A][4A][7A][7A]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B7	20	3350	2680	4x4	LTE B4	20	2175	2123.5	4x4	LTE B4	20	2175	2123.5	12.23	12.48
CA [2A][4A][7A][7C]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B7	20	3350	2680	4x4	LTE B2	20	900	1960	4x4	LTE B4	20	2175	2123.5	12.23	12.48
CA [2A][4A][7A][7A-12A]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B2	20	900	1960	4x4	LTE B4	20	2175	2123.5	4x4	LTE B12	10	5095	737.5	12.21	12.48
CA [2A][4A][7A][7A-12A-17C]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B2	20	900	1960	4x4	LTE B4	20	2175	2123.5	4x4	LTE B12	10	5095	737.5	12.21	12.48
CA [2A][7A][7A-12A-17C][66A]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B2	20	900	1960	4x4	LTE B12	10	5095	737.5	2x2	LTE B5	20	6678	2145	12.24	12.48
CA [7C][40D]	LTE B7	20	20850	2510	64QAM	1	50	2850	2630	4x4	LTE B7	20	3350	2680	4x4	LTE B4	20	5065	5537.5	2x2	LTE B4	20	5065	5537.5	12.28	12.48

Table 72
Output Powers – Ant 2B

[illegible]

Table 73
Output Powers – Ant 4A

[illegible]

Table 74
Output Powers – Ant 4B

Combination	PCC										SC1				SC2				SC3				SC4				Power								
	PCC Band	PCC BW [MHz]	PCC [UL] Ch.	PCC [UL] Freq. [MHz]	Mod.	PCC UL1 RB	PCC UL2 RB Offset	PCC [DL] Ch.	PCC [DL] Freq. [MHz]	DL Ant. Config.	SC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	LTE Tx Power with 0.4 dBm Enb (mW)	LTE Single Carrier Tx Power (mW)			
CA 17B1	LTE B7	15	20825	2507.5	64QAM	1	0	2825	2827.5	4x4	LTE B7	5	2918	3836.5	4x4	LTE B7	20	3150	3880	4x4	LTE B7	20	3150	3880	4x4	LTE B7	20	3150	3880	4x4	LTE B7	20	3150	3880	4x4
CA 5A17A	LTE B7	15	20825	2507.5	64QAM	1	0	2825	2827.5	4x4	LTE B5	10	2325	881.5	2x2	LTE B5	10	2325	881.5	2x2	LTE B5	10	2325	881.5	2x2	LTE B5	10	2325	881.5	2x2	LTE B5	10	2325	881.5	2x2
CA 7A17A-26A	LTE B7	15	20825	2507.5	64QAM	1	0	2825	2827.5	4x4	LTE B20	10	8865	876.5	2x2	LTE B20	10	8865	876.5	2x2	LTE B20	10	8865	876.5	2x2	LTE B20	10	8865	876.5	2x2	LTE B20	10	8865	876.5	2x2
CA 12A17A-14A	LTE B7	15	20825	2507.5	64QAM	1	0	2825	2827.5	4x4	LTE B7	20	3150	3880	4x4	LTE B7	20	3150	3880	4x4	LTE B7	20	3150	3880	4x4	LTE B7	20	3150	3880	4x4	LTE B7	20	3150	3880	4x4
CA 12A17A17A17A17A	LTE B7	15	20825	2507.5	64QAM	1	0	2825	2827.5	4x4	LTE B7	20	3150	3880	4x4	LTE B7	20	3150	3880	4x4	LTE B7	20	3150	3880	4x4	LTE B7	20	3150	3880	4x4	LTE B7	20	3150	3880	4x4
CA 14A17A17A17A17A17A	LTE B7	15	20825	2507.5	64QAM	1	0	2825	2827.5	4x4	LTE B4	20	2175	2132.5	4x4	LTE B4	20	2175	2132.5	4x4	LTE B4	20	2175	2132.5	4x4	LTE B4	20	2175	2132.5	4x4	LTE B4	20	2175	2132.5	4x4
CA 5A17A17A17A17A17A	LTE B7	15	20825	2507.5	64QAM	1	0	2825	2827.5	4x4	LTE B7	20	3150	3880	4x4	LTE B5	10	2325	881.5	2x2	LTE B5	10	2325	881.5	2x2	LTE B5	10	2325	881.5	2x2	LTE B5	10	2325	881.5	2x2
CA 7A17A17A17A17A17A	LTE B7	15	20825	2507.5	64QAM	1	0	2825	2827.5	4x4	LTE B7	20	3150	3880	4x4	LTE B7	20	3150	3880	4x4	LTE B7	20	3150	3880	4x4	LTE B7	20	3150	3880	4x4	LTE B7	20	3150	3880	4x4
CA 7A17A17A17A17A17A17A	LTE B7	15	20825	2507.5	64QAM	1	0	2825	2827.5	4x4	LTE B7	20	3150	3880	4x4	LTE B20	10	8865	876.5	2x2	LTE B20	10	8865	876.5	2x2	LTE B20	10	8865	876.5	2x2	LTE B20	10	8865	876.5	2x2
CA 7A17A17A17A17A17A17A17A	LTE B7	15	20825	2507.5	64QAM	1	0	2825	2827.5	4x4	LTE B4	20	2175	2132.5	4x4	LTE B4	20	2175	2132.5	4x4	LTE B4	20	2175	2132.5	4x4	LTE B4	20	2175	2132.5	4x4	LTE B4	20	2175	2132.5	4x4
CA 7A17A17A17A17A17A17A17A17A	LTE B7	15	20825	2507.5	64QAM	1	0	2825	2827.5	4x4	LTE B4	20	2175	2132.5	4x4	LTE B4	20	2175	2132.5	4x4	LTE B4	20	2175	2132.5	4x4	LTE B4	20	2175	2132.5	4x4	LTE B4	20	2175	2132.5	4x4
CA 7A17A17A17A17A17A17A17A17A17A	LTE B7	15	20825	2507.5	64QAM	1	0	2825																											

FCC ID: BCGA2068



SAR EVALUATION REPORT

Reviewed by:

Quality Manager

Test Dates:

12/16/2019-01/21/2020

DUT Type:

Tablet Device

APPENDIX F

Page 26 of 33

1.4.12

LTE Band 41 as PCC

Table 75
Output Powers – Ant 2A

Combination	PCC Band	PCC									SCC 1					SCC 2					Power	
		PCC BW [MHz]	PCC [UL] Ch.	PCC [UL] Freq. [MHz]	Mod.	PCC UL#	PCC UL RB Offset	PCC [DL] Ch.	PCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	LTE Tx Power with DL CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)
CA [41A]-[41A] (1)	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	4x4	LTE B41	20	41490	2680	4x4	-	-	-	-	-	14.44	14.46
CA 5A-[41A]	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	4x4	LTE B5	10	2525	881.5	2x2	-	-	-	-	-	14.45	14.46
CA 26A-[41A]	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	4x4	LTE B26	10	8865	876.5	2x2	-	-	-	-	-	14.49	14.46
CA [41A]-[41C]	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	4x4	LTE B41	20	41292	2660.2	4x4	LTE B41	20	41490	2680	4x4	14.48	14.46
CA [41C]-[41A]	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	4x4	LTE B41	20	39948	2525.8	4x4	LTE B41	20	41490	2680	4x4	14.34	14.46
CA [25A]-[25A]-[41A]	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	4x4	LTE B25	20	8365	1962.5	4x4	LTE B25	20	8590	1985	4x4	14.42	14.46
CA [25A]-[41C]	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	4x4	LTE B41	20	39948	2525.8	4x4	LTE B25	20	8365	1962.5	4x4	14.46	14.46
CA 26A-[41C]	LTE B41	20	39750	2506	16QAM	1	0	39750	2506	4x4	LTE B41	20	39948	2525.8	4x4	LTE B26	10	8865	876.5	2x2	14.44	14.46

Since LTE B41 PC3 and PC2 has same maximum output powers and DLCA combinations, the 4CC and above DL CA conducted powers with LTE B41 PC2 in table 79 (corresponding PC2 power tables for this antenna) also represent the test cases for LTE B41 PC3.

Table 76
Output Powers – Ant 2B

	PCC										SCC 1				SCC 2				Power			
Combination	PCC Band	PCC BW [MHz]	PCC [UL] Ch.	PCC [UL] Freq. [MHz]	Mod.	PCC UL# RB	PCC UL RB Offset	PCC [DL] Ch.	PCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	LTE Tx.Power Enabled (dBm)	LTE Single Carrier Tx Power(dBm)
CA [41A]-[41A] (1)	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	4x4	LTE B41	20	41490	2680	4x4	-	-	-	-	-	14.34	14.20
CA 5A-[41A]	LTE B41	20	39750	2506	64QAM	1	50	39750	2506	4x4	LTE B5	10	2525	881.5	2x2	-	-	-	-	-	14.20	14.18
CA 26A-[41A]	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	4x4	LTE B26	10	8865	876.5	2x2	-	-	-	-	-	14.05	14.20
CA [41A]-[41C]	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	4x4	LTE B41	20	41292	2660.2	4x4	LTE B41	20	41490	2680	4x4	14.20	14.20
CA [41C]-[41A]	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	4x4	LTE B41	20	39894	2520.4	4x4	LTE B41	20	41490	2680	4x4	14.20	14.20
CA [25A]-[25A]-[41A]	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	4x4	LTE B25	20	8365	1962.5	4x4	LTE B25	20	8590	1985	4x4	13.69	14.20
CA [25A]-[41C]	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	4x4	LTE B41	20	39894	2520.4	4x4	LTE B25	20	8365	1962.5	4x4	13.71	14.20
CA 26A-[41C]	LTE B41	10	39750	2506	16QAM	1	0	39750	2506	4x4	LTE B41	20	39894	2520.4	4x4	LTE B26	10	8865	876.5	2x2	14.15	14.20

Since LTE B41 PC3 and PC2 has same maximum output powers and DLCA combinations, the 4CC and above DL CA conducted powers with LTE B41 PC2 in table 80 (corresponding PC2 power tables for this antenna) also represent the test cases for LTE B41 PC3.

Table 77
Output Powers – Ant 4A

	PCC										SCC 1				SCC 2				Power			
Combination	PCC Band	PCC BW [MHz]	PCC [UL] Ch.	PCC [UL] Freq. [MHz]	Mod.	PCC UL# RB	PCC UL RB Offset	PCC [DL] Ch.	PCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	LTE Tx Power with DL CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)
CA [41A]-[41A] (1)	LTE B41	15	39750	2506	QPSK	1	0	39750	2506	4x4	LTE B41	20	41490	2680	4x4	-	-	-	-	-	14.14	14.15
CA 5A-[41A]	LTE B41	20	39750	2506	16QAM	100	0	39750	2506	4x4	LTE B5	10	2525	881.5	2x2	-	-	-	-	-	14.07	14.09
CA 26A-[41A]	LTE B41	15	39750	2506	QPSK	1	0	39750	2506	4x4	LTE B26	10	8865	876.5	2x2	-	-	-	-	-	14.09	14.15
CA [41A]-[41C]	LTE B41	15	39750	2506	QPSK	1	0	39750	2506	4x4	LTE B41	20	41292	2660.2	4x4	LTE B41	20	41490	2680	4x4	14.00	14.15
CA [41C]-[41A]	LTE B41	15	39750	2506	QPSK	1	0	39750	2506	4x4	LTE B41	20	39921	2523.1	4x4	LTE B41	20	41490	2680	4x4	13.97	14.15
CA [25A]-[25A]-[41A]	LTE B41	15	39750	2506	QPSK	1	0	39750	2506	4x4	LTE B25	20	8365	1962.5	4x4	LTE B25	20	8590	1985	4x4	14.15	14.15
CA [25A]-[41C]	LTE B41	15	39750	2506	QPSK	1	0	39750	2506	4x4	LTE B41	20	39921	2523.1	4x4	LTE B25	20	8365	1962.5	4x4	14.14	14.15
CA 26A-[41C]	LTE B41	15	39750	2506	QPSK	1	0	39750	2506	4x4	LTE B41	20	39921	2523.1	4x4	LTE B26	10	8865	876.5	2x2	13.97	14.15

Since LTE B41 PC3 and PC2 has same maximum output powers and DLCA combinations, the 4CC and above DL CA conducted powers with LTE B41 PC2 in table 81 (corresponding PC2 power tables for this antenna) also represent the test cases for LTE B41 PC3.

Table 78
Output Powers – Ant 4B

Combination	PCC Band	PCC										SCC 1					SCC 2					Power	
		PCC BW [MHz]	PCC [UL] Ch.	PCC [UL] Freq. [MHz]	Mod.	PCC UL# RB	PCC UL RB Offset	PCC [DL] Ch.	PCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	LTE Tx Power with DL CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)	
CA [41A]-[41A] (1)	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	4x4	LTE B41	20	41490	2680	4x4	-	-	-	-	-	15.86	15.90	
CA 5A-[41A]	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	4x4	LTE B5	10	2525	881.5	2x2	-	-	-	-	-	15.85	15.90	
CA 26A-[41A]	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	4x4	LTE B26	10	8865	876.5	2x2	-	-	-	-	-	15.86	15.90	
CA [41A]-[41C]	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	4x4	LTE B41	20	41292	2660.2	4x4	LTE B41	20	41490	2680	4x4	15.88	15.90	
CA [41C]-[41A]	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	4x4	LTE B41	20	39948	2525.8	4x4	LTE B41	20	41490	2680	4x4	15.89	15.90	
CA [25A]-[25A]-[41A]	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	4x4	LTE B25	20	8365	1962.5	4x4	LTE B25	20	8590	1985	4x4	15.87	15.90	
CA [25A]-[41C]	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	4x4	LTE B41	20	39948	2525.8	4x4	LTE B25	20	8365	1962.5	4x4	15.84	15.90	
CA 26A-[41C]	LTE B41	20	39750	2506	16QAM	1	99	39750	2506	4x4	LTE B41	20	39948	2525.8	4x4	LTE B26	10	8865	876.5	2x2	15.84	15.90	

Since LTE B41 PC3 and PC2 has same maximum output powers and DLCA combinations, the 4CC and above DL CA conducted powers with LTE B41 PC2 in table 82 (corresponding PC2 power tables for this antenna) also represent the test cases for LTE B41 PC3.

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device		APPENDIX F: Page 27 of 33

LTE Band 41 PC2 as PCC

Table 79
Output Powers – Ant 2A

Combination	PCB	PCC										SSC 1				SSC 2				SSC 3				SSC 4				Power					
		PCC BW [MHz]	PCC Freq. [MHz]	PCC Freq. [MHz]	Mod.	PCC UL1 RB	PCC UL1 RB Offset	PCC DL [Ch.]	PCC (DL) Freq. [MHz]	Dt. Ant. Config.	SSC Band	SSC BW [MHz]	SSC Freq. [MHz]	SSC (DL) Freq. [MHz]	Dt. Ant. Config.	SSC Band	SSC BW [MHz]	SSC Freq. [MHz]	SSC (DL) Freq. [MHz]	Dt. Ant. Config.	SSC Band	SSC BW [MHz]	SSC Freq. [MHz]	SSC (DL) Freq. [MHz]	Dt. Ant. Config.	SSC Band	SSC BW [MHz]	SSC Freq. [MHz]	SSC (DL) Freq. [MHz]	Dt. Ant. Config.	LTE Tx Power [dBm]	LTE Single Carrier Tx Power [dBm]	
CA (41A) (41A) (L)	LTE BA1 PCB	20	39750	2500	64QAM	1	0	39750	2500	4x4	LTE BA1 PCB	20	41490	2680	4x4																14.42		
CA BA (41A)	LTE BA1 PCB	20	39750	2500	64QAM	1	0	39750	2500	4x4	LTE BS	10	2525	881.5	2x2																14.40	14.40	
CA (41A) (41A)	LTE BA1 PCB	20	39750	2500	64QAM	1	0	39750	2500	4x4	LTE BA1 PCB	20	41490	2680	4x4																14.43	14.43	
CA (41A) (41A)	LTE BA1 PCB	20	39750	2500	64QAM	1	0	39750	2500	4x4	LTE BA1 PCB	20	41250	2660.2	4x4	LTE BA1 PCB	20	41490	2680	4x4											14.41	14.42	
CA (41C) (41A)	LTE BA1 PCB	20	39750	2500	64QAM	1	0	39750	2500	4x4	LTE BA1 PCB	20	3884	2620.4	4x4	LTE BA1 PCB	20	41490	2680	4x4												14.38	14.43
CA (25A) (25A) (41A)	LTE BA1 PCB	10	39750	2500	64QAM	1	0	39750	2500	4x4	LTE BS2	20	8350	1985.4	4x4	LTE BS2	20	8350	1985.4	4x4												14.38	14.42
CA (25C) (41A)	LTE BA1 PCB	20	39750	2500	64QAM	1	0	39750	2500	4x4	LTE BA1 PCB	20	41250	2660.2	4x4	LTE BA1 PCB	20	41490	2680	4x4												14.41	14.42
CA (25A) (41A)	LTE BA1 PCB	10	39750	2500	64QAM	1	0	39750	2500	4x4	LTE BA1 PCB	20	3884	2620.4	4x4	LTE BS2	10	8863	876.9	2x2												14.45	14.43
CA (41B)	LTE BA1 PCB	15	39750	1500	16QAM	1	0	39750	1500	4x4	LTE BA1 PCB	20	40133	2713.3	4x4	LTE BA1 PCB	20	40133	2713.3	4x4	LTE BA1 PCB	20	40133	2713.3	4x4	LTE BA1 PCB	20	40133	2713.3	4x4		14.39	14.41
CA (41B) (41B)	LTE BA1 PCB	10	39750	2500	64QAM	1	0	39750	2500	4x4	LTE BA1 PCB	20	40133	2693.3	4x4	LTE BA1 PCB	20	40133	2693.3	4x4	LTE BA1 PCB	20	40133	2693.3	4x4	LTE BA1 PCB	20	40133	2693.3	4x4		14.38	14.40
CA (41D) (41A)	LTE BA1 PCB	20	39750	2500	64QAM	1	0	39750	2500	4x4	LTE BA1 PCB	20	40950	2540.2	4x4	LTE BA1 PCB	20	41490	2680	4x4												14.43	14.43
CA (41C) (41C)	LTE BA1 PCB	20	39750	2500	64QAM	1	0	39750	2500	4x4	LTE BA1 PCB	20	3884	2620.4	4x4	LTE BA1 PCB	20	41250	2660.2	4x4	LTE BA1 PCB	20	41490	2680	4x4							14.43	14.42
CA (25A) (25A) (41B)	LTE BA1	10	39750	2500	64QAM	1	0	39750	2500	4x4	LTE BA1 PCB	20	41250	2660.2	4x4	LTE BS2	10	8863	876.9	2x2												14.43	14.42
CA (25A) (41B)	LTE BA1 PCB	20	39750	2500	64QAM	1	0	39750	2500	4x4	LTE BA1 PCB	20	40950	2540.2	4x4	LTE BA1 PCB	20	41490	2680	4x4												14.45	14.43
CA (41A) (41A)	LTE BA1 PCB	20	39750	2500	64QAM	1	0	39750	2500	2x2	LTE BA1 PCB	20	3884	2620.4	2x2	LTE BA1 PCB	20	41250	2660.2	4x4	LTE BA1 PCB	20	41490	2680	4x4	LTE BA1 PCB	20	41490	2680	4x4		14.46	14.42
CA (41D) (41A)	LTE BA1 PCB	20	39750	2500	64QAM	1	0	39750	2500	4x4	LTE BA1 PCB	20	40950	2540.2	4x4	LTE BA1 PCB	20	41250	2660.2	2x2	LTE BA1 PCB	20	41490	2680	2x2	LTE BA1 PCB	20	41490	2680	2x2		14.46	14.42
CA (25A) (25A) (41B)	LTE BA1 PCB	10	39750	2500	64QAM	1	0	39750	2500	2x2	LTE BA1 PCB	20	40950	2540.2	2x2	LTE BS2	10	8350	1985.4	4x4	LTE BS2	10	8350	1985.4	4x4	LTE BS2	10	8350	1985.4	4x4		14.42	14.42
CA (25A) (25A) (41A)	LTE BA1 PCB	10	39750	2500	64QAM	1	0	39750	2500	2x2	LTE BA1 PCB	20	3884	2620.4	2x2	LTE BS2	10	8863	1985.4	4x4	LTE BS2	10	8863	1985.4	4x4	LTE BS2	10	8863	1985.4	4x4		14.41	14.42

Table 80
Output Powers – Ant 2B

Combination	PCCT Band	PCC										SC1				SC2				SC3				SC4				Power									
		PCCT Band	PCCT BW [MHz]	PCCT [UL] Freq. [MHz]	PCCT [DL] Freq. [MHz]	Mod.	PCCT [UL] RB	PCCT [UL] RB Offset	PCCT [UL] Freq. [MHz]	PCCT [DL] Freq. [MHz]	DL Ant. Config.	SC Band	SC BW [MHz]	SC [UL] Freq. [MHz]	SC [DL] Freq. [MHz]	DL Ant. Config.	SC Band	SC BW [MHz]	SC [UL] Freq. [MHz]	SC [DL] Freq. [MHz]	DL Ant. Config.	SC Band	SC BW [MHz]	SC [UL] Freq. [MHz]	SC [DL] Freq. [MHz]	DL Ant. Config.	SC Band	SC BW [MHz]	SC [UL] Freq. [MHz]	SC [DL] Freq. [MHz]	DL Ant. Config.	UL Tx Power (dBm)	UL Single Carrier Tx Power (dBm)				
CA (4A4A) (4A)	LTE B40 PC2	10	39750	2508	16G4M	1	0	39750	2508	4x4	LTE B40 PC2	20	42490	2080	4x4	LTE B40 PC2	20	42490	2080	4x4	LTE B40 PC2	20	42490	2080	4x4	LTE B40 PC2	20	42490	2080	4x4	LTE B40 PC2	20	42490	2080	4x4	14.11	14.14
CA 5A (4A4A)	LTE B40 PC2	20	39750	2508	64G4M	1	0	39750	2508	4x4	LTE B50	10	2525	881.5	2x2	LTE B50	10	2525	881.5	2x2	LTE B50	10	2525	881.5	2x2	LTE B50	10	2525	881.5	2x2	LTE B50	10	2525	881.5	2x2	14.11	14.14
CA 26A (4A4A)	LTE B40 PC2	20	39750	2508	16G4M	1	0	39750	2508	4x4	LTE B50	10	2525	881.5	2x2	LTE B50	10	2525	881.5	2x2	LTE B50	10	2525	881.5	2x2	LTE B50	10	2525	881.5	2x2	LTE B50	10	2525	881.5	2x2	14.11	14.14
CA (4A) (4A4A)	LTE B40 PC2	10	39750	2508	16G4M	1	0	39750	2508	4x4	LTE B40 PC2	20	42490	2080	4x4	LTE B40 PC2	20	42490	2080	4x4	LTE B40 PC2	20	42490	2080	4x4	LTE B40 PC2	20	42490	2080	4x4	LTE B40 PC2	20	42490	2080	4x4	14.11	14.14
CA (4A) (4A4A)	LTE B40 PC2	10	39750	2508	16G4M	1	0	39750	2508	4x4	LTE B40 PC2	20	42490	2080	4x4	LTE B40 PC2	20	42490	2080	4x4	LTE B40 PC2	20	42490	2080	4x4	LTE B40 PC2	20	42490	2080	4x4	LTE B40 PC2	20	42490	2080	4x4	14.11	14.14
CA (4A) (4A4A)	LTE B40 PC2	10	39750	2508	16G4M	1	0	39750	2508	4x4	LTE B40 PC2	20	42490	2080	4x4	LTE B40 PC2	20	42490	2080	4x4	LTE B40 PC2	20	42490	2080	4x4	LTE B40 PC2	20	42490	2080	4x4	LTE B40 PC2	20	42490	2080	4x4	14.11	14.14
CA (26A) (26A 4A4A)	LTE B40 PC2	10	39750	2508	16G4M	1	0	39750	2508	4x4	LTE B50	10	8365	1592.5	4x4	LTE B50	20	8365	1595	4x4	LTE B50	20	8365	1595	4x4	LTE B50	20	8365	1595	4x4	LTE B50	20	8365	1595	4x4	13.97	14.18
CA (26A) (4A4A)	LTE B40 PC2	10	39750	2508	16G4M	1	0	39750	2508	4x4	LTE B50	10	8365	1592.5	4x4	LTE B50	20	8365	1595	4x4	LTE B50	20	8365	1595	4x4	LTE B50	20	8365	1595	4x4	LTE B50	20	8365	1595	4x4	13.97	14.18
CA (26A) (4A4A)	LTE B40 PC2	10	39750	2508	16G4M	1	0	39750	2508	4x4	LTE B40 PC2	20	42490	2080	4x4	LTE B50	10	8365	1592.5	2x2	LTE B50	10	8365	1592.5	2x2	LTE B50	10	8365	1592.5	2x2	LTE B50	10	8365	1592.5	2x2	14.17	14.18
CA (4A) (4A)	LTE B40 PC2	15	39750	2508	64G4M	1	0	39750	2508	4x4	LTE B4																										

Table 81
Output Powers – Ant 4A

[illegible]

Table 82
Output Powers – Ant 4B

[illegible]

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device	APPENDIX F: Page 28 of 33

LTE Band 48 as PCC

Table 83
Output Powers – Ant 1

Combination	PCB Band	PCB PWR [mW]	PCC				Dk Ant. Config.	SCC 1				Dk Ant. Config.	SCC 2				Dk Ant. Config.	SCC 3				Dk Ant. Config.	SCC 4				Dk Ant. Config.	SCC 5				LTE Tx Power [dBm]	LTE Uplink Power [dBm]			
			PCF [MHz]	PCF [MHz]	Mod.	PCU118 RB		PCU18 RB Offsets	PCF [MHz]	PCF [MHz]	Mod.		PCU118 RB	PCU18 RB Offsets	PCF [MHz]	PCF [MHz]		Mod.	PCU118 RB	PCU18 RB Offsets	PCF [MHz]		PCF [MHz]	Mod.	PCU118 RB	PCU18 RB Offsets		PCF [MHz]	PCF [MHz]	Mod.	PCU118 RB			PCU18 RB Offsets	PCF [MHz]	PCF [MHz]
CA 44B (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	18.20	18.20
CA 44B (44B) (44B)	LTE 4B6	30	3157.7	3607.7	QAM64	1	49	3157.7	3607.7	QAM64	1	49	3157																							

Table 84
Output Powers – Ant 3

[illegible]

Table 85
Output Powers – Ant 2B

[illegible]

Output Powers – Ant 4B

Combination	PCC Band	PCC BW [MHz]	PCC (UL) Ch. [MHz]	PCC (DL) Ch. [MHz]	PCC				S/C 1				S/C 2				S/C 3				S/C 4				S/C 5				Tx to Tx Carrier Power (dBm)	L1c Single Carrier Power (dBm)	
					PCC (UL) RB	PCC (DL) RB/Freq	PCC (UL) Freq [MHz]	PCC (DL) Freq [MHz]	PCC (UL) BW [MHz]	PCC (DL) Freq [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC (DL) Ch. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC (DL) Ch. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC (DL) Ch. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC (DL) Ch. [MHz]	DL Ant. Config.				
CA 2A (4A) (5A)	LTE-B36	20	3200	3300	CPXPR-1	44	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	18.23	18.23
CA 2A (4A) (5A)	LTE-B36	20	3200	3300	CPXPR-1	44	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	18.23	18.23
CA 2A (4A) (5A)	LTE-B36	20	3200	3300	CPXPR-1	44	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	18.23	18.23
CA 2A (4A) (5A)	LTE-B36	20	3200	3300	CPXPR-1	44	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	18.23	18.23
CA 4A (5A)	LTE-B36	20	3200	3300	CPXPR-1	44	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	18.23	18.23
CA 4A (5A) (6A)	LTE-B36	20	3200	3300	CPXPR-1	44	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	18.23	18.23
CA 4A (5A) (6A)	LTE-B36	20	3200	3300	CPXPR-1	44	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	18.23	18.23
CA 4A (5A) (6A)	LTE-B36	20	3200	3300	CPXPR-1	44	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	18.23	18.23
CA 4A (5A) (6A)	LTE-B36	20	3200	3300	CPXPR-1	44	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	18.23	18.23
CA 4A (5A) (6A)	LTE-B36	20	3200	3300	CPXPR-1	44	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	18.23	18.23
CA 4A (5A) (6A)	LTE-B36	20	3200	3300	CPXPR-1	44	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	18.23	18.23
CA 4A (5A) (6A)	LTE-B36	20	3200	3300	CPXPR-1	44	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	18.23	18.23
CA 4A (5A) (6A)	LTE-B36	20	3200	3300	CPXPR-1	44	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	LTE-B36	20	3200	3300	44	18.23	

1.5 Downlink Carrier Aggregation with CA_41C Uplink Carrier Aggregation enabled

This device supports uplink carrier aggregation (ULCA) with additional Carrier Aggregation configurations active in the downlink. Power measurements were performed with ULCA active and additional CA configurations active in the downlink for the configuration per Fall 2017 TCB Workshop Notes.

Per FCC Guidance, additional SAR measurements for these configurations were not required since their maximum output power was not more than 0.25 dB higher than the maximum output power for with only ULCA active.

1.5.1 DL Carrier Aggregation RF Conducted Powers

1.5.1.1 LTE Band 41

Output Powers – Ant 2A

Combination	PCC Band	PCC					SCC 1										SCC 2				Power			
		PCC BW [MHz]	PCC [UL] Ch.	PCC [DL] Freq. [MHz]	Mod.	PCC UL RB	PCC UL RB Offset	PCC [DL] Channel	PCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Channel	SCC [UL] Freq. [MHz]	Mod	SCC UL RB	SCC UL RB Offset	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	ULCA Tx Power (dBm)	ULCA Tx Power (dBm)
CA 412-414	LTE B41	20	40020	2593	QPSK	50	0	40020	2593	LTE B41	20	40422	2573.2	QPSK	50	50	40422	2573.2	LTE B41	20	41490	2680	13.70	13.70

Since LTE B41 PC3 and PC2 has same maximum output powers and DLCA combinations, the 4CC and above DL CA conducted powers with LTE B41 PC2 in table 91 (corresponding PC2 power tables for this antenna) also represent the test cases for LTE B41 PC3.

Output Powers – Ant 2B

Combination	PCC Band	PCC					SCC 1										SCC 2				Power			
		PCC BW [MHz]	PCC [UL] Ch.	Mod.	PCC UL RB	PCC [DL] Channel	PCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Channel	SCC [UL] Freq. [MHz]	Mod	SCC UL RB	SCC UL RB Offset	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	ULCA Tx Power with add'l CA config active on SC (dBm)	ULCA Tx Power (dBm)		
CA 41C-41A	LTE B41	20	435050	2626.5	QPSK	50	0	435050	2626.5	LTE B41	20	430657	2616.7	QPSK	50	50	430657	2616.7	LTE B41	20	397550	2506	11.92	11.25

Since LTE B41 PC3 and PC2 has same maximum output powers and DLCA combinations, the 4CC and above DL CA conducted powers with LTE B41 PC2 in table 92 (corresponding PC2 power tables for this antenna) also represent the test cases for LTE B41 PC3.

Output Powers – Ant 4A

		PCC										SCC 1										SCC 2										Power	
Combination	PCC Band	PCC BW [MHz]	PCC [L1] Ch.	PCC [L1] Freq. [MHz]	Mod.	PCC UL RB	PCC UL RB Offset	PCC [DL] Channel	PCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [L1] Channel	SCC [L1] Freq. [MHz]	Mod.	SCC UL RB	SCC UL RB Offset	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [L1] Channel	SCC [L1] Freq. [MHz]	Mod.	SCC UL RB	SCC UL RB Offset	SCC [DL] Channel	SCC [DL] Freq. [MHz]	ULCA Tx Power with add'l CA config. active on this carrier	ULCA Tx Power (dBm)				
CA: A14-A15	1.75-B1.1	30	A1505	9610.5	QPSK64	60	0	A1505	9610.5	1.75-B1.1	30	A1505	9610.5	QPSK64	60	0	A1505	9610.5	1.75-B1.1	30	A1505	9610.5	QPSK64	60	0	A1505	9610.5	23.3	23.3				

Since LTE B41 PC3 and PC2 has same maximum output powers and DLCA combinations, the 4CC and above DL CA conducted powers with LTE B41 PC2 in table 93 (corresponding PC2 power tables for this antenna) also represent the test cases for LTE B41 PC3.

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device	APPENDIX F: Page 30 of 33

Table 90
Output Powers – Ant 4B

Combination	PCC Band	PCC				SCC 1										SCC 2				Power			
		PCC BW [MHz]	PCC [UL] Ch.	Mod.	PCC UL RB Offset	PCC [DL] Channel	PCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Channel	SCC [UL] Freq. [MHz]	Mod.	SCC UL RB Offset	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	ULCA Tx Power with add'l CA config. active on DL (dBm)	ULCA Tx Power (dBm)			
CA 41C-41A	LTE B41	20	39750	QPSK	5	99	39750	2593	LTE B41	20	39940	2573.2	QPSK	1	0	39940	2573.2	LTE B41	20	41950	2593	13.18	13.70

Since LTE B41 PC3 and PC2 has same maximum output powers and DLCA combinations, the 4CC and above DL CA conducted powers with LTE B41 PC2 in table 94 (corresponding PC2 power tables for this antenna) also represent the test cases for LTE B41 PC3.

1.5.1.2 LTE Band 41 PC2

Table 91
Output Powers – Ant 2A

Combination	PCC Band	PCC				SCC 1										SCC 2				SCC 3				Power	
		PCC BW [MHz]	PCC [UL] Ch.	Mod.	PCC [UL] RB	PCC [UL] RB Offset	PCC [DL] Freq. [MHz]	PCC [DL] Ch.	SCC Band	SCC BW [MHz]	SCC [UL] Channel	SCC [UL] Freq. [MHz]	Mod.	SCC [UL] RB	SCC [UL] RB Offset	SCC [DL] Freq. [MHz]	SCC [DL] Ch.	SCC Band	SCC BW [MHz]	SCC [UL] Channel	SCC [UL] Freq. [MHz]	SCC [DL] Freq. [MHz]	SCC [DL] Ch.	ULCA Tx Power with add'l CA config. active on DL (dBm)	ULCA Tx Power (dBm)
CA 41C-41A	LTE B41 PC2	20	40620	QPSK	5	0	40620	2593	LTE B41 PC2	20	40810	2573.2	QPSK	1	0	40810	2573.2	LTE B41 PC2	20	40940	2593	41950	2593	13.17	13.70
CA 41C-41A	LTE B41 PC2	20	40620	QPSK	5	0	40620	2593	LTE B41 PC2	20	40810	2573.2	QPSK	1	0	40810	2573.2	LTE B41 PC2	20	40940	2593	41950	2593	13.17	13.70
CA 41C-41A	LTE B41 PC2	20	40620	QPSK	5	0	40620	2593	LTE B41 PC2	20	40810	2573.2	QPSK	1	0	40810	2573.2	LTE B41 PC2	20	40940	2593	41950	2593	13.17	13.70
CA 41C-41A	LTE B41 PC2	20	40620	QPSK	5	0	40620	2593	LTE B41 PC2	20	40810	2573.2	QPSK	1	0	40810	2573.2	LTE B41 PC2	20	40940	2593	41950	2593	13.17	13.70

Table 92
Output Powers – Ant 2B

Combination	PCC Band	PCC				SCC 1										SCC 2				SCC 3				Power	
		PCC BW [MHz]	PCC [UL] Ch.	Mod.	PCC [UL] RB	PCC [UL] RB Offset	PCC [DL] Freq. [MHz]	PCC [DL] Ch.	SCC Band	SCC BW [MHz]	SCC [UL] Channel	SCC [UL] Freq. [MHz]	Mod.	SCC [UL] RB	SCC [UL] RB Offset	SCC [DL] Freq. [MHz]	SCC [DL] Ch.	SCC Band	SCC BW [MHz]	SCC [UL] Channel	SCC [UL] Freq. [MHz]	SCC [DL] Freq. [MHz]	SCC [DL] Ch.	ULCA Tx Power with add'l CA config. active on DL (dBm)	ULCA Tx Power (dBm)
CA 41C-41A	LTE B41 PC2	20	40620	QPSK	5	0	40620	2593	LTE B41 PC2	20	40810	2573.2	QPSK	1	0	40810	2573.2	LTE B41 PC2	20	40940	2593	41950	2593	13.18	13.70
CA 41C-41A	LTE B41 PC2	20	40620	QPSK	5	0	40620	2593	LTE B41 PC2	20	40810	2573.2	QPSK	1	0	40810	2573.2	LTE B41 PC2	20	40940	2593	41950	2593	13.18	13.70
CA 41C-41A	LTE B41 PC2	20	40620	QPSK	5	0	40620	2593	LTE B41 PC2	20	40810	2573.2	QPSK	1	0	40810	2573.2	LTE B41 PC2	20	40940	2593	41950	2593	13.18	13.70
CA 41C-41A	LTE B41 PC2	20	40620	QPSK	5	0	40620	2593	LTE B41 PC2	20	40810	2573.2	QPSK	1	0	40810	2573.2	LTE B41 PC2	20	40940	2593	41950	2593	13.18	13.70

Table 93
Output Powers – Ant 4A

Combination	PCC Band	PCC				SCC 1										SCC 2				SCC 3				Power	
		PCC BW [MHz]	PCC [UL] Ch.	Mod.	PCC [UL] RB	PCC [UL] RB Offset	PCC [DL] Freq. [MHz]	PCC [DL] Ch.	SCC Band	SCC BW [MHz]	SCC [UL] Channel	SCC [UL] Freq. [MHz]	Mod.	SCC [UL] RB	SCC [UL] RB Offset	SCC [DL] Freq. [MHz]	SCC [DL] Ch.	SCC Band	SCC BW [MHz]	SCC [UL] Channel	SCC [UL] Freq. [MHz]	SCC [DL] Freq. [MHz]	SCC [DL] Ch.	ULCA Tx Power with add'l CA config. active on DL (dBm)	ULCA Tx Power (dBm)
CA 41C-41A	LTE B41 PC2	20	40620	QPSK	5	0	40620	2593	LTE B41 PC2	20	40810	2573.2	QPSK	1	0	40810	2573.2	LTE B41 PC2	20	40940	2593	41950	2593	13.18	13.70
CA 41C-41A	LTE B41 PC2	20	40620	QPSK	5	0	40620	2593	LTE B41 PC2	20	40810	2573.2	QPSK	1	0	40810	2573.2	LTE B41 PC2	20	40940	2593	41950	2593	13.18	13.70
CA 41C-41A	LTE B41 PC2	20	40620	QPSK	5	0	40620	2593	LTE B41 PC2	20	40810	2573.2	QPSK	1	0	40810	2573.2	LTE B41 PC2	20	40940	2593	41950	2593	13.18	13.70
CA 41C-41A	LTE B41 PC2	20	40620	QPSK	5	0	40620	2593	LTE B41 PC2	20	40810	2573.2	QPSK	1	0	40810	2573.2	LTE B41 PC2	20	40940	2593	41950	2593	13.18	13.70

Table 94
Output Powers – Ant 4B

Combination	PCC Band	PCC				SCC 1										SCC 2				SCC 3				Power	
		PCC BW [MHz]	PCC [UL] Ch.	Mod.	PCC [UL] RB	PCC [UL] RB Offset	PCC [DL] Freq. [MHz]	PCC [DL] Ch.	SCC Band	SCC BW [MHz]	SCC [UL] Channel	SCC [UL] Freq. [MHz]	Mod.	SCC [UL] RB	SCC [UL] RB Offset	SCC [DL] Freq. [MHz]	SCC [DL] Ch.	SCC Band	SCC BW [MHz]	SCC [UL] Channel	SCC [UL] Freq. [MHz]	SCC [DL] Freq. [MHz]	SCC [DL] Ch.	ULCA Tx Power with add'l CA config. active on DL (dBm)	ULCA Tx Power (dBm)
CA 41C-41A	LTE B41 PC2	20	40620	QPSK	5	0	40620	2593	LTE B41 PC2	20	40810	2573.2	QPSK	1	0	40810	2573.2	LTE B41 PC2	20	40940	2593	41950	2593	13.18	13.70
CA 41C-41A	LTE B41 PC2	20	40620	QPSK	5	0	40620	2593	LTE B41 PC2	20	40810	2573.2	QPSK	1	0	40810	2573.2	LTE B41 PC2	20	40940	2593	41950	2593	13.18	13.70
CA 41C-41A	LTE B41 PC2	20	40620	QPSK	5	0	40620	2593	LTE B41 PC2	20	40810	2573.2	QPSK	1	0	40810	2573.2	LTE B41 PC2	20	40940	2593	41950	2593	13.18	13.70
CA 41C-41A	LTE B41 PC2	20	40620	QPSK	5	0	40620	2593	LTE B41 PC2	20	40810	2573.2	QPSK	1	0	40810	2573.2	LTE B41 PC2	20	40940	2593	41950	2593	13.18	13.70

1.5.2 DL Carrier Aggregation with DL 4x4 MIMO RF Conducted Powers

Note: 4x4 DL MIMO is only operating in the downlink. Uplink transmission is limited to a single output stream for each component carrier of ULCA.

1.5.2.1 LTE Band 41

Table 95
Output Powers – Ant 2A

	PCC									SCC 1						SCC 2				Power							
Combination	PCC Band	PCC BW [MHz]	PCC [UL] Ch.	PCC [UL] Freq. [MHz]	Mod.	PCC UL# RB	PCC UL RB Offset	PCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] Freq. [MHz]	Mod.	SCC UL # RB	SCC UL RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	ULCA Tx Power with add'l CA config. active on DL (dBm)	ULCA Tx Power (dBm)	
CA 41C[41A]	LTE B41	20	40620	2593	QPSK	5	0	40620	2593	4x4	LTE B41	20	40422	2573.2	QPSK	5	0	40422	2573.2	4x4	LTE B41	20	41490	2680	4x4	13.42	13.70

Since LTE B41 PC3 and PC2 has same maximum output powers and DLCA combinations, the 4CC and above DL CA conducted powers with LTE B41 PC2 in table 99 (corresponding PC2 power tables for this antenna) also represent the test cases for LTE B41 PC3.

Table 96
Output Powers – Ant 2B

Combination	PCC Band	PCC BW [MHz]	PCC [UL] Ch.	PCC					DL Ant. Config.	SCC 1					DL Ant. Config.	SCC 2					DL Ant. Config.	Power					
				Mod.	PCC [UL] RB	PCC [UL] RB Offset	PCC [DL] Freq. [MHz]	SCC Band		SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] Freq. [MHz]	Mod	SCC [UL] #		SCC [UL] RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]		SCC [DL] Ch.	SCC [DL] Freq. [MHz]	ULCA Tx Power with add'l CA config. active on DL (dBm)	ULCA Tx Power (dBm)		
CA 41C[41A]	LTE B41	20	41055	2636.5	QPSK	5	0	41055	2636.5	4x4	LTE B41	20	40857	2616.7	QPSK	5	0	40857	2616.7	4x4	LTE B41	20	39750	2506	4x4	13.14	13.25

Since LTE B41 PC3 and PC2 has same maximum output powers and DLCA combinations, the 4CC and above DL CA conducted powers with LTE B41 PC2 in table 100 (corresponding PC2 power tables for this antenna) also represent the test cases for LTE B41 PC3.

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device	APPENDIX F: Page 31 of 33

Output Powers – Ant 4A

	PCC										SCC 1										SCC 2										Power	
Combination	PCC Band	PCC BW [MHz]	PCC (UL) Ch.	PCC (UL) Freq. [MHz]	Mod.	PCC UL# RB	PCC UL# RB Offset	PCC (DL) Ch.	PCC (DL) Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC (UL) Ch.	SCC (UL) Freq. [MHz]	Mod.	SCC UL #	SCC UL# RB Offset	SCC (DL) Ch.	SCC (DL) Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC (DL) Ch.	SCC (DL) Freq. [MHz]	DL Ant. Config.	ULCA Tx Power with add'l CA Config. active on DL [dBm]	ULCA Tx Power (dBm)					
CA 41C(41A)	LTE B41	20	41055	2636.5	QPSK	50	0	41055	2636.5	4x4	LTE B41	20	40857	2616.7	QPSK	50	50	40857	2616.7	4x4	LTE B41	20	39750	2506	4x4	12.9	13.3					

Since LTE B41 PC3 and PC2 has same maximum output powers and DLCA combinations, the 4CC and above DL CA conducted powers with LTE B41 PC2 in table 101 (corresponding PC2 power tables for this antenna) also represent the test cases for LTE B41 PC3.

Output Powers – Ant 4B

	PCC										SCC 1										SCC 2					Power	
Combination	PCC Band	PCC BW [MHz]	PCC UL Ch.	PCC [UL] Freq. [MHz]	Mod.	PCC UL# RB	PCC UL RB Offset	PCC [DL] Ch.	PCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] Freq. [MHz]	Mod.	SCC UL # RB	SCC UL RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	ULCA Tx Power with add'l Tx Power active on DL (dBm)	ULCA Tx Power (dBm)
CA 41(C)-41(A)	LTE B41	20	39750	2506	QPSK	1	99	39750	2506	4x4	LTE B41	20	39948	2525.8	QPSK	1	0	39948	2525.8	4x4	LTE B41	20	41490	2680	4x4	15.67	15.70

Since LTE B41 PC3 and PC2 has same maximum output powers and DLCA combinations, the 4CC and above DL CA conducted powers with LTE B41 PC2 in table 102 (corresponding PC2 power tables for this antenna) also represent the test cases for LTE B41 PC3.

1.5.2.2 LTE Band 41 PC2

Output Powers – Ant 2A

Combination	PCC										PCC 2										PCC 3										PCC 4										Power	
	PCC Band	PCC BW [MHz]	PCC ICH [GHz]	PCC [MHz]	Mod.	PCC Upl. RB	PCC Upl. RB Offset [MHz]	PCC [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC ICH [GHz]	SCC [MHz]	Mod.	SCC Upl. RB	SCC Upl. RB Offset [MHz]	SCC [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC ICH [GHz]	SCC [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC ICH [GHz]	SCC [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC ICH [GHz]	SCC [MHz]	DL Ant. Config.	ULICA Tx Power with add'l CA (config. active or CA config.)	ULICA Tx Power (Total)							
CA (A140-A141)	LTE-B43 PCC	20	4800.0	2303	QPSK	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	13.45	13.50			
CA (A141-A142)	LTE-B43 PCC	20	4800.0	2303	QPSK	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	13.45	13.50			
CA (A142-A143)	LTE-B43 PCC	20	4800.0	2303	QPSK	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	13.45	13.50			
CA (A143-A144)	LTE-B43 PCC	20	4800.0	2303	QPSK	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	13.45	13.50			
CA (A144-A145)	LTE-B43 PCC	20	4800.0	2303	QPSK	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	13.45	13.50			
CA (A145-A146)	LTE-B43 PCC	20	4800.0	2303	QPSK	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	13.45	13.50			
CA (A146-A147)	LTE-B43 PCC	20	4800.0	2303	QPSK	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	13.45	13.50			
CA (A147-A148)	LTE-B43 PCC	20	4800.0	2303	QPSK	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	13.45	13.50			
CA (A148-A149)	LTE-B43 PCC	20	4800.0	2303	QPSK	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	13.45	13.50			
CA (A149-A150)	LTE-B43 PCC	20	4800.0	2303	QPSK	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	4.76184 PCC	20	4800.0	2303	50	0	4800.0	2303	64	13.45	13.50			

Output Powers – Ant 2B

Combination	PCC										SEC 1										SEC 2										SEC 3										SEC 4										Power																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	PCC Band	PCC BW [MHz]	PCC [MHz]	PCC [MHz]	Mod.	PCC [MHz]	PCC [MHz]	PCC [MHz]	PCC [MHz]	IS Ant. Config.	SEC Band	SEC BW [MHz]	SEC [MHz]	SEC [MHz]	Mod.	SEC [MHz]	SEC [MHz]	SEC [MHz]	SEC [MHz]	IS Ant. Config.	SEC Band	SEC BW [MHz]	SEC [MHz]	SEC [MHz]	Mod.	SEC [MHz]	SEC [MHz]	SEC [MHz]	SEC [MHz]	IS Ant. Config.	SEC Band	SEC BW [MHz]	SEC [MHz]	SEC [MHz]	Mod.	SEC [MHz]	SEC [MHz]	SEC [MHz]	SEC [MHz]	IS Ant. Config.	SEC Band	SEC BW [MHz]	SEC [MHz]	SEC [MHz]	Mod.	SEC [MHz]	SEC [MHz]	SEC [MHz]	SEC [MHz]	IS Ant. Config.	ULCA Tx Power with ULCA Tx Config. active (dBm)	ULCA Tx Power (dBm)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
CA (421)-424A	1.7E-B43 PCC	20	42055	2383.5	QPSK	50	42055	2383.5	4	1.7E-B43 PCC	20	42057	2383.5	QPSK	50	42057	2383.5	4	1.7E-B43 PCC	20	42059	2383.5	20	39750	2383.5	4	1.7E-B43 PCC	20	42061	2383.5	4	1.7E-B43 PCC	20	42063	2383.5	4	1.7E-B43 PCC	20	42065	2383.5	4	1.7E-B43 PCC	20	42067	2383.5	4	1.7E-B43 PCC	20	42069	2383.5	4	1.7E-B43 PCC	20	42071	2383.5	4	1.7E-B43 PCC	20	42073	2383.5	4	1.7E-B43 PCC	20	42075	2383.5	4	1.7E-B43 PCC	20	42077	2383.5	4	1.7E-B43 PCC	20	42079	2383.5	4	1.7E-B43 PCC	20	42081	2383.5	4	1.7E-B43 PCC	20	42083	2383.5	4	1.7E-B43 PCC	20	42085	2383.5	4	1.7E-B43 PCC	20	42087	2383.5	4	1.7E-B43 PCC	20	42089	2383.5	4	1.7E-B43 PCC	20	42091	2383.5	4	1.7E-B43 PCC	20	42093	2383.5	4	1.7E-B43 PCC	20	42095	2383.5	4	1.7E-B43 PCC	20	42097	2383.5	4	1.7E-B43 PCC	20	42099	2383.5	4	1.7E-B43 PCC	20	42101	2383.5	4	1.7E-B43 PCC	20	42103	2383.5	4	1.7E-B43 PCC	20	42105	2383.5	4	1.7E-B43 PCC	20	42107	2383.5	4	1.7E-B43 PCC	20	42109	2383.5	4	1.7E-B43 PCC	20	42111	2383.5	4	1.7E-B43 PCC	20	42113	2383.5	4	1.7E-B43 PCC	20	42115	2383.5	4	1.7E-B43 PCC	20	42117	2383.5	4	1.7E-B43 PCC	20	42119	2383.5	4	1.7E-B43 PCC	20	42121	2383.5	4	1.7E-B43 PCC	20	42123	2383.5	4	1.7E-B43 PCC	20	42125	2383.5	4	1.7E-B43 PCC	20	42127	2383.5	4	1.7E-B43 PCC	20	42129	2383.5	4	1.7E-B43 PCC	20	42131	2383.5	4	1.7E-B43 PCC	20	42133	2383.5	4	1.7E-B43 PCC	20	42135	2383.5	4	1.7E-B43 PCC	20	42137	2383.5	4	1.7E-B43 PCC	20	42139	2383.5	4	1.7E-B43 PCC	20	42141	2383.5	4	1.7E-B43 PCC	20	42143	2383.5	4	1.7E-B43 PCC	20	42145	2383.5	4	1.7E-B43 PCC	20	42147	2383.5	4	1.7E-B43 PCC	20	42149	2383.5	4	1.7E-B43 PCC	20	42151	2383.5	4	1.7E-B43 PCC	20	42153	2383.5	4	1.7E-B43 PCC	20	42155	2383.5	4	1.7E-B43 PCC	20	42157	2383.5	4	1.7E-B43 PCC	20	42159	2383.5	4	1.7E-B43 PCC	20	42161	2383.5	4	1.7E-B43 PCC	20	42163	2383.5	4	1.7E-B43 PCC	20	42165	2383.5	4	1.7E-B43 PCC	20	42167	2383.5	4	1.7E-B43 PCC	20	42169	2383.5	4	1.7E-B43 PCC	20	42171	2383.5	4	1.7E-B43 PCC	20	42173	2383.5	4	1.7E-B43 PCC	20	42175	2383.5	4	1.7E-B43 PCC	20	42177	2383.5	4	1.7E-B43 PCC	20	42179	2383.5	4	1.7E-B43 PCC	20	42181	2383.5	4	1.7E-B43 PCC	20	42183	2383.5	4	1.7E-B43 PCC	20	42185	2383.5	4	1.7E-B43 PCC	20	42187	2383.5	4	1.7E-B43 PCC	20	42189	2383.5	4	1.7E-B43 PCC	20	42191	2383.5	4	1.7E-B43 PCC	20	42193	2383.5	4	1.7E-B43 PCC	20	42195	2383.5	4	1.7E-B43 PCC	20	42197	2383.5	4	1.7E-B43 PCC	20	42199	2383.5	4	1.7E-B43 PCC	20	42201	2383.5	4	1.7E-B43 PCC	20	42203	2383.5	4	1.7E-B43 PCC	20	42205	2383.5	4	1.7E-B43 PCC	20	42207	2383.5	4	1.7E-B43 PCC	20	42209	2383.5	4	1.7E-B43 PCC	20	42211	2383.5	4	1.7E-B43 PCC	20	42213	2383.5	4	1.7E-B43 PCC	20	42215	2383.5	4	1.7E-B43 PCC	20	42217	2383.5	4	1.7E-B43 PCC	20	42219	2383.5	4	1.7E-B43 PCC	20	42221	2383.5	4	1.7E-B43 PCC	20	42223	2383.5	4	1.7E-B43 PCC	20	42225	2383.5	4	1.7E-B43 PCC	20	42227	2383.5	4	1.7E-B43 PCC	20	42229	2383.5	4	1.7E-B43 PCC	20	42231	2383.5	4	1.7E-B43 PCC	20	42233	2383.5	4	1.7E-B43 PCC	20	42235	2383.5	4	1.7E-B43 PCC	20	42237	2383.5	4	1.7E-B43 PCC	20	42239	2383.5	4	1.7E-B43 PCC	20	42241	2383.5	4	1.7E-B43 PCC	20	42243	2383.5	4	1.7E-B43 PCC	20	42245	2383.5	4	1.7E-B43 PCC	20	42247	2383.5	4	1.7E-B43 PCC	20	42249	2383.5	4	1.7E-B43 PCC	20	42251	2383.5	4	1.7E-B43 PCC	20	42253	2383.5	4	1.7E-B43 PCC	20	42255	2383.5	4	1.7E-B43 PCC	20	42257	2383.5	4	1.7E-B43 PCC	20	42259	2383.5	4	1.7E-B43 PCC	20	42261	2383.5	4	1.7E-B43 PCC	20	42263	2383.5	4	1.7E-B43 PCC	20	42265	2383.5	4	1.7E-B43 PCC	20	42267	2383.5	4	1.7E-B43 PCC	20	42269	2383.5	4	1.7E-B43 PCC	20	42271	2383.5	4	1.7E-B43 PCC	20	42273	2383.5	4	1.7E-B43 PCC	20	42275	2383.5	4	1.7E-B43 PCC	20	42277	2383.5	4	1.7E-B43 PCC	20	42279	2383.5	4	1.7E-B43 PCC	20	42281	2383.5	4	1.7E-B43 PCC	20	42283	2383.5	4	1.7E-B43 PCC	20	42285	2383.5	4	1.7E-B43 PCC	20	42287	2383.5	4	1.7E-B43 PCC	20	42289	2383.5	4	1.7E-B43 PCC	20	42291	2383.5	4	1.7E-B43 PCC	20	42293	2383.5	4	1.7E-B43 PCC	20	42295	2383.5	4	1.7E-B43 PCC	20	42297	2383.5	4	1.7E-B43 PCC	20	42299	2383.5	4	1.7E-B43 PCC	20	42301	2383.5	4	1.7E-B43 PCC	20	42303	2383.5	4	1.7E-B43 PCC	20	42305	2383.5	4	1.7E-B43 PCC	20	42307	2383.5	4	1.7E-B43 PCC	20	42309	2383.5	4	1.7E-B43 PCC	20	42311	2383.5	4	1.7E-B43 PCC	20	42313	2383.5	4	1.7E-B43 PCC	20	42315	2383.5	4	1.7E-B43 PCC	20	42317	2383.5	4	1.7E-B43 PCC	20	42319	2383.5	4	1.7E-B43 PCC	20	42321	2383.5	4	1.7E-B43 PCC	20	42323	2383.5	4	1.7E-B43 PCC	20	42325	2383.5	4	1.7E-B43 PCC	20	42327	2383.5	4	1.7E-B43 PCC	20	42329	2383.5	4	1.7E-B43 PCC	20	42331	2383.5	4	1.7E-B43 PCC	20	42333	2383.5	4	1.7E-B43 PCC	20	42335	2383.5	4	1.7E-B43 PCC	20	42337	2383.5	4	1.7E-B43 PCC	20	42339	2383.5	4	1.7E-B43 PCC	20	42341	2383.5	4	1.7E-B43 PCC	20	42343	2383.5	4	1.7E-B43 PCC	20	42345	2383.5	4	1.7E-B43 PCC	20	42347	2383.5	4	1.7E-B43 PCC	20	42349	2383.5	4	1.7E-B43 PCC	20	42351	2383.5	4	1.7E-B43 PCC	20	42353	2383.5	4	1.7E-B43 PCC	20	42355	2383.5	4	1.7E-B43 PCC	20	42357	2383.5	4	1.7E-B43 PCC	20	42359	2383.5	4	1.7E-B43 PCC	20	42361	2383.5	4	1.7E-B43 PCC	20	42363	2383.5	4	1.7E-B43 PCC	20	42365	2383.5	4	1.7E-B43 PCC	20	42367	2383.5	4	1.7E-B43 PCC	20	42369	2383.5	4	1.7E-B43 PCC	20	42371	2383.5	4	1.7E-B43 PCC	20	42373	2383.5	4	1.7E-B43 PCC	20	42375	2383.5	4	1.7E-B43 PCC	20	42377	2383.5	4	1.7E-B43 PCC	20	42379	2383.5	4	1.7E-B43 PCC	20	42381	2383.5	4	1.7E-B43 PCC	20	42383	2383.5	4	1.7E-B43 PCC	20	42385	2383.5	4	1.7E-B43 PCC	20	42387	2383.5	4	1.7E-B43 PCC	20	42389	2383.5	4	1.7E-B43 PCC	20	42391	2383.5	4	1.7E-B43 PCC	20	42393	2383.5	4	1.7E-B43 PCC	20	42395	2383.5	4	1.7E-B43 PCC	20	42397	2383.5	4	1.7E-B43 PCC	20	42399	2383.5	4	1.7E-B43 PCC	20	42401	2383.5	4	1.7E-B43 PCC	20	42403	2383.5	4	1.7E-B43 PCC	20	42405	2383.5	4	1.7E-B43 PCC	20	42407	2383.5	4	1.7E-B43 PCC	20	42409	2383.5	4	1.7E-B43 PCC	20	42411	2383.5	4	1.7E-B43 PCC	20	42413	2383.5	4	1.7E-B43 PCC	20	42415	2383.5	4	1.7E-B43 PCC	20	42417	2383.5	4	1.7E-B43 PCC	20	42419	2383.5	4	1.7E-B43 PCC	20	42421	2383.5	4	1.7E-B43 PCC	20	42423	2383.5	4	1.7E-B43 PCC	20	42425	2383.5	4	1.7E-B43 PCC	20	42427	2383.5	4	1.7E-B43 PCC	20	42429	2383.5	4	1.7E-B43 PCC	20	42431	2383.5	4	1.7E-B43 PCC	20	42433	2383.5	4	1.7E-B43 PCC	20	42435	2383.5	4	1.7E-B43 PCC	20	42437	2383.5	4	1.7E-B43 PCC	20	42439	2383.5	4	1.7E-B43 PCC	20	42441	2383.5	4	1.7E-B43 PCC	20	42443	2383.5	4	1.7E-B43 PCC	20	42445	2383.5	4	1.7E-B43 PCC	20	42447	2383.5	4	1.7E-B43 PCC	20	42449	2383.5	4	1.7E-B43 PCC	20	42451	2383.5	4	1.7E-B43 PCC	20	42453	2383.5	4	1.7E-B43 PCC	20	42455	2383.5	4	1.7E-B43 PCC	20	42457	2383.5	4	1.7E-B43 PCC	20	42459	2383.5	4	1.7E-B43 PCC	20	42461	2383.5	4	1.7E-B43 PCC	20	42463	2383.5	4	1.7E-B43 PCC	20	42465	2383.5	4	1.7E-B43 PCC	20	42467	2383.5	4	1.7E-B43 PCC	20	42469	2383.5	4	1.7E-B43 PCC	20	42471	2383.5	4	1.7E-B43 PCC	20	42473	2383.5	4	1.7E-B43 PCC	20	42475	2383.5	4	1.7E-B43 PCC	20	42477	2383.5	4	1.7E-B43 PCC	20	42479	2383.5	4	1.7E-B43 PCC	20	42481	2383.5	4	1.7E-B43 PCC	20	42483	2383.5	4	1.7E-B43 PCC	20	42485	2383.5	4	1.7E-B43 PCC	20	42487	2383.5	4	1.7E-B43 PCC	20	42489	2383.5	4	1.7E-B43 PCC	20	42491	2383.5	4	1.7E-B43 PCC	20	42493	2383.5	4	1.7E-B43 PCC	20	42495	2383.5	4	1.7E-B43 PCC	20	42497	2383.5	4	1.7E-B43 PCC	20	42499	2383.5	4	1.7E-B43 PCC	20	42501	2383.5	4	1.7E-B43 PCC	20	42503	2383.5	4	1.7E-B43 PCC	20	42505	2383.5	4	1.7E-B43 PCC	20	42507	2383.5	4	1.7E-B43 PCC	20	42509	2383.5	4	1.7E-B43 PCC	20	42511	2383.5	4	1.7E-B43 PCC	20	42513	2383.5	4	1.7E-B43 PCC	20	42515	2383.5	4	1.7E-B43 PCC	20	42517	2383.5	4	1.7E-B43 PCC	20	42519	2383.5	4	1.7E-B43 PCC	20	42521	2383.5	4	1.7E-B43 PCC	20	42523	2383.5	4	1.7E-B43 PCC	20	42525	2383.5	4	1.7E-B43 PCC	20	42527	2383.5	4	1.7E-B43 PCC	20	42529	2383.5	4	1.7E-B43 PCC	20	42531	2383.5	4	1.7E-B43 PCC	20	42533	2383.5	4	1.7E-B43 PCC	20	42535	2383.5	4	1.7E-B43 PCC	20	42537	2383.5	4	1.7E-B43 PCC	20	42539	2383.5	4	1.7E-B43 PCC	20	42541	2383.5	4	1.7E-B43 PCC	20	42543	2383.5

Output Powers – Ant 4A

[illegible]

Output Powers – Ant 4B

Combination	PCC										SEC 1										SEC 2										SEC 3										SEC 4										Power	
	PCC Band	PCC BW [MHz]	PCC [MHz]	PCC [MHz]	Mod.	PCC UAR [dB]	PCC UAR [dB]	PCC [MHz]	PCC [MHz]	DL Ant. Config.	SEC Band	SEC BW [MHz]	SEC [MHz]	SEC [MHz]	Mod.	SEC UAR [dB]	SEC UAR [dB]	SEC [MHz]	SEC [MHz]	DL Ant. Config.	SEC Band	SEC BW [MHz]	SEC [MHz]	SEC [MHz]	Mod.	SEC UAR [dB]	SEC UAR [dB]	SEC [MHz]	SEC [MHz]	DL Ant. Config.	SEC Band	SEC BW [MHz]	SEC [MHz]	SEC [MHz]	Mod.	SEC UAR [dB]	SEC UAR [dB]	ULCA Tx Power with 40dB CA Config. active at 50 dBm	ULCA Tx Power (dBm)													
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	15.18	15.18												
CA 4321-4324	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	1.7B-B43	200	0	0	0	0	0	0	0	0	0	1.7B-B43	200	0																		

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device	APPENDIX F: Page 32 of 33

1.5.2.3 LTE Band 7

Table 103
Output Powers – Ant 2A

	PCC										SCC 1										Power	
Combination	PCC Band	PCC BW [MHz]	PCC (UL) Ch.	PCC (UL) Freq. [MHz]	Mod.	PCC UL RB	PCC UL RB Offset	PCC (DL) Ch.	PCC (DL) Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC (UL) Ch.	SCC (UL) Freq. [MHz]	Mod	SCC UL # RB	SCC UL RB Offset	SCC (DL) Ch.	SCC (DL) Freq. [MHz]	DL Ant. Config.	ULCA Tx Power with add'l CA config. active on DL (dBm)	ULCA Tx Power (dBm)
CA [7C]	LTE B7	20	20850	2510	QPSK	1	99	2850	2630	4x4	LTE B7	20	21048	2529.8	QPSK	1	0	3048	2649.8	4x4	11.74	11.70

Table 104
Output Powers – Ant 2B

	PCC										SCC 1										Power	
Combination	PCC Band	PCC BW [MHz]	PCC (UL) Ch.	PCC (UL) Freq. [MHz]	Mod.	PCC UL F. RB	PCC UL RB Offset	PCC (DL) Ch.	PCC (DL) Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC (UL) Ch.	SCC (UL) Freq. [MHz]	Mod	SCC UL # RB	SCC UL RB Offset	SCC (DL) Ch.	SCC (DL) Freq. [MHz]	DL Ant. Config.	ULCA Tx Power with add'l CA config. active on DL (dBm)	ULCA Tx Power (dBm)
CA [7C]	LTE B7	20	21350	2560	QPSK	1	0	3350	2680	4x4	LTE B7	20	21152	2540.2	QPSK	1	99	3152	2660.2	4x4	11.66	11.72

Table 105
Output Powers – Ant 4A

	PCC										SCC 1										Power	
Combination	PCC Band	PCC BW [MHz]	PCC (UL) Ch.	PCC (UL) Freq. [MHz]	Mod.	PCC UL# RB	PCC UL RB Offset	PCC (DL) Ch.	PCC (DL) Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC (UL) Ch.	SCC (UL) Freq. [MHz]	Mod	SCC UL # RB	SCC UL RB Offset	SCC (DL) Ch.	SCC (DL) Freq. [MHz]	DL Ant. Config.	ULCA Tx Power with add'l CA config. active on DL (dBm)	ULCA Tx Power (dBm)
CA [7C]	LTE B7	20	21350	2560	QPSK	50	0	3350	2680	4x4	LTE B7	20	21152	2540.2	QPSK	50	50	3152	2660.2	4x4	11.99	11.82

Table 106
Output Powers – Ant 4B

	PCC										SCC 1										Power	
Combination	PCC Band	PCC BW [MHz]	PCC (UL) Ch.	PCC (UL) Freq. [MHz]	Mod.	PCC UL RB	PCC UL RB Offset	PCC (DL) Ch.	PCC (DL) Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC (UL) Ch.	SCC (UL) Freq. [MHz]	Mod	SCC UL # RB	SCC UL RB Offset	SCC (DL) Ch.	SCC (DL) Freq. [MHz]	DL Ant. Config.	ULCA Tx Power with add'l CA config. active on DL (dBm)	ULCA Tx Power (dBm)
CA [7C]	LTE B7	20	20850	2510	QPSK	1	99	2850	2630	4x4	LTE B7	20	21048	2529.8	QPSK	1	0	3048	2649.8	4x4	13.18	13.12

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019-01/21/2020	DUT Type: Tablet Device	APPENDIX F: Page 33 of 33

APPENDIX G: POWER REDUCTION VERIFICATION

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Approved by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device		APPENDIX G Page 1 of 2

The device supports manufacturer's proprietary power reduction mechanism called "Detect Mode" for the Main Cellular Antenna. Details of this mechanism can be found in the Operational Description. When the device is being used "on-body" or "held in hand" by the user, the device will detect motion and reduce the power of the main antenna. Per the manufacturer, the mechanism is agnostic to different cellular air interfaces. Detect Mode operation was verified for two test cases, on-body and held in hand, for each supported cellular band. The power reduction verification results are below.

1.1 Main Antenna Power Reduction Verification Summary

Table G-1
Main Antenna Power Reduction Verification

Mode/Band	Antenna	Maximum Scenario Maximum Allowed Target Power [dBm]	Reduced Scenario Maximum Allowed Target Power [dBm]	Conducted Power [dBm]			Verdict
				Maximum	Test Case 1	Test Case 2	
GPRS 850 (2 Tx)	1	30.00 (± 0.75)	28.05 (± 0.75)	30.75	26.25	26.25	PASS
	3	31.50 (± 0.75)	26.55 (± 0.75)	32.20	26.17	26.15	PASS
	2a	26.50 (± 0.75)	21.05 (± 0.75)	27.04	20.74	20.73	PASS
	2b	26.50 (± 0.75)	19.75 (± 0.75)	26.83	19.63	19.64	PASS
GPRS 1900 (2 Tx)	4a	28.50 (± 0.75)	20.15 (± 0.75)	28.95	20.75	20.75	PASS
	4b	29.00 (± 0.75)	20.25 (± 0.75)	29.69	19.96	19.95	PASS
	1	24.00 (± 0.5)	20.10 (± 0.5)	24.50	20.54	20.55	PASS
	3	25.20 (± 0.5)	19.80 (± 0.5)	25.70	20.30	20.30	PASS
WCDMA B5	2a	22.50 (± 0.5)	13.75 (± 1)	22.63	14.27	14.35	PASS
	2b	22.75 (± 0.5)	13.90 (± 1)	23.25	14.43	14.43	PASS
	4a	24.50 (± 0.5)	13.50 (± 1)	24.70	14.50	14.50	PASS
	4b	25.20 (± 0.5)	13.50 (± 1)	25.40	13.89	13.87	PASS
WCDMA B4	2a	22.50 (± 0.5)	14.10 (± 1)	22.89	14.99	15.00	PASS
	2b	22.75 (± 0.5)	13.10 (± 1)	23.25	14.09	14.10	PASS
	4a	24.50 (± 0.5)	13.90 (± 1)	24.93	14.78	14.79	PASS
	4b	25.20 (± 0.5)	13.70 (± 1)	25.67	14.11	14.12	PASS
WCDMA B2	1	24.00 (± 0.5)	19.50 (± 0.5)	24.50	19.78	19.72	PASS
	3	25.20 (± 0.5)	21.50 (± 0.5)	25.63	21.22	21.23	PASS
	1	24.00 (± 0.5)	21.00 (± 0.5)	24.45	21.45	21.46	PASS
	3	25.20 (± 0.5)	19.50 (± 0.5)	25.69	20.00	19.99	PASS
LTE Band 17	1	24.00 (± 0.5)	21.00 (± 0.5)	24.41	21.45	21.46	PASS
	3	25.20 (± 0.5)	19.50 (± 0.5)	25.63	19.98	20.00	PASS
	1	24.00 (± 0.5)	21.00 (± 0.5)	24.50	21.35	21.37	PASS
	3	25.20 (± 0.5)	19.80 (± 0.5)	25.70	20.30	20.30	PASS
LTE Band 13	1	24.00 (± 0.5)	21.00 (± 0.5)	24.44	21.29	21.30	PASS
	3	25.20 (± 0.5)	19.80 (± 0.5)	25.36	19.74	19.75	PASS
	1	24.00 (± 0.5)	20.10 (± 0.5)	24.20	20.28	20.24	PASS
	3	25.20 (± 0.5)	19.80 (± 0.5)	25.37	20.24	20.23	PASS
LTE Band 5	1	24.00 (± 0.5)	20.10 (± 0.5)	24.50	20.60	20.60	PASS
	3	25.20 (± 0.5)	19.80 (± 0.5)	25.99	20.25	20.30	PASS
	1	24.00 (± 0.5)	19.80 (± 0.5)	24.50	20.60	20.60	PASS
	3	25.20 (± 0.5)	19.80 (± 0.5)	25.99	20.25	20.30	PASS
LTE Band 26	2a	22.50 (± 0.5)	13.75 (± 1)	22.98	14.53	14.53	PASS
	2b	23.00 (± 0.5)	13.90 (± 1)	23.20	14.50	14.47	PASS
	4a	24.50 (± 0.5)	13.50 (± 1)	25.00	13.54	13.53	PASS
	4b	25.20 (± 0.5)	13.50 (± 1)	25.54	14.16	14.15	PASS
LTE Band 66	2a	22.50 (± 0.5)	13.75 (± 1)	22.81	14.25	14.33	PASS
	2b	23.00 (± 0.5)	13.90 (± 1)	23.15	14.49	14.51	PASS
	4a	24.50 (± 0.5)	13.50 (± 1)	24.99	13.55	13.56	PASS
	4b	25.20 (± 0.5)	13.50 (± 1)	25.65	14.36	14.33	PASS
LTE Band 2	2a	22.50 (± 0.5)	14.10 (± 1)	22.65	14.59	14.60	PASS
	2b	23.00 (± 0.5)	13.10 (± 1)	23.50	14.10	14.09	PASS
	4a	24.50 (± 0.5)	13.90 (± 1)	24.67	14.59	14.58	PASS
	4b	25.20 (± 0.5)	13.70 (± 1)	25.70	14.18	14.23	PASS
LTE Band 25	2a	22.50 (± 0.5)	14.10 (± 1)	22.65	14.77	14.78	PASS
	2b	23.00 (± 0.5)	13.10 (± 1)	23.50	14.10	14.08	PASS
	4a	24.50 (± 0.5)	13.90 (± 1)	25.00	14.90	14.90	PASS
	4b	25.20 (± 0.5)	13.70 (± 1)	25.70	14.19	14.17	PASS
LTE Band 30	2a	22.50 (± 0.5)	12.00 (± 1)	21.60	12.28	12.30	PASS
	2b	22.75 (± 0.5)	12.40 (± 1)	22.39	12.71	12.73	PASS
	4a	23.00 (± 0.5)	12.20 (± 1)	23.50	13.00	13.00	PASS
	4b	23.50 (± 0.5)	12.70 (± 1)	23.93	13.59	13.56	PASS
LTE Band 7	2a	22.50 (± 0.5)	11.70 (± 1)	22.67	11.93	11.93	PASS
	2b	22.50 (± 0.5)	11.30 (± 1)	22.30	12.00	11.99	PASS
	4a	24.50 (± 0.5)	11.50 (± 1)	24.67	12.20	12.20	PASS
	4b	25.20 (± 0.5)	12.30 (± 1)	25.70	12.97	12.94	PASS
LTE Band 41 (PC3)	2a	22.00 (± 0.5)	13.70 (± 1)	21.50	14.14	14.15	PASS
	2b	22.50 (± 0.5)	13.20 (± 1)	23.00	14.18	14.20	PASS
	4a	25.00 (± 0.5)	13.20 (± 1)	25.12	13.83	13.85	PASS
	4b	25.20 (± 0.5)	15.40 (± 0.5)	25.63	15.90	15.90	PASS
LTE Band 41 (PC2)	2a	25.00 (± 0.5)	13.70 (± 1)	25.48	14.06	14.09	PASS
	2b	24.50 (± 0.5)	13.20 (± 1)	25.00	14.20	14.19	PASS
	4a	27.50 (± 0.5)	13.20 (± 1)	27.58	13.82	13.83	PASS
	4b	28.20 (± 0.5)	15.40 (± 0.5)	28.70	15.87	15.86	PASS
LTE Band 48	1	21.50 (± 0.5)	14.30 (± 1)	22.00	15.30	15.30	PASS
	3	24.50 (± 0.5)	16.00 (± 0.5)	24.50	15.99	16.04	PASS
	2b	21.50 (± 0.5)	14.30 (± 1)	22.00	15.30	15.30	PASS
	4b	25.20 (± 0.5)	15.80 (± 0.5)	25.15	16.30	16.30	PASS
LTE B5 ULCA	1	22.50 (± 1)	19.60 (± 1)	22.80	19.70	19.75	PASS
	3	24.00 (± 1)	19.30 (± 1)	24.45	19.66	19.65	PASS
	2a	21.00 (± 1)	11.70 (± 1)	21.32	11.59	11.61	PASS
	2b	20.50 (± 1)	11.30 (± 1)	20.94	11.70	11.71	PASS
LTE B7 ULCA	4a	23.50 (± 1)	11.50 (± 1)	23.63	11.61	11.63	PASS
	4b	24.00 (± 1)	12.30 (± 1)	24.47	12.70	12.67	PASS
	2a	20.00 (± 1)	13.70 (± 1)	20.21	13.35	13.36	PASS
	2b	20.50 (± 1)	13.20 (± 1)	20.89	13.53	13.54	PASS
LTE B41 (PC3) ULCA	4a	23.50 (± 1)	13.20 (± 1)	23.06	12.72	12.71	PASS
	4b	24.00 (± 1)	14.90 (± 1)	24.25	15.07	15.06	PASS
	2a	21.50 (± 1)	13.70 (± 1)	21.73	13.38	13.37	PASS
	2b	22.50 (± 1)	13.20 (± 1)	22.91	13.54	13.53	PASS
LTE B41 (PC2) ULCA	4a	25.50 (± 1)	13.20 (± 1)	25.03	12.65	12.64	PASS
	4b	26.00 (± 1)	14.90 (± 1)	26.22	15.08	15.07	PASS

Test Case 1: Device Held in Hand

Test Case 2: Device Resting on Lap

Test Cases represent typical scenarios in which the device power would be reduced. In these scenarios detect mode has been verified to identify typical on-body use-cases including when thin objects, such as a magazine or newspaper, are placed between the body and the device. In the absence of detect mode output, the device defaults to the most conservative power.

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Approved by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device		APPENDIX G Page 2 of 2

APPENDIX H: IEEE 802.11AX RU SAR EXCLUSION

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device	APPENDIX H: Page 1 of 17

1.1 IEEE 802.11ax RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 106T, 242T, 484T, 996T.

Per FCC Guidance, 802.11ax was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

1.2 IEEE 802.11ax RU Target Powers

1.2.1 Maximum 802.11ax RU WLAN Output Power

A. Antenna 2A

Mode/ Band		Tones	26T		52T		106T		242T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal
Modulated Average - Single Tx Chain (dBm) - Antenna 2A	20 MHz Bandwidth	1	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		2	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		3	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		4	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		5	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		6	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		7	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		8	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		9	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		10	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		11	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		12	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Mode/ Band		Tones	26T		52T		106T		242T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal
Modulated Average - 2 Tx Chain (dBm) - Antenna 2A	20 MHz Bandwidth	1	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
		2	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		3	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		4	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		5	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		6	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		7	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		8	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		9	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		10	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		11	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		12	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50
		13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device		APPENDIX H: Page 2 of 17

B. Antenna 4A

Mode/ Band		Tones	26T		52T		106T		242T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal
Modulated Average - Single Tx Chain (dBm) - Antenna 4A	20 MHz Bandwidth	1	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		2	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		3	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		4	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		5	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		6	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		7	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		8	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		9	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		10	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		11	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		12	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Mode/ Band		Tones	26T		52T		106T		242T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal
Modulated Average - 2 Tx Chain (dBm) - Antenna 4A	20 MHz Bandwidth	1	12.00	10.50	12.00	10.50	12.00	10.50	12.00	10.50
		2	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		3	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		4	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		5	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		6	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		7	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		8	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		9	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		10	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		11	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		12	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
		13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device		APPENDIX H: Page 3 of 17

C. 5GHz ANTlower

Mode/ Band		Tones	26T		52T		106T		242T		484T		996T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal
Modulated Average - Single Tx Chain (dBm) - 5GHz ANTlower	20 MHz Bandwidth	36	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50				
		40	11.00	9.50	14.00	12.50	16.00	14.50	16.00	14.50				
		44	11.00	9.50	14.00	12.50	16.00	14.50	16.00	14.50				
		48	11.00	9.50	14.00	12.50	16.00	14.50	16.00	14.50				
		52	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00				
		56	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00				
		60	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00				
		64	11.00	9.50	14.00	12.50	14.50	13.00	14.50	13.00				
		100	11.00	9.50	14.00	12.50	14.00	12.50	14.00	12.50				
		104	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00				
		108	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00				
		112	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00				
		116	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00				
		120	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00				
		124	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00				
		128	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00				
		132	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00				
		136	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00				
		140	11.00	9.50	13.50	12.00	13.50	12.00	13.50	12.00				
		144	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00				
	149	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00					
	153	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00					
	157	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00					
	161	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00					
	165	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00					
	40 MHz Bandwidth	38	11.00	9.50	12.00	10.50	12.00	10.50	12.00	10.50	12.00	10.50		
		46	11.00	9.50	14.00	12.50	16.00	14.50	16.00	14.50	16.00	14.50		
		54	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00	16.50	15.00		
		62	11.00	9.50	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00		
		102	11.00	9.50	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00		
		110	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00	16.50	15.00		
		118	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00	16.50	15.00		
		126	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00	16.50	15.00		
		134	11.00	9.50	14.00	12.50	14.50	13.00	14.50	13.00	14.50	13.00		
		142	11.00	9.50	14.00	12.50	16.50	15.00	13.50	12.00	16.50	15.00		
		151	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00		
		159	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00		
	80 MHz Bandwidth	42	11.00	9.50	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
		58	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
		106	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
122		11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00	16.50	15.00	16.50	15.00	
138		11.00	9.50	14.00	12.50	16.50	15.00	13.50	12.00	14.50	13.00	16.50	15.00	
155		15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	

Mode/ Band		Tones		26T		52T		106T		242T		484T		996T		
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal		
Modulated Average - 2 Tx Chain (dBm) CDD - 5GHz ANTflowr	20 MHz Bandwidth	36	8.00	6.50	11.00	9.50	13.50	12.00	13.50	12.00	15.00	12.00				
		40	8.00	6.50	11.00	9.50	14.00	12.50	16.00	14.50						
		44	8.00	6.50	11.00	9.50	14.00	12.50	16.00	14.50						
		48	8.00	6.50	11.00	9.50	14.00	12.50	16.00	14.50						
		52	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00						
		56	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00						
		60	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00						
		64	8.00	6.50	11.00	9.50	13.50	12.00	13.50	12.00						
		100	7.75	6.25	10.75	9.25	13.50	12.00	13.50	12.00						
		104	7.75	6.25	10.75	9.25	13.75	12.25	16.50	15.00						
		108	7.75	6.25	10.75	9.25	13.75	12.25	16.50	15.00						
		112	7.75	6.25	10.75	9.25	13.75	12.25	16.50	15.00						
		116	7.75	6.25	10.75	9.25	13.75	12.25	16.50	15.00						
		120	7.75	6.25	10.75	9.25	13.75	12.25	16.50	15.00						
		124	7.75	6.25	10.75	9.25	13.75	12.25	16.50	15.00						
		128	7.75	6.25	10.75	9.25	13.75	12.25	16.50	15.00						
		132	7.75	6.25	10.75	9.25	13.75	12.25	16.50	15.00						
		136	7.75	6.25	10.75	9.25	13.50	12.00	13.50	12.00						
		140	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50						
		144	7.75	6.25	10.75	9.25	13.75	12.25	16.50	15.00						
		149	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00						
		153	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00						
		157	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00						
		161	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00						
	165	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00							
	40 MHz Bandwidth	38	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50		
		46	8.00	6.50	11.00	9.50	14.00	12.50	16.00	14.50	16.00	14.50				
		54	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00				
		62	8.00	6.50	10.50	9.00	10.50	9.00	10.00	8.50	10.50	9.00				
		102	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
		110	7.75	6.25	10.75	9.25	13.75	12.25	16.50	15.00	16.50	15.00				
		118	7.75	6.25	10.75	9.25	13.75	12.25	16.50	15.00	16.50	15.00				
		126	7.75	6.25	10.75	9.25	13.75	12.25	16.50	15.00	16.50	15.00				
		134	7.75	6.25	10.75	9.25	13.00	11.50	13.00	11.50	13.00	11.50				
		142	7.75	6.25	10.75	9.25	13.75	12.25	10.00	8.50	16.50	15.00				
		151	13.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00				
		159	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00				
		80 MHz Bandwidth	42	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	
			48	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	
	106		7.75	6.25	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50		
	122		7.75	6.25	10.75	9.25	13.75	12.25	16.50	15.00	16.50	15.00	16.50	15.00		
	138		7.75	6.25	10.75	9.25	13.75	12.25	10.00	8.50	13.00	11.50	16.50	15.00		
	155		14.50	13.00	14.50	13.00	14.50	13.00	14.50	13.00	14.50	13.00	14.50	13.00		
	166		15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00		
	177		15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00		

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device	APPENDIX H: Page 4 of 17

Mode/ Band		Tones		26T		52T		106T		242T		484T		996T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	
Modulated Average - 2 Tx Chain (dBm) SDM - 5GHz ANTlower	20 MHz Bandwidth	36	8.00	6.50	11.00	9.50	13.50	12.00	13.50	12.00					
		40	8.00	6.50	11.00	9.50	14.00	12.50	16.00	14.50					
		44	8.00	6.50	11.00	9.50	14.00	12.50	16.00	14.50					
		48	8.00	6.50	11.00	9.50	14.00	12.50	16.00	14.50					
		52	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00					
		56	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00					
		60	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00					
		64	8.00	6.50	11.00	9.50	13.50	12.00	13.50	12.00					
		100	8.00	6.50	11.00	9.50	13.50	12.00	13.50	12.00					
		104	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00					
		108	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00					
		112	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00					
		116	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00					
		120	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00					
		124	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00					
		128	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00					
		132	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00					
		136	8.00	6.50	11.00	9.50	13.50	12.00	13.50	12.00					
		140	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50					
		144	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00					
		149	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00					
		153	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00					
		157	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00					
		161	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00					
		165	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00					
	40 MHz Bandwidth	38	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
		46	8.00	6.50	11.00	9.50	14.00	12.50	16.00	14.50	16.00	14.50			
		54	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00			
		62	8.00	6.50	10.50	9.00	10.50	9.00	10.00	8.50	10.50	9.00			
		102	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50			
		110	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00			
		118	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00			
		126	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00			
		134	8.00	6.50	11.00	9.50	13.00	11.50	13.00	11.50	13.00	11.50			
		142	8.00	6.50	11.00	9.50	14.00	12.50	10.00	8.50	16.50	15.00			
		151	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00			
		159	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00			
	80 MHz Bandwidth	42	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	
		58	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	
		106	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	
		122	8.00	6.50	11.00	9.50	14.00	12.50	16.50	15.00	16.50	15.00	16.50	15.00	
		138	8.00	6.50	11.00	9.50	14.00	12.50	10.00	8.50	13.00	11.50	16.50	15.00	
		155	14.50	13.00	14.50	13.00	14.50	13.00	14.50	13.00	14.50	13.00	14.50	13.00	

D. 5GHz ANTupper

Mode/ Band		Tones		26T		52T		106T		242T		484T		996T		
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal		
Modulated Average - Single Tx Chain (dBm) - 5GHz ANTupper	20 MHz Bandwidth	36	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50						
		40	11.00	9.50	14.00	12.50	16.00	14.50	16.00	14.50						
		44	11.00	9.50	14.00	12.50	16.00	14.50	16.00	14.50						
		48	11.00	9.50	14.00	12.50	16.00	14.50	16.00	14.50						
		52	11.00	9.50	14.00	12.50	16.25	14.75	16.25	14.75						
		56	11.00	9.50	14.00	12.50	16.25	14.75	16.25	14.75						
		60	11.00	9.50	14.00	12.50	16.25	14.75	16.25	14.75						
		64	11.00	9.50	14.00	12.50	14.50	13.00	14.50	13.00						
		100	11.00	9.50	14.00	12.50	14.00	12.50	14.00	12.50						
		104	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50						
		108	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50						
		112	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50						
		116	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50						
		120	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50						
		124	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50						
		128	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50						
		132	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50						
		136	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50						
		140	11.00	9.50	13.50	12.00	13.50	12.00	13.50	12.00						
		144	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50						
		149	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00						
		153	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00						
		157	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00						
		161	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00						
		165	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00						
	40 MHz Bandwidth	38	11.00	9.50	12.00	10.50	12.00	10.50	12.00	10.50	12.00	10.50	12.00	10.50		
		46	11.00	9.50	14.00	12.50	16.00	14.50	16.00	14.50	16.00	14.50	16.00	14.50		
		54	11.00	9.50	14.00	12.50	16.25	14.75	16.25	14.75	16.25	14.75	16.25	14.75		
		62	11.00	9.50	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00		
		102	11.00	9.50	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00		
		110	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50	15.00	13.50	15.00	13.50		
		118	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50	15.00	13.50	15.00	13.50		
		126	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50	15.00	13.50	15.00	13.50		
		134	11.00	9.50	14.00	12.50	14.50	13.00	14.50	13.00	14.50	13.00	14.50	13.00		
		142	11.00	9.50	14.00	12.50	15.00	13.50	13.50	12.00	15.00	13.50	15.00	13.50		
		151	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00		
		159	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00		
	80 MHz Bandwidth	42	11.00	9.50	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
		58	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
		106	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
		122	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50	15.00	13.50	15.00	13.50	15.00	13.50
		138	11.00	9.50	14.00	12.50	15.00	13.50	13.50	12.00	14.50	13.00	15.00	13.50	15.00	13.50
		155	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device		APPENDIX H: Page 5 of 17

Mode/ Band		Tones	26T		52T		106T		242T		484T		996T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal
Modulated Average - 2 Tx Chain (dBm) CDD - 5GHz ANTupper	20 MHz Bandwidth	36	8.00	6.50	11.00	9.50	13.50	12.00	13.50	12.00				
		40	8.00	6.50	11.00	9.50	14.00	12.50	16.00	14.50				
		44	8.00	6.50	11.00	9.50	14.00	12.50	16.00	14.50				
		48	8.00	6.50	11.00	9.50	14.00	12.50	16.00	14.50				
		52	8.00	6.50	11.00	9.50	14.00	12.50	16.25	14.75				
		56	8.00	6.50	11.00	9.50	14.00	12.50	16.25	14.75				
		60	8.00	6.50	11.00	9.50	14.00	12.50	16.25	14.75				
		64	8.00	6.50	11.00	9.50	13.50	12.00	15.50	14.00				
		100	7.75	6.25	10.75	9.25	13.50	12.00	13.50	12.00				
		104	7.75	6.25	10.75	9.25	13.75	12.25	15.00	13.50				
		108	7.75	6.25	10.75	9.25	13.75	12.25	15.00	13.50				
		112	7.75	6.25	10.75	9.25	13.75	12.25	15.00	13.50				
		116	7.75	6.25	10.75	9.25	13.75	12.25	15.00	13.50				
		120	7.75	6.25	10.75	9.25	13.75	12.25	15.00	13.50				
		124	7.75	6.25	10.75	9.25	13.75	12.25	15.00	13.50				
		128	7.75	6.25	10.75	9.25	13.75	12.25	15.00	13.50				
		132	7.75	6.25	10.75	9.25	13.75	12.25	15.00	13.50				
		136	7.75	6.25	10.75	9.25	13.50	12.00	13.50	12.00				
		140	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50				
		144	7.75	6.25	10.75	9.25	13.75	12.25	15.00	13.50				
		149	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00				
		153	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00				
		157	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00				
		161	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00				
		165	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00				
	40 MHz Bandwidth	38	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50		
		46	8.00	6.50	11.00	9.50	14.00	12.50	16.00	14.50	16.00	14.50		
		54	8.00	6.50	11.00	9.50	14.00	12.50	16.25	14.75	16.25	14.75		
		62	8.00	6.50	10.50	9.00	10.50	9.00	10.00	8.50	10.50	9.00		
		102	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
		110	7.75	6.25	10.75	9.25	13.75	12.25	15.00	13.50	15.00	13.50		
		118	7.75	6.25	10.75	9.25	13.75	12.25	15.00	13.50	15.00	13.50		
		126	7.75	6.25	10.75	9.25	13.75	12.25	15.00	13.50	15.00	13.50		
		134	7.75	6.25	10.75	9.25	13.00	11.50	13.00	11.50	13.00	11.50		
		142	7.75	6.25	10.75	9.25	13.75	12.25	10.00	8.50	15.00	13.50		
		151	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00		
		159	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00		
	80 MHz Bandwidth	42	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
		58	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
		106	7.75	6.25	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
		122	7.75	6.25	10.75	9.25	13.75	12.25	15.00	13.50	15.00	13.50	15.00	13.50
		138	7.75	6.25	10.75	9.25	13.75	12.25	10.00	8.50	13.00	11.50	15.00	13.50
		155	14.50	13.00	14.50	13.00	14.50	13.00	14.50	13.00	14.50	13.00	14.50	13.00

Mode/ Band		Tones	26T		52T		106T		242T		484T		996T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal
Modulated Average - 2 Tx Chain (dBm) SDM - 5GHz ANTupper	20 MHz Bandwidth	36	8.00	6.50	11.00	9.50	13.50	12.00	13.50	12.00				
		40	8.00	6.50	11.00	9.50	14.00	12.50	16.00	14.50				
		44	8.00	6.50	11.00	9.50	14.00	12.50	16.00	14.50				
		48	8.00	6.50	11.00	9.50	14.00	12.50	16.00	14.50				
		52	8.00	6.50	11.00	9.50	14.00	12.50	16.25	14.75				
		56	8.00	6.50	11.00	9.50	14.00	12.50	16.25	14.75				
		60	8.00	6.50	11.00	9.50	14.00	12.50	16.25	14.75				
		64	8.00	6.50	11.00	9.50	13.50	12.00	13.50	12.00				
		100	8.00	6.50	11.00	9.50	13.50	12.00	13.50	12.00				
		104	8.00	6.50	11.00	9.50	14.00	12.50	15.00	13.50				
		108	8.00	6.50	11.00	9.50	14.00	12.50	15.00	13.50				
		112	8.00	6.50	11.00	9.50	14.00	12.50	15.00	13.50				
		116	8.00	6.50	11.00	9.50	14.00	12.50	15.00	13.50				
		120	8.00	6.50	11.00	9.50	14.00	12.50	15.00	13.50				
		124	8.00	6.50	11.00	9.50	14.00	12.50	15.00	13.50				
		128	8.00	6.50	11.00	9.50	14.00	12.50	15.00	13.50				
		132	8.00	6.50	11.00	9.50	14.00	12.50	15.00	13.50				
		136	8.00	6.50	11.00	9.50	13.50	12.00	13.50	12.00				
		140	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50				
		144	8.00	6.50	11.00	9.50	14.00	12.50	15.00	13.50				
		149	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00				
		153	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00				
		157	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00				
		161	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00				
		165	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00				
	40 MHz Bandwidth	38	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50		
		46	8.00	6.50	11.00	9.50	14.00	12.50	16.00	14.50	16.00	14.50		
		54	8.00	6.50	11.00	9.50	14.00	12.50	16.25	14.75	16.25	14.75		
		62	8.00	6.50	10.50	9.00	10.50	9.00	10.00	8.50	10.50	9.00		
		102	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
		110	8.00	6.50	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50		
		118	8.00	6.50	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50		
		126	8.00	6.50	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50		
		134	8.00	6.50	11.00	9.50	13.00	11.50	13.00	11.50	13.00	11.50		
		142	8.00	6.50	11.00	9.50	14.00	12.50	10.00	8.50	15.00	13.50		
		151	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00		
		159	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00	15.50	14.00		
	80 MHz Bandwidth	42	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
		58	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
		106	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
		122	8.00	6.50	11.00	9.50	14.00	12.50	15.00	13.50	15.00	13.50	15.00	13.50
		138	8.00	6.50	11.00	9.50	14.00	12.50	10.00	8.50	13.00	11.50	15.00	13.50
		155	14.50	13.00	14.50	13.00	14.50	13.00	14.50	13.00	14.50	13.00	14.50	13.00

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device		APPENDIX H: Page 6 of 17

1.2.2 Reduced 802.11ax RU WLAN Output Power

E. Ant 2a

Mode/ Band		Tones	26T		52T		106T		242T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal
Modulated Average - Single Tx Chain (dBm) - Antenna 2A	20 MHz Bandwidth	1	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		2	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		3	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		4	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		5	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		6	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		7	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		8	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		9	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		10	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		11	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		12	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Mode/ Band		Tones	26T		52T		106T		242T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal
Modulated Average - 2 Tx Chain (dBm) - Antenna 2A	20 MHz Bandwidth	1	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		2	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		3	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		4	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		5	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		6	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		7	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		8	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		9	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		10	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		11	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		12	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

F. Ant 4a

Mode/ Band		Tones	26T		52T		106T		242T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal
Modulated Average - Single Tx Chain (dBm) - Antenna 4A	20 MHz Bandwidth	1	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		2	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		3	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		4	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		5	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		6	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		7	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		8	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		9	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		10	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		11	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		12	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device		APPENDIX H: Page 7 of 17

Mode/ Band		Tones	26T		52T		106T		242T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal
Modulated Average - 2 Tx Chain (dBm) - Antenna 4A	20 MHz Bandwidth	1	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		2	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		3	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		4	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		5	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		6	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		7	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		8	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		9	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		10	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		11	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		12	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

G. 5GHz ANTLower

Mode/ Band		Tones	26T		52T		106T		242T		484T		996T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal
Modulated Average - Single Tx Chain (dBm) - 5GHz ANTLower	20 MHz Bandwidth	36	11.00	9.50	12.00	10.50	12.00	10.50	12.00	10.50				
		40	11.00	9.50	12.00	10.50	12.00	10.50	12.00	10.50				
		44	11.00	9.50	12.00	10.50	12.00	10.50	12.00	10.50				
		48	11.00	9.50	12.00	10.50	12.00	10.50	12.00	10.50				
		52	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00				
		56	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00				
		60	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00				
		64	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00				
		100	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00				
		104	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00				
		108	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00				
		112	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00				
		116	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00				
		120	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00				
		124	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00				
		128	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00				
		132	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00				
		136	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00				
		140	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00				
		144	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00				
		149	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00				
		153	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00				
		157	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00				
		161	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00				
		165	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00				
	40 MHz Bandwidth	38	11.00	9.50	12.00	10.50	12.00	10.50	12.00	10.50	12.00	10.50		
		46	11.00	9.50	12.00	10.50	12.00	10.50	12.00	10.50	12.00	10.50		
		54	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00	12.50	11.00		
		62	11.00	9.50	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00		
		102	11.00	9.50	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00		
		110	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00	12.50	11.00		
		118	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00	12.50	11.00		
		126	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00	12.50	11.00		
		134	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00	12.50	11.00		
		142	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00	12.50	11.00		
		151	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00		
		159	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00		
		42	11.00	9.50	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
		58	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
	80 MHz Bandwidth	106	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
		122	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00	12.50	11.00	12.50	11.00
		138	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00	12.50	11.00	12.50	11.00
		155	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device		APPENDIX H: Page 8 of 17

Mode/ Band		Tones	26T		52T		106T		242T		484T		996T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal
Modulated Average - 2 Tx Chain (dBm) CDD - 5GHz ANTower	20 MHz Bandwidth	36	8.00	6.50	11.00	9.50	12.00	10.50	12.00	10.50				
		40	8.00	6.50	11.00	9.50	12.00	10.50	12.00	10.50				
		44	8.00	6.50	11.00	9.50	12.00	10.50	12.00	10.50				
		48	8.00	6.50	11.00	9.50	12.00	10.50	12.00	10.50				
		52	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		56	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		60	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		64	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		100	7.75	6.25	10.75	9.25	12.50	11.00	12.50	11.00				
		104	7.75	6.25	10.75	9.25	12.50	11.00	12.50	11.00				
		108	7.75	6.25	10.75	9.25	12.50	11.00	12.50	11.00				
		112	7.75	6.25	10.75	9.25	12.50	11.00	12.50	11.00				
		116	7.75	6.25	10.75	9.25	12.50	11.00	12.50	11.00				
		120	7.75	6.25	10.75	9.25	12.50	11.00	12.50	11.00				
		124	7.75	6.25	10.75	9.25	12.50	11.00	12.50	11.00				
		128	7.75	6.25	10.75	9.25	12.50	11.00	12.50	11.00				
		132	7.75	6.25	10.75	9.25	12.50	11.00	12.50	11.00				
		136	7.75	6.25	10.75	9.25	12.50	11.00	12.50	11.00				
		140	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50				
		144	7.75	6.25	10.75	9.25	12.50	11.00	12.50	11.00				
		149	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00				
		153	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00				
		157	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00				
		161	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00				
		165	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00				
	40 MHz Bandwidth	38	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50		
		46	8.00	6.50	11.00	9.50	12.00	10.50	12.00	10.50	12.00	10.50		
		54	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00		
		62	8.00	6.50	10.50	9.00	10.50	9.00	10.00	8.50	10.50	9.00		
		102	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
		110	7.75	6.25	10.75	9.25	12.50	11.00	12.50	11.00	12.50	11.00		
		118	7.75	6.25	10.75	9.25	12.50	11.00	12.50	11.00	12.50	11.00		
		126	7.75	6.25	10.75	9.25	12.50	11.00	12.50	11.00	12.50	11.00		
		134	7.75	6.25	10.75	9.25	12.50	11.00	12.50	11.00	12.50	11.00		
		142	7.75	6.25	10.75	9.25	12.50	11.00	10.00	8.50	12.50	11.00		
		151	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00		
		159	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00		
	80 MHz Bandwidth	42	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
		58	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
		106	7.75	6.25	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
		122	7.75	6.25	10.75	9.25	12.50	11.00	12.50	11.00	12.50	11.00	12.50	11.00
		138	7.75	6.25	10.75	9.25	12.50	11.00	10.00	8.50	12.50	11.00	12.50	11.00
		155	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00

Mode/ Band		Tones	26T		52T		106T		242T		484T		996T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal
Modulated Average - 2 Tx Chain (dBm) SDM - 5GHz ANTower	20 MHz Bandwidth	36	8.00	6.50	11.00	9.50	12.00	10.50	12.00	10.50				
		40	8.00	6.50	11.00	9.50	12.00	10.50	12.00	10.50				
		44	8.00	6.50	11.00	9.50	12.00	10.50	12.00	10.50				
		48	8.00	6.50	11.00	9.50	12.00	10.50	12.00	10.50				
		52	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		56	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		60	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		64	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		100	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		104	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		108	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		112	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		116	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		120	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		124	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		128	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		132	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		136	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		140	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50				
		144	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00				
		149	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00				
		153	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00				
		157	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00				
		161	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00				
		165	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00				
	40 MHz Bandwidth	38	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50		
		46	8.00	6.50	11.00	9.50	12.00	10.50	12.00	10.50	12.00	10.50		
		54	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00		
		62	8.00	6.50	10.50	9.00	10.50	9.00	10.00	8.50	10.50	9.00		
		102	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
		110	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00		
		118	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00		
		126	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00		
		134	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00		
		142	8.00	6.50	11.00	9.50	12.50	11.00	10.00	8.50	12.50	11.00		
		151	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00		
		159	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00		
	80 MHz Bandwidth	42	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
		58	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
		106	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
		122	8.00	6.50	11.00	9.50	12.50	11.00	12.50	11.00	12.50	11.00	12.50	11.00
		138	8.00	6.50	11.00	9.50	12.50	11.00	10.00	8.50	12.50	11.00	12.50	11.00
		155	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device		APPENDIX H: Page 9 of 17

H. 5GHz ANTupper

Mode/ Band		Tones	26T		52T		106T		242T		484T		996T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal
Modulated Average - Single Tx Chain (dBm) - 5GHz ANTupper	20 MHz Bandwidth	36	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50				
		40	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50				
		44	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50				
		48	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50				
		52	11.00	9.50	11.25	9.75	11.25	9.75	11.25	9.75				
		56	11.00	9.50	11.25	9.75	11.25	9.75	11.25	9.75				
		60	11.00	9.50	11.25	9.75	11.25	9.75	11.25	9.75				
		64	11.00	9.50	11.25	9.75	11.25	9.75	11.25	9.75				
		100	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
		104	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
		108	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
		112	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
		116	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
		120	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
		124	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
		128	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
		132	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
		136	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
		140	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
		144	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
	149	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00					
	153	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00					
	157	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00					
	161	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00					
	165	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00					
	40 MHz Bandwidth	38	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50		
		46	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50		
		54	11.00	9.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75		
		62	11.00	9.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75		
		102	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
		110	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
		118	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
		126	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
		134	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
		142	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
	80 MHz Bandwidth	151	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00		
		159	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00		
		42	11.00	9.50	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
		58	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
		106	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
		122	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
		138	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
		155	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00

Mode/ Band		Tones		26T		52T		106T		242T		484T		996T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	
Modulated Average - 2 Tx Chain (dBm) CDD - 5GHz ANTupper	20 MHz Bandwidth	36	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
		40	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
		44	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
		48	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
		52	8.00	6.50	11.00	9.50	11.25	9.75	11.25	9.75	11.25	9.75			
		56	8.00	6.50	11.00	9.50	11.25	9.75	11.25	9.75	11.25	9.75			
		60	8.00	6.50	11.00	9.50	11.25	9.75	11.25	9.75	11.25	9.75			
		64	8.00	6.50	11.00	9.50	11.25	9.75	11.25	9.75	11.25	9.75			
		100	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50			
		104	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50			
		108	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50			
		112	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50			
		116	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50			
		120	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50			
		124	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50			
		128	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50			
		132	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50			
		136	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50			
		140	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50			
		144	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50			
		149	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00			
		153	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00			
		157	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00			
		161	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00			
	165	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00				
	40 MHz Bandwidth	38	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
		46	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
		54	8.00	6.50	11.00	9.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	
		62	8.00	6.50	10.50	9.00	10.50	9.00	10.00	8.50	10.50	9.00	10.50	9.00	
		102	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
		110	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
		118	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
		126	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
		134	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
		142	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
		151	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	
		159	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	
	80 MHz Bandwidth	42	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	
		58	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	
		106	7.75	6.25	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	
		122	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
		138	7.75	6.25	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
		155	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device	APPENDIX H: Page 10 of 17

Mode/ Band		Tones	26T		52T		106T		242T		484T		996T	
		Channel	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal
Modulated Average - 2 Tx Chain (dBm) SDM - 5GHz ANTupper	20 MHz Bandwidth	36	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50				
		40	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50				
		44	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50				
		48	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50				
		52	8.00	6.50	11.00	9.50	11.25	9.75	11.25	9.75				
		56	8.00	6.50	11.00	9.50	11.25	9.75	11.25	9.75				
		60	8.00	6.50	11.00	9.50	11.25	9.75	11.25	9.75				
		64	8.00	6.50	11.00	9.50	11.25	9.75	11.25	9.75				
		100	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50				
		104	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50				
		108	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50				
		112	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50				
		116	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50				
		120	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50				
		124	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50				
		128	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50				
		132	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50				
		136	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50				
		140	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50				
		144	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50				
		149	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00				
		153	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00				
		157	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00				
		161	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00				
		165	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00				
	40 MHz Bandwidth	38	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50		
		46	8.00	6.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50		
		54	8.00	6.50	11.00	9.50	11.25	9.75	11.25	9.75	11.25	9.75		
		62	8.00	6.50	10.50	9.00	10.50	9.00	10.00	8.50	10.50	9.00		
		102	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
		110	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
		118	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
		126	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
		134	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
		142	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
		151	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00		
		159	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00		
	80 MHz Bandwidth	42	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
		58	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
		106	8.00	6.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
		122	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
		138	8.00	6.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
		155	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device		APPENDIX H: Page 11 of 17

1.3 IEEE 802.11ax Measured Powers

Table 1
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 2a

Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)	Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)
2412	1	26T	0	12.21	2412	1	52T	37	11.97
			4	12.61				38	12.51
			8	12.99				40	12.69
2417	2	26T	0	12.17	2417	2	52T	37	12.39
			4	12.76				38	12.44
			8	12.96				40	12.58
2437	6	26T	0	12.74	2437	6	52T	37	12.84
			4	12.88				38	12.68
			8	12.54				40	12.13
2462	11	26T	0	12.85	2462	11	52T	37	12.51
			4	12.83				38	12.29
			8	12.96				40	12.33
2467	12	26T	0	10.36	2467	12	52T	37	10.57
			4	10.94				38	10.83
			8	9.63				40	9.14

Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)	Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)
2412	1	106T	53	12.14	2412	1	242T	61	13.00
			54	12.61					
2417	2	106T	53	12.22	2417	2	242T	61	13.00
			54	12.42					
2437	6	106T	53	12.71	2437	6	242T	61	12.97
			54	12.21					
2462	11	106T	53	12.48	2462	11	242T	61	12.83
			54	12.32					
2467	12	106T	53	10.71	2467	12	242T	61	10.90
			54	9.60					

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device	APPENDIX H: Page 12 of 17

Table 2
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 4a

Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)	Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)
2412	1	26T	0	12.12	2412	1	52T	37	11.75
			4	12.43				38	11.81
			8	13.00				40	12.02
2417	2	26T	0	11.83	2417	2	52T	37	11.92
			4	12.39				38	11.77
			8	12.84				40	12.01
2437	6	26T	0	12.60	2437	6	52T	37	12.02
			4	12.77				38	11.78
			8	12.92				40	11.83
2462	11	26T	0	13.00	2462	11	52T	37	11.54
			4	12.60				38	11.63
			8	12.30				40	11.82
2467	12	26T	0	10.77	2467	12	52T	37	10.43
			4	11.00				38	10.92
			8	9.58				40	9.10

Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)		Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)
2412	1	106T	53	12.67						
			54	12.84						
2417	2	106T	53	12.58						
			54	12.75						
2437	6	106T	53	12.59						
			54	12.43						
2462	11	106T	53	11.95						
			54	12.36						
2467	12	106T	53	10.82						
			54	9.95						
2412	1	242T	61	12.77						
2417	2	242T	61	13.00						
2437	6	242T	61	12.90						
2462	11	242T	61	12.92						
2467	12	242T	61	10.90						

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device	APPENDIX H: Page 13 of 17

Table 3
Maximum 5 GHz 802.11ax RU Output Power – 5GHz ANTlower

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					0	4	8						37	39	40
	1	5180	36	26T	10.63	11.00	10.94		1	5180	36	52T	13.51	13.96	13.97
	5200	40	26T	10.68	10.92	10.99		5200	40	52T	13.41	13.66	13.62		
	5240	48	26T	10.78	11.00	10.95		5240	48	52T	13.53	13.72	13.52		
2A	5260	52	26T	10.69	11.00	11.00	2A	5260	52	52T	13.49	13.65	13.57		
	5300	60	26T	10.53	11.00	10.97		5300	60	52T	13.39	13.74	13.64		
	5320	64	26T	10.50	10.98	11.00		5320	64	52T	13.37	13.69	13.58		
2C	5500	100	26T	10.70	11.00	11.00	2C	5500	100	52T	13.50	13.64	13.67		
	5520	104	26T	10.68	11.00	10.98		5520	104	52T	13.39	13.70	13.55		
	5580	116	26T	10.71	10.92	10.80		5580	116	52T	13.45	13.58	13.38		
	5660	132	26T	11.00	11.00	11.00		5660	132	52T	13.52	13.66	13.56		
	5680	136	26T	10.87	11.00	10.96		5680	136	52T	13.32	13.66	13.41		
	5700	140	26T	10.80	11.00	10.99		5700	140	52T	12.65	12.81	12.76		
	5720	144	26T	10.81	11.00	11.00		5720	144	52T	13.12	13.34	13.31		
3	5745	149	26T	15.23	15.50	15.50	3	5745	149	52T	14.71	14.90	14.83		
	5785	157	26T	15.28	15.50	15.50		5785	157	52T	14.79	15.05	15.01		
	5825	165	26T	15.13	15.50	15.46		5825	165	52T	14.61	14.90	14.82		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					53	54	N/A						61	N/A	N/A
1	5180	36	106T	14.99	15.00		1	5180	36	242T	15.00				
	5200	40	106T	15.75	15.95			5200	40	242T	16.00				
	5240	48	106T	15.77	15.97			5240	48	242T	15.91				
2A	5260	52	106T	16.16	16.41		2A	5260	52	242T	16.37				
	5300	60	106T	16.21	16.46			5300	60	242T	16.50				
	5320	64	106T	14.18	14.33			5320	64	242T	14.50				
2C	5500	100	106T	13.58	13.88		2C	5500	100	242T	13.87				
	5520	104	106T	16.19	16.34			5520	104	242T	16.41				
	5580	116	106T	16.31	16.41			5580	116	242T	16.50				
	5660	132	106T	16.40	16.46			5660	132	242T	16.49				
	5680	136	106T	16.32	16.50			5680	136	242T	16.42				
	5700	140	106T	13.25	13.46			5700	140	242T	13.50				
	5720	144	106T	16.30	16.48			5720	144	242T	16.42				
3	5745	149	106T	15.23	15.44		3	5745	149	242T	15.44				
	5785	157	106T	15.50	15.50			5785	157	242T	15.36				
	5825	165	106T	15.34	15.50			5825	165	242T	15.49				

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					0	8	17						37	40	44
	1	5190	38	26T	10.19	10.95	10.45		1	5190	38	52T	11.66	12.00	11.60
2A	5230	46	26T	10.72	10.92	10.85	2A	5230	46	52T	13.81	13.94	13.82		
	5270	54	26T	10.64	10.93	11.00		5270	54	52T	13.84	14.00	13.87		
2C	5310	62	26T	10.48	11.00	11.00	2C	5310	62	52T	11.45	11.50	11.50		
	5510	102	26T	10.67	11.00	10.75		5510	102	52T	11.50	11.49	11.48		
	5550	110	26T	10.74	10.93	10.82		5550	110	52T	13.99	13.90	13.74		
	5590	118	26T	10.84	10.88	10.87		5590	118	52T	14.00	13.97	13.92		
	5670	134	26T	10.75	10.85	10.97		5670	134	52T	14.00	13.96	14.00		
	5710	142	26T	10.67	10.79	10.98		5710	142	52T	13.94	13.88	13.87		
3	5755	151	26T	15.09	15.49	15.50	3	5755	151	52T	15.49	15.50	15.50		
	5795	159	26T	14.92	15.43	15.41		5795	159	52T	15.42	15.33	15.29		

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device		APPENDIX H: Page 14 of 17

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					53	54	56						61	62	N/A
	1	5190	38	106T	11.52	12.00	11.72		1	5190	38	242T	12.00	12.00	
		5230	46	106T	15.84	15.94	16.00			5230	46	242T	16.00	16.00	
	2A	5270	54	106T	16.36	16.45	16.50		2A	5270	54	242T	16.14	16.36	
		5310	62	106T	11.15	11.40	11.46			5310	62	242T	11.50	11.50	
	2C	5510	102	106T	11.45	11.48	11.50		2C	5510	102	242T	11.42	11.38	
		5550	110	106T	16.46	16.50	16.49			5550	110	242T	16.48	16.46	
		5590	118	106T	16.50	16.48	16.46			5590	118	242T	16.50	16.47	
		5670	134	106T	14.50	14.48	14.45			5670	134	242T	14.38	14.37	
	3	5710	142	106T	16.40	16.41	16.45		3	5710	142	242T	13.50	13.48	
		5755	151	106T	15.35	15.44	15.50			5755	151	242T	15.50	15.50	
		5795	159	106T	15.21	15.37	15.50			5795	159	242T	15.50	15.50	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	1	5190	38	484T	11.49		
		5230	46	484T	16.00		
	2A	5270	54	484T	16.50		
		5310	62	484T	11.50		
	2C	5510	102	484T	11.50		
		5550	110	484T	16.50		
		5590	118	484T	16.50		
		5670	134	484T	14.45		
	3	5710	142	484T	16.33		
		5755	151	484T	15.50		
		5795	159	484T	15.50		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	1	5210	42	26T	10.80	11.00	10.80
2A	5290	58	26T	10.25	10.50	10.25	
	5530	106	26T	9.88	10.50	10.00	
2C	5610	122	26T	10.56	11.00	10.70	
	5690	138	26T	10.52	11.00	10.67	
	3	5775	155	26T	14.97	15.50	15.25

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5210	42	52T	10.05	10.44	10.23
2A	5290	58	52T	10.46	10.50	10.48	
	5530	106	52T	10.20	10.40	10.32	
2C	5610	122	52T	13.82	13.94	13.86	
	5690	138	52T	13.95	14.00	13.83	
	3	5775	155	52T	15.40	15.49	15.50

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5210	42	106T	10.26	10.46	10.30
	2A	5290	58	106T	10.39	10.50	10.34
		5530	106	106T	10.50	10.50	10.48
	2C	5610	122	106T	16.36	16.41	16.25
		5690	138	106T	16.50	16.48	16.50
	3	5775	155	106T	15.19	15.26	15.22

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	1	5210	42	242T	10.26	10.50	10.05
	2A	5290	58	242T	10.50	10.50	10.36
		5530	106	242T	10.21	10.47	10.33
	2C	5610	122	242T	16.42	16.41	16.22
		5690	138	242T	13.26	13.50	13.18
	3	5775	155	242T	15.50	15.50	15.27

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					65	66	N/A						67	N/A	N/A
	1	5210	42	484T	10.50	10.45			1	5210	42	996T	10.25		
	2A	5290	58	484T	10.48	10.50			2A	5290	58	996T	10.17		
		5530	106	484T	10.41	10.42				5530	106	996T	10.25		
	2C	5610	122	484T	16.50	16.48			2C	5610	122	996T	16.42		
		5690	138	484T	14.48	14.50				5690	138	996T	16.50		
		3	5775	155	484T	15.50	15.50				3	5775	155	996T	15.50

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device		APPENDIX H: Page 15 of 17

Table 4
Maximum 5 GHz 802.11ax RU Output Power – 5GHz ANTupper

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					0	4	8						37	39	40
	1	5180	36	26T	10.37	10.93	11.00		1	5180	36	52T	13.32	13.94	13.98
		5200	40	26T	10.18	10.81	11.00			5200	40	52T	13.28	13.75	13.86
		5240	48	26T	10.47	11.00	11.00			5240	48	52T	13.44	13.82	13.90
	2A	5260	52	26T	10.38	10.85	10.96		2A	5260	52	52T	13.28	13.65	13.53
		5300	60	26T	10.39	10.87	11.00			5300	60	52T	13.02	13.50	13.39
		5320	64	26T	10.51	10.87	10.91			5320	64	52T	13.06	13.46	13.32
	2C	5500	100	26T	10.82	11.00	11.00		2C	5500	100	52T	13.59	13.81	13.61
5520		104	26T	10.74	11.00	11.00	5520	104		52T	13.63	13.81	13.69		
5580		116	26T	10.57	10.89	10.87	5580	116		52T	13.65	13.78	13.65		
5660		132	26T	10.95	11.00	10.99	5660	132		52T	13.56	13.78	13.55		
5680		136	26T	10.63	10.98	11.00	5680	136		52T	13.78	13.98	13.85		
5700		140	26T	10.63	11.00	10.87	5700	140		52T	13.04	13.32	13.17		
5720		144	26T	10.64	10.99	10.79	5720	144		52T	13.55	13.74	13.59		
3	5745	149	26T	15.14	15.49	15.46	3	5745	149	52T	14.41	14.68	14.63		
	5785	157	26T	15.10	15.50	15.43		5785	157	52T	15.00	15.28	15.16		
	5825	165	26T	15.25	15.50	15.49		5825	165	52T	14.67	15.03	14.88		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					53	54	N/A						61	N/A	N/A
1	5180	36	106T	14.57	15.00		1	5180	36	242T	15.00				
	5200	40	106T	15.59	15.95			5200	40	242T	16.00				
	5240	48	106T	15.78	16.00			5240	48	242T	15.97				
2A	5260	52	106T	16.10	16.25		2A	5260	52	242T	16.25				
	5300	60	106T	16.09	16.25			5300	60	242T	16.25				
	5320	64	106T	14.31	14.50			5320	64	242T	14.49				
2C	5500	100	106T	13.90	14.00		2C	5500	100	242T	14.00				
	5520	104	106T	14.71	14.87			5520	104	242T	14.92				
	5580	116	106T	14.83	15.00			5580	116	242T	15.00				
	5660	132	106T	14.75	14.90			5660	132	242T	14.97				
	5680	136	106T	14.91	14.95			5680	136	242T	14.91				
	5700	140	106T	13.19	13.41			5700	140	242T	13.44				
	5720	144	106T	14.74	14.92			5720	144	242T	15.00				
3	5745	149	106T	15.26	15.48		3	5745	149	242T	15.50				
	5785	157	106T	15.39	15.00			5785	157	242T	15.43				
	5825	165	106T	15.19	15.41			5825	165	242T	15.45				

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					0	8	17						37	40	44
	1	5190	38	26T	10.00	11.00	10.62		1	5190	38	52T	10.77	11.88	11.29
		5230	46	26T	10.56	11.00	11.00			5230	46	52T	13.26	13.61	13.98
	2A	5270	54	26T	10.64	11.00	11.00		2A	5270	54	52T	13.55	13.72	13.91
		5310	62	26T	10.58	11.00	11.00			5310	62	52T	11.07	11.36	11.46
	2C	5510	102	26T	10.65	11.00	11.00		2C	5510	102	52T	11.25	11.41	11.41
		5550	110	26T	11.00	10.93	11.00			5550	110	52T	13.67	13.65	13.67
		5590	118	26T	10.47	10.72	10.59			5590	118	52T	13.74	13.67	13.70
5670		134	26T	11.00	11.00	11.00	5670	134		52T	13.50	13.61	13.74		
5710		142	26T	10.93	10.97	11.00	5710	142		52T	13.73	13.52	13.93		
3	5755	151	26T	15.27	15.50	15.50	3	5755	151	52T	15.21	15.24	15.45		
	5795	159	26T	15.33	15.50	15.50		5795	159	52T	14.93	15.08	15.38		

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					53	54	56						61	62	N/A
	1	5190	38	106T	10.97	11.96	11.31		1	5190	38	242T	11.95	11.83	
		5230	46	106T	14.96	15.31	15.11			5230	46	242T	15.03	15.20	
	2A	5270	54	106T	15.91	16.14	15.92		2A	5270	54	242T	15.65	15.70	
		5310	62	106T	11.17	11.25	11.22			5310	62	242T	11.16	11.31	
		5510	102	106T	11.26	11.34	11.17			5510	102	242T	11.50	11.50	
		5550	110	106T	14.16	14.29	14.18			5550	110	242T	14.40	14.55	
	2C	5590	118	106T	14.37	14.20	14.22		2C	5590	118	242T	14.65	14.56	
		5670	134	106T	14.01	13.92	13.76			5670	134	242T	14.28	14.32	
		5710	142	106T	14.51	14.57	14.44			5710	142	242T	13.50	13.36	
	3	5755	151	106T	15.05	15.17	15.05		3	5755	151	242T	15.43	15.50	
		5795	159	106T	15.18	15.36	15.22			5795	159	242T	15.50	15.39	

FCC ID: BCGA2068	 SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device	APPENDIX H: Page 16 of 17

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
1	2A	5190	38	484T	11.50		
		5230	46	484T	16.00		
		5270	54	484T	16.25		
2C	2C	5310	62	484T	11.50		
		5510	102	484T	11.50		
		5550	110	484T	15.00		
		5590	118	484T	15.00		
		5670	134	484T	14.50		
		5710	142	484T	15.00		
3	3	5755	151	484T	15.50		
		5795	159	484T	15.50		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					0	18	36						37	44	52
	1	5210	42	26T	10.56	10.92	10.76		1	5210	42	52T	9.63	10.25	10.04
	2A	5290	58	26T	9.95	10.44	10.19		2A	5290	58	52T	9.83	10.28	10.13
5530		106	26T	9.94	10.45	10.10		5530		106	52T	10.21	10.37	10.35	
	2C	5610	122	26T	10.84	10.99	10.83		2C	5610	122	52T	13.72	13.81	13.47
		5690	138	26T	10.66	10.89	10.69			5690	138	52T	13.55	13.92	13.74
	3	5775	155	26T	15.35	15.50	15.27		3	5775	155	52T	15.24	15.48	15.44

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					53	56	60						61	62	64
	1	5210	42	106T	9.83	10.20	10.06		1	5210	42	242T	9.86	10.27	9.84
2A	5290	58	106T	9.95	10.36	10.21	2A	5290	58	242T	10.16	10.44	10.19		
	5530	106	106T	10.29	10.42	10.37	5530	106	242T	9.81	10.21	9.96			
2C	5610	122	106T	14.03	14.16	13.86	2C	5610	122	242T	13.95	14.40	13.83		
	5690	138	106T	14.16	14.33	14.23		5690	138	242T	13.19	13.13	13.00		
3	5775	155	106T	15.28	15.42	15.39	3	5775	155	242T	15.25	14.08	15.27		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					65	66	N/A						67	N/A	N/A
	1	5210	42	484T	10.33	10.44			1	5210	42	996T	10.50		
2A	5290	58	484T	10.46	10.29		2A	5290	58	996T	10.50				
	5530	106	484T	10.36	10.44			5530	106	996T	10.38				
	5610	122	484T	13.85	13.86		2C	5610	122	996T	15.00				
2C	5690	138	484T	14.35	14.42			5690	138	996T	15.00				
	5775	155	484T	15.39	15.49		3	5775	155	996T	15.43				

FCC ID: BCGA2068	 PCTEST	SAR EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 12/16/2019 – 01/21/2020	DUT Type: Tablet Device		APPENDIX H: Page 17 of 17

APPENDIX I: PROBE CALIBRATION

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client: **PG-Test**

Certificate No.: **D750V3-1097_Sep17**

CALIBRATION CERTIFICATE

Object: **D750V3 - SN:1097**

Calibration procedure(s): **QA-CAL-05.v9**
Calibration procedure for dipole validation kits above 700 MHz

Calibration date: **September 08, 2017**

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI).
The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature $(22 \pm 3)^{\circ}\text{C}$ and humidity $< 70\%$.

Calibration Equipment used (M&TE critical for calibration)

Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	04-Apr-17 (No. 217-02521/02522)	Apr-18
Power sensor NRP-Z91	SN: 103244	04-Apr-17 (No. 217-02521)	Apr-18
Power sensor NRP-Z91	SN: 103245	04-Apr-17 (No. 217-02522)	Apr-18
Reference 20 dB Attenuator	SN: 5058 (20k)	07-Apr-17 (No. 217-02528)	Apr-18
Type-N mismatch combination	SN: 5047.2 / 06327	07-Apr-17 (No. 217-02529)	Apr-18
Reference Probe EX3DV4	SN: 7349	31-May-17 (No. EX3-7349_May17)	May-18
DAE4	SN: 601	28-Mar-17 (No. DAE4-601_Mar17)	Mar-18
Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Power meter EPM-442A	SN: GB37480704	07-Oct-15 (in house check Oct-16)	In house check: Oct-18
Power sensor HP 8481A	SN: US37292763	07-Oct-15 (in house check Oct-16)	In house check: Oct-18
Power sensor HP 8481A	SN: MY41092317	07-Oct-15 (in house check Oct-16)	In house check: Oct-18
RF generator R&S SMT-06	SN: 100972	15-Jun-15 (in house check Oct-16)	In house check: Oct-18
Network Analyzer HP 8753E	SN: US37390585	18-Oct-01 (in house check Oct-16)	In house check: Oct-17

Calibrated by: **Claudio Leubler** Function: **Laboratory Technician**

Approved by: **Katja Pokóvic** Technical Manager

Signature:

Issued: September 8, 2017

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.



Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Glossary:

TSL	tissue simulating liquid
ConvF	sensitivity in TSL / NORM x,y,z
N/A	not applicable or not measured

Calibration is Performed According to the Following Standards:

- IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

- DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions:** Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL:** The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- Feed Point Impedance and Return Loss:** These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- Electrical Delay:** One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured:** SAR measured at the stated antenna input power.
- SAR normalized:** SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters:** The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k=2$, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.10.0
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	15 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	750 MHz $\pm$ 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	41.9	0.89 mho/m
Measured Head TSL parameters	(22.0 $\pm$ 0.2) °C	41.2 $\pm$ 6 %	0.90 mho/m $\pm$ 6 %
Head TSL temperature change during test	< 0.5 °C	----	----

SAR result with Head TSL

SAR averaged over 1 cm³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	2.08 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	8.22 W/kg $\pm$ 17.0 % (k=2)

SAR averaged over 10 cm³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	1.36 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	5.39 W/kg $\pm$ 16.5 % (k=2)

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	55.5	0.96 mho/m
Measured Body TSL parameters	(22.0 $\pm$ 0.2) °C	55.5 $\pm$ 6 %	0.96 mho/m $\pm$ 6 %
Body TSL temperature change during test	< 0.5 °C	----	----

SAR result with Body TSL

SAR averaged over 1 cm³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	2.14 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	8.56 W/kg $\pm$ 17.0 % (k=2)

SAR averaged over 10 cm³ (10 g) of Body TSL	condition	
SAR measured	250 mW input power	1.42 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	5.68 W/kg $\pm$ 16.5 % (k=2)

Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	54.4 Ω - 0.6 j Ω
Return Loss	- 27.5 dB

Antenna Parameters with Body TSL

Impedance, transformed to feed point	50.0 Ω - 3.6 j Ω
Return Loss	- 28.8 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.034 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	July 05, 2013

DASY5 Validation Report for Head TSL

Date: 08.09.2017

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 750 MHz; Type: D750V3; Serial: D750V3 - SN:1097

Communication System: UID 0 - CW; Frequency: 750 MHz

Medium parameters used: $f = 750 \text{ MHz}$; $\sigma = 0.9 \text{ S/m}$; $\epsilon_r = 41.2$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(10.49, 10.49, 10.49); Calibrated: 31.05.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 28.03.2017
- Phantom: Flat Phantom 4.9 (front); Type: QD 00L P49 AA; Serial: 1001
- DASY52 52.10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Head Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0:


Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 58.59 V/m; Power Drift = 0.01 dB

Peak SAR (extrapolated) = 3.19 W/kg

SAR(1 g) = 2.08 W/kg; SAR(10 g) = 1.36 W/kg

Maximum value of SAR (measured) = 2.80 W/kg



0 dB = 2.80 W/kg = 4.47 dBW/kg

Impedance Measurement Plot for Head TSL

8 Sep 2017 13:09:24
 CH1 S11 1 U FS 1: 54.383 Ω -552.73 m Ω 383.92 pF 750.000 000 MHz

*

De1

CA

Avg
16

H1d

CH2 S11 LOG 5 dB/REF -20 dB 1:-27.463 dB 750.000 000 MHz

CA

Avg
16

H1d

START 550.000 000 MHz

STOP 950.000 000 MHz

DASY5 Validation Report for Body TSL

Date: 08.09.2017

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 750 MHz; Type: D750V3; Serial: D750V3 - SN:1097

Communication System: UID 0 - CW; Frequency: 750 MHz

Medium parameters used: $f = 750$ MHz; $\sigma = 0.96$ S/m; $\epsilon_r = 55.5$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(10.35, 10.35, 10.35); Calibrated: 31.05.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 28.03.2017
- Phantom: Flat Phantom 4.9 (Back); Type: QD 00R P49 AA; Serial: 1005
- DASY52 52.10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Body Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0:


Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 56.96 V/m; Power Drift = -0.00 dB

Peak SAR (extrapolated) = 3.16 W/kg

SAR(1 g) = 2.14 W/kg; SAR(10 g) = 1.42 W/kg

Maximum value of SAR (measured) = 2.81 W/kg



0 dB = 2.81 W/kg = 4.49 dBW/kg

Impedance Measurement Plot for Body TSL

8 Sep 2017 13:08:43
[CH1] S11 1 U FS 1: 49.951 Ω -3.6172 Ω 58.666 pF 750.000 000 MHz

*

De1

CA

Avg
15

H1d

CH2 S11 LOG 5 dB/REF -20 dB 1: -28.833 dB 750.000 000 MHz

CA

Avg
16

H1d

START 550.000 000 MHz

STOP 950.000 000 MHz

Certification of Calibration

Object D750V3 – SN: 1097

Calibration procedure(s) Procedure for Calibration Extension for SAR Dipoles.



Extended Calibration date: September 08, 2018

Description: SAR Validation Dipole at 750 MHz.

Calibration Equipment used:

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
Agilent	8753ES	S-Parameter Network Analyzer	9/14/2017	Annual	9/14/2018	US39170118
Agilent	N5182A	MXG Vector Signal Generator	3/19/2018	Annual	3/19/2019	US46240505
Amplifier Research	15S1G6	Amplifier	CBT	N/A	CBT	343972
Anritsu	ML2496A	Power Meter	10/9/2017	Annual	10/9/2018	1138001
Anritsu	MA2411B	Pulse Power Sensor	11/15/2017	Annual	11/15/2018	1339007
Anritsu	MA2411B	Pulse Power Sensor	11/22/2017	Annual	11/22/2018	1339008
Control Company	4040	Temperature / Humidity Monitor	2/28/2018	Biennial	2/28/2020	150761911
Control Company	4352	Ultra Long Stem Thermometer	2/14/2017	Biennial	2/14/2019	170112507
Keysight	772D	Dual Directional Coupler	CBT	N/A	CBT	MY52180215
Keysight Technologies	85033E	Standard Mechanical Calibration Kit (DC to 9GHz, 3.5mm)	6/4/2018	Annual	6/4/2019	MY53401181
Mini-Circuits	BW-N20W5+	DC to 18 GHz Precision Fixed 20 dB Attenuator	CBT	N/A	CBT	N/A
Mini-Circuits	NLP-2950+	Low Pass Filter DC to 2700 MHz	CBT	N/A	CBT	N/A
Narda	4772-3	Attenuator (3dB)	CBT	N/A	CBT	9406
Pasternack	PE2209-10	Bidirectional Coupler	CBT	N/A	CBT	N/A
Pasternack	PE5011-1	Torque Wrench	7/19/2017	Biennial	7/19/2019	N/A
SPEAG	DAK-3.5	Dielectric Assessment Kit	5/15/2018	Annual	5/15/2019	1070
SPEAG	ES3DV3	SAR Probe	9/18/2017	Annual	9/18/2018	3287
SPEAG	DAE4	Data Acquisition Electronics	1/26/2018	Annual	1/26/2019	1533
SPEAG	EX3DV4	SAR Probe	7/20/2018	Annual	7/20/2019	7416
SPEAG	DAE4	Dasy Data Acquisition Electronics	1/18/2018	Annual	1/18/2019	793

Measurement Uncertainty = $\pm 23\%$ (k=2)

	Name	Function	Signature
Calibrated By:	Sangmin Cha	Team Lead Engineer	
Approved By:	Kaitlin O'Keefe	Senior Technical Manager	

DIPOLE CALIBRATION EXTENSION



Per KDB 865664 D01, calibration intervals of up to three years may be considered for reference dipoles when it is demonstrated that the SAR target, impedance and return loss of a dipole have remained stable according to the following requirements:

1. The measured SAR does not deviate more than 10% from the target on the calibration certificate.
2. The return-loss does not deviate more than 20% from the previous measurement and meets the required 20dB minimum return-loss requirement.
3. The measurement of real or imaginary parts of impedance does not deviate more than 5Ω from the previous measurement.



The following dipole was checked to pass the above 3 requirements to have 2-year calibration period from the calibration date:

Calibration Date	Extension Date	Certificate Electrical Delay (ns)	Certificate SAR Target Head (1g) W/kg @ 23.0 dBm	Measured Head SAR (1g) W/kg @ 23.0 dBm	Deviation 1g (%)	Certificate SAR Target Body (10g) W/kg @ 23.0 dBm	Measured Body SAR (10g) W/kg @ 23.0 dBm	Deviation 10g (%)	Certificate Impedance Head (Ohm) Real	Measured Impedance Head (Ohm) Real	Difference (Ohm) Real	Certificate Impedance Head (Ohm) Imaginary	Measured Impedance Head (Ohm) Imaginary	Difference (Ohm) Imaginary	Certificate Return Loss Head (dB)	Measured Return Loss Head (dB)	Deviation (%)	PASS/FAIL
9/8/2017	9/8/2018	1.034	1.644	1.7	3.41%	1.078	1.12	3.90%	54.4	54.1	0.3	-0.6	-0.6	0	-27.5	-25.5	7.30%	PASS
Calibration Date	Extension Date	Certificate Electrical Delay (ns)	Certificate SAR Target Body (1g) W/kg @ 23.0 dBm	Measured Body SAR (1g) W/kg @ 23.0 dBm	Deviation 1g (%)	Certificate SAR Target Body (10g) W/kg @ 23.0 dBm	Measured Body SAR (10g) W/kg @ 23.0 dBm	Deviation 10g (%)	Certificate Impedance Body (Ohm) Real	Measured Impedance Body (Ohm) Real	Difference (Ohm) Real	Certificate Impedance Body (Ohm) Imaginary	Measured Impedance Body (Ohm) Imaginary	Difference (Ohm) Imaginary	Certificate Return Loss Body (dB)	Measured Return Loss Body (dB)	Deviation (%)	PASS/FAIL
9/8/2017	9/8/2018	1.034	1.712	1.78	3.97%	1.136	1.17	2.99%	50	49.6	0.4	-3.6	-3.1	0.5	-28.8	-30.3	-5.20%	PASS

Impedance & Return-Loss Measurement Plot for Head TSL



Impedance & Return-Loss Measurement Plot for Body TSL



Certification of Calibration

Object D750V3 – SN: 1097

Calibration procedure(s) Procedure for Calibration Extension for SAR Dipoles.

Extended Calibration date: September 8, 2019

Description: SAR Validation Dipole at 750 MHz.

Calibration Equipment used:

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
Agilent	8753ES	S-Parameter Network Analyzer	10/2/2018	Annual	10/2/2019	US39170118
Agilent	E4438C	ESG Vector Signal Generator	6/27/2019	Annual	6/27/2020	MY45093852
Amplifier Research	15S1G6	Amplifier	CBT	N/A	CBT	343972
Anritsu	ML2495A	Power Meter	10/21/2018	Annual	10/21/2019	941001
Anritsu	MA2411B	Pulse Power Sensor	10/30/2018	Annual	10/30/2019	1207470
Anritsu	MA2411B	Pulse Power Sensor	11/20/2018	Annual	11/20/2019	1339007
Control Company	4040	Temperature / Humidity Monitor	2/28/2018	Biennial	2/28/2020	150761911
Control Company	4352	Ultra Long Stem Thermometer	2/28/2018	Biennial	2/28/2020	170330160
Keysight Technologies	85033E	Standard Mechanical Calibration Kit (DC to 9GHz, 3.5mm)	7/2/2019	Annual	7/2/2020	MY53401181
Keysight	772D	Dual Directional Coupler	CBT	N/A	CBT	MY52180215
Mini-Circuits	BW-N20W5+	DC to 18 GHz Precision Fixed 20 dB Attenuator	CBT	N/A	CBT	N/A
Mini-Circuits	NLP-2950+	Low Pass Filter DC to 2700 MHz	CBT	N/A	CBT	N/A
Narda	4772-3	Attenuator (3dB)	CBT	N/A	CBT	9406
Pasternack	PE2208-6	Bidirectional Coupler	CBT	N/A	CBT	N/A
Pasternack	NC-100	Torque Wrench	11/1/2017	Biennial	11/1/2019	N/A
SPEAG	DAK-3.5	Dielectric Assessment Kit	5/7/2019	Annual	5/7/2020	1070
SPEAG	EX3DV4	SAR Probe	1/24/2019	Annual	1/24/2020	7490
SPEAG	DAE4	Data Acquisition Electronics	1/15/2019	Annual	1/15/2020	1532

Measurement Uncertainty = $\pm 23\%$ (k=2)

	Name	Function	Signature
Calibrated By:	Parker Jones	Team Lead Engineer	<i>Parker Jones</i>
Approved By:	Kaitlin O'Keefe	Senior Technical Manager	<i>KOK</i>

DIPOLE CALIBRATION EXTENSION

Per KDB 865664 D01, calibration intervals of up to three years may be considered for reference dipoles when it is demonstrated that the SAR target, impedance and return loss of a dipole have remained stable according to the following requirements:

1. The measured SAR does not deviate more than 10% from the target on the calibration certificate.
2. The return-loss does not deviate more than 20% from the previous measurement and meets the required 20dB minimum return-loss requirement.
3. The measurement of real or imaginary parts of impedance does not deviate more than 5Ω from the previous measurement.

The following dipole was checked to pass the above 3 requirements to have 3-year calibration period from the calibration date:


Calibration Date	Extension Date	Certificate Electrical Delay (ns)	Certificate SAR Target Head (1g) W/kg @ 23.0 dBm	Measured Head SAR (1g) W/kg @ 23.0 dBm	Deviation 1g (%)	Certificate SAR Target Head (10g) W/kg @ 23.0 dBm	Measured Head SAR (10g) W/kg @ 23.0 dBm	Deviation 10g (%)	Certificate Impedance Head (Ohm) Real	Measured Impedance Head (Ohm) Real	Difference (Ohm) Real	Certificate Impedance Head (Ohm) Imaginary	Measured Impedance Head (Ohm) Imaginary	Difference (Ohm) Imaginary	Certificate Return Loss Head (dB)	Measured Return Loss Head (dB)	Deviation (%)	PASS/FAIL
9/8/2017	9/8/2019	1.034	1.644	1.55	-5.11%	1.078	1.03	-4.45%	54.4	55.1	0.7	-0.6	1.7	2.3	-27.5	-25	5.50%	PASS
Calibration Date	Extension Date	Certificate Electrical Delay (ns)	Certificate SAR Target Body (1g) W/kg @ 23.0 dBm	Measured Body SAR (1g) W/kg @ 23.0 dBm	Deviation 1g (%)	Certificate SAR Target Body (10g) W/kg @ 23.0 dBm	Measured Body SAR (10g) W/kg @ 23.0 dBm	Deviation 10g (%)	Certificate Impedance Body (Ohm) Real	Measured Impedance Body (Ohm) Real	Difference (Ohm) Real	Certificate Impedance Body (Ohm) Imaginary	Measured Impedance Body (Ohm) Imaginary	Difference (Ohm) Imaginary	Certificate Return Loss Body (dB)	Measured Return Loss Body (dB)	Deviation (%)	PASS/FAIL
9/8/2017	9/8/2019	1.034	1.712	1.65	-3.62%	1.136	1.1	-3.17%	50	51	1	-3.6	-1.3	2.3	-28.8	-31.9	-10.80%	PASS

Impedance & Return-Loss Measurement Plot for Head TSL

CH1 S11 1 U FS 1: 55.143 Ω 1.7363 Ω 368.46 pF 750.000 000 MHz

*
De1
Cor

↑




CENTER 750.000 000 MHz

SPAN 400.000 000 MHz

CH1 S11 LOG 5 dB/REF -20 dB 1:-26.011 dB 750.000 000 MHz

*
De1
Smo
Cor

↑



CENTER 750.000 000 MHz

SPAN 400.000 000 MHz



Object:

D750V3 – SN: 1097

Date Issued:

09/08/2019

Impedance & Return-Loss Measurement Plot for Body TSL





Accredited by the Swiss Accreditation Service (SAS)
 The Swiss Accreditation Service is one of the signatories to the EA
 Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client **PC Test**

Certificate No: **D835V2-4d040_Jun19**

CALIBRATION CERTIFICATE

Object **D835V2 - SN:4d040**

Calibration procedure(s) **QA CAL-05.v11**
Calibration Procedure for SAR Validation Sources between 0.7-3 GHz

Calibration date: **June 20, 2019**

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI).
 The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature $(22 \pm 3)^\circ\text{C}$ and humidity $< 70\%$.

Calibration Equipment used (M&TE critical for calibration)

Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	03-Apr-19 (No. 217-02892/02893)	Apr-20
Power sensor NRP-Z91	SN: 103244	03-Apr-19 (No. 217-02892)	Apr-20
Power sensor NRP-Z91	SN: 103245	03-Apr-19 (No. 217-02893)	Apr-20
Reference 20 dB Attenuator	SN: 5058 (20k)	04-Apr-19 (No. 217-02894)	Apr-20
Type-N mismatch combination	SN: 5047.2 / 06327	04-Apr-19 (No. 217-02895)	Apr-20
Reference Probe EX3DV4	SN: 7349	29-May-19 (No. EX3-7349_May19)	May-20
DAE4	SN: 601	30-Apr-19 (No. DAE4-601_Apr19)	Apr-20
Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Power meter E4419B	SN: GB39512475	30-Oct-14 (in house check Feb-19)	In house check: Oct-20
Power sensor HP 8481A	SN: US37292783	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
Power sensor HP 8481A	SN: MY41092317	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
RF generator R&S SMT-06	SN: 100972	15-Jun-15 (in house check Oct-18)	In house check: Oct-20
Network Analyzer Agilent E8358A	SN: US41080477	31-Mar-14 (in house check Oct-18)	In house check: Oct-19

Calibrated by: **Manu Seitz** **Laboratory Technician**

Approved by: **Katja Pokovic** **Technical Manager**

Issued: June 21, 2019

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.