




Lower Band Edge Channel 100



Upper Band Edge Channel 140



Lower Band Edge and Upper Band Edge Straddle Channel 144



Results: 802.11n HT20 - 20 MHz – SISO - Core 2

Results: Peak / Channel 100

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5470	Vertical	59.14	68.20	9.06	<± 3.05	PASS
5468.067	Vertical	62.27	68.20	5.93	<± 3.05	PASS


Results: Peak / Channel 140

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5726.080	Vertical	62.82	68.20	5.38	<± 3.05	PASS
5725	Vertical	61.62	68.20	6.58	<± 3.05	PASS


Results: Peak / Straddle Channel 144

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5925.410	Vertical	62.69	68.20	5.51	<± 3.05	PASS


Lower Band Edge Channel 100



Upper Band Edge Channel 140



Lower Band Edge and Upper Band Edge Straddle Channel 144



Results for Mode: 802.11n HT20 – CDD - 20 MHz - MIMO - Core 0 + Core 2

Results: Peak / Channel 100

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5470	Vertical	60.61	68.20	7.59	<± 3.05	PASS
5467.587	Vertical	62.29	68.20	5.91	<± 3.05	PASS


Results: Peak / Channel 140

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5725	Vertical	62.57	68.20	5.63	<± 3.05	PASS
5726.347	Vertical	63.21	68.20	4.99	<± 3.05	PASS


Results: Peak / Straddle Channel 144

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5943.610	Vertical	62.43	68.20	5.77	<± 3.05	PASS


Lower Band Edge Channel 100



Upper Band Edge Channel 140



Lower Band Edge and Upper Band Edge Straddle Channel 144



Results for Mode: 802.11n HT20 – SDM - 20 MHz – MIMO - Core 0 + Core 2

Results: Peak / Channel 100

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5469.320	Vertical	62.65	68.20	5.55	<± 3.05	PASS


Results: Peak / Channel 140

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5725	Vertical	60.54	68.20	7.66	<± 3.05	PASS
5727.467	Vertical	63.20	68.20	5.00	<± 3.05	PASS


Results: Peak / Straddle Channel 144

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5927.360	Vertical	62.65	68.20	5.55	<± 3.05	PASS


Lower Band Edge Channel 100



Upper Band Edge Channel 140



Lower Band Edge and Upper Band Edge Straddle Channel 144



Results for Mode: 802.11n HT20 – TxBF - 20 MHz – MIMO - Core 0+Core 2

Results: Peak / Channel 100

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5470	Vertical	61.06	68.20	7.14	<± 3.05	PASS
5463.160	Vertical	61.90	68.20	6.30	<± 3.05	PASS


Results: Peak / Channel 140

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5725	Vertical	59.23	68.20	8.97	<± 3.05	PASS
5732.240	Vertical	61.46	68.20	6.74	<± 3.05	PASS


Results: Peak / Straddle Channel 144

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5884.890	Vertical	62.02	68.20	6.18	<± 3.05	PASS


Lower Band Edge Channel 100



Upper Band Edge Channel 140



Lower Band Edge and Upper Band Edge Straddle Channel 144



Results for Mode: 802.11n HT20 – CDD- MIMO - Core 0 + Core 1 + Core 2

Results: Peak / Channel 100

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5470	Vertical	59.87	68.20	8.33	<± 3.05	PASS
5469.320	Vertical	62.34	68.20	5.86	<± 3.05	PASS


Results: Peak / Channel 140

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5725	Vertical	61.66	68.20	6.54	<± 3.05	PASS
5733.413	Vertical	62.31	68.20	5.89	<± 3.05	PASS


Results: Peak / Straddle Channel 144

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5909.590	Horizontal	61.90	68.20	6.30	<± 3.05	PASS


Lower Band Edge Channel 100



Upper Band Edge Channel 140



Lower Band Edge and Upper Band Edge Straddle Channel 144



Results for Mode: 802.11n HT20 – SDM - 20 MHz – MIMO - Core 0+Core 1+Core 2

Results: Peak / Channel 100

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5470	Vertical	60.57	68.20	7.63	<± 3.05	PASS
5469.960	Vertical	62.45	68.20	5.75	<± 3.05	PASS


Results: Peak / Channel 140

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5725	Vertical	60.52	68.20	7.68	<± 3.05	PASS
5731.547	Vertical	62.79	68.20	5.41	<± 3.05	PASS


Results: Peak / Straddle Channel 144

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5947.510	Horizontal	62.39	68.20	5.81	<± 3.05	PASS


Lower Band Edge Channel 100



Upper Band Edge Channel 140



Lower Band Edge and Upper Band Edge Straddle Channel 144



Results for: 802.11n HT20 – TxBF- 20 MHz – MIMO - Core 0+Core 1+Core 2

Results: Peak / Channel 100

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5470	Vertical	59.10	68.20	9.10	<± 3.05	PASS
5466.413	Vertical	61.45	68.20	6.75	<± 3.05	PASS


Results: Peak / Channel 140

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5725	Vertical	60.76	68.20	6.44	<± 3.05	PASS
5725.600	Vertical	63.03	68.20	5.17	<± 3.05	PASS


Results: Peak / Straddle Channel 144

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5935.810	Vertical	62.06	68.20	6.14	<± 3.05	PASS


Lower Band Edge Channel 100



Upper Band Edge Channel 140



Lower Band Edge and Upper Band Edge Straddle Channel 144



Results for Mode: 802.11n HT40 - 40 MHz – SISO - Core 2

Results: Peak / Channel 102

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5469.999	Vertical	60.05	68.20	8.15	<± 3.05	PASS
5469.660	Vertical	61.24	68.20	6.96	<± 3.05	PASS


Results: Peak / Channel 134

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5725	Vertical	61.06	68.20	7.14	<± 3.05	PASS
5732.425	Vertical	62.81	68.20	5.39	<± 3.05	PASS


Results: Peak / Straddle Channel 142

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5947.500	Vertical	62.43	68.20	5.77	<± 3.05	PASS


Lower Band Edge Channel 102



Upper Band Edge Channel 134



Lower Band Edge and Upper Band Edge Straddle Channel 142



Results for Mode: 802.11n HT40 – CDD - 40 MHz – MIMO - Core 0+Core 2

Results: Peak / Channel 102

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5469.999	Vertical	60.95	68.20	7.25	<± 3.05	PASS
5468.020	Vertical	62.18	68.20	6.02	<± 3.05	PASS


Results: Peak / Channel 134

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5725	Vertical	61.31	68.20	6.89	<± 3.05	PASS
5732.725	Vertical	62.64	68.20	5.56	<± 3.05	PASS


Results: Peak / Straddle Channel 142

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5946.700	Vertical	62.28	68.20	5.92	<± 3.05	PASS


Lower Band Edge Channel 102



Upper Band Edge Channel 134



Lower Band Edge and Upper Band Edge Straddle Channel 142



Results for Mode: 802.11n HT40 – SDM - 40 MHz – MIMO - Core 0+ Core 2

Results: Peak / Channel 102

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5469.990	Vertical	61.55	68.20	6.65	<± 3.05	PASS
5463.260	Vertical	62.66	68.20	5.54	<± 3.05	PASS


Results: Peak / Channel 134

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5725	Vertical	61.63	68.20	6.57	<± 3.05	PASS
5729.425	Vertical	63.15	68.20	5.05	<± 3.05	PASS


Results: Peak / Straddle Channel 142

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5949.900	Vertical	62.16	68.20	6.04	<± 3.05	PASS


Lower Band Edge Channel 102



Upper Band Edge Channel 134



Lower Band Edge and Upper Band Edge Straddle Channel 142



Results for Mode: 802.11n HT40 – TxBF - 40 MHz - MIMO - Core 0+Core 2

Results: Peak / Channel 102

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5469.540	Vertical	60.84	68.20	7.36	<± 3.05	PASS


Results: Peak / Channel 134

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5725	Vertical	60.62	68.20	7.58	<± 3.05	PASS
5729.825	Vertical	62.25	68.20	5.95	<± 3.05	PASS


Results: Peak / Straddle Channel 142

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5943.500	Vertical	63.07	68.20	5.13	<± 3.05	PASS


Lower Band Edge Channel 102



Upper Band Edge Channel 134



Lower Band Edge and Upper Band Edge Straddle Channel 142



Results for Mode: 802.11n HT40 – CDD - 40 MHz – MIMO - Core 0 + Core 1+ Core 2

Results: Peak / Channel 102

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5424.100	Vertical	60.60	68.20	7.60	<± 3.05	PASS
5470	Vertical	59.45	68.20	8.75	<± 3.05	PASS


Results: Peak / Channel 134

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5725	Vertical	60.99	68.20	7.21	<± 3.05	PASS
5730.325	Vertical	62.93	68.20	5.27	<± 3.05	PASS


Results: Peak / Straddle Channel 142

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5936.900	Vertical	61.97	68.20	6.23	<± 3.05	PASS


Lower Band Edge Channel 102



Upper Band Edge Channel 134



Lower Band Edge and Upper Band Edge Straddle Channel 142



Results for Mode: 802.11n HT40 – SDM - 40 MHz - MIMO - Core 0 + Core 1+ Core 2

Results: Peak / Channel 102

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5469.999	Vertical	59.48	68.20	8.72	<± 3.05	PASS
5423.860	Vertical	60.87	68.20	7.33	<± 3.05	PASS


Results: Peak / Channel 134

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5725	Vertical	61.59	68.20	6.61	<± 3.05	PASS
5725.375	Vertical	62.97	68.20	5.23	<± 3.05	PASS


Results: Peak / Straddle Channel 142

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5886.500	Horizontal	61.95	68.20	6.25	<± 3.05	PASS


Lower Band Edge Channel 102



Upper Band Edge Channel 134



Lower Band Edge and Upper Band Edge Straddle Channel 142



Results for Mode: 802.11n HT40 – TxBF - 40 MHz – MIMO - Core 0+ Core 1+ Core 2

Results: Peak / Channel 102

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5469.999	Vertical	58.22	68.20	9.98	<± 3.05	PASS
5464.020	Vertical	60.38	68.20	7.82	<± 3.05	PASS


Results: Peak / Channel 134

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5725	Vertical	61.11	68.20	7.09	<± 3.05	PASS
5727.425	Vertical	62.98	68.20	5.22	<± 3.05	PASS


Results: Peak / Straddle Channel 142

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5942.700	Horizontal	62.56	68.20	5.64	<± 3.05	PASS


Lower Band Edge Channel 102



Upper Band Edge Channel 134



Lower Band Edge and Upper Band Edge Straddle Channel 142



Results for Mode 802.11ac VHT80 – 80MHz – SISO – Core 2

Results: Peak / Channel 106

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5470	Vertical	58.25	68.20	9.95	<± 3.05	PASS
5460.433	Vertical	60.60	68.20	7.60	<± 3.05	PASS


Results: Peak / Channel 122

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5725	Vertical	61.91	68.20	6.29	<± 3.05	PASS
5727.330	Vertical	63.04	68.20	5.16	<± 3.05	PASS


Results: Peak / Straddle Channel 138

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5850.500	Vertical	62.98	68.20	5.22	<± 3.05	PASS


Lower Band Edge Channel 106



Upper Band Edge Channel 122



Lower Band Edge and Upper Band Edge Straddle Channel 138



Results for Mode: 802.11ac VHT80 – CDD - 80 MHz – MIMO - Core 0+Core 2

Results: Peak / Channel 106

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5470	Vertical	58.54	68.20	9.66	<± 3.05	PASS
5458.500	Vertical	60.59	68.20	7.61	<± 3.05	PASS


Results: Peak / Channel 122

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5732.800	Vertical	62.78	68.20	5.42	<± 3.05	PASS


Results: Peak / Straddle Channel 138

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5853.900	Vertical	63.12	68.20	5.08	<± 3.05	PASS


Lower Band Edge Channel 106



Upper Band Edge Channel 122



Lower Band Edge and Upper Band Edge Straddle Channel 138



Results for Mode: 802.11ac VHT80 – SDM - 80 MHz - MIMO - Core 0+Core 2

Results: Peak / Channel 106

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5470	Vertical	58.24	68.20	9.96	<± 3.05	PASS
5458.033	Vertical	60.30	68.20	7.90	<± 3.05	PASS


Results: Peak / Channel 122

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5725	Vertical	60.64	68.20	7.56	<± 3.05	PASS
2730.630	Vertical	63.09	68.20	5.11	<± 3.05	PASS


Results: Peak / Straddle Channel 138

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5855.900	Vertical	63.16	68.20	5.04	<± 3.05	PASS


Lower Band Edge Channel 106



Upper Band Edge Channel 122



Lower Band Edge and Upper Band Edge Straddle Channel 138



Results for Mode: 802.11ac VHT80 – TxBF - 80 MHz – MIMO - Core 0+Core 2

Results: Peak / Channel 106

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5470	Vertical	57.90	68.20	10.30	<± 3.05	PASS
5456.233	Vertical	60.07	68.20	8.13	<± 3.05	PASS


Results: Peak / Channel 122

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5725	Vertical	59.32	68.20	8.88	<± 3.05	PASS
5878.190	Vertical	62.31	68.20	5.89	<± 3.05	PASS


Results: Peak / Straddle Channel 138

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5854.500	Vertical	62.86	68.20	5.34	<± 3.05	PASS


Lower Band Edge Channel 106



Upper Band Edge Channel 122



Lower Band Edge and Upper Band Edge Straddle Channel 138



Results for Mode: 802.11ac VHT80 – CDD - 80 MHz – MIMO - Core 0+Core 1+Core 2

Results: Peak / Channel 106

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5470	Vertical	57.47	68.20	10.73	<± 3.05	PASS
5399.367	Vertical	59.76	68.20	8.44	<± 3.05	PASS


Results: Peak / Channel 122

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5725	Vertical	59.48	68.20	8.72	<± 3.05	PASS
5868.270	Vertical	62.06	68.20	6.14	<± 3.05	PASS


Results: Peak / Straddle Channel 138

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5850.500	Vertical	61.72	68.20	6.48	<± 3.05	PASS


Lower Band Edge Channel 106



Upper Band Edge Channel 122



Lower Band Edge and Upper Band Edge Straddle Channel 138



Results for Mode: 802.11ac VHT80 – SDM - 80 MHz – MIMO - Core 0+Core 1+Core 2

Results: Peak / Channel 106

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5470	Vertical	58.07	68.20	10.13	<± 3.05	PASS
5391.233	Vertical	59.90	68.20	8.30	<± 3.05	PASS

Results: Peak / Channel 122

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5720	Vertical	59.58	68.20	8.62	<± 3.05	PASS
5743.760	Vertical	62.96	68.20	5.24	<± 3.05	PASS

Results: Peak / Straddle Channel 138

Frequency (MHz)	Antenna Polarity	Peak Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement uncertainty (dB)	Verdict
5851.700	Vertical	63.10	68.20	5.10	<± 3.05	PASS