




Figure 272 - 5200 MHz - 26 dB Emission Bandwidth



Figure 273 - 5200 MHz - 99% Occupied Bandwidth



Figure 274 - 5240 MHz - 26 dB Emission Bandwidth



Figure 275 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.940	20.820	20.700
99% Bandwidth (MHz)	18.470	18.404	18.452

Table 462 - 802.11ax / HE20 MCS7x1 / RU 26-8 / SISO / Core 0 / Country Code CA




Figure 276 - 5180 MHz - 26 dB Emission Bandwidth




Figure 277 - 5180 MHz - 99% Occupied Bandwidth




Figure 278 - 5200 MHz - 26 dB Emission Bandwidth



Figure 279 - 5200 MHz - 99% Occupied Bandwidth




Figure 280 - 5240 MHz - 26 dB Emission Bandwidth



Figure 281 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	21.660	21.600	21.720
99% Bandwidth (MHz)	19.010	19.004	18.993

Table 463 - 802.11ax / HE20 MCS7x1 / SU / MIMO CDD / Cores 0+1 / Country Code US




Figure 282 - 5180 MHz - 26 dB Emission Bandwidth



Figure 283 - 5180 MHz - 99% Occupied Bandwidth




Figure 284 - 5200 MHz - 26 dB Emission Bandwidth



Figure 285 - 5200 MHz - 99% Occupied Bandwidth




Figure 286 - 5240 MHz - 26 dB Emission Bandwidth



Figure 287 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	21.780	21.660	21.660
99% Bandwidth (MHz)	19.009	19.006	19.001

Table 464 - 802.11ax / HE20 MCS7x1 / SU / MIMO CDD / Cores 0+1 / Country Code CA




Figure 288 - 5180 MHz - 26 dB Emission Bandwidth



Figure 289 - 5180 MHz - 99% Occupied Bandwidth




Figure 290 - 5200 MHz - 26 dB Emission Bandwidth



Figure 291 - 5200 MHz - 99% Occupied Bandwidth




Figure 292 - 5240 MHz - 26 dB Emission Bandwidth



Figure 293 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.220	20.400	20.040
99% Bandwidth (MHz)	18.321	18.334	18.295

Table 465 - 802.11ax / HE20 MCS7x1 / RU 26-0 / MIMO CDD / Cores 0+1 / Country Code US




Figure 294 - 5180 MHz - 26 dB Emission Bandwidth



Figure 295 - 5180 MHz - 99% Occupied Bandwidth




Figure 296 - 5200 MHz - 26 dB Emission Bandwidth



Figure 297 - 5200 MHz - 99% Occupied Bandwidth




Figure 298 - 5240 MHz - 26 dB Emission Bandwidth



Figure 299 - 5240 MHz - 99% Occupied Bandwidth

Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.280	20.460	20.400
99% Bandwidth (MHz)	18.315	18.298	18.288

Table 466 - 802.11ax / HE20 MCS7x1 / RU 26-0 / MIMO CDD / Cores 0+1 / Country Code CA




Figure 300 - 5180 MHz - 26 dB Emission Bandwidth



Figure 301 - 5180 MHz - 99% Occupied Bandwidth




Figure 302 - 5200 MHz - 26 dB Emission Bandwidth



Figure 303 - 5200 MHz - 99% Occupied Bandwidth




Figure 304 - 5240 MHz - 26 dB Emission Bandwidth



Figure 305 - 5240 MHz - 99% Occupied Bandwidth

Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.700	20.760	20.760
99% Bandwidth (MHz)	18.528	18.441	18.494

Table 467 - 802.11ax / HE20 MCS7x1 / RU 26-8 / MIMO CDD / Cores 0+1 / Country Code US



Figure 306 - 5180 MHz - 26 dB Emission Bandwidth



Figure 307 - 5180 MHz - 99% Occupied Bandwidth




Figure 308 - 5200 MHz - 26 dB Emission Bandwidth



Figure 309 - 5200 MHz - 99% Occupied Bandwidth




Figure 310 - 5240 MHz - 26 dB Emission Bandwidth



Figure 311 - 5240 MHz - 99% Occupied Bandwidth

Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.760	20.820	20.760
99% Bandwidth (MHz)	18.467	18.529	18.505

Table 468 - 802.11ax / HE20 MCS7x1 / RU 26-8 / MIMO CDD / Cores 0+1 / Country Code CA




Figure 312 - 5180 MHz - 26 dB Emission Bandwidth




Figure 313 - 5180 MHz - 99% Occupied Bandwidth




Figure 314 - 5200 MHz - 26 dB Emission Bandwidth




Figure 315 - 5200 MHz - 99% Occupied Bandwidth



Figure 316 - 5240 MHz - 26 dB Emission Bandwidth



Figure 317 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	21.480	21.480	21.540
99% Bandwidth (MHz)	19.034	19.013	19.023

Table 469 - 802.11ax / HE20 MCS7x2 / SU / MIMO SDM / Cores 0+1 / Country Code US




Figure 318 - 5180 MHz - 26 dB Emission Bandwidth



Figure 319 - 5180 MHz - 99% Occupied Bandwidth



Figure 320 - 5200 MHz - 26 dB Emission Bandwidth



Figure 321 - 5200 MHz - 99% Occupied Bandwidth




Figure 322 - 5240 MHz - 26 dB Emission Bandwidth



Figure 323 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	21.480	21.540	21.480
99% Bandwidth (MHz)	19.015	18.989	18.979

Table 470 - 802.11ax / HE20 MCS7x2 / SU / MIMO SDM / Cores 0+1 / Country Code CA



Figure 324 - 5180 MHz - 26 dB Emission Bandwidth




Figure 325 - 5180 MHz - 99% Occupied Bandwidth




Figure 326 - 5200 MHz - 26 dB Emission Bandwidth



Figure 327 - 5200 MHz - 99% Occupied Bandwidth




Figure 328 - 5240 MHz - 26 dB Emission Bandwidth



Figure 329 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.460	20.280	20.400
99% Bandwidth (MHz)	18.317	18.301	18.313

Table 471 - 802.11ax / HE20 MCS7x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code US




Figure 330 - 5180 MHz - 26 dB Emission Bandwidth




Figure 331 - 5180 MHz - 99% Occupied Bandwidth




Figure 332 - 5200 MHz - 26 dB Emission Bandwidth



Figure 333 - 5200 MHz - 99% Occupied Bandwidth




Figure 334 - 5240 MHz - 26 dB Emission Bandwidth



Figure 335 - 5240 MHz - 99% Occupied Bandwidth

Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.340	20.160	20.520
99% Bandwidth (MHz)	18.290	18.272	18.320

Table 472 - 802.11ax / HE20 MCS7x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 336 - 5180 MHz - 26 dB Emission Bandwidth



Figure 337 - 5180 MHz - 99% Occupied Bandwidth




Figure 338 - 5200 MHz - 26 dB Emission Bandwidth




Figure 339 - 5200 MHz - 99% Occupied Bandwidth



Figure 340 - 5240 MHz - 26 dB Emission Bandwidth



Figure 341 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.760	20.760	20.760
99% Bandwidth (MHz)	18.504	18.455	18.510

Table 473 - 802.11ax / HE20 MCS7x2 / RU 26-8 / MIMO SDM / Cores 0+1 / Country Code US




Figure 342 - 5180 MHz - 26 dB Emission Bandwidth



Figure 343 - 5180 MHz - 99% Occupied Bandwidth




Figure 344 - 5200 MHz - 26 dB Emission Bandwidth



Figure 345 - 5200 MHz - 99% Occupied Bandwidth




Figure 346 - 5240 MHz - 26 dB Emission Bandwidth



Figure 347 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.580	20.760	20.820
99% Bandwidth (MHz)	18.474	18.477	18.508

Table 474 - 802.11ax / HE20 MCS7x2 / RU 26-8 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 348 - 5180 MHz - 26 dB Emission Bandwidth



Figure 349 - 5180 MHz - 99% Occupied Bandwidth




Figure 350 - 5200 MHz - 26 dB Emission Bandwidth



Figure 351 - 5200 MHz - 99% Occupied Bandwidth




Figure 352 - 5240 MHz - 26 dB Emission Bandwidth



Figure 353 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.800	42.480
99% Bandwidth (MHz)	36.269	36.413

Table 475 - 802.11n / HT40 MCS7 / SISO / Core 0 / Country Code US




Figure 354 - 5190 MHz - 26 dB Emission Bandwidth



Figure 355 - 5190 MHz - 99% Occupied Bandwidth



Figure 356 - 5230 MHz - 26 dB Emission Bandwidth



Figure 357 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.680	40.920
99% Bandwidth (MHz)	36.333	36.341

Table 476 - 802.11n / HT40 MCS7 / SISO / Core 0 / Country Code CA




Figure 358 - 5190 MHz - 26 dB Emission Bandwidth




Figure 359 - 5190 MHz - 99% Occupied Bandwidth




Figure 360 - 5230 MHz - 26 dB Emission Bandwidth



Figure 361 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.160	41.280
99% Bandwidth (MHz)	36.352	36.510

Table 477 - 802.11n / HT40 MCS7 / MIMO CDD / Cores 0+1 / Country Code US




Figure 362 - 5190 MHz - 26 dB Emission Bandwidth



Figure 363 - 5190 MHz - 99% Occupied Bandwidth



Figure 364 - 5230 MHz - 26 dB Emission Bandwidth



Figure 365 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.040	41.040
99% Bandwidth (MHz)	36.321	36.374

Table 478 - 802.11n / HT40 MCS7 / MIMO CDD / Cores 0+1 / Country Code CA




Figure 366 - 5190 MHz - 26 dB Emission Bandwidth



Figure 367 - 5190 MHz - 99% Occupied Bandwidth




Figure 368 - 5230 MHz - 26 dB Emission Bandwidth



Figure 369 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.800	41.400
99% Bandwidth (MHz)	36.371	36.469

Table 479 - 802.11n / HT40 MCS15 / MIMO SDM / Cores 0+1 / Country Code US



Figure 370 - 5190 MHz - 26 dB Emission Bandwidth



Figure 371 - 5190 MHz - 99% Occupied Bandwidth



Figure 372 - 5230 MHz - 26 dB Emission Bandwidth



Figure 373 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.040	41.040
99% Bandwidth (MHz)	36.312	36.391

Table 480 - 802.11n / HT40 MCS15 / MIMO SDM / Cores 0+1 / Country Code CA



Figure 374 - 5190 MHz - 26 dB Emission Bandwidth



Figure 375 - 5190 MHz - 99% Occupied Bandwidth



Figure 376 - 5230 MHz - 26 dB Emission Bandwidth



Figure 377 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.680	45.240
99% Bandwidth (MHz)	37.658	37.804

Table 481 - 802.11ax / HE40 MCS7x1 / SU / SISO / Core 0 / Country Code US




Figure 378 - 5190 MHz - 26 dB Emission Bandwidth



Figure 379 - 5190 MHz - 99% Occupied Bandwidth



Figure 380 - 5230 MHz - 26 dB Emission Bandwidth



Figure 381 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.920	40.800
99% Bandwidth (MHz)	37.638	37.762

Table 482 - 802.11ax / HE40 MCS7x1 / SU / SISO / Core 0 / Country Code CA




Figure 382 - 5190 MHz - 26 dB Emission Bandwidth



Figure 383 - 5190 MHz - 99% Occupied Bandwidth



Figure 384 - 5230 MHz - 26 dB Emission Bandwidth



Figure 385 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	19.920	20.160
99% Bandwidth (MHz)	18.668	18.758

Table 483 - 802.11ax / HE40 MCS7x1 / RU 26-0 / SISO / Core 0 / Country Code US




Figure 386 - 5190 MHz - 26 dB Emission Bandwidth



Figure 387 - 5190 MHz - 99% Occupied Bandwidth




Figure 388 - 5230 MHz - 26 dB Emission Bandwidth



Figure 389 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.280	19.920
99% Bandwidth (MHz)	18.475	18.588

Table 484 - 802.11ax / HE40 MCS7x1 / RU 26-0 / SISO / Core 0 / Country Code CA




Figure 390 - 5190 MHz - 26 dB Emission Bandwidth



Figure 391 - 5190 MHz - 99% Occupied Bandwidth




Figure 392 - 5230 MHz - 26 dB Emission Bandwidth



Figure 393 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	19.920	20.280
99% Bandwidth (MHz)	18.701	18.509

Table 485 - 802.11ax / HE40 MCS7x1 / RU 26-17 / SISO / Core 0 / Country Code US



Figure 394 - 5190 MHz - 26 dB Emission Bandwidth



Figure 395 - 5190 MHz - 99% Occupied Bandwidth




Figure 396 - 5230 MHz - 26 dB Emission Bandwidth



Figure 397 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.160	19.800
99% Bandwidth (MHz)	18.500	18.504

Table 486 - 802.11ax / HE40 MCS7x1 / RU 26-17 / SISO / Core 0 / Country Code CA



Figure 398 - 5190 MHz - 26 dB Emission Bandwidth



Figure 399 - 5190 MHz - 99% Occupied Bandwidth



Figure 400 - 5230 MHz - 26 dB Emission Bandwidth



Figure 401 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.040	40.920
99% Bandwidth (MHz)	37.711	37.789

Table 487 - 802.11ax / HE40 MCS7x1 / SU / MIMO CDD / Cores 0+1 / Country Code US




Figure 402 - 5190 MHz - 26 dB Emission Bandwidth



Figure 403 - 5190 MHz - 99% Occupied Bandwidth



Figure 404 - 5230 MHz - 26 dB Emission Bandwidth



Figure 405 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.920	41.520
99% Bandwidth (MHz)	37.729	37.772

Table 488 - 802.11ax / HE40 MCS7x1 / SU / MIMO CDD / Cores 0+1 / Country Code CA




Figure 406 - 5190 MHz - 26 dB Emission Bandwidth



Figure 407 - 5190 MHz - 99% Occupied Bandwidth




Figure 408 - 5230 MHz - 26 dB Emission Bandwidth



Figure 409 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.040	19.680
99% Bandwidth (MHz)	18.652	18.632

Table 489 - 802.11ax / HE40 MCS7x1 / RU 26-0 / MIMO CDD / Cores 0+1 / Country Code US




Figure 410 - 5190 MHz - 26 dB Emission Bandwidth



Figure 411 - 5190 MHz - 99% Occupied Bandwidth



Figure 412 - 5230 MHz - 26 dB Emission Bandwidth



Figure 413 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.040	20.040
99% Bandwidth (MHz)	18.413	18.465

Table 490 - 802.11ax / HE40 MCS7x1 / RU 26-0 / MIMO CDD / Cores 0+1 / Country Code CA



Figure 414 - 5190 MHz - 26 dB Emission Bandwidth



Figure 415 - 5190 MHz - 99% Occupied Bandwidth



Figure 416 - 5230 MHz - 26 dB Emission Bandwidth



Figure 417 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.040	19.560
99% Bandwidth (MHz)	18.941	18.554

Table 491 - 802.11ax / HE40 MCS7x1 / RU 26-17 / MIMO CDD / Cores 0+1 / Country Code US



Figure 418 - 5190 MHz - 26 dB Emission Bandwidth



Figure 419 - 5190 MHz - 99% Occupied Bandwidth



Figure 420 - 5230 MHz - 26 dB Emission Bandwidth



Figure 421 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	19.800	19.800
99% Bandwidth (MHz)	18.513	18.629

Table 492 - 802.11ax / HE40 MCS7x1 / RU 26-17 / MIMO CDD / Cores 0+1 / Country Code CA



Figure 422 - 5190 MHz - 26 dB Emission Bandwidth



Figure 423 - 5190 MHz - 99% Occupied Bandwidth




Figure 424 - 5230 MHz - 26 dB Emission Bandwidth



Figure 425 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.160	41.400
99% Bandwidth (MHz)	37.763	37.812

Table 493 - 802.11ax / HE40 MCS7x2 / SU / MIMO SDM / Cores 0+1 / Country Code US



Figure 426 - 5190 MHz - 26 dB Emission Bandwidth



Figure 427 - 5190 MHz - 99% Occupied Bandwidth




Figure 428 - 5230 MHz - 26 dB Emission Bandwidth



Figure 429 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.160	41.640
99% Bandwidth (MHz)	37.744	37.729

Table 494 - 802.11ax / HE40 MCS7x2 / SU / MIMO SDM / Cores 0+1 / Country Code CA




Figure 430 - 5190 MHz - 26 dB Emission Bandwidth



Figure 431 - 5190 MHz - 99% Occupied Bandwidth




Figure 432 - 5230 MHz - 26 dB Emission Bandwidth



Figure 433 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.160	20.040
99% Bandwidth (MHz)	18.439	18.529

Table 495 - 802.11ax / HE40 MCS7x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code US




Figure 434 - 5190 MHz - 26 dB Emission Bandwidth



Figure 435 - 5190 MHz - 99% Occupied Bandwidth




Figure 436 - 5230 MHz - 26 dB Emission Bandwidth



Figure 437 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.040	20.280
99% Bandwidth (MHz)	18.669	18.701

Table 496 - 802.11ax / HE40 MCS7x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code CA



Figure 438 - 5190 MHz - 26 dB Emission Bandwidth



Figure 439 - 5190 MHz - 99% Occupied Bandwidth



Figure 440 - 5230 MHz - 26 dB Emission Bandwidth



Figure 441 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.040	19.680
99% Bandwidth (MHz)	18.492	18.590

Table 497 - 802.11ax / HE40 MCS7x2 / RU 26-17 / MIMO SDM / Cores 0+1 / Country Code US




Figure 442 - 5190 MHz - 26 dB Emission Bandwidth



Figure 443 - 5190 MHz - 99% Occupied Bandwidth




Figure 444 - 5230 MHz - 26 dB Emission Bandwidth



Figure 445 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.280	19.320
99% Bandwidth (MHz)	18.806	18.587

Table 498 - 802.11ax / HE40 MCS7x2 / RU 26-17 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 446 - 5190 MHz - 26 dB Emission Bandwidth



Figure 447 - 5190 MHz - 99% Occupied Bandwidth




Figure 448 - 5230 MHz - 26 dB Emission Bandwidth



Figure 449 - 5230 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	83.520
99% Bandwidth (MHz)	76.037

Table 499 - 802.11ac / VHT80 MCS7x1 / SISO / Core 0 / Country Code US




Figure 450 - 5210 MHz - 26 dB Emission Bandwidth



Figure 451 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.800
99% Bandwidth (MHz)	76.082

Table 500 - 802.11ac / VHT80 MCS7x1 / SISO / Core 0 / Country Code CA



Figure 452 - 5210 MHz - 26 dB Emission Bandwidth



Figure 453 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.800
99% Bandwidth (MHz)	76.205

Table 501 - 802.11ac / VHT80 MCS7x1 / MIMO CDD / Cores 0+1 / Country Code US




Figure 454 - 5210 MHz - 26 dB Emission Bandwidth



Figure 455 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.800
99% Bandwidth (MHz)	76.138

Table 502 - 802.11ac / VHT80 MCS7x1 / MIMO CDD / Cores 0+1 / Country Code CA




Figure 456 - 5210 MHz - 26 dB Emission Bandwidth



Figure 457 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.320
99% Bandwidth (MHz)	75.998

Table 503 - 802.11ac / VHT80 MCS7x2 / MIMO SDM / Cores 0+1 / Country Code US



Figure 458 - 5210 MHz - 26 dB Emission Bandwidth



Figure 459 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.080
99% Bandwidth (MHz)	76.061

Table 504 - 802.11ac / VHT80 MCS7x2 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 460 - 5210 MHz - 26 dB Emission Bandwidth



Figure 461 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.800
99% Bandwidth (MHz)	77.382

Table 505 - 802.11ax / HE80 MCS7x1 / SU / SISO / Core 0 / Country Code US




Figure 462 - 5210 MHz - 26 dB Emission Bandwidth



Figure 463 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.800
99% Bandwidth (MHz)	77.325

Table 506 - 802.11ax / HE80 MCS7x1 / SU / SISO / Core 0 / Country Code CA




Figure 464 - 5210 MHz - 26 dB Emission Bandwidth



Figure 465 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.680
99% Bandwidth (MHz)	19.198

Table 507 - 802.11ax / HE80 MCS7x1 / RU 26-0 / SISO / Core 0 / Country Code US




Figure 466 - 5210 MHz - 26 dB Emission Bandwidth



Figure 467 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.920
99% Bandwidth (MHz)	18.945

Table 508 - 802.11ax / HE80 MCS7x1 / RU 26-0 / SISO / Core 0 / Country Code CA




Figure 468 - 5210 MHz - 26 dB Emission Bandwidth



Figure 469 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	20.160
99% Bandwidth (MHz)	21.120

Table 509 - 802.11ax / HE80 MCS7x1 / RU 26-36 / SISO / Core 0 / Country Code US




Figure 470 - 5210 MHz - 26 dB Emission Bandwidth



Figure 471 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	20.880
99% Bandwidth (MHz)	20.329

Table 510 - 802.11ax / HE80 MCS7x1 / RU 26-36 / SISO / Core 0 / Country Code CA



Figure 472 - 5210 MHz - 26 dB Emission Bandwidth



Figure 473 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.800
99% Bandwidth (MHz)	77.445

Table 511 - 802.11ax / HE80 MCS7x1 / SU / MIMO CDD / Cores 0+1 / Country Code US




Figure 474 - 5210 MHz - 26 dB Emission Bandwidth



Figure 475 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.800
99% Bandwidth (MHz)	77.359

Table 512 - 802.11ax / HE80 MCS7x1 / SU / MIMO CDD / Cores 0+1 / Country Code CA




Figure 476 - 5210 MHz - 26 dB Emission Bandwidth



Figure 477 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.920
99% Bandwidth (MHz)	19.028

Table 513 - 802.11ax / HE80 MCS7x1 / RU 26-0 / MIMO CDD / Cores 0+1 / Country Code US



Figure 478 - 5210 MHz - 26 dB Emission Bandwidth



Figure 479 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.680
99% Bandwidth (MHz)	19.285

Table 514 - 802.11ax / HE80 MCS7x1 / RU 26-0 / MIMO CDD / Cores 0+1 / Country Code CA




Figure 480 - 5210 MHz - 26 dB Emission Bandwidth



Figure 481 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	20.640
99% Bandwidth (MHz)	20.147

Table 515 - 802.11ax / HE80 MCS7x1 / RU 26-36 / MIMO CDD / Cores 0+1 / Country Code US



Figure 482 - 5210 MHz - 26 dB Emission Bandwidth



Figure 483 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	20.400
99% Bandwidth (MHz)	20.139

Table 516 - 802.11ax / HE80 MCS7x1 / RU 26-36 / MIMO CDD / Cores 0+1 / Country Code CA




Figure 484 - 5210 MHz - 26 dB Emission Bandwidth



Figure 485 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.560
99% Bandwidth (MHz)	77.292

Table 517 - 802.11ax / HE80 MCS7x2 / SU / MIMO SDM / Cores 0+1 / Country Code US




Figure 486 - 5210 MHz - 26 dB Emission Bandwidth



Figure 487 - 5210 MHz - 99% Occupied Bandwidth

Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.320
99% Bandwidth (MHz)	77.356

Table 518 - 802.11ax / HE80 MCS7x2 / SU / MIMO SDM / Cores 0+1 / Country Code CA



Figure 488 - 5210 MHz - 26 dB Emission Bandwidth



Figure 489 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.680
99% Bandwidth (MHz)	19.012

Table 519 - 802.11ax / HE80 MCS7x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code US




Figure 490 - 5210 MHz - 26 dB Emission Bandwidth



Figure 491 - 5210 MHz - 99% Occupied Bandwidth

Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.920
99% Bandwidth (MHz)	18.974

Table 520 - 802.11ax / HE80 MCS7x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code CA



Figure 492 - 5210 MHz - 26 dB Emission Bandwidth




Figure 493 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	20.640
99% Bandwidth (MHz)	20.259

Table 521 - 802.11ax / HE80 MCS7x2 / RU 26-36 / MIMO SDM / Cores 0+1 / Country Code US



Figure 494 - 5210 MHz - 26 dB Emission Bandwidth



Figure 495 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	20.640
99% Bandwidth (MHz)	20.418

Table 522 - 802.11ax / HE80 MCS7x2 / RU 26-36 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 496 - 5210 MHz - 26 dB Emission Bandwidth



Figure 497 - 5210 MHz - 99% Occupied Bandwidth

U-NII-2A

Channel	Bottom	Middle	Top
Frequency (MHz)	5260	5280	5320
26 dB Bandwidth (MHz)	21.240	21.360	21.240
99% Bandwidth (MHz)	16.572	16.613	16.591

Table 523 - 802.11a / 6 Mbps / SISO / Core 0



Figure 498 - 5260 MHz - 26 dB Emission Bandwidth




Figure 499 - 5260 MHz - 99% Occupied Bandwidth



Figure 500 - 5280 MHz - 26 dB Emission Bandwidth



Figure 501 - 5280 MHz - 99% Occupied Bandwidth



Figure 502 - 5320 MHz - 26 dB Emission Bandwidth




Figure 503 - 5320 MHz - 99% Occupied Bandwidth

Channel	Bottom	Middle	Top
Frequency (MHz)	5260	5280	5320
26 dB Bandwidth (MHz)	21.420	21.600	21.420
99% Bandwidth (MHz)	17.782	17.794	17.774

Table 524 - 802.11n / HT20 MCS7 / SISO / Core 0



Figure 504 - 5260 MHz - 26 dB Emission Bandwidth



Figure 505 - 5260 MHz - 99% Occupied Bandwidth