



Plot 7-601. Power Spectral Density Plot SDM CORE 0 (40MHz BW 802.11ax Index 17 – RU26 (UNII Band 2C) – Ch. 142)




Plot 7-602. Power Spectral Density Plot SDM CORE 1 (40MHz BW 802.11ax Index 17 – RU26 (UNII Band 2C) – Ch. 142)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 354 of 539




Plot 7-603. Power Spectral Density Plot CDD CORE 0 (40MHz BW 802.11ax – RU484 (UNII Band 2C) – Ch. 102)




Plot 7-604. Power Spectral Density Plot CDD CORE 1 (40MHz BW 802.11ax – RU484 (UNII Band 2C) – Ch. 102)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 355 of 539




Plot 7-605. Power Spectral Density Plot CDD CORE 0 (40MHz BW 802.11ax – RU484 (UNII Band 2C) – Ch. 110)




Plot 7-606. Power Spectral Density Plot CDD CORE 1 (40MHz BW 802.11ax – RU484 (UNII Band 2C) – Ch. 110)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 356 of 539




Plot 7-607. Power Spectral Density Plot CDD CORE 0 (40MHz BW 802.11ax – RU484 (UNII Band 2C) – Ch. 142)




Plot 7-608. Power Spectral Density Plot CDD CORE 1 (40MHz BW 802.11ax – RU484 (UNII Band 2C) – Ch. 142)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 357 of 539



Plot 7-609. Power Spectral Density Plot SDM CORE 0 (80MHz BW 802.11ax Index 0 – RU26 (UNII Band 2C) – Ch. 106)




Plot 7-610. Power Spectral Density Plot SDM CORE 1 (80MHz BW 802.11ax Index 0 – RU26 (UNII Band 2C) – Ch. 106)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 358 of 539




Plot 7-611. Power Spectral Density Plot SDM CORE 0 (80MHz BW 802.11ax Index 18 – RU26 (UNII Band 2C) – Ch. 106)




Plot 7-612. Power Spectral Density Plot SDM CORE 1 (80MHz BW 802.11ax Index 18 – RU26 (UNII Band 2C) – Ch. 106)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 359 of 539




Plot 7-613. Power Spectral Density Plot SDM CORE 0 (80MHz BW 802.11ax Index 36 – RU26 (UNII Band 2C) – Ch. 106)




Plot 7-614. Power Spectral Density Plot SDM CORE 1 (80MHz BW 802.11ax Index 36 – RU26 (UNII Band 2C) – Ch. 106)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 360 of 539



Plot 7-615. Power Spectral Density Plot SDM CORE 0 (80MHz BW 802.11ax Index 0 – RU26 (UNII Band 2C) – Ch. 138)




Plot 7-616. Power Spectral Density Plot SDM CORE 1 (80MHz BW 802.11ax Index 0 – RU26 (UNII Band 2C) – Ch. 138)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 361 of 539




Plot 7-617. Power Spectral Density Plot SDM CORE 0 (80MHz BW 802.11ax Index 18 – RU26 (UNII Band 2C) – Ch. 138)




Plot 7-618. Power Spectral Density Plot SDM CORE 1 (80MHz BW 802.11ax Index 18 – RU26 (UNII Band 2C) – Ch. 138)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 362 of 539




Plot 7-619. Power Spectral Density Plot SDM CORE 0 (80MHz BW 802.11ax Index 36 – RU26 (UNII Band 2C) – Ch. 138)




Plot 7-620. Power Spectral Density Plot SDM CORE 1 (80MHz BW 802.11ax Index 36 – RU26 (UNII Band 2C) – Ch. 138)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 363 of 539




Plot 7-621. Power Spectral Density Plot CDD CORE 0 (80MHz BW 802.11ax – RU996 (UNII Band 2C) – Ch. 106)




Plot 7-622. Power Spectral Density Plot CDD CORE 1 (80MHz BW 802.11ax – RU996 (UNII Band 2C) – Ch. 106)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 364 of 539



Plot 7-623. Power Spectral Density Plot CDD CORE 0 (80MHz BW 802.11ax – RU996 (UNII Band 2C) – Ch. 138)



Plot 7-624. Power Spectral Density Plot CDD CORE 1 (80MHz BW 802.11ax – RU996 (UNII Band 2C) – Ch. 138)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 365 of 539


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Core 0 Power Density [dBm/MHz]	Core 1 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	MSC0	0.77	1.01	3.90	5.71	9.61	10.0	-0.39
				26	4	MSC0	0.21	1.05	3.66	5.71	9.37	10.0	-0.63
				26	8	MSC0	-0.83	-0.76	2.22	5.71	7.93	10.0	-2.07
	5200	40	ax (20MHz)	26	0	MSC0	0.92	-0.85	3.13	5.71	8.85	10.0	-1.15
				26	4	MSC0	0.78	-1.23	2.90	5.71	8.61	10.0	-1.39
				26	8	MSC0	1.78	-0.30	3.87	5.71	9.58	10.0	-0.42
	5240	48	ax (20MHz)	26	0	MSC0	0.69	-1.39	2.78	5.71	8.49	10.0	-1.51
				26	4	MSC0	0.48	-1.92	2.45	5.71	8.16	10.0	-1.84
				26	8	MSC0	1.54	-0.45	3.67	5.71	9.38	10.0	-0.62
	5190	38	ax (40MHz)	26	0	MSC0	0.63	-2.77	2.26	5.71	7.98	10.0	-2.02
				26	8	MSC0	1.36	-1.77	3.08	5.71	8.79	10.0	-1.21
				26	17	MSC0	1.27	-0.43	3.51	5.71	9.22	10.0	-0.78
	5230	46	ax (40MHz)	26	0	MSC0	0.70	-0.91	2.98	5.71	8.69	10.0	-1.31
				26	8	MSC0	0.18	-0.72	2.76	5.71	8.47	10.0	-1.53
				26	17	MSC0	1.25	0.30	3.81	5.71	9.52	10.0	-0.48
	5210	42	ax (80MHz)	26	0	MSC0	-2.64	-3.49	-0.03	5.71	5.68	10.0	-4.32
				26	18	MSC0	-1.99	-2.28	0.88	5.71	6.59	10.0	-3.41
				26	36	MSC0	0.08	-0.51	2.81	5.71	8.52	10.0	-1.48

Table 7-78. Band 1 e.i.r.p. Conducted Power Spectral Density Measurements (ISED) CDD (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Core 0 Power Density [dBm/MHz]	Core 1 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	MCS0	-0.12	0.56	3.24	5.71	8.95	10.0	-1.05
	5200	40	ax (20MHz)	242	61	MCS0	0.41	0.71	3.57	5.71	9.28	10.0	-0.72
	5240	48	ax (20MHz)	242	61	MCS0	-0.13	0.83	3.39	5.71	9.10	10.0	-0.90
	5190	38	ax (40MHz)	484	65	MCS0	0.01	-0.09	2.97	5.71	8.68	10.0	-1.32
	5230	46	ax (40MHz)	484	65	MCS0	0.93	0.72	3.84	5.71	9.55	10.0	-0.45
	5210	42	ax (80MHz)	996	67	MCS0	-4.91	-4.93	-1.91	5.71	3.80	10.0	-6.20

Table 7-79. Band 1 e.i.r.p. Conducted Power Spectral Density Measurements (ISED) CDD (Fully-loaded RU)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)					Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device					




Plot 7-625. Power Spectral Density Plot ISED CDD CORE 0 (20MHz BW 802.11ax Index 0 – RU26 (UNII Band 1) – Ch. 36)



Plot 7-626. Power Spectral Density Plot ISED CDD CORE 1 (20MHz BW 802.11ax Index 0 – RU26 (UNII Band 1) – Ch. 36)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 367 of 539




Plot 7-627. Power Spectral Density Plot ISED CDD CORE 0 (20MHz BW 802.11ax Index 4 – RU26 (UNII Band 1) – Ch. 36)




Plot 7-628. Power Spectral Density Plot ISED CDD CORE 1 (20MHz BW 802.11ax Index 4 – RU26 (UNII Band 1) – Ch. 36)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 368 of 539




Plot 7-629. Power Spectral Density Plot ISED CDD CORE 0 (20MHz BW 802.11ax Index 8 – RU26 (UNII Band 1) – Ch. 36)




Plot 7-630. Power Spectral Density Plot ISED CDD CORE 1 (20MHz BW 802.11ax Index 8 – RU26 (UNII Band 1) – Ch. 36)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 369 of 539




Plot 7-631. Power Spectral Density Plot ISED CDD CORE 0 (20MHz BW 802.11ax Index 0 – RU26 (UNII Band 1) – Ch. 40)



Plot 7-632. Power Spectral Density Plot ISED CDD CORE 1 (20MHz BW 802.11ax Index 0 – RU26 (UNII Band 1) – Ch. 40)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 370 of 539




Plot 7-633. Power Spectral Density Plot ISED CDD CORE 0 (20MHz BW 802.11ax Index 4 – RU26 (UNII Band 1) – Ch. 40)




Plot 7-634. Power Spectral Density Plot ISED CDD CORE 1 (20MHz BW 802.11ax Index 4 – RU26 (UNII Band 1) – Ch. 40)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 371 of 539



Plot 7-635. Power Spectral Density Plot ISED CDD CORE 0 (20MHz BW 802.11ax Index 8– RU26 (UNII Band 1) – Ch. 40)




Plot 7-636. Power Spectral Density Plot ISED CDD CORE 1 (20MHz BW 802.11ax Index 8– RU26 (UNII Band 1) – Ch. 40)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 372 of 539




Plot 7-637. Power Spectral Density Plot ISED CDD CORE 0 (20MHz BW 802.11ax Index 0 – RU26 (UNII Band 1) – Ch. 48)



Plot 7-638. Power Spectral Density Plot ISED CDD CORE 1 (20MHz BW 802.11ax Index 0 – RU26 (UNII Band 1) – Ch. 48)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 373 of 539




Plot 7-639. Power Spectral Density Plot ISED CDD CORE 0 (20MHz BW 802.11ax Index 4 – RU26 (UNII Band 1) – Ch. 48)




Plot 7-640. Power Spectral Density Plot ISED CDD CORE 1 (20MHz BW 802.11ax Index 4 – RU26 (UNII Band 1) – Ch. 48)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 374 of 539




Plot 7-641. Power Spectral Density Plot ISED CDD CORE 0 (20MHz BW 802.11ax Index 8 – RU26 (UNII Band 1) – Ch. 48)




Plot 7-642. Power Spectral Density Plot ISED CDD CORE 1 (20MHz BW 802.11ax Index 8 – RU26 (UNII Band 1) – Ch. 48)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 375 of 539




Plot 7-643. Power Spectral Density Plot ISED CDD CORE 0 (20MHz BW 802.11ax- RU242 (UNII Band 1) – Ch. 36)




Plot 7-644. Power Spectral Density Plot ISED CDD CORE 1 (20MHz BW 802.11ax- RU242 (UNII Band 1) – Ch. 36)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 376 of 539




Plot 7-645. Power Spectral Density Plot ISED CDD CORE 0 (20MHz BW 802.11ax- RU242 (UNII Band 1) – Ch. 40)




Plot 7-646. Power Spectral Density Plot ISED CDD CORE 1 (20MHz BW 802.11ax- RU242 (UNII Band 1) – Ch. 40)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 377 of 539



Plot 7-647. Power Spectral Density Plot ISED CDD CORE 0 (20MHz BW 802.11ax- RU242 (UNII Band 1) – Ch. 48)




Plot 7-648. Power Spectral Density Plot ISED CDD CORE 1 (20MHz BW 802.11ax- RU242 (UNII Band 1) – Ch. 48)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 378 of 539



Plot 7-649. Power Spectral Density Plot ISED CDD CORE 0 (40MHz BW 802.11ax Index 0 – RU26 (UNII Band 1) – Ch. 38)




Plot 7-650. Power Spectral Density Plot ISED CDD CORE 1 (40MHz BW 802.11ax Index 0 – RU26 (UNII Band 1) – Ch. 38)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 379 of 539




Plot 7-651. Power Spectral Density Plot ISED CDD CORE 0 (40MHz BW 802.11ax Index 8 – RU26 (UNII Band 1) – Ch. 38)




Plot 7-652. Power Spectral Density Plot ISED CDD CORE 1 (40MHz BW 802.11ax Index 8 – RU26 (UNII Band 1) – Ch. 38)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 380 of 539




Plot 7-653. Power Spectral Density Plot ISED CDD CORE 0 (40MHz BW 802.11ax Index 17 – RU26 (UNII Band 1) – Ch. 38)




Plot 7-654. Power Spectral Density Plot ISED CDD CORE 1 (40MHz BW 802.11ax Index 17 – RU26 (UNII Band 1) – Ch. 38)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 381 of 539




Plot 7-655. Power Spectral Density Plot ISED CDD CORE 0 (40MHz BW 802.11ax Index 0 – RU26 (UNII Band 1) – Ch. 46)




Plot 7-656. Power Spectral Density Plot ISED CDD CORE 1 (40MHz BW 802.11ax Index 0 – RU26 (UNII Band 1) – Ch. 46)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 382 of 539




Plot 7-657. Power Spectral Density Plot ISED CDD CORE 0 (40MHz BW 802.11ax Index 8 – RU26 (UNII Band 1) – Ch. 46)




Plot 7-658. Power Spectral Density Plot ISED CDD CORE 1 (40MHz BW 802.11ax Index 8 – RU26 (UNII Band 1) – Ch. 46)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 383 of 539




Plot 7-659. Power Spectral Density Plot ISED CDD CORE 0 (40MHz BW 802.11ax Index 17 – RU26 (UNII Band 1) – Ch. 46)




Plot 7-660. Power Spectral Density Plot ISED CDD CORE 1 (40MHz BW 802.11ax Index 17 – RU26 (UNII Band 1) – Ch. 46)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 384 of 539




Plot 7-661. Power Spectral Density Plot ISED CDD CORE 0 (40MHz BW 802.11ax – RU484 (UNII Band 1) – Ch. 38)




Plot 7-662. Power Spectral Density Plot ISED CDD CORE 1 (40MHz BW 802.11ax – RU484 (UNII Band 1) – Ch. 38)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 385 of 539




Plot 7-663. Power Spectral Density Plot ISED CDD CORE 0 (40MHz BW 802.11ax – RU484 (UNII Band 1) – Ch. 46)




Plot 7-664. Power Spectral Density Plot ISED CDD CORE 1 (40MHz BW 802.11ax – RU484 (UNII Band 1) – Ch. 46)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 386 of 539



Plot 7-665. Power Spectral Density Plot ISED CDD CORE 0 (80MHz BW 802.11ax Index 0 – RU26 (UNII Band 1) – Ch. 42)



Plot 7-666. Power Spectral Density Plot ISED CDD CORE 1 (80MHz BW 802.11ax Index 0 – RU26 (UNII Band 1) – Ch. 42)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 387 of 539




Plot 7-667. Power Spectral Density Plot ISED CDD CORE 0 (80MHz BW 802.11ax Index 18 – RU26 (UNII Band 1) – Ch. 42)




Plot 7-668. Power Spectral Density Plot ISED CDD CORE 1 (80MHz BW 802.11ax Index 18 – RU26 (UNII Band 1) – Ch. 42)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 388 of 539




Plot 7-669. Power Spectral Density Plot ISED CDD CORE 0 (80MHz BW 802.11ax Index 36 – RU26 (UNII Band 1) – Ch. 42)




Plot 7-670. Power Spectral Density Plot ISED CDD CORE 1 (80MHz BW 802.11ax Index 36 – RU26 (UNII Band 1) – Ch. 42)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 389 of 539



Plot 7-671. Power Spectral Density Plot ISED CDD CORE 0 (80MHz BW 802.11ax – RU996 (UNII Band 1) – Ch. 42)



Plot 7-672. Power Spectral Density Plot ISED CDD CORE 1 (80MHz BW 802.11ax – RU996 (UNII Band 1) – Ch. 42)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 390 of 539

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Core 0 Power Density [dBm/500kHz]	Core 1 Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	26	0	MCS0	11.86	12.62	15.27	30.00	-14.73
				26	4	MCS0	11.63	12.63	15.17	30.00	-14.83
				26	8	MCS0	12.02	12.45	15.25	30.00	-14.75
	5785	157	ax (20MHz)	26	0	MCS0	11.62	11.74	14.69	30.00	-15.31
				26	4	MCS0	11.83	12.26	15.06	30.00	-14.94
				26	8	MCS0	11.84	11.92	14.89	30.00	-15.11
	5825	165	ax (20MHz)	26	0	MCS0	11.63	11.86	14.76	30.00	-15.24
				26	4	MCS0	11.99	11.77	14.89	30.00	-15.11
				26	8	MCS0	11.82	11.65	14.75	30.00	-15.25
	5755	151	ax (40MHz)	26	0	MCS0	11.85	11.42	14.65	30.00	-15.35
				26	8	MCS0	11.87	11.27	14.59	30.00	-15.41
				26	17	MCS0	11.95	11.28	14.64	30.00	-15.36
	5795	159	ax (40MHz)	26	0	MCS0	11.40	11.06	14.24	30.00	-15.76
				26	8	MCS0	11.95	10.86	14.45	30.00	-15.55
				26	17	MCS0	11.67	10.93	14.33	30.00	-15.67
	5775	155	ax (80MHz)	26	0	MCS0	10.70	9.89	13.32	30.00	-16.68
				26	18	MCS0	10.23	9.19	12.75	30.00	-17.25
				26	36	MCS0	9.99	9.32	12.68	30.00	-17.32

Table 7-80. Band 3 Conducted Power Spectral Density Measurements CDD/SDM (RU26)

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Size	Data Rate [Mbps]	Core 0 Power Density [dBm/500kHz]	Core 1 Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	242	61	MCS0	4.17	4.53	7.36	30.00	-22.64
	5785	157	ax (20MHz)	242	61	MCS0	3.97	4.01	7.00	30.00	-23.00
	5825	165	ax (20MHz)	242	61	MCS0	3.68	3.86	6.78	30.00	-23.22
	5755	151	ax (40MHz)	484	65	MCS0	1.16	0.89	4.04	30.00	-25.96
	5795	159	ax (40MHz)	484	65	MCS0	1.12	0.76	3.95	30.00	-26.05
	5775	155	ax (80MHz)	996	67	MCS0	-3.96	-4.78	-1.34	30.00	-31.34

Table 7-81. Band 3 Conducted Power Spectral Density Measurements CDD/SDM (Fully-loaded RU)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device				




Plot 7-673. Power Spectral Density Plot CDD CORE 0 (20MHz BW 802.11ax Index 0 – RU26 (UNII Band 3) – Ch. 149)




Plot 7-674. Power Spectral Density Plot CDD CORE 1 (20MHz BW 802.11ax Index 0 – RU26 (UNII Band 3) – Ch. 149)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 392 of 539




Plot 7-675. Power Spectral Density Plot CDD CORE 0 (20MHz BW 802.11ax Index 4 – RU26 (UNII Band 3) – Ch. 149)




Plot 7-676. Power Spectral Density Plot CDD CORE 1 (20MHz BW 802.11ax Index 4 – RU26 (UNII Band 3) – Ch. 149)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 393 of 539




Plot 7-677. Power Spectral Density Plot CDD CORE 0 (20MHz BW 802.11ax Index 8 – RU26 (UNII Band 3) – Ch. 149)




Plot 7-678. Power Spectral Density Plot CDD CORE 1 (20MHz BW 802.11ax Index 8 – RU26 (UNII Band 3) – Ch. 149)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 394 of 539



Plot 7-679. Power Spectral Density Plot CDD CORE 0 (20MHz BW 802.11ax Index 0 – RU26 (UNII Band 3) – Ch. 157)




Plot 7-680. Power Spectral Density Plot CDD CORE 1 (20MHz BW 802.11ax Index 0 – RU26 (UNII Band 3) – Ch. 157)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 395 of 539




Plot 7-681. Power Spectral Density Plot CDD CORE 0 (20MHz BW 802.11ax Index 4 – RU26 (UNII Band 3) – Ch. 157)




Plot 7-682. Power Spectral Density Plot CDD CORE 1 (20MHz BW 802.11ax Index 4 – RU26 (UNII Band 3) – Ch. 157)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 396 of 539




Plot 7-683. Power Spectral Density Plot CDD CORE 0 (20MHz BW 802.11ax Index 8 – RU26 (UNII Band 3) – Ch. 157)




Plot 7-684. Power Spectral Density Plot CDD CORE 1 (20MHz BW 802.11ax Index 8 – RU26 (UNII Band 3) – Ch. 157)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 397 of 539



Plot 7-685. Power Spectral Density Plot CDD CORE 0 (20MHz BW 802.11ax Index 0 – RU26 (UNII Band 3) – Ch. 165)




Plot 7-686. Power Spectral Density Plot CDD CORE 1 (20MHz BW 802.11ax Index 0 – RU26 (UNII Band 3) – Ch. 165)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 398 of 539




Plot 7-687. Power Spectral Density Plot CDD CORE 0 (20MHz BW 802.11ax Index 4 – RU26 (UNII Band 3) – Ch. 165)




Plot 7-688. Power Spectral Density Plot CDD CORE 1 (20MHz BW 802.11ax Index 4 – RU26 (UNII Band 3) – Ch. 165)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 399 of 539




Plot 7-689. Power Spectral Density Plot CDD CORE 0 (20MHz BW 802.11ax Index 8 – RU26 (UNII Band 3) – Ch. 165)




Plot 7-690. Power Spectral Density Plot CDD CORE 1 (20MHz BW 802.11ax Index 8 – RU26 (UNII Band 3) – Ch. 165)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 400 of 539




Plot 7-691. Power Spectral Density Plot CDD CORE 0 (20MHz BW 802.11ax- RU242 (UNII Band 3) - Ch. 149)




Plot 7-692. Power Spectral Density Plot CDD CORE 1 (20MHz BW 802.11ax- RU242 (UNII Band 3) - Ch. 149)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 401 of 539




Plot 7-693. Power Spectral Density Plot CDD CORE 0 (20MHz BW 802.11ax- RU242 (UNII Band 3) - Ch. 157)




Plot 7-694. Power Spectral Density Plot CDD CORE 1 (20MHz BW 802.11ax- RU242 (UNII Band 3) - Ch. 157)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 402 of 539




Plot 7-695. Power Spectral Density Plot CDD CORE 0 (20MHz BW 802.11ax- RU242 (UNII Band 3) – Ch. 165)




Plot 7-696. Power Spectral Density Plot CDD CORE 1 (20MHz BW 802.11ax- RU242 (UNII Band 3) – Ch. 165)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 403 of 539




Plot 7-697. Power Spectral Density Plot CDD CORE 0 (40MHz BW 802.11ax Index 0 – RU26 (UNII Band 3) – Ch. 151)




Plot 7-698. Power Spectral Density Plot CDD CORE 1 (40MHz BW 802.11ax Index 0 – RU26 (UNII Band 3) – Ch. 151)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 404 of 539



Plot 7-699. Power Spectral Density Plot CDD CORE 0 (40MHz BW 802.11ax Index 8 – RU26 (UNII Band 3) – Ch. 151)




Plot 7-700. Power Spectral Density Plot CDD CORE 1 (40MHz BW 802.11ax Index 8 – RU26 (UNII Band 3) – Ch. 151)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 405 of 539




Plot 7-701. Power Spectral Density Plot CDD CORE 0 (40MHz BW 802.11ax Index 17 – RU26 (UNII Band 3) – Ch. 151)




Plot 7-702. Power Spectral Density Plot CDD CORE 1 (40MHz BW 802.11ax Index 17 – RU26 (UNII Band 3) – Ch. 151)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 406 of 539




Plot 7-703. Power Spectral Density Plot CDD CORE 0 (40MHz BW 802.11ax Index 0 – RU26 (UNII Band 3) – Ch. 159)




Plot 7-704. Power Spectral Density Plot CDD CORE 1 (40MHz BW 802.11ax Index 0 – RU26 (UNII Band 3) – Ch. 159)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 407 of 539




Plot 7-705. Power Spectral Density Plot CDD CORE 0 (40MHz BW 802.11ax Index 8 – RU26 (UNII Band 3) – Ch. 159)




Plot 7-706. Power Spectral Density Plot CDD CORE 1 (40MHz BW 802.11ax Index 8 – RU26 (UNII Band 3) – Ch. 159)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 408 of 539




Plot 7-707. Power Spectral Density Plot CDD CORE 0 (40MHz BW 802.11ax Index 17 – RU26 (UNII Band 3) – Ch. 159)




Plot 7-708. Power Spectral Density Plot CDD CORE 1 (40MHz BW 802.11ax Index 17 – RU26 (UNII Band 3) – Ch. 159)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 409 of 539




Plot 7-709. Power Spectral Density Plot CDD CORE 0 (40MHz BW 802.11ax – RU484 (UNII Band 3) – Ch. 151)




Plot 7-710. Power Spectral Density Plot CDD CORE 1 (40MHz BW 802.11ax – RU484 (UNII Band 3) – Ch. 151)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 410 of 539




Plot 7-711. Power Spectral Density Plot CDD CORE 0 (40MHz BW 802.11ax – RU484 (UNII Band 3) – Ch. 159)




Plot 7-712. Power Spectral Density Plot CDD CORE 1 (40MHz BW 802.11ax – RU484 (UNII Band 3) – Ch. 159)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 411 of 539




Plot 7-713. Power Spectral Density Plot CDD CORE 0 (80MHz BW 802.11ax Index 0 – RU26 (UNII Band 3) – Ch. 155)




Plot 7-714. Power Spectral Density Plot CDD CORE 1 (80MHz BW 802.11ax Index 0 – RU26 (UNII Band 3) – Ch. 155)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 412 of 539




Plot 7-715. Power Spectral Density Plot CDD CORE 0 (80MHz BW 802.11ax Index 18 – RU26 (UNII Band 3) – Ch. 155)




Plot 7-716. Power Spectral Density Plot CDD CORE 1 (80MHz BW 802.11ax Index 18 – RU26 (UNII Band 3) – Ch. 155)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 413 of 539




Plot 7-717. Power Spectral Density Plot CDD CORE 0 (80MHz BW 802.11ax Index 36 – RU26 (UNII Band 3) – Ch. 155)




Plot 7-718. Power Spectral Density Plot CDD CORE 1 (80MHz BW 802.11ax Index 36 – RU26 (UNII Band 3) – Ch. 155)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 414 of 539



Plot 7-719. Power Spectral Density Plot CDD CORE 0 (80MHz BW 802.11ax – RU996 (UNII Band 3) – Ch. 155)



Plot 7-720. Power Spectral Density Plot CDD CORE 1 (80MHz BW 802.11ax – RU996 (UNII Band 3) – Ch. 155)

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 415 of 539

**Note:**

Per ANSI C63.10-2013 Section 14.3.2.2 and KDB 662911 v02r01 Section E2), the power spectral density at Core 0 and Core 1 were first measured separately with reduced Core 0 and Core 1 powers per manufacturer's tune-up document. The measured values were then summed in linear power units then converted back to dBm.

Sample Directional Gain Calculation:

Assuming the antenna gain is -8.61 dBi for Core 0 and -7.68 dBi for Core 1.

$$\begin{aligned}\text{Directional gain} &= 10 \log[(10^{G_1/20} + 10^{G_2/20} + \dots + 10^{G_N/20})^2 / N_{\text{ANT}}] \text{ dBi} \\ &= 10 \log[(10^{-8.61/20} + 10^{-7.68/20} / 2] \text{ dBi} \\ &= (-5.12) \text{ dBi}\end{aligned}$$

Sample CDD/SDM Calculation:

Assuming the average conducted power spectral density was measured to be 5.88 dBm for Core 0 and 6.27 dBm for Core 1.

$$\text{Core 0} + \text{Core 1} = \text{CDD/SDM}$$

$$(5.88 \text{ dBm} + 6.27 \text{ dBm}) = (3.87 \text{ mW} + 4.24 \text{ mW}) = 8.11 \text{ mW} = 9.09 \text{ dBm}$$

Sample e.i.r.p Power Spectral Density Calculation:

Assuming the average CDD/SDM power density was calculated to be 9.09 dBm with directional gain of -5.12 dBi.

$$\text{e.i.r.p. Power Spectral Density(dBm)} = \text{Power Spectral Density (dBm)} + \text{directional gain (dBi)}$$

$$9.09 \text{ dBm} + (-5.12) \text{ dBi} = 3.97 \text{ dBm}$$

FCC ID: BCGA2232	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 416 of 539

7.6 Radiated Spurious Emission Measurements – Above 1GHz

§15.407(b) §15.205 §15.209; RSS-Gen [8.9]

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2013 and KDB 789033 D02 v02r01, and at the appropriate frequencies. All channels, modes (e.g. RU26, RU52, RU106, RU242, RU484 and RU996), and modulations/data rates were investigated among all UNII bands. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

For transmitters operating in the 5.15-5.25 GHz and 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an EIRP of -27 dBm/MHz.

For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an EIRP of -27 dBm/MHz.

For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-82 per Section 15.209 and RSS-Gen (8.9).

Frequency	Field Strength [μ V/m]	Measured Distance [Meters]
Above 960.0 MHz	500	3

Table 7-82. Radiated Limits

Test Procedures Used

ANSI C63.10-2013 – Sections 12.7.7.2, 12.7.6, 12.7.5
KDB 789033 D02 v02r01 – Section G

Test Settings

Average Measurements above 1GHz (Method AD)

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = power average (RMS)
5. Number of measurement points = 1001 (Number of points must be $\geq 2 \times$ span/RBW)
6. Averaging type = power (RMS)
7. Sweep time = auto couple
8. Trace was averaged over 100 sweeps

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 417 of 539

Peak Measurements above 1GHz

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

Peak Measurements below 1GHz

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. Span was set greater than 1MHz
3. RBW = 120kHz
4. Detector = CISPR quasi-peak
5. Sweep time = auto couple
6. Trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-5. Test Instrument & Measurement Setup

FCC ID: BCGA2232	 PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 418 of 539