




## 60GHz - 90GHz



Plot 7-158. Ant M3 RSE – (Band n261-100MHz-1CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-159. Ant M3 RSE – (Band n261-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)




Plot 7-160. Ant M3 RSE – (Band n261-100MHz-1CC SISO Dual Pol – QPSK– High Channel)

Frequency [MHz]	Channel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
82647.45	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	28	310	-24.34	-13.00	-11.34
83772.15	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	341	51	-24.88	-13.00	-11.88
84896.80	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	1	19	-24.80	-13.00	-11.80


Table 7-46. Ant M3 RSE – (Band n261-100MHz-1CC SISO Dual Pol – QPSK)

FCC ID: BCGA2301	MEASUREMENT REPORT (CERTIFICATION)						Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device					


## 90GHz - 100GHz



Plot 7-161. Ant M3 RSE – (Band n261-100MHz-1CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-162. Ant M3 RSE – (Band n261-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)



Plot 7-163. Ant M3 RSE – (Band n261-100MHz-1CC SISO Dual Pol – QPSK– High Channel)


Frequency [MHz]	Channnel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
93479.30	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	-	-	-41.26	-13.00	-28.26

Table 7-47. Ant M3 RSE – (Band n261-100MHz-1CC SISO Dual Pol – QPSK)

FCC ID: BCGA2301	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>					Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device				Page 93 of 201

## Band n260 – Ant M0 – 1CC


### 30MHz - 1GHz




**Plot 7-164. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)**

Frequency [MHz]	Channnel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Antenna Height [cm]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
35.82	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	9	100	-67.12	-13.00	-54.12
53.57	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	18	100	-66.48	-13.00	-53.48
60.17	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	257	250	-61.21	-13.00	-48.21
60.65	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	215	250	-61.33	-13.00	-48.33
71.32	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	328	250	-67.76	-13.00	-54.76
938.31	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	275	250	-66.21	-13.00	-53.21

**Table 7-48. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)**

FCC ID: BCGA2301	 <b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device			

## 1GHz - 18GHz




Plot 7-165. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)

Frequency [MHz]	Channel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Antenna Height [cm]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
9110.30	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	147	249	-45.09	-13.00	-32.09


Table 7-49. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)

FCC ID: BCGA2301	 PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device				


## 18GHz - 36.95GHz



Plot 7-166. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-167. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)



Plot 7-168. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– High Channel)


Frequency [MHz]	Channnel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
36498.80	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	82	275	-26.58	-13.00	-13.58
36742.30	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	80	310	-30.69	-13.00	-17.69

Table 7-50. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)


**Note:** Emissions within the frequency range of 36.95GHz – 37GHz were measured and reported in section 7.5 BandEdge Emissions.

FCC ID: BCGA2301	 <b>PCTEST®</b> Proud to be part of element				MEASUREMENT REPORT (CERTIFICATION)				Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021		EUT Type: Tablet Device				Page 96 of 201		


## 40.05GHz - 60GHz



Plot 7-169. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-170. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)




Plot 7-171. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– High Channel)


Frequency [MHz]	Channnel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
42931.10	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	95	240	-24.36	-13.00	-11.36
48813.25	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	240	48	-36.90	-13.00	-23.90
44083.00	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	94	248	-28.68	-13.00	-15.68
40256.00	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	95	240	-35.31	-13.00	-22.31
40563.00	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	270	86	-32.80	-13.00	-19.80
46233.40	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	121	249	-34.04	-13.00	-21.04

Table 7-51. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)


**Note:** Emissions within the frequency range of 40GHz – 40.05GHz were measured and reported in section 7.5 BandEdge Emissions.

FCC ID: BCGA2301	 <b>PCTEST<sup>®</sup></b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device				


## 60GHz - 90GHz



Plot 7-172. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-173. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)




Plot 7-174. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– High Channel)

Frequency [MHz]	Channel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
74098.50	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	266	331	-34.90	-13.00	-21.90
76998.15	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	323	76	-29.10	-13.00	-16.10
79898.10	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	279	282	-25.66	-13.00	-12.66


Table 7-52. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)

FCC ID: BCGA2301	PCTEST <sup>®</sup> Proud to be part of element					MEASUREMENT REPORT (CERTIFICATION)				Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021		EUT Type: Tablet Device							Page 98 of 201


## 90GHz - 140GHz



Plot 7-175. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-176. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)




Plot 7-177. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– High Channel)

Frequency [MHz]	Channnel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
111147.20	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	136	344	-30.24	-13.00	-17.24
111792.20	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	128	235	-33.63	-13.00	-20.63
115497.10	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	77	321	-24.54	-13.00	-11.54
119846.80	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	236	133	-24.14	-13.00	-11.14


Table 7-53. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)

FCC ID: BCGA2301	 PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)					Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device					


## 140GHz - 200GHz



Plot 7-178. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-179. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)



Plot 7-180. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– High Channel)


Frequency [MHz]	Channnel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
192834.00	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	-	-	-28.73	-13.00	-15.73

Table 7-54. Ant M0 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)

FCC ID: BCGA2301	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>					Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device				Page 100 of 201

## Band n260 – Ant M2– 1CC

30MHz - 1GHz




Plot 7-181. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)

Frequency [MHz]	Channnel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Antenna Height [cm]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
35.09	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	3	100	-68.86	-13.00	-55.86
59.59	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	251	250	-61.19	-13.00	-48.19
61.09	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	51	250	-60.95	-13.00	-47.95
202.51	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	202	100	-68.44	-13.00	-55.44
214.54	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	266	100	-69.16	-13.00	-56.16
928.41	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	108	250	-66.53	-13.00	-53.53

Table 7-55. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)

FCC ID: BCGA2301	 PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device			

## 1GHz - 18GHz




Plot 7-182. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)

Frequency [MHz]	Channel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Antenna Height [cm]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
9110.50	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	132	269	-41.60	-13.00	-28.60


Table 7-56. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)

FCC ID: BCGA2301	 PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device	Page 102 of 201


## 18GHz - 36.95GHz



Plot 7-183. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-184. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)



Plot 7-185. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– High Channel)


Frequency [MHz]	Channnel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
36742.80	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	103	357	-25.69	-13.00	-12.69

Table 7-57. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)


**Note:** Emissions within the frequency range of 36.95GHz – 37GHz were measured and reported in section 7.5 BandEdge Emissions.

FCC ID: BCGA2301	MEASUREMENT REPORT (CERTIFICATION)				Approved by:
Test Report S/N:	Test Dates:	EUT Type:			Quality Manager
1C2101020002-06.BCG	12/15/2020-03/09/2021	Tablet Device			Page 103 of 201


## 40.05GHz - 60GHz



Plot 7-186. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-187. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)




Plot 7-188. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– High Channel)


Frequency [MHz]	Channel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
42931.10	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	74	1	-28.97	-13.00	-15.97
57241.40	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	100	358	-40.36	-13.00	-27.36
40934.25	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	8	239	-41.55	-13.00	-28.55
44083.15	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	41	46	-33.20	-13.00	-20.20
50793.74	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	129	324	-35.16	-13.00	-22.16
51224.66	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	267	57	-38.11	-13.00	-25.11
40102.50	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	14	5	-33.25	-13.00	-20.25
40256.15	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	14	356	-31.27	-13.00	-18.27
40499.45	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	18	41	-33.56	-13.00	-20.56

Table 7-58. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)


**Note:** Emissions within the frequency range of 40GHz – 40.05GHz were measured and reported in section 7.5 BandEdge Emissions.

FCC ID: BCGA2301	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)					Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device					Page 104 of 201


## 60GHz - 90GHz



**Plot 7-189. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Low Channel)**




**Plot 7-190. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)**




**Plot 7-191. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– High Channel)**

Frequency [MHz]	Channnel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
74098.30	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	332	5	-22.18	-13.00	-9.18
76997.95	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	8	11	-23.27	-13.00	-10.27
78998.00	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	11	28	-29.45	-13.00	-16.45


**Table 7-59. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)**

FCC ID: BCGA2301	 <b>PCTEST®</b> Proud to be part of 					MEASUREMENT REPORT (CERTIFICATION)				Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021		EUT Type: Tablet Device					Page 105 of 201		


## 90GHz - 140GHz



Plot 7-192. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-193. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)




Plot 7-194. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– High Channel)

Frequency [MHz]	Channnel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
111147.25	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	122	359	-26.57	-13.00	-13.57
115497.30	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	8	139	-25.32	-13.00	-12.32
119847.10	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	346	34	-21.63	-13.00	-8.63


Table 7-60. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)

FCC ID: BCGA2301	 <b>PCTEST®</b> Proud to be part of element				MEASUREMENT REPORT (CERTIFICATION)				Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021		EUT Type: Tablet Device						Page 106 of 201


## 140GHz - 200GHz



Plot 7-195. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-196. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)



Plot 7-197. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– High Channel)


Frequency [MHz]	Channcl	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
192774.00	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	-	-	-28.68	-13.00	-15.68

Table 7-61. Ant M2 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)

FCC ID: BCGA2301	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>				Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device			

## Band n260 – Ant M3– 1CC

30MHz - 1GHz




Plot 7-198. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)

Frequency [MHz]	Channnel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Antenna Height [cm]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
36.79	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	357	250	-63.26	-13.00	-50.26
53.04	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	16	100	-66.62	-13.00	-53.62
59.88	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	37	250	-62.13	-13.00	-49.13
60.99	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	63	250	-62.26	-13.00	-49.26
836.60	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	357	250	-59.11	-13.00	-46.11
901.16	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	102	100	-59.80	-13.00	-46.80

Table 7-62. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)

FCC ID: BCGA2301	 PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device				

## 1GHz - 18GHz






Plot 7-199. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)

Frequency [MHz]	Channel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Antenna Height [cm]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
9110.30	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	116	269	-38.46	-13.00	-25.46

Table 7-63. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)

FCC ID: BCGA2301	 PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device	Page 109 of 201

## 18GHz - 36.95GHz




Frequency [MHz]	Channnel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
36498.60	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	289	12	-29.87	-13.00	-16.87
36741.90	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	284	5	-27.49	-13.00	-14.49

Table 7-64. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)


**Note:** Emissions within the frequency range of 36.95GHz – 37GHz were measured and reported in section 7.5 BandEdge Emissions.

FCC ID: BCGA2301	 <b>PCTEST<sup>®</sup></b> Proud to be part of element				MEASUREMENT REPORT (CERTIFICATION)				Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021		EUT Type: Tablet Device						Page 110 of 201


## 40.05GHz - 60GHz



Plot 7-203. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-204. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)




Plot 7-205. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– High Channel)


Frequency [MHz]	Channel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
42931.15	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	294	343	-25.17	-13.00	-12.17
48813.00	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	294	14	-41.91	-13.00	-28.91
44083.10	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	333	358	-29.92	-13.00	-16.92
40256.25	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	17	30	-33.58	-13.00	-20.58
40499.45	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	12	330	-34.43	-13.00	-21.43
46233.55	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	324	313	-36.86	-13.00	-23.86

Table 7-65. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)


**Note:** Emissions within the frequency range of 40GHz – 40.05GHz were measured and reported in section 7.5 BandEdge Emissions.

FCC ID: BCGA2301	 PCTEST <sup>®</sup> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)					Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device					


## 60GHz - 90GHz



**Plot 7-206. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Low Channel)**



**Plot 7-207. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)**




**Plot 7-208. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– High Channel)**

Frequency [MHz]	Channel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
74098.30	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	271	332	-25.48	-13.00	-12.48
76998.10	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	300	0	-29.51	-13.00	-16.51
79897.90	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	300	331	-24.08	-13.00	-11.08


**Table 7-66. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)**

FCC ID: BCGA2301	 <b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)						Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device						


## 90GHz - 140GHz



Plot 7-209. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-210. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)




Plot 7-211. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– High Channel)

Frequency [MHz]	Channnel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
111147.45	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	242	42	-24.89	-13.00	-11.89
115497.50	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	71	99	-27.52	-13.00	-14.52
119846.95	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	230	43	-24.33	-13.00	-11.33


Table 7-67. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)

FCC ID: BCGA2301	 PCTEST® Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)					Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device					


## 140GHz - 200GHz



Plot 7-212. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-213. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– Mid Channel)




Plot 7-214. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK– High Channel)

Frequency [MHz]	Channnel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
192884.00	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	-	-	-28.66	-13.00	-15.66


Table 7-68. Ant M3 RSE – (Band n260-100MHz-1CC SISO Dual Pol – QPSK)

FCC ID: BCGA2301	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>				Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device			


## Band n261 – Ant M0– 2CC 18GHz – 27.375GHz



Plot 7-215. Ant M0 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-216. Ant M0 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK– Mid Channel)



Plot 7-217. Ant M0 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK– High Channel)


Frequency [MHz]	Channel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
27241.78	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	261	103	-31.59	-13.00	-18.59
27349.50	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	127	320	-26.19	-13.00	-13.19

Table 7-69. Ant M0 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK)


**Note:** Emissions within the frequency range of 27.375GHz – 27.5GHz were measured and reported in section 7.5 BandEdge Emissions.

FCC ID: BCGA2301	MEASUREMENT REPORT (CERTIFICATION)					Approved by:
Test Report S/N:	Test Dates:	EUT Type:				Quality Manager
1C2101020002-06.BCG	12/15/2020-03/09/2021	Tablet Device				Page 115 of 201


## 28.475GHz – 40GHz



Plot 7-218. Ant M0 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-219. Ant M0 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK– Mid Channel)



Plot 7-220. Ant M0 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK– High Channel)




Frequency [MHz]	Channel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
28491.52	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	261	103	-31.22	-13.00	-18.22
29921.60	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	262	92	-29.86	-13.00	-16.86
30036.41	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	262	92	-31.33	-13.00	-18.33
28499.32	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	95	274	-28.03	-13.00	-15.03
29761.36	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	103	253	-26.75	-13.00	-13.75

Table 7-70. Ant M0 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK)

**Note:** Emissions within the frequency range of 28.35GHz – 28.475GHz were measured and reported in section 7.5 BandEdge Emissions.

FCC ID: BCGA2301	 PCTEST <sup>®</sup> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device	Page 116 of 201

## Band n261 – Ant M2– 2CC 18GHz – 27.375GHz




Frequency [MHz]	Channel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
27349.31	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	4	358	-29.40	-13.00	-16.40

Table 7-71. Ant M2 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK)


**Note:** Emissions within the frequency range of 27.375GHz – 27.5GHz were measured and reported in section 7.5 BandEdge Emissions.

FCC ID: BCGA2301	MEASUREMENT REPORT (CERTIFICATION)				Approved by:
Test Report S/N:	Test Dates:	EUT Type:			Quality Manager
1C2101020002-06.BCG	12/15/2020-03/09/2021	Tablet Device			Page 117 of 201


## 28.475GHz – 40GHz



Plot 7-224. Ant M2 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-225. Ant M2 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK– Mid Channel)



Plot 7-226. Ant M2 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK– High Channel)


Frequency [MHz]	Channnel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
28491.39	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	4	358	-30.19	-13.00	-17.19
28591.25	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	11	349	-31.58	-13.00	-18.58
30036.48	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	20	206	-31.98	-13.00	-18.98
30136.15	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	16	227	-33.58	-13.00	-20.58
29761.43	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	3	90	-29.81	-13.00	-16.81
29861.31	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	9	101	-31.65	-13.00	-18.65

Table 7-72. Ant M2 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK)


**Note:** Emissions within the frequency range of 28.35GHz – 28.475GHz were measured and reported in section 7.5 BandEdge Emissions.

FCC ID: BCGA2301	 <b>PCTEST<sup>®</sup></b> Proud to be part of element				MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device				


## Band n261 – Ant M3– 2CC 18GHz – 27.375GHz



Plot 7-227. Ant M3 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-228. Ant M3 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK– Mid Channel)



Plot 7-229. Ant M3 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK– High Channel)


Frequency [MHz]	Channel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
27349.26	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	326	342	-27.21	-13.00	-14.21

Table 7-73. Ant M3 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK)


**Note:** Emissions within the frequency range of 27.375GHz – 27.5GHz were measured and reported in section 7.5 BandEdge Emissions.

FCC ID: BCGA2301	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device			Page 119 of 201


## 28.475GHz – 40GHz



Plot 7-230. Ant M3 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK– Low Channel)



Plot 7-231. Ant M3 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK– Mid Channel)



Plot 7-232. Ant M3 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK– High Channel)




Frequency [MHz]	Channel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
28491.54	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	324	5	-27.40	-13.00	-14.40
28591.45	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	326	5	-28.41	-13.00	-15.41
30036.93	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	4	37	-30.22	-13.00	-17.22
30136.77	Mid	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	4	37	-30.36	-13.00	-17.36
29761.50	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	V	320	358	-31.27	-13.00	-18.27
29861.70	High	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	2	32	-29.53	-13.00	-16.53

Table 7-74. Ant M3 RSE – (Band n261-100+100MHz-2CC SISO Dual Pol – QPSK)

**Note:** Emissions within the frequency range of 28.35GHz – 28.475GHz were measured and reported in section 7.5 BandEdge Emissions.

FCC ID: BCGA2301	 PCTEST <sup>®</sup> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device	Page 120 of 201

## Band n260 – Ant M0– 2CC 18GHz – 36.875GHz



Frequency [MHz]	Channel	Bandwidth (MHz)	Antenna Diversity	Waveform	Modulation	Antenna Polarization [H/V]	Turntable Azimuth [degrees]	Positioner Azimuth [degrees]	EIRP Emission Level [dBm]	TRP Limit [dBm]	Margin [dB]
36849.13	Low	100	SISO Dual Pol	DFT-s-OFDM	QPSK	H	274	93	-29.44	-13.00	-16.44

Table 7-75. Ant M0 RSE – (Band n260-100+100MHz-2CC SISO Dual Pol – QPSK)

**Note:** Emissions within the frequency range of 36.875GHz – 37GHz were measured and reported in section 7.5 BandEdge Emissions.

FCC ID: BCGA2301	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Quality Manager
Test Report S/N: 1C2101020002-06.BCG	Test Dates: 12/15/2020-03/09/2021	EUT Type: Tablet Device			Page 121 of 201