




Plot 7-269. Upper Band Edge Plot (NR Band n66 - 15.0MHz DFT-s OFDM $\pi/2$ BPSK - Full RB Configuration)





Plot 7-270. Upper Extended Band Edge Plot (NR Band n66 - 15.0MHz DFT-s OFDM $\pi/2$ BPSK - Full RB Configuration)



FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT			Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 159 of 270




FCC ID: BCGA2301	PCTEST Proud to be part of 		PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 160 of 270




FCC ID: BCGA2301	PCTEST Proud to be part of 		PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 161 of 270



FCC ID: BCGA2301	PCTEST Proud to be part of 		PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 162 of 270




Plot 7-277. Upper Band Edge Plot (NR Band n66 - 5.0MHz DFT-s OFDM $\pi/2$ BPSK - Full RB Configuration)




Plot 7-278. Upper Extended Band Edge Plot (NR Band n66 - 5.0MHz DFT-s OFDM $\pi/2$ BPSK - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 		PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 163 of 270

NR Band n12





Plot 7-279. Lower Band Edge Plot (NR Band n12 - 15.0MHzDFT-s OFDM $\pi/2$ BPSK - Full RB Configuration)




Plot 7-280. Upper Band Edge Plot (NR Band n12 - 15.0MHz DFT-s OFDM QPSK- Full RB Configuration)


FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT			Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 164 of 270



FCC ID: BCGA2301	PCTEST® Proud to be part of 			PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device				Page 165 of 270




Plot 7-283. Lower Band Edge Plot (NR Band n12 - 5.0MHz DFT-s OFDM QPSK- Full RB Configuration)




Plot 7-284. Upper Band Edge Plot (NR Band n12 - 5.0MHz DFT-s OFDM $\pi/2$ BPSK - Full RB Configuration)

FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT			Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 166 of 270

NR Band n71




Plot 7-285. Lower Band Edge Plot (NR Band n71 - 20.0MHz DFT-s OFDM QPSK - Full RB Configuration)




Plot 7-286. Upper Band Edge Plot (NR Band n71 - 20.0MHz DFT-s OFDM $\pi/2$ BPSK - Full RB Configuration)

FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT			Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 167 of 270




Plot 7-287. Lower Band Edge Plot (NR Band n71 - 15.0MHz DFT-s OFDM QPSK- Full RB Configuration)




Plot 7-288. Upper Band Edge Plot (NR Band n71 - 15.0MHz DFT-s OFDM π/2 BPSK - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 		PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 168 of 270




Plot 7-289. Lower Band Edge Plot (NR Band n71 - 10.0MHz DFT-s OFDM $\pi/2$ BPSK - Full RB Configuration)




Plot 7-290. Upper Band Edge Plot (NR Band n71 - 10.0MHz DFT-s OFDM $\pi/2$ BPSK - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device				Page 169 of 270





Plot 7-291. Lower Band Edge Plot (NR Band n71 - 5.0MHz DFT-s OFDM $\pi/2$ BPSK - Full RB Configuration)



Plot 7-292. Upper Band Edge Plot (NR Band n71 - 5.0MHz DFT-s OFDM $\pi/2$ BPSK - Full RB Configuration)


FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device				Page 170 of 270

WCDMA AWS

Plot 7-293. Band Edge Plot (AWS WCDMA Mode - Low Channel)

Plot 7-294. Extended Band Edge Plot (AWS WCDMA Mode - Low Channel)

FCC ID: BCGA2301	 PCTEST® Proud to be part of 		PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 171 of 270



Plot 7-295. Band Edge Plot (AWS WCDMA Mode - High Channel)



Plot 7-296. Extended Band Edge Plot (AWS WCDMA Mode - High Channel)

FCC ID: BCGA2301	PCTEST Proud to be part of 		PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 172 of 270

7.5 Peak-Average Ratio

§27.50(d)(5)

Test Overview

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level. All ports were tested and only the worst case data were reported.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 5.7.1

Test Settings

1. The signal analyzer's CCDF measurement profile is enabled
2. Frequency = carrier center frequency
3. Measurement BW \geq OBW or specified reference bandwidth
4. The signal analyzer was set to collect one million samples to generate the CCDF curve
5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal "RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the "on time" of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-4. Test Instrument & Measurement Setup

Test Notes


None.

FCC ID: BCGA2301	PCTEST [®] Proud to be part of element		PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 173 of 270

LTE Band 4




Plot 7-297. PAR Plot (LTE Band 4 - 20MHz QPSK - Full RB Configuration)




Plot 7-298. PAR Plot (LTE Band 4 - 20MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2301	 PCTEST Proud to be part of 		PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 174 of 270




Plot 7-299. PAR Plot (LTE Band 4 - 20MHz 64-QAM - Full RB Configuration)




Plot 7-300. PAR Plot (LTE Band 4 - 20MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device			Page 175 of 270




Plot 7-301. PAR Plot (LTE Band 4 - 15MHz QPSK - Full RB Configuration)




Plot 7-302. PAR Plot (LTE Band 4 - 15MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device			Page 176 of 270




Plot 7-303. PAR Plot (LTE Band 4 - 15MHz 64-QAM - Full RB Configuration)




Plot 7-304. PAR Plot (LTE Band 4 - 15MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device			Page 177 of 270




Plot 7-305. PAR Plot (LTE Band 4 - 10MHz QPSK - Full RB Configuration)




Plot 7-306. PAR Plot (LTE Band 4 - 10MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device			Page 178 of 270




Plot 7-307. PAR Plot (LTE Band 4 - 10MHz 64-QAM - Full RB Configuration)




Plot 7-308. PAR Plot (LTE Band 4 - 10MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device			Page 179 of 270




Plot 7-309. PAR Plot (LTE Band 4 - 5MHz QPSK - Full RB Configuration)




Plot 7-310. PAR Plot (LTE Band 4 - 5MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device				Page 180 of 270




Plot 7-311. PAR Plot (LTE Band 4 - 5MHz 64-QAM - Full RB Configuration)




Plot 7-312. PAR Plot (LTE Band 4 - 5MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device				Page 181 of 270




Plot 7-313. PAR Plot (LTE Band 4 - 3MHz QPSK - Full RB Configuration)




Plot 7-314. PAR Plot (LTE Band 4 - 3MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device				Page 182 of 270




Plot 7-315. PAR Plot (LTE Band 4 - 3MHz 64-QAM - Full RB Configuration)




Plot 7-316. PAR Plot (LTE Band 4 - 3MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device				Page 183 of 270




Plot 7-317. PAR Plot (LTE Band 4 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-318. PAR Plot (LTE Band 4 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 		PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 184 of 270




Plot 7-319. PAR Plot (LTE Band 4 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-320. PAR Plot (LTE Band 4 - 1.4MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 		PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 185 of 270

LTE Band 66




Plot 7-321. PAR Plot (LTE Band 66 - 20MHz QPSK - Full RB Configuration)




Plot 7-322. PAR Plot (LTE Band 66 - 20MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2301	 PCTEST Proud to be part of 		PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 186 of 270




Plot 7-323. PAR Plot (LTE Band 66 - 20MHz 64-QAM - Full RB Configuration)




Plot 7-324. PAR Plot (LTE Band 66 - 20MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 		PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 187 of 270




Plot 7-325. PAR Plot (LTE Band 66 - 15MHz QPSK - Full RB Configuration)




Plot 7-326. PAR Plot (LTE Band 66 - 15MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device				Page 188 of 270




Plot 7-327. PAR Plot (LTE Band 66 - 15MHz 64-QAM - Full RB Configuration)




Plot 7-328. PAR Plot (LTE Band 66 - 15MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device				Page 189 of 270




Plot 7-329. PAR Plot (LTE Band 66 - 10MHz QPSK - Full RB Configuration)




Plot 7-330. PAR Plot (LTE Band 66 - 10MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device			Page 190 of 270




Plot 7-331. PAR Plot (LTE Band 66 - 10MHz 64-QAM - Full RB Configuration)




Plot 7-332. PAR Plot (LTE Band 66 - 10MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device				Page 191 of 270




Plot 7-333. PAR Plot (LTE Band 66 - 5MHz QPSK - Full RB Configuration)




Plot 7-334. PAR Plot (LTE Band 66 - 5MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device				Page 192 of 270




Plot 7-335. PAR Plot (LTE Band 66 - 5MHz 64-QAM - Full RB Configuration)




Plot 7-336. PAR Plot (LTE Band 66 - 5MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 		PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 193 of 270




Plot 7-337. PAR Plot (LTE Band 66 - 3MHz QPSK - Full RB Configuration)




Plot 7-338. PAR Plot (LTE Band 66 - 3MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device				Page 194 of 270




Plot 7-339. PAR Plot (LTE Band 66 - 3MHz 64-QAM - Full RB Configuration)




Plot 7-340. PAR Plot (LTE Band 66 - 3MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device				Page 195 of 270




Plot 7-341. PAR Plot (LTE Band 66 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-342. PAR Plot (LTE Band 66 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device				Page 196 of 270




Plot 7-343. PAR Plot (LTE Band 66 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-344. PAR Plot (LTE Band 66 - 1.4MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device			Page 197 of 270

NR Band n66




Plot 7-345. PAR Plot (NR Band n66 - 20.0MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-346. PAR Plot (NR Band n66 - 20.0MHz DFT-s-OFDM QPSK - Full RB)

FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT			Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device		Page 198 of 270




Plot 7-347. PAR Plot (NR Band n66 - 20.0MHz DFT-s-OFDM 16-QAM - Full RB)




Plot 7-348. PAR Plot (NR Band n66 - 20.0MHz DFT-s-OFDM 64-QAM - Full RB)

FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 199 of 270




Plot 7-349. PAR Plot (NR Band n66 - 20.0MHz DFT-s-OFDM 256-QAM - Full RB)




Plot 7-350. PAR Plot (NR Band n66 - 15.0MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device			Page 200 of 270



Plot 7-351. PAR Plot (NR Band n66 - 15.0MHz DFT-s-OFDM QPSK - Full RB)



Plot 7-352. PAR Plot (NR Band n66 - 15.0MHz DFT-s-OFDM 16-QAM - Full RB)

FCC ID: BCGA2301	PCTEST Proud to be part of 			PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device				Page 201 of 270