






FCC ID: BCGA2301 IC: 579C-A2301	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020002-15.BCG	Test Dates: 12/12/2020 - 3/10/2021	EUT Type: Tablet Device	Page 35 of 354	



FCC ID: BCGA2301	 PCTEST Proud to be part of 
IC: 579C-A2301	
Test Report S/N: 1C2101020002-15.BCG	

**MEASUREMENT REPORT
(CERTIFICATION)**
Approved by:
Quality Manager

Test Dates:

12/12/2020 - 3/10/2021


EUT Type:

Tablet Device


Page 36 of 354




Plot 7-73. 26dB BW & 99% OBW Antenna 4b (20MHz BW 802.11n – Ch. 40, MCS3)



Plot 7-76. 26dB BW & 99% OBW Antenna 4b (40MHz BW 802.11ax(SU) – Ch. 46, MCS3)



Plot 7-74. 26dB BW & 99% OBW Antenna 4b (20MHz BW 802.11ax(SU) – Ch. 40, MCS3)



Plot 7-77. 26dB BW & 99% OBW Antenna 4b (80MHz BW 802.11ac – Ch. 42, MCS3)






Plot 7-75. 26dB BW & 99% OBW Antenna 4b (40MHz BW 802.11n – Ch. 46, MCS3)



Plot 7-78. 26dB BW & 99% OBW Antenna 4b (80MHz BW 802.11ax(SU) – Ch. 42, MCS3)


FCC ID: BCGA2301 IC: 579C-A2301	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020002-15.BCG	Test Dates: 12/12/2020 - 3/10/2021	EUT Type: Tablet Device	Page 37 of 354	




FCC ID: BCGA2301 IC: 579C-A2301	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020002-15.BCG	Test Dates: 12/12/2020 - 3/10/2021	EUT Type: Tablet Device	Page 38 of 354	



Plot 7-85. 26dB BW & 99% OBW Antenna 4b (20MHz BW 802.11n – Ch. 116, MCS3)




Plot 7-88. 26dB BW & 99% OBW Antenna 4b (40MHz BW 802.11ax(SU) – Ch. 110, MCS3)



Plot 7-86. 26dB BW & 99% OBW Antenna 4b (20MHz BW 802.11ax(SU) – Ch. 116, MCS3)



Plot 7-89. 26dB BW & 99% OBW Antenna 4b (80MHz BW 802.11ac – Ch. 106, MCS3)







Plot 7-87. 26dB BW & 99% OBW Antenna 4b (40MHz BW 802.11n – Ch. 110, MCS3)



Plot 7-90. 26dB BW & 99% OBW Antenna 4b (80MHz BW 802.11ax(SU) – Ch. 106, MCS3)


FCC ID: BCGA2301 IC: 579C-A2301	 PCTEST Proud to be part of  MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020002-15.BCG	Test Dates: 12/12/2020 - 3/10/2021	EUT Type: Tablet Device	Page 39 of 354	




FCC ID: BCGA2301 IC: 579C-A2301	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020002-15.BCG	Test Dates: 12/12/2020 - 3/10/2021	EUT Type: Tablet Device	Page 40 of 354	




Plot 7-97. 26dB BW & 99% OBW Antenna 4b (20MHz BW 802.11n – Ch. 56, MCS11)



Plot 7-100. 26dB BW & 99% OBW Antenna 4b (40MHz BW 802.11ax(SU) – Ch. 54, MCS11)




Plot 7-98. 26dB BW & 99% OBW Antenna 4b (20MHz BW 802.11ax(SU) – Ch. 56, MCS11)



Plot 7-101. 26dB BW & 99% OBW Antenna 4b (80MHz BW 802.11ac – Ch. 58, MCS5)



Plot 7-99. 26dB BW & 99% OBW Antenna 4b (40MHz BW 802.11n – Ch. 54, MCS5)




Plot 7-102. 26dB BW & 99% OBW Antenna 4b (80MHz BW 802.11ax(SU) – Ch. 58, MCS11)


FCC ID: BCGA2301 IC: 579C-A2301	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020002-15.BCG	Test Dates: 12/12/2020 - 3/10/2021	EUT Type: Tablet Device	Page 41 of 354	




Plot 7-103. 26dB BW & 99% OBW Antenna 4b (20MHz BW 802.11n – Ch. 116, MCS5)




Plot 7-106. 26dB BW & 99% OBW Antenna 4b (40MHz BW 802.11ax(SU) – Ch. 110, MCS11)




Plot 7-104. 26dB BW & 99% OBW Antenna 4b (20MHz BW 802.11ax(SU) – Ch. 116, MCS11)



Plot 7-107. 26dB BW & 99% OBW Antenna 4b (80MHz BW 802.11ac – Ch. 106, MCS5)



Plot 7-105. 26dB BW & 99% OBW Antenna 4b (40MHz BW 802.11n – Ch. 110, MCS5)



Plot 7-108. 26dB BW & 99% OBW Antenna 4b (80MHz BW 802.11ax(SU) – Ch. 106, MCS11)

FCC ID: BCGA2301 IC: 579C-A2301	 PCTEST Proud to be part of 	
Test Report S/N: 1C2101020002-15.BCG	Test Dates: 12/12/2020 - 3/10/2021	EUT Type: Tablet Device

**MEASUREMENT REPORT
(CERTIFICATION)**

Approved by:
Quality Manager

Page 42 of 354

7.3 6dB & 99% Bandwidth Measurement – 802.11a/n/ac/ax-SU

§2.1049; §15.407 (e); RSS-Gen [6.7]

Test Overview and Limit

The bandwidth at 6dB down from the highest in-band spectral density is measured with a spectrum analyzer connected to the antenna terminal while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2013 and KDB 789033 D02 v02r01, and at the appropriate frequencies. The spectrum analyzer's bandwidth measurement function is configured to measure the 6dB bandwidth.

In the 5.725 – 5.850GHz band, the 6dB bandwidth must be \geq 500 kHz.

Test Procedure Used

ANSI C63.10-2013 – Section 6.9.2
 KDB 789033 D02 v02r01 – Section C

Test Settings

1. The signal analyzers' automatic bandwidth measurement capability was used to perform the 6dB bandwidth measurement. The "X" dB bandwidth parameter was set to X = 6. The automatic bandwidth measurement function also has the capability of simultaneously measuring the 99% occupied bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 100 kHz
3. VBW \geq 3 x RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-2. Test Instrument & Measurement Setup

Test Notes

1. All antenna configurations and data rates were investigated and only the worst case are reported.
2. The data rates have been classified into three different groups; low data rate, middle data rate, and high data rate. All three data rate groups of data rate have been investigated and only the worst case data rate per group is reported.
3. Low, mid and high channels were tested and tabular data has been reported. Only mid channel bandwidth plots are reported.

FCC ID: BCGA2301 IC: 579C-A2301	 PCTEST® Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020002-15.BCG	Test Dates: 12/12/2020 - 3/10/2021	EUT Type: Tablet Device		Page 43 of 354

Antenna 5b 6dB & 99% Bandwidth Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	99% Occupied Bandwidth [MHz]	Measured 6dB Bandwidth [MHz]	Minimum 6dB Bandwidth [MHz]	Pass / Fail
Band 3	5745	149	n (20MHz)	6.5/7.2 (MCS0)	17.63	17.21	0.50	Pass
	5785	157	n (20MHz)	6.5/7.2 (MCS0)	17.61	17.27	0.50	Pass
	5825	165	n (20MHz)	6.5/7.2 (MCS0)	17.64	17.56	0.50	Pass
	5745	149	ax-SU (20MHz)	8/8.6 (MCS0)	18.97	19.00	0.50	Pass
	5785	157	ax-SU (20MHz)	8/8.6 (MCS0)	19.00	19.03	0.50	Pass
	5825	165	ax-SU (20MHz)	8/8.6 (MCS0)	18.99	18.87	0.50	Pass
	5755	151	n (40MHz)	13.5/15 (MCS0)	36.05	35.61	0.50	Pass
	5795	159	n (40MHz)	13.5/15 (MCS0)	36.06	35.27	0.50	Pass
	5755	151	ax-SU (40MHz)	16/17.2 (MCS0)	37.86	38.18	0.50	Pass
	5795	159	ax-SU (40MHz)	16/17.2 (MCS0)	37.84	38.12	0.50	Pass
	5775	155	ac (80MHz)	29.3/32.5 (MCS0)	75.25	75.52	0.50	Pass
	5775	155	ax-SU (80MHz)	34/36.0 (MCS0)	76.91	77.41	0.50	Pass

Table 7-8. Conducted Bandwidth Measurements Antenna 5b (Low Data Rate)





	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	99% Occupied Bandwidth [MHz]	Measured 6dB Bandwidth [MHz]	Minimum 6dB Bandwidth [MHz]	Pass / Fail
Band 3	5745	149	n (20MHz)	26/28.9 (MCS3)	17.63	17.69	0.50	Pass
	5785	157	n (20MHz)	26/28.9 (MCS3)	17.62	17.67	0.50	Pass
	5825	165	n (20MHz)	26/28.9 (MCS3)	17.62	17.65	0.50	Pass
	5745	149	ax-SU (20MHz)	33/34.4 (MCS3)	18.95	19.02	0.50	Pass
	5785	157	ax-SU (20MHz)	33/34.4 (MCS3)	18.93	19.02	0.50	Pass
	5825	165	ax-SU (20MHz)	33/34.4 (MCS3)	18.97	19.08	0.50	Pass
	5755	151	n (40MHz)	54/60 (MCS3)	36.04	36.09	0.50	Pass
	5795	159	n (40MHz)	54/60 (MCS3)	36.11	36.42	0.50	Pass
	5755	151	ax-SU (40MHz)	65/68.8 (MCS3)	37.83	38.19	0.50	Pass
	5795	159	ax-SU (40MHz)	65/68.8 (MCS3)	37.81	38.20	0.50	Pass
	5775	155	ac (80MHz)	117/130 (MCS3)	75.24	75.57	0.50	Pass
	5775	155	ax-SU (80MHz)	567/600.5 (MCS3)	76.91	77.45	0.50	Pass

Table 7-9. Conducted Bandwidth Measurements Antenna 5b (Mid Data Rate)

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	99% Occupied Bandwidth [MHz]	Measured 6dB Bandwidth [MHz]	Minimum 6dB Bandwidth [MHz]	Pass / Fail
Band 3	5745	149	n (20MHz)	52/57.8 (MCS5)	17.71	17.77	0.50	Pass
	5785	157	n (20MHz)	52/57.8 (MCS5)	17.69	17.75	0.50	Pass
	5825	165	n (20MHz)	52/57.8 (MCS5)	17.70	17.76	0.50	Pass
	5745	149	ax-SU (20MHz)	135/143.4 (MCS11)	18.98	19.08	0.50	Pass
	5785	157	ax-SU (20MHz)	135/143.4 (MCS11)	18.96	19.06	0.50	Pass
	5825	165	ax-SU (20MHz)	135/143.4 (MCS11)	18.97	19.10	0.50	Pass
	5755	151	n (40MHz)	108/120 (MCS5)	36.25	36.50	0.50	Pass
	5795	159	n (40MHz)	108/120 (MCS5)	36.26	36.51	0.50	Pass
	5755	151	ax-SU (40MHz)	271/286.8 (MCS11)	37.82	38.10	0.50	Pass
	5795	159	ax-SU (40MHz)	271/286.8 (MCS11)	37.81	38.13	0.50	Pass
	5775	155	ac (80MHz)	292.5/325 (MCS5)	75.52	76.07	0.50	Pass
	5775	155	ax-SU (80MHz)	567/600.5 (MCS11)	76.67	76.26	0.50	Pass

Table 7-10. Conducted Bandwidth Measurements Antenna 5b (High Data Rate)

FCC ID: BCGA2301 IC: 579C-A2301	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Quality Manager
Test Report S/N: 1C2101020002-15.BCG	Test Dates: 12/12/2020 - 3/10/2021	EUT Type: Tablet Device				



FCC ID: BCGA2301 IC: 579C-A2301	 PCTEST® Proud to be part of 
Test Report S/N: 1C2101020002-15.BCG	Test Dates: 12/12/2020 - 3/10/2021

**MEASUREMENT REPORT
(CERTIFICATION)**
Approved by:
Quality Manager

EUT Type:
Tablet Device

Page 45 of 354