



## RU484

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5190MHz  
 Channel: 38



Plot 7-1371. Radiated Lower Band Edge Plot Antenna 2b (Peak & Average – UNII Band 1 – RU484)


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5230MHz  
 Channel: 46



Plot 7-1372. Radiated Lower Band Edge Plot Antenna 2b (Peak & Average – UNII Band 1 – RU484)


FCC ID: BCGA2324	 <b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 830 of 958	

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5270MHz  
 Channel: 54



Plot 7-1373. Radiated Upper Band Edge Plot Antenna 2b (Peak & Average – UNII Band 2A – RU484)


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5310MHz  
 Channel: 62



Plot 7-1374. Radiated Upper Band Edge Plot Antenna 2b (Peak & Average – UNII Band 2A – RU484)


FCC ID: BCGA2324	 <b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 831 of 958	

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5510MHz  
 Channel: 102




**Plot 7-1375. Radiated Lower Band Edge Plot Antenna 2b (Peak & Average – UNII Band 2C – RU484)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5550MHz  
 Channel: 110



**Plot 7-1376. Radiated Lower Band Edge Plot Antenna 2b (Peak & Average – UNII Band 2C – RU484)**


FCC ID: BCGA2324	 <b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 832 of 958	

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5590MHz (FCC only)  
 Channel: 118



**Plot 7-1377. Radiated Lower Band Edge Plot Antenna 2b (Peak & Average – UNII Band 2C – RU484)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5630MHz (FCC only)  
 Channel: 126



**Plot 7-1378. Radiated Upper Band Edge Plot Antenna 2b (Peak – UNII Band 2C – RU484)**


FCC ID: BCGA2324	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 833 of 958	

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5670MHz  
 Channel: 134



**Plot 7-1379. Radiated Upper Band Edge Plot Antenna 2b (Peak – UNII Band 2C – RU484)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5755MHz  
 Channel: 151



**Plot 7-1380. Radiated Lower Band Edge Plot Antenna 2b (Peak – UNII Band 3 – RU484)**

FCC ID: BCGA2324	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 834 of 958

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5795MHz  
 Channel: 159



**Plot 7-1381. Radiated Upper Band Edge Plot Antenna 2b (Peak – UNII Band 3 – RU484)**


FCC ID: BCGA2324	<b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 835 of 958

### 7.6.8 Antenna 2b Radiated Band Edge Measurements (80MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

**RU26**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5210MHz  
 Channel: 42



**Plot 7-1382. Radiated Lower Band Edge Plot Antenna 2b (Peak & Average – UNII Band 1 – RU26)**


FCC ID: BCGA2324	 <b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 836 of 958

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 36  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5290MHz  
 Channel: 58



Plot 7-1383. Radiated Upper Band Edge Plot Antenna 2b (Peak & Average – UNII Band 2A – RU26)


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5530MHz  
 Channel: 106



Plot 7-1384. Radiated Lower Band Edge Plot Antenna 2b (Peak & Average – UNII Band 2C – RU26)


FCC ID: BCGA2324	 <b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 837 of 958	

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 36  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5610MHz (FCC only)  
 Channel: 122



**Plot 7-1385. Radiated Upper Band Edge Plot Antenna 2b (Peak – UNII Band 2C – RU26)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5775MHz  
 Channel: 155



**Plot 7-1386. Radiated Lower Band Edge Plot Antenna 2b (Peak – UNII Band 3 – RU26)**

FCC ID: BCGA2324	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 838 of 958	

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 36  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5775MHz  
 Channel: 155




**Plot 7-1387. Radiated Upper Band Edge Plot Antenna 2b (Peak – UNII Band 3 – RU26)**

FCC ID: BCGA2324	 <b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 839 of 958	


**RU996**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 67  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5210MHz  
 Channel: 42



**Plot 7-1388. Radiated Lower Band Edge Plot Antenna 2b (Peak & Average – UNII Band 1 – RU996)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 67  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5290MHz  
 Channel: 58



**Plot 7-1389. Radiated Upper Band Edge Plot Antenna 2b (Peak & Average – UNII Band 2A – RU996)**


FCC ID: BCGA2324	 PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 840 of 958	

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 67  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5530MHz  
 Channel: 106



**Plot 7-1390. Radiated Lower Band Edge Plot Antenna 2b (Peak & Average – UNII Band 2C – RU996)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 67  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5610MHz (FCC only)  
 Channel: 122



**Plot 7-1391. Radiated Lower Band Edge Plot Antenna 2b (Peak & Average – UNII Band 2C – RU996)**


FCC ID: BCGA2324	<b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 841 of 958

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 67  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5610MHz (FCC only)  
 Channel: 122



**Plot 7-1392. Radiated Upper Band Edge Plot Antenna 2b (Peak – UNII Band 2C – RU996)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 67  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5775MHz  
 Channel: 155




**Plot 7-1393. Radiated Lower Band Edge Plot Antenna 2b (Peak – UNII Band 3 – RU996)**

FCC ID: BCGA2324	<b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 842 of 958

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 67  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5775MHz  
 Channel: 155



**Plot 7-1394. Radiated Upper Band Edge Plot Antenna 2b (Peak – UNII Band 3 – RU996)**


FCC ID: BCGA2324	<b>PCTEST®</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 843 of 958	

### 7.6.9 Antenna 2a Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


**RU26**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5180MHz  
 Channel: 36




**Plot 7-1395. Radiated Lower Band Edge Plot Antenna 2a (Peak & Average – UNII Band 1 – RU26)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5320MHz  
 Channel: 64



**Plot 7-1396. Radiated Upper Band Edge Plot Antenna 2a (Peak & Average – UNII Band 2A – RU26)**


FCC ID: BCGA2324	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 844 of 958	

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5500MHz  
 Channel: 100




Plot 7-1397. Radiated Lower Band Edge Plot Antenna 2a (Peak & Average – UNII Band 2C – RU26)


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5700MHz  
 Channel: 140



Plot 7-1398. Radiated Upper Band Edge Plot Antenna 2a (Peak – UNII Band 2C – RU26)


FCC ID: BCGA2324	 <b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 845 of 958	

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5745MHz  
 Channel: 149



Plot 7-1399. Radiated Lower Band Edge Plot Antenna 2a (Peak – UNII Band 3 – RU26)

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5825MHz  
 Channel: 165




Plot 7-1400. Radiated Upper Band Edge Plot Antenna 2a (Peak – UNII Band 3 – RU26)

FCC ID: BCGA2324	<b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 846 of 958


## RU242

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5180MHz  
 Channel: 36



Plot 7-1401. Radiated Lower Band Edge Plot Antenna 2a (Peak & Average – UNII Band 1 – RU242)


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5200MHz  
 Channel: 40



Plot 7-1402. Radiated Lower Band Edge Plot Antenna 2a (Peak & Average – UNII Band 1 – RU242)


FCC ID: BCGA2324	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 847 of 958	

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5300MHz  
 Channel: 60



**Plot 7-1403. Radiated Upper Band Edge Plot Antenna 2a (Peak & Average – UNII Band 2A – RU242)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5320MHz  
 Channel: 64



**Plot 7-1404. Radiated Upper Band Edge Plot Antenna 2a (Peak & Average – UNII Band 2A – RU242)**


FCC ID: BCGA2324	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 848 of 958	

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5500MHz  
 Channel: 100



**Plot 7-1405. Radiated Lower Band Edge Plot Antenna 2a (Peak & Average – UNII Band 2C – RU242)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5520MHz  
 Channel: 104



**Plot 7-1406. Radiated Lower Band Edge Plot Antenna 2a (Peak & Average – UNII Band 2C – RU242)**


FCC ID: BCGA2324	 <b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 849 of 958	

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5540MHz  
 Channel: 108



**Plot 7-1407. Radiated Lower Band Edge Plot Antenna 2a (Peak & Average – UNII Band 2C – RU242)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5660MHz  
 Channel: 132



**Plot 7-1408. Radiated Upper Band Edge Plot Antenna 2a (Peak – UNII Band 2C – RU242)**


FCC ID: BCGA2324	 <b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 850 of 958	

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5680MHz  
 Channel: 136



**Plot 7-1409. Radiated Upper Band Edge Plot Antenna 2a (Peak – UNII Band 2C – RU242)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5700MHz  
 Channel: 140



**Plot 7-1410. Radiated Upper Band Edge Plot Antenna 2a (Peak – UNII Band 2C – RU242)**


FCC ID: BCGA2324	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 851 of 958	

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5745MHz  
 Channel: 149



**Plot 7-1411. Radiated Lower Band Edge Plot Antenna 2a (Peak – UNII Band 3 – RU242)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5825MHz  
 Channel: 165



**Plot 7-1412. Radiated Upper Band Edge Plot Antenna 2a (Peak – UNII Band 3 – RU242)**


FCC ID: BCGA2324	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 852 of 958	

## 7.6.10 Antenna 2a Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


**RU26**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5190MHz  
 Channel: 38



**Plot 7-1413. Radiated Lower Band Edge Plot Antenna 2a (Peak & Average – UNII Band 1 – RU26)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 17  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5310MHz  
 Channel: 62



**Plot 7-1414. Radiated Upper Band Edge Plot Antenna 2a (Peak & Average – UNII Band 2A – RU26)**


FCC ID: BCGA2324	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 853 of 958

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5510MHz  
 Channel: 102



Plot 7-1415. Radiated Lower Band Edge Plot Antenna 2a (Peak & Average – UNII Band 2C – RU26)


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 17  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5670MHz  
 Channel: 134



Plot 7-1416. Radiated Upper Band Edge Plot Antenna 2a (Peak – UNII Band 2C – RU26)


FCC ID: BCGA2324	 <b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 854 of 958	

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5755MHz  
 Channel: 151




Plot 7-1417. Radiated Lower Band Edge Plot Antenna 2a (Peak – UNII Band 3 – RU26)

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 RU Index: 17  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5795MHz  
 Channel: 159



Plot 7-1418. Radiated Upper Band Edge Plot Antenna 2a (Peak – UNII Band 3 – RU26)

FCC ID: BCGA2324	 <b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2004270029-13-R1.BCG	Test Dates: 07/16/2020 - 09/09/2020	EUT Type: Tablet Device	Page 855 of 958	