



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	21.060	20.760	20.820
99% Bandwidth (MHz)	18.345	18.436	18.114

Table 369 - 802.11ax / HE20 MCS0x1 / RU 26-8 / SISO / Core 0 / Country Code CA




Figure 251 - 5180 MHz - 26 dB Emission Bandwidth




Figure 252 - 5180 MHz - 99% Occupied Bandwidth




Figure 253 - 5200 MHz - 26 dB Emission Bandwidth




Figure 254 - 5200 MHz - 99% Occupied Bandwidth




Figure 255 - 5240 MHz - 26 dB Emission Bandwidth




Figure 256 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	21.240	21.240	21.540
99% Bandwidth (MHz)	18.949	18.956	18.977

Table 370 - 802.11ax / HE20 MCS0x1 / SU / MIMO CDD / Cores 0+1 / Country Code US




Figure 257 - 5180 MHz - 26 dB Emission Bandwidth




Figure 258 - 5180 MHz - 99% Occupied Bandwidth




Figure 259 - 5200 MHz - 26 dB Emission Bandwidth




Figure 260 - 5200 MHz - 99% Occupied Bandwidth




Figure 261 - 5240 MHz - 26 dB Emission Bandwidth




Figure 262 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	21.540	21.420	21.480
99% Bandwidth (MHz)	18.958	18.967	18.963

Table 371 - 802.11ax / HE20 MCS0x1 / SU / MIMO CDD / Cores 0+1 / Country Code CA




Figure 263 - 5180 MHz - 26 dB Emission Bandwidth




Figure 264 - 5180 MHz - 99% Occupied Bandwidth




Figure 265 - 5200 MHz - 26 dB Emission Bandwidth




Figure 266 - 5200 MHz - 99% Occupied Bandwidth




Figure 267 - 5240 MHz - 26 dB Emission Bandwidth




Figure 268 - 5240 MHz - 99% Occupied Bandwidth

Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.220	20.400	20.400
99% Bandwidth (MHz)	18.303	18.305	18.265

Table 372 - 802.11ax / HE20 MCS0x1 / RU 26-0 / MIMO CDD / Cores 0+1 / Country Code US




Figure 269 - 5180 MHz - 26 dB Emission Bandwidth




Figure 270 - 5180 MHz - 99% Occupied Bandwidth




Figure 271 - 5200 MHz - 26 dB Emission Bandwidth




Figure 272 - 5200 MHz - 99% Occupied Bandwidth




Figure 273 - 5240 MHz - 26 dB Emission Bandwidth




Figure 274 - 5240 MHz - 99% Occupied Bandwidth

Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.040	20.400	20.520
99% Bandwidth (MHz)	18.244	18.281	18.293

Table 373 - 802.11ax / HE20 MCS0x1 / RU 26-0 / MIMO CDD / Cores 0+1 / Country Code CA




Figure 275 - 5180 MHz - 26 dB Emission Bandwidth




Figure 276 - 5180 MHz - 99% Occupied Bandwidth




Figure 277 - 5200 MHz - 26 dB Emission Bandwidth




Figure 278 - 5200 MHz - 99% Occupied Bandwidth




Figure 279 - 5240 MHz - 26 dB Emission Bandwidth




Figure 280 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.520	21.060	20.640
99% Bandwidth (MHz)	18.369	18.370	18.393

Table 374 - 802.11ax / HE20 MCS0x1 / RU 26-8 / MIMO CDD / Cores 0+1 / Country Code US




Figure 281 - 5180 MHz - 26 dB Emission Bandwidth




Figure 282 - 5180 MHz - 99% Occupied Bandwidth




Figure 283 - 5200 MHz - 26 dB Emission Bandwidth




Figure 284 - 5200 MHz - 99% Occupied Bandwidth




Figure 285 - 5240 MHz - 26 dB Emission Bandwidth




Figure 286 - 5240 MHz - 99% Occupied Bandwidth

Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.760	20.820	20.520
99% Bandwidth (MHz)	18.277	18.394	18.346

Table 375 - 802.11ax / HE20 MCS0x1 / RU 26-8 / MIMO CDD / Cores 0+1 / Country Code CA




Figure 287 - 5180 MHz - 26 dB Emission Bandwidth




Figure 288 - 5180 MHz - 99% Occupied Bandwidth




Figure 289 - 5200 MHz - 26 dB Emission Bandwidth




Figure 290 - 5200 MHz - 99% Occupied Bandwidth




Figure 291 - 5240 MHz - 26 dB Emission Bandwidth




Figure 292 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	21.420	21.300	21.480
99% Bandwidth (MHz)	18.956	18.945	18.935

Table 376 - 802.11ax / HE20 MCS0x2 / SU / MIMO SDM / Cores 0+1 / Country Code US




Figure 293 - 5180 MHz - 26 dB Emission Bandwidth




Figure 294 - 5180 MHz - 99% Occupied Bandwidth




Figure 295 - 5200 MHz - 26 dB Emission Bandwidth




Figure 296 - 5200 MHz - 99% Occupied Bandwidth




Figure 297 - 5240 MHz - 26 dB Emission Bandwidth




Figure 298 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	21.420	21.360	21.360
99% Bandwidth (MHz)	18.913	18.921	18.966

Table 377 - 802.11ax / HE20 MCS0x2 / SU / MIMO SDM / Cores 0+1 / Country Code CA




Figure 299 - 5180 MHz - 26 dB Emission Bandwidth




Figure 300 - 5180 MHz - 99% Occupied Bandwidth




Figure 301 - 5200 MHz - 26 dB Emission Bandwidth




Figure 302 - 5200 MHz - 99% Occupied Bandwidth




Figure 303 - 5240 MHz - 26 dB Emission Bandwidth




Figure 304 - 5240 MHz - 99% Occupied Bandwidth

Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.400	20.220	20.640
99% Bandwidth (MHz)	18.335	18.343	18.324

Table 378 - 802.11ax / HE20 MCS0x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code US




Figure 305 - 5180 MHz - 26 dB Emission Bandwidth




Figure 306 - 5180 MHz - 99% Occupied Bandwidth




Figure 307 - 5200 MHz - 26 dB Emission Bandwidth




Figure 308 - 5200 MHz - 99% Occupied Bandwidth




Figure 309 - 5240 MHz - 26 dB Emission Bandwidth




Figure 310 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.220	20.340	20.280
99% Bandwidth (MHz)	18.354	18.353	18.328

Table 379 - 802.11ax / HE20 MCS0x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 311 - 5180 MHz - 26 dB Emission Bandwidth




Figure 312 - 5180 MHz - 99% Occupied Bandwidth




Figure 313 - 5200 MHz - 26 dB Emission Bandwidth




Figure 314 - 5200 MHz - 99% Occupied Bandwidth




Figure 315 - 5240 MHz - 26 dB Emission Bandwidth




Figure 316 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.880	20.700	20.760
99% Bandwidth (MHz)	18.473	18.519	18.420

Table 380 - 802.11ax / HE20 MCS0x2 / RU 26-8 / MIMO SDM / Cores 0+1 / Country Code US




Figure 317 - 5180 MHz - 26 dB Emission Bandwidth




Figure 318 - 5180 MHz - 99% Occupied Bandwidth




Figure 319 - 5200 MHz - 26 dB Emission Bandwidth




Figure 320 - 5200 MHz - 99% Occupied Bandwidth




Figure 321 - 5240 MHz - 26 dB Emission Bandwidth




Figure 322 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.820	20.820	20.820
99% Bandwidth (MHz)	18.468	18.466	18.404

Table 381 - 802.11ax / HE20 MCS0x2 / RU 26-8 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 323 - 5180 MHz - 26 dB Emission Bandwidth




Figure 324 - 5180 MHz - 99% Occupied Bandwidth




Figure 325 - 5200 MHz - 26 dB Emission Bandwidth




Figure 326 - 5200 MHz - 99% Occupied Bandwidth




Figure 327 - 5240 MHz - 26 dB Emission Bandwidth




Figure 328 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.680	41.040
99% Bandwidth (MHz)	36.079	36.111

Table 382 - 802.11n / HT40 MCS0 / SISO / Core 0 / Country Code US




Figure 329 - 5190 MHz - 26 dB Emission Bandwidth




Figure 330 - 5190 MHz - 99% Occupied Bandwidth




Figure 331 - 5230 MHz - 26 dB Emission Bandwidth




Figure 332 - 5230 MHz - 99% Occupied Bandwidth




Figure 335 - 5230 MHz - 26 dB Emission Bandwidth




Figure 336 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.920	40.800
99% Bandwidth (MHz)	36.141	36.219

Table 384 - 802.11n / HT40 MCS0 / MIMO CDD / Cores 0+1 / Country Code US




Figure 337 - 5190 MHz - 26 dB Emission Bandwidth




Figure 338 - 5190 MHz - 99% Occupied Bandwidth




Figure 339 - 5230 MHz - 26 dB Emission Bandwidth




Figure 340 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.680	40.920
99% Bandwidth (MHz)	36.143	36.219

Table 385 - 802.11n / HT40 MCS0 / MIMO CDD / Cores 0+1 / Country Code CA




Figure 341 - 5190 MHz - 26 dB Emission Bandwidth




Figure 342 - 5190 MHz - 99% Occupied Bandwidth




Figure 343 - 5230 MHz - 26 dB Emission Bandwidth




Figure 344 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.800	40.920
99% Bandwidth (MHz)	36.074	36.199

Table 386 - 802.11n / HT40 MCS8 / MIMO SDM / Cores 0+1 / Country Code US




Figure 345 - 5190 MHz - 26 dB Emission Bandwidth




Figure 346 - 5190 MHz - 99% Occupied Bandwidth




Figure 347 - 5230 MHz - 26 dB Emission Bandwidth




Figure 348 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.920	41.280
99% Bandwidth (MHz)	36.086	36.141

Table 387 - 802.11n / HT40 MCS8 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 349 - 5190 MHz - 26 dB Emission Bandwidth




Figure 350 - 5190 MHz - 99% Occupied Bandwidth




Figure 351 - 5230 MHz - 26 dB Emission Bandwidth




Figure 352 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.680	49.200
99% Bandwidth (MHz)	36.258	36.482

Table 388 - 802.11ac / VHT40 MCS0x1 / MIMO TxBF / Cores 0+1 / Country Code US




Figure 353 - 5190 MHz - 26 dB Emission Bandwidth




Figure 354 - 5190 MHz - 99% Occupied Bandwidth




Figure 355 - 5230 MHz - 26 dB Emission Bandwidth




Figure 356 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.800	40.920
99% Bandwidth (MHz)	36.300	36.386

Table 389 - 802.11ac / VHT40 MCS0x1 / MIMO TxBF / Cores 0+1 / Country Code CA




Figure 357 - 5190 MHz - 26 dB Emission Bandwidth




Figure 358 - 5190 MHz - 99% Occupied Bandwidth




Figure 359 - 5230 MHz - 26 dB Emission Bandwidth




Figure 360 - 5230 MHz - 99% Occupied Bandwidth




Figure 363 - 5230 MHz - 26 dB Emission Bandwidth




Figure 364 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.040	41.160
99% Bandwidth (MHz)	37.524	37.703

Table 391 - 802.11ax / HE40 MCS0x1 / SU / SISO / Core 0 / Country Code CA




Figure 365 - 5190 MHz - 26 dB Emission Bandwidth




Figure 366 - 5190 MHz - 99% Occupied Bandwidth




Figure 367 - 5230 MHz - 26 dB Emission Bandwidth




Figure 368 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	19.920	19.080
99% Bandwidth (MHz)	18.281	18.332

Table 392 - 802.11ax / HE40 MCS0x1 / RU 26-0 / SISO / Core 0 / Country Code US




Figure 369 - 5190 MHz - 26 dB Emission Bandwidth




Figure 370 - 5190 MHz - 99% Occupied Bandwidth




Figure 371 - 5230 MHz - 26 dB Emission Bandwidth




Figure 372 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	19.680	20.160
99% Bandwidth (MHz)	17.773	18.008

Table 393 - 802.11ax / HE40 MCS0x1 / RU 26-0 / SISO / Core 0 / Country Code CA




Figure 373 - 5190 MHz - 26 dB Emission Bandwidth




Figure 374 - 5190 MHz - 99% Occupied Bandwidth




Figure 375 - 5230 MHz - 26 dB Emission Bandwidth




Figure 376 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	18.960	19.320
99% Bandwidth (MHz)	17.601	18.269

Table 394 - 802.11ax / HE40 MCS0x1 / RU 26-17 / SISO / Core 0 / Country Code US




Figure 377 - 5190 MHz - 26 dB Emission Bandwidth




Figure 378 - 5190 MHz - 99% Occupied Bandwidth




Figure 379 - 5230 MHz - 26 dB Emission Bandwidth




Figure 380 - 5230 MHz - 99% Occupied Bandwidth

Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.280	19.440
99% Bandwidth (MHz)	18.307	18.205

Table 395 - 802.11ax / HE40 MCS0x1 / RU 26-17 / SISO / Core 0 / Country Code CA




Figure 381 - 5190 MHz - 26 dB Emission Bandwidth




Figure 382 - 5190 MHz - 99% Occupied Bandwidth




Figure 383 - 5230 MHz - 26 dB Emission Bandwidth




Figure 384 - 5230 MHz - 99% Occupied Bandwidth




Figure 387 - 5230 MHz - 26 dB Emission Bandwidth




Figure 388 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.920	40.680
99% Bandwidth (MHz)	37.613	37.660

Table 397 - 802.11ax / HE40 MCS0x1 / SU / MIMO CDD / Cores 0+1 / Country Code CA




Figure 389 - 5190 MHz - 26 dB Emission Bandwidth




Figure 390 - 5190 MHz - 99% Occupied Bandwidth




Figure 391 - 5230 MHz - 26 dB Emission Bandwidth




Figure 392 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.040	19.680
99% Bandwidth (MHz)	18.132	18.068

Table 398 - 802.11ax / HE40 MCS0x1 / RU 26-0 / MIMO CDD / Cores 0+1 / Country Code US




Figure 393 - 5190 MHz - 26 dB Emission Bandwidth




Figure 394 - 5190 MHz - 99% Occupied Bandwidth




Figure 395 - 5230 MHz - 26 dB Emission Bandwidth




Figure 396 - 5230 MHz - 99% Occupied Bandwidth

Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.040	19.200
99% Bandwidth (MHz)	18.135	18.337

Table 399 - 802.11ax / HE40 MCS0x1 / RU 26-0 / MIMO CDD / Cores 0+1 / Country Code CA




Figure 397 - 5190 MHz - 26 dB Emission Bandwidth




Figure 398 - 5190 MHz - 99% Occupied Bandwidth




Figure 399 - 5230 MHz - 26 dB Emission Bandwidth




Figure 400 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	19.080	19.200
99% Bandwidth (MHz)	18.257	18.242

Table 400 - 802.11ax / HE40 MCS0x1 / RU 26-17 / MIMO CDD / Cores 0+1 / Country Code US




Figure 401 - 5190 MHz - 26 dB Emission Bandwidth




Figure 402 - 5190 MHz - 99% Occupied Bandwidth




Figure 403 - 5230 MHz - 26 dB Emission Bandwidth




Figure 404 - 5230 MHz - 99% Occupied Bandwidth