




Figure 439 - 5785 MHz - 6 dB DTS Bandwidth



Figure 440 - 5785 MHz - 26 dB Emission Bandwidth



Figure 441 - 5785 MHz - 99% Occupied Bandwidth



Figure 442 - 5825 MHz - 6 dB DTS Bandwidth




Figure 443 - 5825 MHz - 26 dB Emission Bandwidth




Figure 444 - 5825 MHz - 99% Occupied Bandwidth



Channel	Stradde	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	3.940	17.820	17.820	17.880
26 dB Bandwidth (MHz)	5.740	21.540	21.660	21.600
99% Bandwidth (MHz)	17.766	17.781	17.778	17.763

Table 552 - 802.11n / HT20 MCS7 / MIMO CDD / Cores 0+1




Figure 445 - 5720 MHz - 6 dB DTS Bandwidth



Figure 446 - 5720 MHz - 26 dB Emission Bandwidth



Figure 447 - 5720 MHz - 99% Occupied Bandwidth



Figure 448 - 5745 MHz - 6 dB DTS Bandwidth



Figure 449 - 5745 MHz - 26 dB Emission Bandwidth



Figure 450 - 5745 MHz - 99% Occupied Bandwidth



Figure 451 - 5785 MHz - 6 dB DTS Bandwidth



Figure 452 - 5785 MHz - 26 dB Emission Bandwidth



Figure 453 - 5785 MHz - 99% Occupied Bandwidth



Figure 454 - 5825 MHz - 6 dB DTS Bandwidth



Figure 455 - 5825 MHz - 26 dB Emission Bandwidth



Figure 456 - 5825 MHz - 99% Occupied Bandwidth



Channel	Stradde	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	3.940	17.880	17.820	17.880
26 dB Bandwidth (MHz)	5.800	21.360	21.660	21.420
99% Bandwidth (MHz)	17.766	17.762	17.783	17.770

Table 553 - 802.11n / HT20 MCS15 / MIMO SDM / Co res 0+1




Figure 457 - 5720 MHz - 6 dB DTS Bandwidth




Figure 458 - 5720 MHz - 26 dB Emission Bandwidth



Figure 459 - 5720 MHz - 99% Occupied Bandwidth



Figure 460 - 5745 MHz - 6 dB DTS Bandwidth



Figure 461 - 5745 MHz - 26 dB Emission Bandwidth



Figure 462 - 5745 MHz - 99% Occupied Bandwidth




Figure 463 - 5785 MHz - 6 dB DTS Bandwidth



Figure 464 - 5785 MHz - 26 dB Emission Bandwidth



Figure 465 - 5785 MHz - 99% Occupied Bandwidth



Figure 466 - 5825 MHz - 6 dB DTS Bandwidth



Figure 467 - 5825 MHz - 26 dB Emission Bandwidth



Figure 468 - 5825 MHz - 99% Occupied Bandwidth



Channel	Stradde	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	3.940	17.820	17.880	17.820
26 dB Bandwidth (MHz)	5.800	21.480	21.420	21.360
99% Bandwidth (MHz)	17.769	17.773	17.785	17.768

Table 554 - 802.11ac / VHT20 MCS7x1 / MIMO TxBF / Cores 0+1




Figure 469 - 5720 MHz - 6 dB DTS Bandwidth




Figure 470 - 5720 MHz - 26 dB Emission Bandwidth



Figure 471 - 5720 MHz - 99% Occupied Bandwidth




Figure 472 - 5745 MHz - 6 dB DTS Bandwidth



Figure 473 - 5745 MHz - 26 dB Emission Bandwidth



Figure 474 - 5745 MHz - 99% Occupied Bandwidth



Figure 475 - 5785 MHz - 6 dB DTS Bandwidth



Figure 476 - 5785 MHz - 26 dB Emission Bandwidth



Figure 477 - 5785 MHz - 99% Occupied Bandwidth




Figure 478 - 5825 MHz - 6 dB DTS Bandwidth




Figure 479 - 5825 MHz - 26 dB Emission Bandwidth




Figure 480 - 5825 MHz - 99% Occupied Bandwidth



Channel	Stradde	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	4.600	19.140	19.200	19.200
26 dB Bandwidth (MHz)	5.800	21.660	21.540	21.600
99% Bandwidth (MHz)	18.970	18.993	18.998	18.994

Table 555 - 802.11ax / HE20 MCS7x1 / SU / SISO / Core 1




Figure 481 - 5720 MHz - 6 dB DTS Bandwidth



Figure 482 - 5720 MHz - 26 dB Emission Bandwidth



Figure 483 - 5720 MHz - 99% Occupied Bandwidth




Figure 484 - 5745 MHz - 6 dB DTS Bandwidth



Figure 485 - 5745 MHz - 26 dB Emission Bandwidth



Figure 486 - 5745 MHz - 99% Occupied Bandwidth




Figure 487 - 5785 MHz - 6 dB DTS Bandwidth



Figure 488 - 5785 MHz - 26 dB Emission Bandwidth



Figure 489 - 5785 MHz - 99% Occupied Bandwidth



Figure 490 - 5825 MHz - 6 dB DTS Bandwidth



Figure 491 - 5825 MHz - 26 dB Emission Bandwidth



Figure 492 - 5825 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5745	5785	5825
6 dB Bandwidth (MHz)	2.220	2.160	2.220
26 dB Bandwidth (MHz)	19.860	19.980	19.860
99% Bandwidth (MHz)	18.243	18.236	18.228

Table 556 - 802.11ax / HE20 MCS7x1 / RU 26-0 / SISO / Core 1




Figure 493 - 5745 MHz - 6 dB DTS Bandwidth



Figure 494 - 5745 MHz - 26 dB Emission Bandwidth



Figure 495 - 5745 MHz - 99% Occupied Bandwidth



Figure 496 - 5785 MHz - 6 dB DTS Bandwidth



Figure 497 - 5785 MHz - 26 dB Emission Bandwidth



Figure 498 - 5785 MHz - 99% Occupied Bandwidth



Figure 499 - 5825 MHz - 6 dB DTS Bandwidth




Figure 500 - 5825 MHz - 26 dB Emission Bandwidth




Figure 501 - 5825 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5745	5785	5825
6 dB Bandwidth (MHz)	2.220	2.160	2.220
26 dB Bandwidth (MHz)	20.100	19.980	20.040
99% Bandwidth (MHz)	18.229	18.213	18.238

Table 557 - 802.11ax / HE20 MCS7x1 / RU 26-8 / SISO / Core 1




Figure 502 - 5745 MHz - 6 dB DTS Bandwidth



Figure 503 - 5745 MHz - 26 dB Emission Bandwidth



Figure 504 - 5745 MHz - 99% Occupied Bandwidth



Figure 505 - 5785 MHz - 6 dB DTS Bandwidth



Figure 506 - 5785 MHz - 26 dB Emission Bandwidth



Figure 507 - 5785 MHz - 99% Occupied Bandwidth



Figure 508 - 5825 MHz - 6 dB DTS Bandwidth



Figure 509 - 5825 MHz - 26 dB Emission Bandwidth



Figure 510 - 5825 MHz - 99% Occupied Bandwidth



Channel	Stradde	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	4.600	19.200	19.200	19.140
26 dB Bandwidth (MHz)	5.860	21.600	21.600	21.600
99% Bandwidth (MHz)	18.990	18.996	19.018	19.011

Table 558 - 802.11ax / HE20 MCS7x1 / SU / MIMO CDD / Cores 0+1




Figure 511 - 5720 MHz - 6 dB DTS Bandwidth



Figure 512 - 5720 MHz - 26 dB Emission Bandwidth




Figure 513 - 5720 MHz - 99% Occupied Bandwidth



Figure 514 - 5745 MHz - 6 dB DTS Bandwidth



Figure 515 - 5745 MHz - 26 dB Emission Bandwidth



Figure 516 - 5745 MHz - 99% Occupied Bandwidth



Figure 517 - 5785 MHz - 6 dB DTS Bandwidth



Figure 518 - 5785 MHz - 26 dB Emission Bandwidth



Figure 519 - 5785 MHz - 99% Occupied Bandwidth



Figure 520 - 5825 MHz - 6 dB DTS Bandwidth



Figure 521 - 5825 MHz - 26 dB Emission Bandwidth



Figure 522 - 5825 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5745	5785	5825
6 dB Bandwidth (MHz)	2.160	2.160	2.220
26 dB Bandwidth (MHz)	20.220	20.400	20.220
99% Bandwidth (MHz)	18.296	18.262	18.277

Table 559 - 802.11ax / HE20 MCS7x1 / RU 26-0 / MIMO CDD / Cores 0+1




Figure 523 - 5745 MHz - 6 dB DTS Bandwidth




Figure 524 - 5745 MHz - 26 dB Emission Bandwidth



Figure 525 - 5745 MHz - 99% Occupied Bandwidth



Figure 526 - 5785 MHz - 6 dB DTS Bandwidth



Figure 527 - 5785 MHz - 26 dB Emission Bandwidth



Figure 528 - 5785 MHz - 99% Occupied Bandwidth



Figure 529 - 5825 MHz - 6 dB DTS Bandwidth



Figure 530 - 5825 MHz - 26 dB Emission Bandwidth



Figure 531 - 5825 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5745	5785	5825
6 dB Bandwidth (MHz)	2.160	2.160	2.160
26 dB Bandwidth (MHz)	20.820	20.820	20.700
99% Bandwidth (MHz)	18.459	18.428	18.449

Table 560 - 802.11ax / HE20 MCS7x1 / RU 26-8 / MIMO CDD / Cores 0+1




Figure 532 - 5745 MHz - 6 dB DTS Bandwidth



Figure 533 - 5745 MHz - 26 dB Emission Bandwidth



Figure 534 - 5745 MHz - 99% Occupied Bandwidth



Figure 535 - 5785 MHz - 6 dB DTS Bandwidth



Figure 536 - 5785 MHz - 26 dB Emission Bandwidth



Figure 537 - 5785 MHz - 99% Occupied Bandwidth




Figure 538 - 5825 MHz - 6 dB DTS Bandwidth



Figure 539 - 5825 MHz - 26 dB Emission Bandwidth



Figure 540 - 5825 MHz - 99% Occupied Bandwidth



Channel	Stradde	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	4.600	19.200	19.200	19.200
26 dB Bandwidth (MHz)	5.860	21.540	21.480	21.660
99% Bandwidth (MHz)	19.029	19.037	19.021	19.014

Table 561 - 802.11ax / HE20 MCS7x2 / SU / MIMO SDM / Cores 0+1




Figure 541 - 5720 MHz - 6 dB DTS Bandwidth



Figure 542 - 5720 MHz - 26 dB Emission Bandwidth



Figure 543 - 5720 MHz - 99% Occupied Bandwidth




Figure 544 - 5745 MHz - 6 dB DTS Bandwidth



Figure 545 - 5745 MHz - 26 dB Emission Bandwidth



Figure 546 - 5745 MHz - 99% Occupied Bandwidth



Figure 547 - 5785 MHz - 6 dB DTS Bandwidth



Figure 548 - 5785 MHz - 26 dB Emission Bandwidth



Figure 549 - 5785 MHz - 99% Occupied Bandwidth




Figure 550 - 5825 MHz - 6 dB DTS Bandwidth



Figure 551 - 5825 MHz - 26 dB Emission Bandwidth



Figure 552 - 5825 MHz - 99% Occupied Bandwidth

Channel	Bottom	Middle	Top
Frequency (MHz)	5745	5785	5825
6 dB Bandwidth (MHz)	2.160	2.160	2.160
26 dB Bandwidth (MHz)	20.220	20.160	20.340
99% Bandwidth (MHz)	18.278	18.332	18.287

Table 562 - 802.11ax / HE20 MCS7x2 / RU 26-0 / MIMO SDM / Cores 0+1




Figure 553 - 5745 MHz - 6 dB DTS Bandwidth




Figure 554 - 5745 MHz - 26 dB Emission Bandwidth



Figure 555 - 5745 MHz - 99% Occupied Bandwidth



Figure 556 - 5785 MHz - 6 dB DTS Bandwidth



Figure 557 - 5785 MHz - 26 dB Emission Bandwidth



Figure 558 - 5785 MHz - 99% Occupied Bandwidth



Figure 559 - 5825 MHz - 6 dB DTS Bandwidth



Figure 560 - 5825 MHz - 26 dB Emission Bandwidth



Figure 561 - 5825 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5745	5785	5825
6 dB Bandwidth (MHz)	2.160	2.220	2.160
26 dB Bandwidth (MHz)	20.700	20.760	20.820
99% Bandwidth (MHz)	18.475	18.476	18.448

Table 563 - 802.11ax / HE20 MCS7x2 / RU 26-8 / MIMO SDM / Cores 0+1



Figure 562 - 5745 MHz - 6 dB DTS Bandwidth




Figure 563 - 5745 MHz - 26 dB Emission Bandwidth



Figure 564 - 5745 MHz - 99% Occupied Bandwidth



Figure 565 - 5785 MHz - 6 dB DTS Bandwidth



Figure 566 - 5785 MHz - 26 dB Emission Bandwidth



Figure 567 - 5785 MHz - 99% Occupied Bandwidth



Figure 568 - 5825 MHz - 6 dB DTS Bandwidth



Figure 569 - 5825 MHz - 26 dB Emission Bandwidth



Figure 570 - 5825 MHz - 99% Occupied Bandwidth



Channel	Stradde	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	3.360	36.720	36.720
26 dB Bandwidth (MHz)	5.520	41.040	41.040
99% Bandwidth (MHz)	36.385	36.486	36.383

Table 564 - 802.11n / HT40 MCS7 / SISO / Core 1




Figure 571 - 5710 MHz - 6 dB DTS Bandwidth



Figure 572 - 5710 MHz - 26 dB Emission Bandwidth



Figure 573 - 5710 MHz - 99% Occupied Bandwidth




Figure 574 - 5755 MHz - 6 dB DTS Bandwidth



Figure 575 - 5755 MHz - 26 dB Emission Bandwidth



Figure 576 - 5755 MHz - 99% Occupied Bandwidth




Figure 577 - 5795 MHz - 6 dB DTS Bandwidth



Figure 578 - 5795 MHz - 26 dB Emission Bandwidth




Figure 579 - 5795 MHz - 99% Occupied Bandwidth



Channel	Stradde	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	3.360	36.720	36.720
26 dB Bandwidth (MHz)	5.520	41.040	41.040
99% Bandwidth (MHz)	36.347	36.356	36.365

Table 565 - 802.11n / HT40 MCS7 / MIMO CDD / Cores 0+1




Figure 580 - 5710 MHz - 6 dB DTS Bandwidth



Figure 581 - 5710 MHz - 26 dB Emission Bandwidth



Figure 582 - 5710 MHz - 99% Occupied Bandwidth




Figure 583 - 5755 MHz - 6 dB DTS Bandwidth



Figure 584 - 5755 MHz - 26 dB Emission Bandwidth



Figure 585 - 5755 MHz - 99% Occupied Bandwidth



Figure 586 - 5795 MHz - 6 dB DTS Bandwidth



Figure 587 - 5795 MHz - 26 dB Emission Bandwidth



Figure 588 - 5795 MHz - 99% Occupied Bandwidth



Channel	Stradde	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	3.360	36.720	36.720
26 dB Bandwidth (MHz)	5.520	40.920	41.040
99% Bandwidth (MHz)	36.403	36.382	36.357

Table 566 - 802.11n / HT40 MCS15 / MIMO SDM / Co res 0+1




Figure 589 - 5710 MHz - 6 dB DTS Bandwidth



Figure 590 - 5710 MHz - 26 dB Emission Bandwidth



Figure 591 - 5710 MHz - 99% Occupied Bandwidth




Figure 592 - 5755 MHz - 6 dB DTS Bandwidth



Figure 593 - 5755 MHz - 26 dB Emission Bandwidth



Figure 594 - 5755 MHz - 99% Occupied Bandwidth



Figure 595 - 5795 MHz - 6 dB DTS Bandwidth



Figure 596 - 5795 MHz - 26 dB Emission Bandwidth



Figure 597 - 5795 MHz - 99% Occupied Bandwidth



Channel	Stradde	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	3.360	36.720	36.720
26 dB Bandwidth (MHz)	5.520	41.040	41.160
99% Bandwidth (MHz)	36.366	36.362	36.376

Table 567 - 802.11ac / VHT40 MCS7x1 / MIMO TxBF / Cores 0+1




Figure 598 - 5710 MHz - 6 dB DTS Bandwidth



Figure 599 - 5710 MHz - 26 dB Emission Bandwidth



Figure 600 - 5710 MHz - 99% Occupied Bandwidth




Figure 601 - 5755 MHz - 6 dB DTS Bandwidth



Figure 602 - 5755 MHz - 26 dB Emission Bandwidth



Figure 603 - 5755 MHz - 99% Occupied Bandwidth



Figure 604 - 5795 MHz - 6 dB DTS Bandwidth



Figure 605 - 5795 MHz - 26 dB Emission Bandwidth



Figure 606 - 5795 MHz - 99% Occupied Bandwidth



Channel	Stradde	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	4.080	38.160	38.160
26 dB Bandwidth (MHz)	5.760	41.160	41.160
99% Bandwidth (MHz)	37.758	37.673	37.664

Table 568 - 802.11ax / HE40 MCS7x1 / SU / SISO / Core 1




Figure 607 - 5710 MHz - 6 dB DTS Bandwidth



Figure 608 - 5710 MHz - 26 dB Emission Bandwidth



Figure 609 - 5710 MHz - 99% Occupied Bandwidth




Figure 610 - 5755 MHz - 6 dB DTS Bandwidth



Figure 611 - 5755 MHz - 26 dB Emission Bandwidth



Figure 612 - 5755 MHz - 99% Occupied Bandwidth




Figure 613 - 5795 MHz - 6 dB DTS Bandwidth



Figure 614 - 5795 MHz - 26 dB Emission Bandwidth



Figure 615 - 5795 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5755	5795
6 dB Bandwidth (MHz)	2.280	2.160
26 dB Bandwidth (MHz)	19.440	19.560
99% Bandwidth (MHz)	18.086	18.147

Table 569 - 802.11ax / HE40 MCS7x1 / RU 26-0 / SISO / Core 1



Figure 616 - 5755 MHz - 6 dB DTS Bandwidth



Figure 617 - 5755 MHz - 26 dB Emission Bandwidth



Figure 618 - 5755 MHz - 99% Occupied Bandwidth




Figure 619 - 5795 MHz - 6 dB DTS Bandwidth



Figure 620 - 5795 MHz - 26 dB Emission Bandwidth



Figure 621 - 5795 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5755	5795
6 dB Bandwidth (MHz)	2.160	2.280
26 dB Bandwidth (MHz)	19.080	19.320
99% Bandwidth (MHz)	18.103	18.067

Table 570 - 802.11ax / HE40 MCS7x1 / RU 26-17 / SISO / Core 1



Figure 622 - 5755 MHz - 6 dB DTS Bandwidth




Figure 623 - 5755 MHz - 26 dB Emission Bandwidth



Figure 624 - 5755 MHz - 99% Occupied Bandwidth



Figure 625 - 5795 MHz - 6 dB DTS Bandwidth



Figure 626 - 5795 MHz - 26 dB Emission Bandwidth



Figure 627 - 5795 MHz - 99% Occupied Bandwidth



Channel	Stradde	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	4.080	38.160	38.160
26 dB Bandwidth (MHz)	5.520	41.160	41.160
99% Bandwidth (MHz)	37.709	37.761	37.707

Table 571 - 802.11ax / HE40 MCS7x1 / SU / MIMO CDD / Cores 0+1




Figure 628 - 5710 MHz - 6 dB DTS Bandwidth



Figure 629 - 5710 MHz - 26 dB Emission Bandwidth



Figure 630 - 5710 MHz - 99% Occupied Bandwidth




Figure 631 - 5755 MHz - 6 dB DTS Bandwidth



Figure 632 - 5755 MHz - 26 dB Emission Bandwidth



Figure 633 - 5755 MHz - 99% Occupied Bandwidth




Figure 634 - 5795 MHz - 6 dB DTS Bandwidth



Figure 635 - 5795 MHz - 26 dB Emission Bandwidth



Figure 636 - 5795 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5755	5795
6 dB Bandwidth (MHz)	2.160	2.280
26 dB Bandwidth (MHz)	19.920	20.160
99% Bandwidth (MHz)	18.590	18.584

Table 572 - 802.11ax / HE40 MCS7x1 / RU 26-0 / MIMO CDD / Core s 0+1




Figure 637 - 5755 MHz - 6 dB DTS Bandwidth



Figure 638 - 5755 MHz - 26 dB Emission Bandwidth



Figure 639 - 5755 MHz - 99% Occupied Bandwidth




Figure 640 - 5795 MHz - 6 dB DTS Bandwidth



Figure 641 - 5795 MHz - 26 dB Emission Bandwidth



Figure 642 - 5795 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5755	5795
6 dB Bandwidth (MHz)	2.160	2.280
26 dB Bandwidth (MHz)	19.920	19.680
99% Bandwidth (MHz)	18.628	18.660

Table 573 - 802.11ax / HE40 MCS7x1 / RU 26-17 / MIMO CDD / Cores 0+1



Figure 643 - 5755 MHz - 6 dB DTS Bandwidth



Figure 644 - 5755 MHz - 26 dB Emission Bandwidth



Figure 645 - 5755 MHz - 99% Occupied Bandwidth



Figure 646 - 5795 MHz - 6 dB DTS Bandwidth



Figure 647 - 5795 MHz - 26 dB Emission Bandwidth



Figure 648 - 5795 MHz - 99% Occupied Bandwidth



Channel	Stradde	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	4.200	38.280	38.280
26 dB Bandwidth (MHz)	5.640	41.160	41.160
99% Bandwidth (MHz)	37.789	37.739	37.824

Table 574 - 802.11ax / HE40 MCS7x2 / SU / MIMO SDM / Cores 0+1




Figure 649 - 5710 MHz - 6 dB DTS Bandwidth



Figure 650 - 5710 MHz - 26 dB Emission Bandwidth



Figure 651 - 5710 MHz - 99% Occupied Bandwidth




Figure 652 - 5755 MHz - 6 dB DTS Bandwidth



Figure 653 - 5755 MHz - 26 dB Emission Bandwidth



Figure 654 - 5755 MHz - 99% Occupied Bandwidth




Figure 655 - 5795 MHz - 6 dB DTS Bandwidth



Figure 656 - 5795 MHz - 26 dB Emission Bandwidth



Figure 657 - 5795 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5755	5795
6 dB Bandwidth (MHz)	2.160	2.280
26 dB Bandwidth (MHz)	20.400	20.280
99% Bandwidth (MHz)	18.663	18.635

Table 575 - 802.11ax / HE40 MCS7x2 / RU 26-0 / MIMO SDM / Cores 0+1




Figure 658 - 5755 MHz - 6 dB DTS Bandwidth




Figure 659 - 5755 MHz - 26 dB Emission Bandwidth



Figure 660 - 5755 MHz - 99% Occupied Bandwidth




Figure 661 - 5795 MHz - 6 dB DTS Bandwidth



Figure 662 - 5795 MHz - 26 dB Emission Bandwidth



Figure 663 - 5795 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5755	5795
6 dB Bandwidth (MHz)	2.160	2.160
26 dB Bandwidth (MHz)	19.560	19.680
99% Bandwidth (MHz)	18.564	18.702

Table 576 - 802.11ax / HE40 MCS7x2 / RU 26-17 / MIMO SDM / Cores 0+1



Figure 664 - 5755 MHz - 6 dB DTS Bandwidth



Figure 665 - 5755 MHz - 26 dB Emission Bandwidth