






Plot 7-103. PSD Antenna 5T (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-106. PSD Antenna 5T (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-104. PSD Antenna 5T (40MHz BW 11ax – RU484 – Ch.46)



Plot 7-107. PSD Antenna 5T (80MHz BW 11ax Index 36 – RU26 – Ch.42)




Plot 7-105. PSD Antenna 5T (80MHz BW 11ax Index 0 – RU26 – Ch.42)




Plot 7-108. PSD Antenna 5T (80MHz BW 11ax – RU996 – Ch.42)


FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 76 of 246




Plot 7-109. PSD Antenna 5T (20MHz BW 11ax Index 0 – RU26 – Ch.56)




Plot 7-112. PSD Antenna 5T (20MHz BW 11ax– RU242 – Ch.56)




Plot 7-110. PSD Antenna 5T (20MHz BW 11ax Index 4 – RU26 – Ch.56)



Plot 7-113. PSD Antenna 5T (40MHz BW 11ax Index 0 – RU26 – Ch.54)




Plot 7-111. PSD Antenna 5T (20MHz BW 11ax Index 8– RU26 – Ch.56)




Plot 7-114. PSD Antenna 5T (40MHz BW 11ax Index 8 – RU26 – Ch.54)


FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 77 of 246




Plot 7-115. PSD Antenna 5T (40MHz BW 11ax Index 17 – RU26 – Ch.54)




Plot 7-118. PSD Antenna 5T (80MHz BW 11ax Index 18 – RU26 – Ch.58)




Plot 7-116. PSD Antenna 5T (40MHz BW 11ax – RU484 – Ch.54)



Plot 7-119. PSD Antenna 5T (80MHz BW 11ax Index 36 – RU26 – Ch.58)




Plot 7-117. PSD Antenna 5T (80MHz BW 11ax Index 0 – RU26 – Ch.58)




Plot 7-120. PSD Antenna 5T (80MHz BW 11ax – RU996 – Ch.58)


FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 78 of 246




Plot 7-121. PSD Antenna 5T (20MHz BW 11ax Index 0 - RU26 - Ch.116)




Plot 7-124. PSD Antenna 5T (20MHz BW 11ax- RU242 - Ch.116)




Plot 7-122. PSD Antenna 5T (20MHz BW 11ax Index 4 - RU26 - Ch.116)



Plot 7-125. PSD Antenna 5T (40MHz BW 11ax Index 0 - RU26 - Ch.110)









Plot 7-123. PSD Antenna 5T (20MHz BW 11ax Index 8 - RU26 - Ch.116)



Plot 7-126. PSD Antenna 5T (40MHz BW 11ax Index 8 - RU26 - Ch.110)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 79 of 246



FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 80 of 246


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	26	0	135/143.4 (MCS11)	16.25	30.00	-13.75
				26	4	135/143.4 (MCS11)	16.32	30.00	-13.68
				26	8	135/143.4 (MCS11)	16.18	30.00	-13.82
	5785	157	ax (20MHz)	26	0	135/143.4 (MCS11)	15.78	30.00	-14.22
				26	4	135/143.4 (MCS11)	15.84	30.00	-14.16
				26	8	135/143.4 (MCS11)	15.79	30.00	-14.21
	5825	165	ax (20MHz)	26	0	135/143.4 (MCS11)	15.22	30.00	-14.78
				26	4	135/143.4 (MCS11)	15.58	30.00	-14.42
				26	8	135/143.4 (MCS11)	15.29	30.00	-14.71
	5755	151	ax (40MHz)	26	0	271/286.8 (MCS11)	14.48	30.00	-15.52
				26	8	271/286.8 (MCS11)	15.25	30.00	-14.75
				26	17	271/286.8 (MCS11)	14.67	30.00	-15.33
	5795	159	ax (40MHz)	26	0	271/286.8 (MCS11)	14.91	30.00	-15.09
				26	8	271/286.8 (MCS11)	15.75	30.00	-14.25
				26	17	271/286.8 (MCS11)	15.06	30.00	-14.94
	5775	155	ax (80MHz)	26	0	567/600.5 (MCS11)	10.31	30.00	-19.69
				26	18	567/600.5 (MCS11)	10.23	30.00	-19.77
				26	36	567/600.5 (MCS11)	10.30	30.00	-19.70

Table 7-66. Band 3 Power Spectral Density Measurements Antenna 5T (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	242	61	135/143.4 (MCS11)	7.05	30.00	-22.95
	5785	157	ax (20MHz)	242	61	135/143.4 (MCS11)	6.50	30.00	-23.50
	5825	165	ax (20MHz)	242	61	135/143.4 (MCS11)	5.82	30.00	-24.18
	5755	151	ax (40MHz)	484	65	271/286.8 (MCS11)	3.05	30.00	-26.95
	5795	159	ax (40MHz)	484	65	271/286.8 (MCS11)	3.69	30.00	-26.31
	5775	155	ax (80MHz)	996	67	567/600.5 (MCS11)	-3.70	30.00	-33.70

Table 7-67. Band 3 Power Spectral Density Measurements Antenna 5T (Fully-loaded RU)


FCC ID: BCGA2377 IC: 579C-A2377	 PCTEST [®] Proud to be part of element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device		Page 81 of 246




Plot 7-133. PSD Antenna 5T (20MHz BW 11ax Index 0 – RU26 – Ch.157)




Plot 7-136. PSD Antenna 5T (20MHz BW 11ax – RU242 – Ch.157)




Plot 7-134. PSD Antenna 5T (20MHz BW 11ax Index 4 – RU26 – Ch.157)



Plot 7-137. PSD Antenna 5T (40MHz BW 11ax Index 0 – RU26 – Ch.151)








Plot 7-135. PSD Antenna 5T (20MHz BW 11ax Index 8 – RU26 – Ch.157)



Plot 7-138. PSD Antenna 5T (40MHz BW 11ax Index 8 – RU26 – Ch.151)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 82 of 246



FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 83 of 246


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	135/143.4 (MCS11)	1.78	3.30	5.08	10.0	-4.92
				26	4	135/143.4 (MCS11)	1.55	3.30	4.85	10.0	-5.15
				26	8	135/143.4 (MCS11)	1.96	3.30	5.26	10.0	-4.74
	5200	40	ax (20MHz)	26	0	135/143.4 (MCS11)	2.08	3.30	5.38	10.0	-4.62
				26	4	135/143.4 (MCS11)	1.62	3.30	4.92	10.0	-5.08
				26	8	135/143.4 (MCS11)	2.24	3.30	5.54	10.0	-4.46
	5240	48	ax (20MHz)	26	0	135/143.4 (MCS11)	1.96	3.30	5.26	10.0	-4.74
				26	4	135/143.4 (MCS11)	1.62	3.30	4.92	10.0	-5.08
				26	8	135/143.4 (MCS11)	2.22	3.30	5.52	10.0	-4.48
	5190	38	ax (40MHz)	26	0	271/286.8 (MCS11)	2.05	3.30	5.35	10.0	-4.65
				26	8	271/286.8 (MCS11)	2.54	3.30	5.84	10.0	-4.16
				26	17	271/286.8 (MCS11)	2.00	3.30	5.30	10.0	-4.70
	5230	46	ax (40MHz)	26	0	271/286.8 (MCS11)	1.82	3.30	5.12	10.0	-4.88
				26	8	271/286.8 (MCS11)	2.69	3.30	5.99	10.0	-4.01
				26	17	271/286.8 (MCS11)	2.13	3.30	5.43	10.0	-4.57
	5210	42	ax (80MHz)	26	0	567/600.5 (MCS11)	1.71	3.30	5.01	10.0	-4.99
				26	18	567/600.5 (MCS11)	1.29	3.30	4.59	10.0	-5.41
				26	36	567/600.5 (MCS11)	2.20	3.30	5.50	10.0	-4.50

Table 7-68. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 5T (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	135/143.4 (MCS11)	1.44	3.30	4.74	10.0	-5.26
	5200	40	ax (20MHz)	242	61	135/143.4 (MCS11)	1.60	3.30	4.90	10.0	-5.10
	5240	48	ax (20MHz)	242	61	135/143.4 (MCS11)	1.63	3.30	4.93	10.0	-5.07
	5190	38	ax (40MHz)	484	65	271/286.8 (MCS11)	-0.96	3.30	2.34	10.0	-7.66
	5230	46	ax (40MHz)	484	65	271/286.8 (MCS11)	1.98	3.30	5.28	10.0	-4.72
	5210	42	ax (80MHz)	996	67	567/600.5 (MCS11)	-5.53	3.30	-2.23	10.0	-12.23

Table 7-69. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 5T (Fully-loaded RU)


FCC ID: BCGA2377 IC: 579C-A2377	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 84 of 246




Plot 7-145. ISED PSD Antenna 5T (20MHz BW 11ax Index 0 - RU26 - Ch.40)




Plot 7-148. ISED PSD Antenna 5T (20MHz BW 11ax- RU242 - Ch.40)




Plot 7-146. ISED PSD Antenna 5T (20MHz BW 11ax Index 4 - RU26 - Ch.40)



Plot 7-149. ISED PSD Antenna 5T (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-147. ISED PSD Antenna 5T (20MHz BW 11ax Index 8- RU26 - Ch.40)




Plot 7-150. ISED PSD Antenna 5T (40MHz BW 11ax Index 8 - RU26 - Ch.46)


FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 85 of 246




Plot 7-151. ISED PSD Antenna 5T (40MHz BW 11ax Index 17 - RU26 - Ch.46)




Plot 7-154. ISED PSD Antenna 5T (80MHz BW 11ax Index 18 - RU26 - Ch.42)




Plot 7-152. ISED PSD Antenna 5T (40MHz BW 11ax - RU484 - Ch.46)



Plot 7-155. ISED PSD Antenna 5T (80MHz BW 11ax Index 36 - RU26 - Ch.42)



Plot 7-153. ISED PSD Antenna 5T (80MHz BW 11ax Index 0 - RU26 - Ch.42)



Plot 7-156. ISED PSD Antenna 5T (80MHz BW 11ax - RU996 - Ch.42)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 86 of 246

Antenna 5B Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	135/143.4 (MCS11)	8.66	11.0	-2.34
				26	4	135/143.4 (MCS11)	8.23	11.0	-2.77
				26	8	135/143.4 (MCS11)	8.64	11.0	-2.36
	5200	40	ax (20MHz)	26	0	135/143.4 (MCS11)	8.76	11.0	-2.24
				26	4	135/143.4 (MCS11)	8.48	11.0	-2.52
				26	8	135/143.4 (MCS11)	8.81	11.0	-2.19
	5240	48	ax (20MHz)	26	0	135/143.4 (MCS11)	9.23	11.0	-1.77
				26	4	135/143.4 (MCS11)	8.77	11.0	-2.23
				26	8	135/143.4 (MCS11)	9.48	11.0	-1.52
	5190	38	ax (40MHz)	26	0	271/286.8 (MCS11)	7.63	11.0	-3.37
				26	8	271/286.8 (MCS11)	8.44	11.0	-2.56
				26	17	271/286.8 (MCS11)	9.25	11.0	-1.75
	5230	46	ax (40MHz)	26	0	271/286.8 (MCS11)	9.16	11.0	-1.84
				26	8	271/286.8 (MCS11)	10.01	11.0	-0.99
				26	17	271/286.8 (MCS11)	9.27	11.0	-1.73
	5210	42	ax (80MHz)	26	0	567/600.5 (MCS11)	7.00	11.0	-4.00
				26	18	567/600.5 (MCS11)	6.49	11.0	-4.51
				26	36	567/600.5 (MCS11)	8.81	11.0	-2.19
Band 2A	5260	52	ax (20MHz)	26	0	135/143.4 (MCS11)	7.99	11.0	-3.01
				26	4	135/143.4 (MCS11)	9.32	11.0	-1.68
				26	8	135/143.4 (MCS11)	9.75	11.0	-1.25
	5280	56	ax (20MHz)	26	0	135/143.4 (MCS11)	9.50	11.0	-1.50
				26	4	135/143.4 (MCS11)	8.95	11.0	-2.05
				26	8	135/143.4 (MCS11)	9.46	11.0	-1.54
	5320	64	ax (20MHz)	26	0	135/143.4 (MCS11)	9.23	11.0	-1.77
				26	4	135/143.4 (MCS11)	8.69	11.0	-2.31
				26	8	135/143.4 (MCS11)	9.06	11.0	-1.94
	5270	54	ax (40MHz)	26	0	271/286.8 (MCS11)	7.60	11.0	-3.40
				26	8	271/286.8 (MCS11)	9.66	11.0	-1.34
				26	17	271/286.8 (MCS11)	9.49	11.0	-1.51
	5310	62	ax (40MHz)	26	0	271/286.8 (MCS11)	9.20	11.0	-1.80
				26	8	271/286.8 (MCS11)	9.88	11.0	-1.12
				26	17	271/286.8 (MCS11)	8.87	11.0	-2.13
	5290	58	ax (80MHz)	26	0	567/600.5 (MCS11)	6.93	11.0	-4.07
				26	18	567/600.5 (MCS11)	5.53	11.0	-5.47
				26	36	567/600.5 (MCS11)	6.90	11.0	-4.10
Band 2C	5500	100	ax (20MHz)	26	0	135/143.4 (MCS11)	9.85	11.0	-1.15
				26	4	135/143.4 (MCS11)	9.33	11.0	-1.67
				26	8	135/143.4 (MCS11)	9.87	11.0	-1.13
	5580	116	ax (20MHz)	26	0	135/143.4 (MCS11)	9.22	11.0	-1.78
				26	4	135/143.4 (MCS11)	8.49	11.0	-2.51
				26	8	135/143.4 (MCS11)	8.87	11.0	-2.13
	5720	144	ax (20MHz)	26	0	135/143.4 (MCS11)	9.56	11.0	-1.44
				26	4	135/143.4 (MCS11)	7.81	11.0	-3.19
				26	8	135/143.4 (MCS11)	8.42	11.0	-2.58
	5510	102	ax (40MHz)	26	0	271/286.8 (MCS11)	9.55	11.0	-1.45
				26	8	271/286.8 (MCS11)	10.39	11.0	-0.61
				26	17	271/286.8 (MCS11)	9.44	11.0	-1.56
	5550	110	ax (40MHz)	26	0	271/286.8 (MCS11)	8.57	11.0	-2.43
				26	8	271/286.8 (MCS11)	9.30	11.0	-1.70
				26	17	271/286.8 (MCS11)	9.60	11.0	-1.40
	5710	142	ax (40MHz)	26	0	271/286.8 (MCS11)	8.85	11.0	-2.15
				26	8	271/286.8 (MCS11)	9.92	11.0	-1.08
				26	17	271/286.8 (MCS11)	9.20	11.0	-1.80
	5530	106	ax (80MHz)	26	0	567/600.5 (MCS11)	9.71	11.0	-1.29
				26	18	567/600.5 (MCS11)	7.60	11.0	-3.40
				26	36	567/600.5 (MCS11)	9.31	11.0	-1.69
	*5610	122	ax (80MHz)	26	0	567/600.5 (MCS11)	9.16	11.0	-1.84
				26	18	567/600.5 (MCS11)	8.93	11.0	-2.07
				26	36	567/600.5 (MCS11)	9.83	11.0	-1.17
	5690	138	ax (80MHz)	26	0	567/600.5 (MCS11)	8.52	11.0	-2.48
				26	18	567/600.5 (MCS11)	8.14	11.0	-2.86
				26	36	567/600.5 (MCS11)	9.13	11.0	-1.87

Table 7-70. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 5B (RU26)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)


FCC ID: BCGA2377 IC: 579C-A2377		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 87 of 246

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	135/143.4 (MCS11)	4.01	11.0	-6.99
	5200	40	ax (20MHz)	242	61	135/143.4 (MCS11)	8.23	11.0	-2.77
	5240	48	ax (20MHz)	242	61	135/143.4 (MCS11)	8.71	11.0	-2.29
	5190	38	ax (40MHz)	484	65	271/286.8 (MCS11)	-0.24	11.0	-11.24
	5230	46	ax (40MHz)	484	65	271/286.8 (MCS11)	5.71	11.0	-5.29
	5210	42	ax (80MHz)	996	67	567/600.5 (MCS11)	-4.70	11.0	-15.70
Band 2A	5260	52	ax (20MHz)	242	61	135/143.4 (MCS11)	8.76	11.0	-2.24
	5280	56	ax (20MHz)	242	61	135/143.4 (MCS11)	8.71	11.0	-2.29
	5320	64	ax (20MHz)	242	61	135/143.4 (MCS11)	4.39	11.0	-6.61
	5270	54	ax (40MHz)	484	65	271/286.8 (MCS11)	5.88	11.0	-5.12
	5310	62	ax (40MHz)	484	65	271/286.8 (MCS11)	-0.05	11.0	-11.05
	5290	58	ax (80MHz)	996	67	567/600.5 (MCS11)	-3.93	11.0	-14.93
Band 2C	5500	100	ax (20MHz)	242	61	135/143.4 (MCS11)	4.02	11.0	-6.98
	5580	116	ax (20MHz)	242	61	135/143.4 (MCS11)	9.10	11.0	-1.90
	5720	144	ax (20MHz)	242	61	135/143.4 (MCS11)	9.43	11.0	-1.57
	5510	102	ax (40MHz)	484	65	271/286.8 (MCS11)	-0.47	11.0	-11.47
	5550	110	ax (40MHz)	484	65	271/286.8 (MCS11)	4.66	11.0	-6.34
	*5590	118	ax (40MHz)	484	65	271/286.8 (MCS11)	6.14	11.0	-4.86
	5710	142	ax (40MHz)	484	65	271/286.8 (MCS11)	7.33	11.0	-3.67
	5530	106	ax (80MHz)	996	67	567/600.5 (MCS11)	-4.79	11.0	-15.79
	*5610	122	ax (80MHz)	996	67	567/600.5 (MCS11)	0.29	11.0	-10.71
	5690	138	ax (80MHz)	996	67	567/600.5 (MCS11)	4.87	11.0	-6.13


Table 7-71. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 5B (Fully-loaded RU)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)


FCC ID: BCGA2377 IC: 579C-A2377	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 88 of 246




Plot 7-157. PSD Antenna 5B (20MHz BW 11ax Index 0 – RU26 – Ch.40)




Plot 7-160. PSD Antenna 5B (20MHz BW 11ax– RU242 – Ch.40)




Plot 7-158. PSD Antenna 5B (20MHz BW 11ax Index 4 – RU26 – Ch.40)



Plot 7-161. PSD Antenna 5B (40MHz BW 11ax Index 0 – RU26 – Ch.46)



Plot 7-159. PSD Antenna 5B (20MHz BW 11ax Index 8– RU26 – Ch.40)



Plot 7-162. PSD Antenna 5B (40MHz BW 11ax Index 8 – RU26 – Ch.46)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 89 of 246