






Plot 7-396. RSE above 1GHz SDM (11ax – Ch.116 – RU26)



Plot 7-397. RSE 18GHz – 40 GHz SDM (11ax Ch.116 — RU26, Pol. H)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 187 of 246




Plot 7-398. RSE 18 GHz - 40GHz SDM (11ax Ch.116 — RU26, Pol. V)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5580MHz
Channel: 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11160.00	Average	-	-	-	-86.56	18.55	38.99	53.98	-14.99
*	11160.00	Peak	-	-	-	-75.18	18.55	50.37	73.98	-23.61
	16740.00	Peak	-	-	-	-76.10	25.22	56.12	68.20	-12.08

Table 7-138. Radiated Measurements SDM (RU26)

FCC ID: BCGA2377 IC: 579C-A2377	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 188 of 246




Plot 7-399. RSE above 1GHz SDM (11ax – Ch.144 – RU26)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11440.00	Average	H	-	-	-81.88	13.99	39.11	53.98	-14.87
*	11440.00	Peak	H	-	-	-70.30	13.99	50.69	73.98	-23.29
	17160.00	Peak	H	-	-	-71.32	20.08	55.76	68.20	-12.44

Table 7-139. Radiated Measurements SDM (RU26)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 189 of 246




Plot 7-400. RSE above 1GHz CDD (11ax – Ch.149 – RU26)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11490.00	Average	H	-	-	-82.11	14.28	39.17	53.98	-14.81
*	11490.00	Peak	H	-	-	-70.34	14.28	50.94	73.98	-23.04
	17235.00	Peak	H	-	-	-71.46	20.27	55.81	68.20	-12.39

Table 7-140. Radiated Measurements CDD (RU26)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 190 of 246




Plot 7-401. RSE above 1GHz CDD (11ax – Ch.157 – RU26)



Plot 7-402. RSE 18GHz – 40 GHz CDD (11ax Ch.157 — RU26, Pol. H)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 191 of 246




Plot 7-403. RSE 18 GHz - 40GHz CDD (11ax Ch.157 — RU26, Pol. V)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5785MHz
Channel: 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11570.00	Average	H	-	-	-82.18	14.48	39.30	53.98	-14.68
*	11570.00	Peak	H	-	-	-70.39	14.48	51.09	73.98	-22.89
	17355.00	Peak	H	-	-	-71.76	20.08	55.32	68.20	-12.88

Table 7-141. Radiated Measurements CDD (RU26)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 192 of 246



Plot 7-404. RSE above 1GHz CDD (11ax – Ch.165 – RU26)


Mode: 802.11ax (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11650.00	Average	H	-	-	-82.15	14.47	39.32	53.98	-14.66
*	11650.00	Peak	H	-	-	-69.89	14.47	51.58	73.98	-22.40
	17475.00	Peak	H	-	-	-71.50	20.76	56.26	68.20	-11.94

Table 7-142. Radiated Measurements CDD (RU26)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 193 of 246

RU242




Plot 7-405. RSE above 1GHz CDD (11ax – Ch.36 – RU242)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5180MHz
Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10360.00	Peak	H	-	-	-74.73	17.80	50.07	68.20	-18.13
* 15540.00	Average	H	-	-	-86.57	22.33	42.76	53.98	-11.22
* 15540.00	Peak	H	-	-	-75.29	22.33	54.04	73.98	-19.94

Table 7-143. Radiated Measurements CDD (RU242)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 194 of 246




Plot 7-406. RSE above 1GHz SDM (11ax – Ch.40 – RU242)



Plot 7-407. RSE 18GHz – 40 GHz SDM (11ax Ch.40 — RU242, Pol. H)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 195 of 246




Plot 7-408. RSE 18 GHz - 40GHz SDM (11ax Ch.40 — RU242, Pol. V)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5200MHz
Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	H	-	-	-75.28	17.83	49.55	68.20	-18.65
* 15600.00	Average	H	-	-	-86.68	22.38	42.70	53.98	-11.28
* 15600.00	Peak	H	-	-	-75.56	22.38	53.82	73.98	-20.16

Table 7-144. Radiated Measurements SDM (RU242)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 196 of 246




Plot 7-409. RSE above 1GHz SDM (11ax – Ch.48 – RU242)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5240MHz
Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10480.00	Peak	H	-	-	-75.26	17.96	49.70	68.20	-18.50
* 15720.00	Average	H	-	-	-86.73	23.77	44.04	53.98	-9.94
* 15720.00	Peak	H	-	-	-75.87	23.77	54.90	73.98	-19.08

Table 7-145. Radiated Measurements SDM (RU242)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 197 of 246




Plot 7-410. RSE above 1GHz SDM (11ax – Ch.52 – RU242)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10520.00	Peak	H	-	-	-75.42	18.11	49.69	68.20	-18.51
* 15780.00	Average	H	-	-	-86.58	24.12	44.54	53.98	-9.44
* 15780.00	Peak	H	-	-	-76.25	24.12	54.87	73.98	-19.11

Table 7-146. Radiated Measurements SDM (RU242)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 198 of 246




Plot 7-411. RSE above 1GHz SDM (11ax – Ch.56 – RU242)



Plot 7-412. RSE 18GHz – 40 GHz SDM (11ax Ch.56 — RU242, Pol. H)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 199 of 246




Plot 7-413. RSE 18 GHz - 40GHz SDM (11ax Ch.56 — RU242, Pol. V)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5280MHz
Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-75.28	18.12	49.84	68.20	-18.36
* 15840.00	Average	H	-	-	-86.47	23.63	44.16	53.98	-9.82
* 15840.00	Peak	H	-	-	-75.90	23.63	54.73	73.98	-19.25

Table 7-147. Radiated Measurements SDM (RU242)

FCC ID: BCGA2377 IC: 579C-A2377	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 200 of 246




Plot 7-414. RSE above 1GHz SDM (11ax – Ch.64 – RU242)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	10640.00	Average	H	-	-	-86.26	18.60	39.34	53.98	-14.64
*	10640.00	Peak	H	-	-	-73.72	18.60	51.88	73.98	-22.10
*	15960.00	Average	H	-	-	-86.67	22.54	42.87	53.98	-11.11
*	15960.00	Peak	H	-	-	-75.67	22.54	53.87	73.98	-20.11

Table 7-148. Radiated Measurements SDM (RU242)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 201 of 246




Plot 7-415. RSE above 1GHz CDD (11ax – Ch.100 – RU242)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11000.00	Average	H	-	-	-86.50	18.45	38.95	53.98	-15.03
*	11000.00	Peak	H	-	-	-74.86	18.45	50.59	73.98	-23.39
	16500.00	Peak	H	-	-	-73.81	24.09	57.28	68.20	-10.92

Table 7-149. Radiated Measurements CDD (RU242)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 202 of 246




Plot 7-416. RSE above 1GHz SDM (11ax – Ch.116 – RU242)



Plot 7-417. RSE 18GHz – 40 GHz SDM (11ax Ch.116 — RU242, Pol. H)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 203 of 246




Plot 7-418. RSE 18 GHz - 40GHz SDM (11ax Ch.116 — RU242, Pol. V)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5580MHz
Channel: 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11160.00	Average	H	-	-	-86.67	18.55	38.88	53.98	-15.10
*	11160.00	Peak	H	-	-	-75.96	18.55	49.59	73.98	-24.39
	16740.00	Peak	H	-	-	-75.29	25.22	56.93	68.20	-11.27

Table 7-150. Radiated Measurements SDM (RU242)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 204 of 246




Plot 7-419. RSE above 1GHz SDM (11ax – Ch.144 – RU242)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11440.00	Average	H	-	-	-86.97	18.83	38.86	53.98	-15.12
*	11440.00	Peak	H	-	-	-75.57	18.83	50.26	73.98	-23.72
	17160.00	Peak	H	-	-	-74.67	24.75	57.08	68.20	-11.12

Table 7-151. Radiated Measurements SDM (RU242)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 205 of 246




Plot 7-420. RSE above 1GHz CDD (11ax – Ch.149 – RU242)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11490.00	Average	H	-	-	-86.85	19.20	39.35	53.98	-14.62
*	11490.00	Peak	H	-	-	-75.92	19.20	50.28	73.98	-23.69
	17235.00	Peak	H	-	-	-75.23	25.73	57.50	68.20	-10.70

Table 7-152. Radiated Measurements CDD (RU242)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 206 of 246




Plot 7-421. RSE above 1GHz CDD (11ax – Ch.157 – RU242)



Plot 7-422. RSE 18GHz – 40 GHz CDD (11ax Ch.157 — RU242, Pol. H)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 207 of 246




Plot 7-423. RSE 18 GHz - 40GHz CDD (11ax Ch.157 — RU242, Pol. V)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5785MHz
Channel: 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11570.00	Average	H	-	-	-86.84	19.17	39.33	53.98	-14.65
*	11570.00	Peak	H	-	-	-75.62	19.17	50.55	73.98	-23.43
	17355.00	Peak	H	-	-	-74.30	26.03	58.73	68.20	-9.47

Table 7-153. Radiated Measurements CDD (RU242)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 208 of 246



Plot 7-424. RSE above 1GHz CDD (11ax – Ch.165 – RU242)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11650.00	Average	H	-	-	-86.30	19.36	40.06	53.98	-13.92
*	11650.00	Peak	H	-	-	-74.62	19.36	51.74	73.98	-22.24
	17475.00	Peak	H	-	-	-75.17	25.18	57.01	68.20	-11.19


Table 7-154. Radiated Measurements CDD (RU242)

FCC ID: BCGA2377 IC: 579C-A2377	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 209 of 246


7.6.4 Antenna 5T Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]


RU26




Plot 7-425. Antenna 5T (Pk & Avg, RU26, Index 0, Ch.36, MCS11)




Plot 7-428. Antenna 5T (Pk, RU26, Index 8, Ch.140, MCS11)




Plot 7-426. Antenna 5T (Pk & Avg, RU26, Index 8, Ch.64, MCS11)



Plot 7-429. Antenna 5T (Pk, RU26, Index 0, Ch.149, MCS11)







Plot 7-427. Antenna 5T (Pk & Avg, RU26, Index 0, Ch.100, MCS11)





Plot 7-430. Antenna 5T (Pk, RU26, Index 8, Ch.165, MCS11)


FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 210 of 246

RU242


**Plot 7-431. Antenna 5T (Pk & Avg, RU242, Index 61, Ch.36, MCS11)****Plot 7-434. Antenna 5T (Pk & Avg, RU242, Index 61, Ch.64, MCS11)****Plot 7-432. Antenna 5T (Pk & Avg, RU242, Index 61, Ch.40, MCS11)**

Plot 7-435. Antenna 5T (Pk & Avg, RU242, Index 61, Ch.100, MCS11)


**Plot 7-433. Antenna 5T (Pk & Avg, RU242, Index 61, Ch.60, MCS11)****Plot 7-436. Antenna 5T (Pk & Avg, RU242, Index 61, Ch.104, MCS11)**




Plot 7-437. Antenna 5T (Pk & Avg, RU242, Index 61, Ch.108, MCS11)




Plot 7-440. Antenna 5T (Pk, RU242, Index 61, Ch.140, MCS11)




Plot 7-438 Antenna 5T (Pk, RU242, Index 61, Ch.132, MCS11)



Plot 7-441. Antenna 5T (Pk, RU242, Index 61, Ch.149, MCS11)



Plot 7-439. Antenna 5T (Pk, RU242, Index 61, Ch.136, MCS11)




Plot 7-442. Antenna 5T (Pk, RU242, Index 61, Ch.165, MCS11)


FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 212 of 246

7.6.6 Antenna 5T Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26




Plot 7-443. Antenna 5T (Pk & Avg, RU26, Index 0, Ch.38, MCS11)




Plot 7-446. Antenna 5T (Pk, RU26, Index 17, Ch.134, MCS11)




Plot 7-444. Antenna 5T (Pk & Avg, RU26, Index 17, Ch.62, MCS11)



Plot 7-447. Antenna 5T (Pk, RU26, Index 0, Ch.151, MCS11)




Plot 7-445. Antenna 5T (Pk & Avg, RU26, Index 0, Ch.102, MCS11)




Plot 7-448. Antenna 5T (Pk, RU26, Index 17, Ch.159, MCS11)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 213 of 246


RU484




Plot 7-449. Antenna 5T (Pk & Avg, RU484, Index 65, Ch.38, MCS11)




Plot 7-452. Antenna 5T (Pk & Avg, RU484, Index 65, Ch.62, MCS11)




Plot 7-450. Antenna 5T (Pk & Avg, RU484, Index 65, Ch.46, MCS11)



Plot 7-453. Antenna 5T (Pk & Avg, RU484, Index 65, Ch.102, MCS11)




Plot 7-451. Antenna 5T (Pk & Avg, RU484, Index 65, Ch.54, MCS11)




Plot 7-454. Antenna 5T (Pk & Avg, RU484, Index 65, Ch.110, MCS11)


FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 214 of 246




Plot 7-455. (FCC Only) Antenna 5T (Pk & Avg, RU484, Index 65, Ch.118, MCS11)




Plot 7-458. Antenna 5T (Pk, RU484, Index 65, Ch.134, MCS11)




Plot 7-456. (FCC Only) Antenna 5T (Pk & Avg, RU484, Index 65, Ch.118, MCS11)



Plot 7-459. Antenna 5T (Pk, RU484, Index 65, Ch.151, MCS11)



Plot 7-457. (FCC Only) Antenna 5T (Pk, RU484, Index 65, Ch.126, MCS11)




Plot 7-460. Antenna 5T (Pk, RU484, Index 65, Ch.159, MCS11)


FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 215 of 246

7.6.7 Antenna 5T Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26




Plot 7-461. Antenna 5T (Pk & Avg, RU26, Index 0, Ch.42, MCS11)




Plot 7-464. (FCC Only) Antenna 5T (Pk, RU26, Index 36, Ch.122, MCS11)




Plot 7-462. Antenna 5T (Pk & Avg, RU26, Index 36, Ch.58, MCS11)



Plot 7-465. Antenna 5T (Pk, RU26, Index 0, Ch.155, MCS11)




Plot 7-463. Antenna 5T (Pk & Avg, RU26, Index 0, Ch.106, MCS11)




Plot 7-466. Antenna 5T (Pk, RU26, Index 36, Ch.155, MCS11)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 216 of 246


RU996




Plot 7-467. Antenna 5T (Pk & Avg, RU996, Index 67, Ch.42, MCS11)




Plot 7-470. (FCC Only) Antenna 5T (Pk & Avg, RU996, Index 67, Ch.122, MCS11)




Plot 7-468. Antenna 5T (Pk & Avg, RU996, Index 67, Ch.58, MCS11)



Plot 7-471. (FCC Only) Antenna 5T (Pk, RU996, Index 67, Ch.122, MCS11)




Plot 7-469. Antenna 5T (Pk & Avg, RU996, Index 67, Ch.106, MCS11)



Plot 7-472. Antenna 5T (Pk, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 217 of 246



Plot 7-473. Antenna 5T (Pk, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA2377 IC: 579C-A2377		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-09-R1.BCG	Test Dates: 12/12/2020 - 03/17/2021	EUT Type: Tablet Device	Page 218 of 246