





Plot 7-573. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 36)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5180MHz
Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	-	-	-	-69.90	12.71	49.81	68.20	-18.39
* 15540.00	Average	-	-	-	-82.71	18.35	42.64	53.98	-11.34
* 15540.00	Peak	-	-	-	-71.66	18.35	53.69	73.98	-20.29

Table 7-180. Radiated Measurements SDM

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 227 of 348




Plot 7-574. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 40)



Plot 7-575. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.40, Pol. H)

FCC ID: BCGA2377 IC: 579C-A2377	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 228 of 348




Plot 7-576. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.40, Pol. V)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5200MHz
Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	-	-	-	-69.51	13.08	50.57	68.20	-17.63
* 15600.00	Average	-	-	-	-82.70	19.11	43.41	53.98	-10.57
* 15600.00	Peak	-	-	-	-70.87	19.11	55.24	73.98	-18.74

Table 7-181. Radiated Measurements SDM

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 229 of 348




Plot 7-577. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 48)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5240MHz
Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	-	-	-	-69.40	12.73	50.33	68.20	-17.87
* 15720.00	Average	-	-	-	-83.15	20.46	44.31	53.98	-9.67
* 15720.00	Peak	-	-	-	-71.76	20.46	55.70	73.98	-18.28

Table 7-182. Radiated Measurements SDM

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 230 of 348




Plot 7-578. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 52)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	-	-	-	-69.59	12.64	50.05	68.20	-18.15
* 15780.00	Average	-	-	-	-82.49	19.65	44.16	53.98	-9.82
* 15780.00	Peak	-	-	-	-71.78	19.65	54.87	73.98	-19.11

Table 7-183. Radiated Measurements SDM

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 231 of 348




Plot 7-579. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 56)



Plot 7-580. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.56, Pol. H)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 232 of 348




Plot 7-581. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.56, Pol. V)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	-	-	-	-68.40	12.51	51.11	68.20	-17.09
* 15840.00	Average	-	-	-	-81.88	18.92	44.04	53.98	-9.94
* 15840.00	Peak	-	-	-	-71.21	18.92	54.71	73.98	-19.27

Table 7-184. Radiated Measurements SDM

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 233 of 348




Plot 7-582. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 64)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	10640.00	Average	-	-	-	-80.64	13.06	39.42	53.98	-14.56
*	10640.00	Peak	-	-	-	-69.60	13.06	50.46	73.98	-23.52
*	15960.00	Average	-	-	-	-82.56	19.04	43.48	53.98	-10.50
*	15960.00	Peak	-	-	-	-71.49	19.04	54.55	73.98	-19.43

Table 7-185. Radiated Measurements SDM

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 234 of 348




Plot 7-583. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 100)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11000.00	Average	-	-	-	-80.98	13.49	39.51	53.98	-14.47
*	11000.00	Peak	-	-	-	-69.24	13.49	51.25	73.98	-22.73
	16500.00	Peak	-	-	-	-70.59	19.85	56.26	68.20	-11.94

Table 7-186. Radiated Measurements SDM

FCC ID: BCGA2377 IC: 579C-A2377		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 235 of 348




Plot 7-584. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 116)



Plot 7-585. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.116, Pol. H)

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 236 of 348




Plot 7-586. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.116, Pol. V)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11160.00	Average	-	-	-	-80.79	13.29	39.50	53.98	-14.48
*	11160.00	Peak	-	-	-	-69.36	13.29	50.93	73.98	-23.05
	16740.00	Peak	-	-	-	-70.08	19.86	56.78	68.20	-11.42

Table 7-187. Radiated Measurements SDM

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 237 of 348




Plot 7-587. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 144)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11440.00	Average	-	-	-	-80.81	13.80	39.99	53.98	-13.99
*	11440.00	Peak	-	-	-	-69.30	13.80	51.50	73.98	-22.48
	17160.00	Peak	-	-	-	-70.56	19.54	55.98	68.20	-12.22

Table 7-188. Radiated Measurements SDM

FCC ID: BCGA2377 IC: 579C-A2377		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 238 of 348




Plot 7-588. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 149)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11490.00	Average	-	-	-	-80.95	14.28	40.33	53.98	-13.65
*	11490.00	Peak	-	-	-	-70.00	14.28	51.28	73.98	-22.70
	17235.00	Peak	-	-	-	-71.86	20.27	55.41	68.20	-12.79

Table 7-189. Radiated Measurements CDD

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 239 of 348




Plot 7-589. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 157)



Plot 7-590. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.157, Pol. H)

FCC ID: BCGA2377 IC: 579C-A2377		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 240 of 348




Plot 7-591. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.157, Pol. V)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11570.00	Average	-	-	-	-81.20	14.48	40.28	53.98	-13.70
*	11570.00	Peak	-	-	-	-69.74	14.48	51.74	73.98	-22.24
	17355.00	Peak	-	-	-	-70.74	20.08	56.34	68.20	-11.86

Table 7-190. Radiated Measurements CDD

FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 241 of 348



Plot 7-592. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 165)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11650.00	Average	-	-	-	-81.06	14.47	40.41	53.98	-13.57
*	11650.00	Peak	-	-	-	-69.89	14.47	51.58	73.98	-22.40
	17475.00	Peak	-	-	-	-71.10	20.76	56.66	68.20	-11.54

Table 7-191. Radiated Measurements CDD


FCC ID: BCGA2377 IC: 579C-A2377		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 242 of 348

7.6.4 Antenna 5T Radiated Band Edge Measurements (20MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]




Plot 7-593. Antenna 5T (Pk & Avg, Ch.36, 802.11n, MCS0)




Plot 7-596. Antenna 5T (Pk & Avg, Ch.40, 802.11n, MCS0)




Plot 7-594. Antenna 5T (Pk & Avg, Ch.36, 802.11n, MCS3)



Plot 7-597. Antenna 5T (Pk & Avg, Ch.40, 802.11n, MCS3)




Plot 7-595. Antenna 5T (Pk & Avg, Ch.36, 802.11n, MCS5)




Plot 7-598. Antenna 5T (Pk & Avg, Ch.40, 802.11n, MCS5)


FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 243 of 348




Plot 7-599. Antenna 5T (Pk & Avg, Ch.60, 802.11n, MCS0)




Plot 7-602. Antenna 5T (Pk & Avg, Ch.64, 802.11n, MCS0)




Plot 7-600. Antenna 5T (Pk & Avg, Ch.60, 802.11n, MCS3)



Plot 7-603. Antenna 5T (Pk & Avg, Ch.64, 802.11n, MCS3)




Plot 7-601. Antenna 5T (Pk & Avg, Ch.60, 802.11n, MCS5)




Plot 7-604. Antenna 5T (Pk & Avg, Ch.64, 802.11n, MCS5)


FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 244 of 348




Plot 7-605. Antenna 5T (Pk & Avg, Ch.100, 802.11n, MCS0)




Plot 7-608. Antenna 5T (Pk & Avg, Ch.104, 802.11n, MCS0)




Plot 7-606. Antenna 5T (Pk & Avg, Ch.100, 802.11n, MCS3)



Plot 7-609. Antenna 5T (Pk & Avg, Ch.104, 802.11n, MCS3)




Plot 7-607. Antenna 5T (Pk & Avg, Ch.100, 802.11n, MCS5)




Plot 7-610. Antenna 5T (Pk & Avg, Ch.104, 802.11n, MCS5)


FCC ID: BCGA2377 IC: 579C-A2377		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 245 of 348




Plot 7-611. Antenna 5T (Pk, Ch.132, 802.11n, MCS5)




Plot 7-614. Antenna 5T (Pk, Ch.136, 802.11n, MCS5)




Plot 7-612. Antenna 5T (Pk, Ch.136, 802.11n, MCS0)



Plot 7-615. Antenna 5T (Pk, Ch.140, 802.11n, MCS0)




Plot 7-613. Antenna 5T (Pk, Ch.136, 802.11n, MCS3)




Plot 7-616. Antenna 5T (Pk, Ch.140, 802.11n, MCS3)


FCC ID: BCGA2377 IC: 579C-A2377	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 246 of 348




Plot 7-617. Antenna 5T (Pk, Ch.140, 802.11n, MCS5)




Plot 7-620. Antenna 5T (Pk, Ch.149, 802.11n, MCS5)




Plot 7-618. Antenna 5T (Pk, Ch.149, 802.11n, MCS0)



Plot 7-621. Antenna 5T (Pk, Ch.165, 802.11n, MCS0)




Plot 7-619. Antenna 5T (Pk, Ch.149, 802.11n, MCS3)




Plot 7-622. Antenna 5T (Pk, Ch.165, 802.11n, MCS3)

FCC ID: BCGA2377 IC: 579C-A2377	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 247 of 348




Plot 7-623. Antenna 5T (Pk, Ch.165, 802.11n, MCS5)


FCC ID: BCGA2377 IC: 579C-A2377		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device		Page 248 of 348




Plot 7-624. Antenna 5T (Pk & Avg, Ch.36, 802.11ax(SU), MCS0)




Plot 7-627. Antenna 5T (Pk & Avg, Ch.40, 802.11ax(SU), MCS0)




Plot 7-625. Antenna 5T (Pk & Avg, Ch.36, 802.11ax(SU), MCS3)



Plot 7-628. Antenna 5T (Pk & Avg, Ch.40, 802.11ax(SU), MCS3)




Plot 7-626. Antenna 5T (Pk & Avg, Ch.36, 802.11ax(SU), MCS11)




Plot 7-629. Antenna 5T (Pk & Avg, Ch.40, 802.11ax(SU), MCS11)


FCC ID: BCGA2377 IC: 579C-A2377		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 249 of 348




Plot 7-630. Antenna 5T (Pk & Avg, Ch.60, 802.11ax(SU), MCS0)




Plot 7-633. Antenna 5T (Pk & Avg, Ch.64, 802.11ax(SU), MCS0)




Plot 7-631. Antenna 5T (Pk & Avg, Ch.60, 802.11ax(SU), MCS3)



Plot 7-634. Antenna 5T (Pk & Avg, Ch.64, 802.11ax(SU), MCS3)




Plot 7-632. Antenna 5T (Pk & Avg, Ch.60, 802.11ax(SU), MCS11)




Plot 7-635. Antenna 5T (Pk & Avg, Ch.64, 802.11ax(SU), MCS11)


FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 250 of 348




Plot 7-636. Antenna 5T (Pk & Avg, Ch.100, 802.11ax(SU), MCS0)




Plot 7-639. Antenna 5T (Pk & Avg, Ch.104, 802.11ax(SU), MCS0)




Plot 7-637. Antenna 5T (Pk & Avg, Ch.100, 802.11ax(SU), MCS3)



Plot 7-640. Antenna 5T (Pk & Avg, Ch.104, 802.11ax(SU), MCS3)




Plot 7-638. Antenna 5T (Pk & Avg, Ch.100, 802.11ax(SU), MCS11)




Plot 7-641. Antenna 5T (Pk & Avg, Ch.104, 802.11ax(SU), MCS11)


FCC ID: BCGA2377 IC: 579C-A2377	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 251 of 348




Plot 7-642. Antenna 5T (Pk & Avg, Ch.108, 802.11ax(SU), MCS11)




Plot 7-645. Antenna 5T (Pk, Ch.132, 802.11ax(SU), MCS11)




Plot 7-643. Antenna 5T (Pk, Ch.132, 802.11ax(SU), MCS0)



Plot 7-646. Antenna 5T (Pk, Ch.136, 802.11ax(SU), MCS0)




Plot 7-644. Antenna 5T (Pk, Ch.132, 802.11ax(SU), MCS3)




Plot 7-647. Antenna 5T (Pk, Ch.136, 802.11ax(SU), MCS3)


FCC ID: BCGA2377 IC: 579C-A2377		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device		Page 252 of 348




Plot 7-648. Antenna 5T (Pk, Ch.136, 802.11ax(SU), MCS11)




Plot 7-651. Antenna 5T (Pk, Ch.140, 802.11ax(SU), MCS11)




Plot 7-649. Antenna 5T (Pk, Ch.140, 802.11ax(SU), MCS0)



Plot 7-652. Antenna 5T (Pk, Ch.149, 802.11ax(SU), MCS0)




Plot 7-650. Antenna 5T (Pk, Ch.140, 802.11ax(SU), MCS3)




Plot 7-653. Antenna 5T (Pk, Ch.149, 802.11ax(SU), MCS3)


FCC ID: BCGA2377 IC: 579C-A2377	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 253 of 348




Plot 7-654. Antenna 5T (Pk, Ch.149, 802.11ax(SU), MCS11)



Plot 7-657. Antenna 5T (Pk, Ch.165, 802.11ax(SU), MCS11)



Plot 7-655. Antenna 5T (Pk, Ch.165, 802.11ax(SU), MCS0)



Plot 7-656. Antenna 5T (Pk, Ch.165, 802.11ax(SU), MCS3)

FCC ID: BCGA2377 IC: 579C-A2377		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-08-R1.BCG	Test Dates: 02/15/2021 - 3/22/2021	EUT Type: Tablet Device	Page 254 of 348