



Plot 7-419. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 6)



Plot 7-420. Radiated Spurious Emissions above 18GHz CDD (802.11n – Ch.6, Pol H)

FCC ID: BCGA2377 IC: 579C-A2377	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 268 of 367




Plot 7-421. Radiated Spurious Emissions above 18GHz CDD (802.11n – Ch.6, Pol V)

Mode:	802.11n
Data Rate:	MCS15
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
4874.00	Avg	H	-	-	-80.74	7.75	34.01	53.98	-19.96
4874.00	Peak	H	-	-	-69.21	7.75	45.54	73.98	-28.43
7311.00	Avg	H	-	-	-82.12	10.84	35.72	53.98	-18.26
7311.00	Peak	H	-	-	-70.82	10.84	47.02	73.98	-26.96
12185.00	Avg	H	-	-	-83.58	16.90	40.32	53.98	-13.66
12185.00	Peak	H	-	-	-71.83	16.90	52.07	73.98	-21.91

Table 7-61. Radiated Measurements CDD

FCC ID: BCGA2377 IC: 579C-A2377	 PCTEST <sup>®</sup> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 269 of 367




Plot 7-422. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 11)

Mode: 802.11n  
 Data Rate: MCS15  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Avg	H	-	-	-81.12	8.53	34.41	53.98	-19.57
4924.00	Peak	H	-	-	-69.43	8.53	46.10	73.98	-27.88
7386.00	Avg	H	-	-	-82.19	11.73	36.54	53.98	-17.44
7386.00	Peak	H	-	-	-70.95	11.73	47.78	73.98	-26.20
12310.00	Avg	H	-	-	-83.58	17.62	41.04	53.98	-12.94
12310.00	Peak	H	-	-	-71.77	17.62	52.85	73.98	-21.13

Table 7-62. Radiated Measurements CDD

FCC ID: BCGA2377 IC: 579C-A2377	 <b>PCTEST<sup>®</sup></b> Proud to be part of element			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device			




**Plot 7-423. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 1)**

Mode: 802.11ax (SU)  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 01


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4824.00	Avg	H	-	-	-79.07	6.44	34.37	53.98	-19.61
4824.00	Peak	H	-	-	-67.98	6.44	45.46	73.98	-28.52
12060.00	Avg	H	-	-	-80.49	15.30	41.81	53.98	-12.17
12060.00	Peak	H	-	-	-68.90	15.30	53.40	73.98	-20.58

**Table 7-63. Radiated Measurements CDD**

FCC ID: BCGA2377 IC: 579C-A2377	 <b>PCTEST<sup>®</sup></b> Proud to be part of element			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device			




Plot 7-424. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 6)



Plot 7-425. Radiated Spurious Emissions above 18GHz CDD (802.11ax (SU) – Ch.6, Pol H)

FCC ID: BCGA2377 IC: 579C-A2377	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 272 of 367




Plot 7-426. Radiated Spurious Emissions above 18GHz CDD (802.11ax (SU) – Ch.6, Pol V)

Mode: 802.11ax (SU)  
Data Rate: MCS5  
Distance of Measurements: 3 Meters  
Operating Frequency: 2437MHz  
Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Avg	H	-	-	-79.09	6.33	34.24	53.98	-19.74
4874.00	Peak	H	-	-	-68.07	6.33	45.26	73.98	-28.72
7311.00	Avg	H	-	-	-80.13	9.95	36.82	53.98	-17.16
7311.00	Peak	H	-	-	-68.75	9.95	48.20	73.98	-25.78
12185.00	Avg	H	-	-	-81.23	15.14	40.91	53.98	-13.07
12185.00	Peak	H	-	-	-68.60	15.14	53.54	73.98	-20.44

Table 7-64. Radiated Measurements CDD

FCC ID: BCGA2377 IC: 579C-A2377	 <b>PCTEST®</b> Proud to be part of  <b>MEASUREMENT REPORT (CERTIFICATION)</b>				Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device			Page 273 of 367



Plot 7-427. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 11)

Mode: 802.11ax (SU)  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Avg	H	-	-	-79.32	6.94	34.62	53.98	-19.36
4924.00	Peak	H	-	-	-68.30	6.94	45.64	73.98	-28.34
7386.00	Avg	H	-	-	-80.17	9.99	36.82	53.98	-17.16
7386.00	Peak	H	-	-	-69.68	9.99	47.31	73.98	-26.67
12310.00	Avg	H	-	-	-81.18	15.53	41.35	53.98	-12.63
12310.00	Peak	H	-	-	-69.59	15.53	52.94	73.98	-21.04


Table 7-65. Radiated Measurements CDD

FCC ID: BCGA2377 IC: 579C-A2377	 PCTEST <sup>®</sup> Proud to be part of element			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device			

## 7.7.4 Antenna WF8 Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1



**Plot 7-428. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2417MHz  
 Channel: 2



**Plot 7-429. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 275 of 367	

Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11



**Plot 7-430. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2467MHz  
 Channel: 12



**Plot 7-431. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 276 of 367

Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2472MHz  
 Channel: 13



**Plot 7-432. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1



**Plot 7-433. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 277 of 367

Mode: 802.11n  
 Data Rate: MCS3  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1



**Plot 7-434. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS7  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1



**Plot 7-435. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 278 of 367	

Mode: 802.11n  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2417MHz  
 Channel: 2



**Plot 7-436. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS3  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2417MHz  
 Channel: 2



**Plot 7-437. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 279 of 367

Mode: 802.11n  
 Data Rate: MCS7  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2417MHz  
 Channel: 2



**Plot 7-438. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS3  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2422MHz  
 Channel: 3



**Plot 7-439. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 280 of 367	

Mode: 802.11n  
 Data Rate: MCS7  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2422MHz  
 Channel: 3



**Plot 7-440. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS3  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2427MHz  
 Channel: 4



**Plot 7-441. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	<b>PCTEST®</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 281 of 367	

Mode: 802.11n  
 Data Rate: MCS7  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2427MHz  
 Channel: 4



**Plot 7-442. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS3  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2447MHz  
 Channel: 8



**Plot 7-443. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 282 of 367	

Mode: 802.11n  
 Data Rate: MCS3  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2452MHz  
 Channel: 9



**Plot 7-444. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS7  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2452MHz  
 Channel: 9



**Plot 7-445. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 283 of 367	

Mode: 802.11n  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2457MHz  
 Channel: 10



**Plot 7-446. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS3  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2457MHz  
 Channel: 10



**Plot 7-447. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 284 of 367

Mode: 802.11n  
 Data Rate: MCS7  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2457MHz  
 Channel: 10



**Plot 7-448. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11



**Plot 7-449. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 285 of 367

Mode: 802.11n  
 Data Rate: MCS3  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11



**Plot 7-450. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS7  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11



**Plot 7-451. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 286 of 367	

Mode: 802.11n  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2467MHz  
 Channel: 12



**Plot 7-452. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS3  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2467MHz  
 Channel: 12



**Plot 7-453. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 287 of 367

Mode: 802.11n  
 Data Rate: MCS7  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2467MHz  
 Channel: 12



**Plot 7-454. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2472MHz  
 Channel: 13



**Plot 7-455. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 288 of 367	

Mode: 802.11n  
 Data Rate: MCS3  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2472MHz  
 Channel: 13



**Plot 7-456. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS7  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2472MHz  
 Channel: 13



**Plot 7-457. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 289 of 367	

Mode: 802.11ax - SU  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1



**Plot 7-458. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11ax - SU  
 Data Rate: MCS3  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1



**Plot 7-459. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device		Page 290 of 367

Mode: 802.11ax - SU  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1



**Plot 7-460. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11ax - SU  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2417MHz  
 Channel: 2



**Plot 7-461. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 291 of 367

Mode: 802.11ax - SU  
 Data Rate: MCS3  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2417MHz  
 Channel: 2



**Plot 7-462. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11ax - SU  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2417MHz  
 Channel: 2



**Plot 7-463. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device		Page 292 of 367

Mode: 802.11ax - SU  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2422MHz  
 Channel: 3



**Plot 7-464. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11ax - SU  
 Data Rate: MCS3  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2422MHz  
 Channel: 3



**Plot 7-465. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 293 of 367

Mode: 802.11ax - SU  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2422MHz  
 Channel: 3



**Plot 7-466. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11ax - SU  
 Data Rate: MCS3  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2427MHz  
 Channel: 4



**Plot 7-467. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2377 IC: 579C-A2377	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 294 of 367

Mode: 802.11ax - SU  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2427MHz  
 Channel: 4



**Plot 7-468. Radiated Restricted Lower Band Edge Measurement Antenna WF8**

Mode: 802.11ax - SU  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2447MHz  
 Channel: 8



**Plot 7-469. Radiated Restricted Upper Band Edge Measurement Antenna WF8**

FCC ID: BCGA2377 IC: 579C-A2377	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020001-02.BCG	Test Dates: 12/15/2020 - 3/12/2021	EUT Type: Tablet Device	Page 295 of 367	