







Plot 7-97. PSD Antenna 5T (20MHz BW 11ax Index 0 – RU26 – Ch.40)




Plot 7-100. PSD Antenna 5T (20MHz BW 11ax – RU242 – Ch.40)




Plot 7-98. PSD Antenna 5T (20MHz BW 11ax Index 4 – RU26 – Ch.40)



Plot 7-101. PSD Antenna 5T (40MHz BW 11ax Index 0 – RU26 – Ch.46)




Plot 7-99. PSD Antenna 5T (20MHz BW 11ax Index 8 – RU26 – Ch.40)




Plot 7-102. PSD Antenna 5T (40MHz BW 11ax Index 8 – RU26 – Ch.46)


FCC ID: BCGA2378 IC: 579C-A2378	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-09.BCG	Test Dates: 02/15/2021 - 3/10/2021	EUT Type: Tablet Device	Page 75 of 250




Plot 7-103. PSD Antenna 5T (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-106. PSD Antenna 5T (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-104. PSD Antenna 5T (40MHz BW 11ax – RU484 – Ch.46)



Plot 7-107. PSD Antenna 5T (80MHz BW 11ax Index 36 – RU26 – Ch.42)




Plot 7-105. PSD Antenna 5T (80MHz BW 11ax Index 0 – RU26 – Ch.42)




Plot 7-108. PSD Antenna 5T (80MHz BW 11ax – RU996 – Ch.42)


FCC ID: BCGA2378 IC: 579C-A2378	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-09.BCG	Test Dates: 02/15/2021 - 3/10/2021	EUT Type: Tablet Device	Page 76 of 250




Plot 7-109. PSD Antenna 5T (20MHz BW 11ax Index 0 - RU26 - Ch.56)




Plot 7-112. PSD Antenna 5T (20MHz BW 11ax- RU242 - Ch.56)




Plot 7-110. PSD Antenna 5T (20MHz BW 11ax Index 4 - RU26 - Ch.56)



Plot 7-113. PSD Antenna 5T (40MHz BW 11ax Index 0 - RU26 - Ch.54)








Plot 7-111. PSD Antenna 5T (20MHz BW 11ax Index 8- RU26 - Ch.56)









Plot 7-114. PSD Antenna 5T (40MHz BW 11ax Index 8 - RU26 - Ch.54)







FCC ID: BCGA2378 IC: 579C-A2378	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-09.BCG	Test Dates: 02/15/2021 - 3/10/2021	EUT Type: Tablet Device	Page 77 of 250



FCC ID: BCGA2378 IC: 579C-A2378	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-09.BCG	Test Dates: 02/15/2021 - 3/10/2021	EUT Type: Tablet Device	Page 78 of 250



FCC ID: BCGA2378 IC: 579C-A2378	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-09.BCG	Test Dates: 02/15/2021 - 3/10/2021	EUT Type: Tablet Device	Page 79 of 250



FCC ID: BCGA2378 IC: 579C-A2378	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-09.BCG	Test Dates: 02/15/2021 - 3/10/2021	EUT Type: Tablet Device	Page 80 of 250


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	26	0	135/143.4 (MCS11)	15.23	30.00	-14.77
				26	4	135/143.4 (MCS11)	15.91	30.00	-14.09
				26	8	135/143.4 (MCS11)	15.54	30.00	-14.46
	5785	157	ax (20MHz)	26	0	135/143.4 (MCS11)	15.71	30.00	-14.29
				26	4	135/143.4 (MCS11)	15.83	30.00	-14.17
				26	8	135/143.4 (MCS11)	16.07	30.00	-13.93
	5825	165	ax (20MHz)	26	0	135/143.4 (MCS11)	15.35	30.00	-14.65
				26	4	135/143.4 (MCS11)	15.49	30.00	-14.51
				26	8	135/143.4 (MCS11)	15.61	30.00	-14.39
	5755	151	ax (40MHz)	26	0	271/286.8 (MCS11)	14.30	30.00	-15.70
				26	8	271/286.8 (MCS11)	15.16	30.00	-14.84
				26	17	271/286.8 (MCS11)	14.85	30.00	-15.15
	5795	159	ax (40MHz)	26	0	271/286.8 (MCS11)	15.33	30.00	-14.67
				26	8	271/286.8 (MCS11)	15.81	30.00	-14.19
				26	17	271/286.8 (MCS11)	15.54	30.00	-14.46
	5775	155	ax (80MHz)	26	0	567/600.5 (MCS11)	11.09	30.00	-18.91
				26	18	567/600.5 (MCS11)	10.89	30.00	-19.11
				26	36	567/600.5 (MCS11)	11.43	30.00	-18.57

Table 7-66. Band 3 Power Spectral Density Measurements Antenna 5T (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	242	61	135/143.4 (MCS11)	6.56	30.00	-23.44
	5785	157	ax (20MHz)	242	61	135/143.4 (MCS11)	6.80	30.00	-23.20
	5825	165	ax (20MHz)	242	61	135/143.4 (MCS11)	6.57	30.00	-23.43
	5755	151	ax (40MHz)	484	65	271/286.8 (MCS11)	2.87	30.00	-27.13
	5795	159	ax (40MHz)	484	65	271/286.8 (MCS11)	4.05	30.00	-25.95
	5775	155	ax (80MHz)	996	67	567/600.5 (MCS11)	-2.70	30.00	-32.70

Table 7-67. Band 3 Power Spectral Density Measurements Antenna 5T (Fully-loaded RU)


FCC ID: BCGA2378 IC: 579C-A2378	 PCTEST [®] Proud to be part of element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-09.BCG	Test Dates: 02/15/2021 - 3/10/2021	EUT Type: Tablet Device		Page 81 of 250




Plot 7-133. PSD Antenna 5T (20MHz BW 11ax Index 0 – RU26 – Ch.157)




Plot 7-136. PSD Antenna 5T (20MHz BW 11ax– RU242 – Ch.157)




Plot 7-134. PSD Antenna 5T (20MHz BW 11ax Index 4 – RU26 – Ch.157)



Plot 7-137. PSD Antenna 5T (40MHz BW 11ax Index 0 – RU26 – Ch.151)








Plot 7-135. PSD Antenna 5T (20MHz BW 11ax Index 8– RU26 – Ch.157)



Plot 7-138. PSD Antenna 5T (40MHz BW 11ax Index 8 – RU26 – Ch.151)

FCC ID: BCGA2378 IC: 579C-A2378	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-09.BCG	Test Dates: 02/15/2021 - 3/10/2021	EUT Type: Tablet Device	Page 82 of 250



FCC ID: BCGA2378 IC: 579C-A2378	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-09.BCG	Test Dates: 02/15/2021 - 3/10/2021	EUT Type: Tablet Device	Page 83 of 250







	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	135/143.4 (MCS11)	2.57	3.80	6.37	10.0	-3.63
				26	4	135/143.4 (MCS11)	2.08	3.80	5.88	10.0	-4.12
				26	8	135/143.4 (MCS11)	2.78	3.80	6.58	10.0	-3.42
	5200	40	ax (20MHz)	26	0	135/143.4 (MCS11)	3.66	3.80	7.46	10.0	-2.54
				26	4	135/143.4 (MCS11)	2.74	3.80	6.54	10.0	-3.46
				26	8	135/143.4 (MCS11)	3.23	3.80	7.03	10.0	-2.97
	5240	48	ax (20MHz)	26	0	135/143.4 (MCS11)	3.13	3.80	6.93	10.0	-3.07
				26	4	135/143.4 (MCS11)	2.72	3.80	6.52	10.0	-3.48
				26	8	135/143.4 (MCS11)	3.16	3.80	6.96	10.0	-3.04
	5190	38	ax (40MHz)	26	0	271/286.8 (MCS11)	2.40	3.80	6.20	10.0	-3.80
				26	8	271/286.8 (MCS11)	3.68	3.80	7.48	10.0	-2.52
				26	17	271/286.8 (MCS11)	3.22	3.80	7.02	10.0	-2.98
	5230	46	ax (40MHz)	26	0	271/286.8 (MCS11)	2.92	3.80	6.72	10.0	-3.28
				26	8	271/286.8 (MCS11)	3.95	3.80	7.75	10.0	-2.25
				26	17	271/286.8 (MCS11)	3.06	3.80	6.86	10.0	-3.14
	5210	42	ax (80MHz)	26	0	567/600.5 (MCS11)	2.55	3.80	6.35	10.0	-3.65
				26	18	567/600.5 (MCS11)	2.24	3.80	6.04	10.0	-3.96
				26	36	567/600.5 (MCS11)	2.97	3.80	6.77	10.0	-3.23

Table 7-68. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 5T (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	135/143.4 (MCS11)	2.39	3.80	6.19	10.0	-3.81
	5200	40	ax (20MHz)	242	61	135/143.4 (MCS11)	2.69	3.80	6.49	10.0	-3.51
	5240	48	ax (20MHz)	242	61	135/143.4 (MCS11)	2.70	3.80	6.50	10.0	-3.50
	5190	38	ax (40MHz)	484	65	271/286.8 (MCS11)	-2.88	3.80	0.92	10.0	-9.08
	5230	46	ax (40MHz)	484	65	271/286.8 (MCS11)	3.12	3.80	6.92	10.0	-3.08
	5210	42	ax (80MHz)	996	67	567/600.5 (MCS11)	-6.16	3.80	-2.36	10.0	-12.36

Table 7-69. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 5T (Fully-loaded RU)


FCC ID: BCGA2378 IC: 579C-A2378	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-09.BCG	Test Dates: 02/15/2021 - 3/10/2021	EUT Type: Tablet Device	Page 84 of 250




FCC ID: BCGA2378 IC: 579C-A2378	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-09.BCG	Test Dates: 02/15/2021 - 3/10/2021	EUT Type: Tablet Device	Page 85 of 250




Plot 7-151. ISED PSD Antenna 5T (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-154. ISED PSD Antenna 5T (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-152. ISED PSD Antenna 5T (40MHz BW 11ax – RU484 – Ch.46)



Plot 7-155. ISED PSD Antenna 5T (80MHz BW 11ax Index 36 – RU26 – Ch.42)



Plot 7-153. ISED PSD Antenna 5T (80MHz BW 11ax Index 0 – RU26 – Ch.42)



Plot 7-156. ISED PSD Antenna 5T (80MHz BW 11ax – RU996 – Ch.42)

FCC ID: BCGA2378 IC: 579C-A2378	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-09.BCG	Test Dates: 02/15/2021 - 3/10/2021	EUT Type: Tablet Device	Page 86 of 250

Antenna 5B Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	135/143.4 (MCS11)	8.37	11.0	-2.63
				26	4	135/143.4 (MCS11)	8.02	11.0	-2.98
				26	8	135/143.4 (MCS11)	8.27	11.0	-2.73
	5200	40	ax (20MHz)	26	0	135/143.4 (MCS11)	8.22	11.0	-2.78
				26	4	135/143.4 (MCS11)	7.98	11.0	-3.02
				26	8	135/143.4 (MCS11)	8.45	11.0	-2.55
	5240	48	ax (20MHz)	26	0	135/143.4 (MCS11)	8.74	11.0	-2.26
				26	4	135/143.4 (MCS11)	8.30	11.0	-2.70
				26	8	135/143.4 (MCS11)	8.78	11.0	-2.22
	5190	38	ax (40MHz)	26	0	271/286.8 (MCS11)	7.87	11.0	-3.13
				26	8	271/286.8 (MCS11)	8.94	11.0	-2.06
				26	17	271/286.8 (MCS11)	8.40	11.0	-2.60
	5230	46	ax (40MHz)	26	0	271/286.8 (MCS11)	8.02	11.0	-2.98
				26	8	271/286.8 (MCS11)	8.95	11.0	-2.05
				26	17	271/286.8 (MCS11)	8.53	11.0	-2.47
	5210	42	ax (80MHz)	26	0	567/600.5 (MCS11)	7.38	11.0	-3.62
				26	18	567/600.5 (MCS11)	7.22	11.0	-3.78
				26	36	567/600.5 (MCS11)	7.62	11.0	-3.38
Band 2A	5260	52	ax (20MHz)	26	0	135/143.4 (MCS11)	8.43	11.0	-2.57
				26	4	135/143.4 (MCS11)	8.37	11.0	-2.63
				26	8	135/143.4 (MCS11)	8.76	11.0	-2.24
	5280	56	ax (20MHz)	26	0	135/143.4 (MCS11)	8.88	11.0	-2.12
				26	4	135/143.4 (MCS11)	8.05	11.0	-2.95
				26	8	135/143.4 (MCS11)	8.58	11.0	-2.42
	5320	64	ax (20MHz)	26	0	135/143.4 (MCS11)	8.65	11.0	-2.35
				26	4	135/143.4 (MCS11)	8.10	11.0	-2.90
				26	8	135/143.4 (MCS11)	8.57	11.0	-2.43
	5270	54	ax (40MHz)	26	0	271/286.8 (MCS11)	8.21	11.0	-2.79
				26	8	271/286.8 (MCS11)	9.22	11.0	-1.78
				26	17	271/286.8 (MCS11)	8.34	11.0	-2.66
	5310	62	ax (40MHz)	26	0	271/286.8 (MCS11)	8.48	11.0	-2.52
				26	8	271/286.8 (MCS11)	8.93	11.0	-2.07
				26	17	271/286.8 (MCS11)	8.39	11.0	-2.61
	5290	58	ax (80MHz)	26	0	567/600.5 (MCS11)	7.98	11.0	-3.02
				26	18	567/600.5 (MCS11)	7.66	11.0	-3.34
				26	36	567/600.5 (MCS11)	8.10	11.0	-2.90
Band 2C	5500	100	ax (20MHz)	26	0	135/143.4 (MCS11)	8.81	11.0	-2.19
				26	4	135/143.4 (MCS11)	7.92	11.0	-3.08
				26	8	135/143.4 (MCS11)	8.64	11.0	-2.36
	5580	116	ax (20MHz)	26	0	135/143.4 (MCS11)	8.77	11.0	-2.23
				26	4	135/143.4 (MCS11)	8.57	11.0	-2.43
				26	8	135/143.4 (MCS11)	8.93	11.0	-2.07
	5720	144	ax (20MHz)	26	0	135/143.4 (MCS11)	9.42	11.0	-1.58
				26	4	135/143.4 (MCS11)	9.06	11.0	-1.94
				26	8	135/143.4 (MCS11)	9.44	11.0	-1.56
	5510	102	ax (40MHz)	26	0	271/286.8 (MCS11)	8.42	11.0	-2.58
				26	8	271/286.8 (MCS11)	8.97	11.0	-2.03
				26	17	271/286.8 (MCS11)	8.24	11.0	-2.76
	5550	110	ax (40MHz)	26	0	271/286.8 (MCS11)	8.53	11.0	-2.47
				26	8	271/286.8 (MCS11)	9.29	11.0	-1.71
				26	17	271/286.8 (MCS11)	8.34	11.0	-2.66
	5590	118	ax (40MHz)	26	0	271/286.8 (MCS11)	9.36	11.0	-1.64
				26	8	271/286.8 (MCS11)	9.70	11.0	-1.30
				26	17	271/286.8 (MCS11)	9.10	11.0	-1.90
	5710	142	ax (40MHz)	26	0	271/286.8 (MCS11)	8.78	11.0	-2.22
				26	8	271/286.8 (MCS11)	10.01	11.0	-0.99
				26	17	271/286.8 (MCS11)	9.22	11.0	-1.78
	5530	106	ax (80MHz)	26	0	567/600.5 (MCS11)	7.25	11.0	-3.75
				26	18	567/600.5 (MCS11)	6.60	11.0	-4.40
				26	36	567/600.5 (MCS11)	7.30	11.0	-3.70
	5610	122	ax (80MHz)	26	0	567/600.5 (MCS11)	8.93	11.0	-2.07
				26	18	567/600.5 (MCS11)	8.95	11.0	-2.05
				26	36	567/600.5 (MCS11)	9.62	11.0	-1.38
	5690	138	ax (80MHz)	26	0	567/600.5 (MCS11)	8.63	11.0	-2.37
				26	18	567/600.5 (MCS11)	8.41	11.0	-2.59
				26	36	567/600.5 (MCS11)	9.29	11.0	-1.71

Table 7-70. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 5B (RU26)

FCC ID: BCGA2378 IC: 579C-A2378		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-09.BCG	Test Dates: 02/15/2021 - 3/10/2021	EUT Type: Tablet Device	Page 87 of 250

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	135/143.4 (MCS11)	3.57	11.0	-7.43
	5200	40	ax (20MHz)	242	61	135/143.4 (MCS11)	6.85	11.0	-4.15
	5240	48	ax (20MHz)	242	61	135/143.4 (MCS11)	7.44	11.0	-3.56
	5190	38	ax (40MHz)	484	65	271/286.8 (MCS11)	-3.03	11.0	-14.03
	5230	46	ax (40MHz)	484	65	271/286.8 (MCS11)	4.02	11.0	-6.98
	5210	42	ax (80MHz)	996	67	567/600.5 (MCS11)	-6.17	11.0	-17.17
Band 2A	5260	52	ax (20MHz)	242	61	135/143.4 (MCS11)	7.56	11.0	-3.44
	5280	56	ax (20MHz)	242	61	135/143.4 (MCS11)	7.48	11.0	-3.52
	5320	64	ax (20MHz)	242	61	135/143.4 (MCS11)	4.25	11.0	-6.75
	5270	54	ax (40MHz)	484	65	271/286.8 (MCS11)	3.65	11.0	-7.35
	5310	62	ax (40MHz)	484	65	271/286.8 (MCS11)	-3.37	11.0	-14.37
	5290	58	ax (80MHz)	996	67	567/600.5 (MCS11)	-5.51	11.0	-16.51
Band 2C	5500	100	ax (20MHz)	242	61	135/143.4 (MCS11)	3.47	11.0	-7.54
	5580	116	ax (20MHz)	242	61	135/143.4 (MCS11)	7.94	11.0	-3.06
	5720	144	ax (20MHz)	242	61	135/143.4 (MCS11)	8.37	11.0	-2.63
	5510	102	ax (40MHz)	484	65	271/286.8 (MCS11)	-2.65	11.0	-13.65
	5550	110	ax (40MHz)	484	65	271/286.8 (MCS11)	4.16	11.0	-6.84
	*5590	118	ax (40MHz)	484	65	271/286.8 (MCS11)	6.21	11.0	-4.79
	5710	142	ax (40MHz)	484	65	271/286.8 (MCS11)	5.94	11.0	-5.06
	5530	106	ax (80MHz)	996	67	567/600.5 (MCS11)	-6.23	11.0	-17.23
	*5610	122	ax (80MHz)	996	67	567/600.5 (MCS11)	-0.77	11.0	-11.77
	5690	138	ax (80MHz)	996	67	567/600.5 (MCS11)	2.55	11.0	-8.45

Table 7-71. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 5B (Fully-loaded RU)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2378 IC: 579C-A2378	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2101020004-09.BCG	Test Dates: 02/15/2021 - 3/10/2021	EUT Type: Tablet Device	Page 88 of 250