


**Plot 7-572. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 165)**

Mode: 802.11n  
Data Rate: MCS8  
Distance of Measurements: 3 Meters  
Operating Frequency: 5825MHz  
Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11650.00	Average	-	-	-	-83.90	16.07	39.17	53.98	-14.80
* 11650.00	Peak	-	-	-	-72.30	16.07	50.77	73.98	-23.20
17475.00	Peak	-	-	-	-73.21	21.61	55.40	68.20	-12.80

**Table 7-179. Radiated Measurements CDD**

FCC ID: BCGA2378 IC: 579C-A2378	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 228 of 349	




**Plot 7-573. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 36)**

Mode: 802.11ax(SU)  
Data Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 5180MHz  
Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10360.00	Peak	-	-	-	-71.82	14.04	49.22	68.20	-18.98
* 15540.00	Average	-	-	-	-85.53	20.21	41.68	53.98	-12.30
* 15540.00	Peak	-	-	-	-72.80	20.21	54.41	73.98	-19.57

**Table 7-180. Radiated Measurements SDM**

FCC ID: BCGA2378 IC: 579C-A2378	 <b>PCTEST®</b> Proud to be part of  <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 229 of 349	




**Plot 7-574. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 40)**



**Plot 7-575. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.40, Pol. H)**

FCC ID: BCGA2378 IC: 579C-A2378	<b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/10/2021 - 3/16/2021	EUT Type: Tablet Device	Page 230 of 349




Plot 7-576. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.40, Pol. V)

Mode: 802.11ax(SU)  
Data Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 5200MHz  
Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	-	-	-	-71.90	14.30	49.40	68.20	-18.80
* 15600.00	Average	-	-	-	-85.29	20.72	42.43	53.98	-11.55
* 15600.00	Peak	-	-	-	-73.16	20.72	54.56	73.98	-19.42

Table 7-181. Radiated Measurements SDM

FCC ID: BCGA2378 IC: 579C-A2378	 <b>PCTEST®</b> Proud to be part of 			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device			




**Plot 7-577. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 48)**

Mode: 802.11ax(SU)  
Data Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 5240MHz  
Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10480.00	Peak	-	-	-	-71.73	14.46	49.73	68.20	-18.47
* 15720.00	Average	-	-	-	-85.94	21.44	42.50	53.98	-11.48
* 15720.00	Peak	-	-	-	-74.09	21.44	54.35	73.98	-19.63

**Table 7-182. Radiated Measurements SDM**

FCC ID: BCGA2378 IC: 579C-A2378	 <b>PCTEST®</b> Proud to be part of  <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 232 of 349	



**Plot 7-578. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 52)**

Mode: 802.11ax(SU)  
Data Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 5260MHz  
Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10520.00	Peak	-	-	-	-71.70	14.47	49.77	68.20	-18.43
* 15780.00	Average	-	-	-	-86.11	22.02	42.91	53.98	-11.07
* 15780.00	Peak	-	-	-	-74.09	22.02	54.93	73.98	-19.05

**Table 7-183. Radiated Measurements SDM**

FCC ID: BCGA2378 IC: 579C-A2378	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 233 of 349	




Plot 7-579. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 56)



Plot 7-580. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.56, Pol. H)

FCC ID: BCGA2378 IC: 579C-A2378	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/10/2021 - 3/16/2021	EUT Type: Tablet Device	Page 234 of 349




Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5280MHz  
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	-	-	-	-70.70	14.03	50.33	68.20	-17.87
* 15840.00	Average	-	-	-	-86.02	21.91	42.89	53.98	-11.09
* 15840.00	Peak	-	-	-	-74.22	21.91	54.69	73.98	-19.29

Table 7-184. Radiated Measurements SDM

FCC ID: BCGA2378 IC: 579C-A2378	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 235 of 349	



**Plot 7-582. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 64)**

Mode: 802.11ax(SU)  
Data Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 5320MHz  
Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 10640.00	Average	-	-	-	-83.41	14.23	37.82	53.98	-16.16
* 10640.00	Peak	-	-	-	-71.97	14.23	49.26	73.98	-24.72
* 15960.00	Average	-	-	-	-85.57	21.20	42.63	53.98	-11.35
* 15960.00	Peak	-	-	-	-73.71	21.20	54.49	73.98	-19.49

**Table 7-185. Radiated Measurements SDM**

FCC ID: BCGA2378 IC: 579C-A2378	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>				Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device			Page 236 of 349



**Plot 7-583. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 100)**

Mode: 802.11ax(SU)  
Data Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 5500MHz  
Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11000.00	Average	-	-	-	-84.16	15.07	37.91	53.98	-16.07
* 11000.00	Peak	-	-	-	-72.23	15.07	49.84	73.98	-24.14
16500.00	Peak	-	-	-	-73.24	21.13	54.89	68.20	-13.31

**Table 7-186. Radiated Measurements SDM**

FCC ID: BCGA2378 IC: 579C-A2378	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 237 of 349	




Plot 7-584. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 116)



Plot 7-585. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.116, Pol. H)

FCC ID: BCGA2378 IC: 579C-A2378	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/10/2021 - 3/16/2021	EUT Type: Tablet Device	Page 238 of 349	




**Plot 7-586. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.116, Pol. V)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5580MHz  
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
11160.00	Average	-	-	-	-83.84	15.10	38.26	53.98	-15.72
11160.00	Peak	-	-	-	-72.22	15.10	49.88	73.98	-24.10
16740.00	Peak	-	-	-	-73.83	22.34	55.51	68.20	-12.69

**Table 7-187. Radiated Measurements SDM**

FCC ID: BCGA2378 IC: 579C-A2378	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 239 of 349	



**Plot 7-587. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 144)**

Mode: 802.11ax(SU)  
Data Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 5720MHz  
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11440.00	Average	-	-	-	-83.49	15.39	38.90	53.98	-15.08
* 11440.00	Peak	-	-	-	-71.14	15.39	51.25	73.98	-22.73
17160.00	Peak	-	-	-	-72.12	21.34	56.22	68.20	-11.98

**Table 7-188. Radiated Measurements SDM**

FCC ID: BCGA2378 IC: 579C-A2378	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 240 of 349	



**Plot 7-588. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 149)**

Mode: 802.11ax(SU)  
Data Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 5745MHz  
Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11490.00	Average	H	-	-	-84.58	15.68	38.10	53.98	-15.88
* 11490.00	Peak	H	-	-	-73.24	15.68	49.44	73.98	-24.54
17235.00	Peak	H	-	-	-73.01	21.52	55.51	68.20	-12.69

**Table 7-189. Radiated Measurements CDD**

FCC ID: BCGA2378 IC: 579C-A2378	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 241 of 349	




Plot 7-589. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 157)



Plot 7-590. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.157, Pol. H)

FCC ID: BCGA2378 IC: 579C-A2378	<b>PCTEST®</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/10/2021 - 3/16/2021	EUT Type: Tablet Device	Page 242 of 349	




Plot 7-591. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) - Ch.157, Pol. V)

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5785MHz  
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
11570.00	Average	H	-	-	-84.11	16.42	39.31	53.98	-14.67
11570.00	Peak	H	-	-	-72.55	16.42	50.87	73.98	-23.11
17355.00	Peak	H	-	-	-73.12	22.57	56.45	68.20	-11.75

Table 7-190. Radiated Measurements CDD

FCC ID: BCGA2378 IC: 579C-A2378	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 243 of 349	


**Plot 7-592. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 165)**

Mode: 802.11ax(SU)  
Data Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 5825MHz  
Channel: 165


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11650.00	Average	H	-	-	-84.07	16.07	39.00	53.98	-14.97
* 11650.00	Peak	H	-	-	-73.25	16.07	49.82	73.98	-24.15
17475.00	Peak	H	-	-	-73.28	21.61	55.33	68.20	-12.87

**Table 7-191. Radiated Measurements CDD**


FCC ID: BCGA2378 IC: 579C-A2378	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 244 of 349	

## 7.6.4 Antenna 5T Radiated Band Edge Measurements (20MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]




Plot 7-593. Antenna 5T (Pk & Avg, Ch.36, 802.11n, MCS0)




Plot 7-596. Antenna 5T (Pk & Avg, Ch.40, 802.11n, MCS0)




Plot 7-594. Antenna 5T (Pk & Avg, Ch.36, 802.11n, MCS3)



Plot 7-597. Antenna 5T (Pk & Avg, Ch.40, 802.11n, MCS3)




Plot 7-595. Antenna 5T (Pk & Avg, Ch.36, 802.11n, MCS5)




Plot 7-598. Antenna 5T (Pk & Avg, Ch.40, 802.11n, MCS5)


FCC ID: BCGA2378 IC: 579C-A2378	 <b>PCTEST®</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 245 of 349	




Plot 7-599. Antenna 5T (Pk & Avg, Ch.60, 802.11n, MCS0)




Plot 7-602. Antenna 5T (Pk & Avg, Ch.64, 802.11n, MCS0)




Plot 7-600. Antenna 5T (Pk & Avg, Ch.60, 802.11n, MCS3)



Plot 7-603. Antenna 5T (Pk & Avg, Ch.64, 802.11n, MCS3)




Plot 7-601. Antenna 5T (Pk & Avg, Ch.60, 802.11n, MCS5)




Plot 7-604. Antenna 5T (Pk & Avg, Ch.64, 802.11n, MCS5)


FCC ID: BCGA2378 IC: 579C-A2378	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device		Page 246 of 349




Plot 7-605. Antenna 5T (Pk & Avg, Ch.100, 802.11n, MCS0)




Plot 7-608. Antenna 5T (Pk & Avg, Ch.104, 802.11n, MCS0)




Plot 7-606. Antenna 5T (Pk & Avg, Ch.100, 802.11n, MCS3)



Plot 7-609. Antenna 5T (Pk & Avg, Ch.104, 802.11n, MCS3)




Plot 7-607. Antenna 5T (Pk & Avg, Ch.100, 802.11n, MCS5)




Plot 7-610. Antenna 5T (Pk & Avg, Ch.104, 802.11n, MCS5)


FCC ID: BCGA2378 IC: 579C-A2378	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device		Page 247 of 349




Plot 7-611. Antenna 5T (Pk, Ch.132, 802.11n, MCS3)




Plot 7-614. Antenna 5T (Pk, Ch.136, 802.11n, MCS3)




Plot 7-612. Antenna 5T (Pk, Ch.132, 802.11n, MCS5)



Plot 7-615. Antenna 5T (Pk, Ch.136, 802.11n, MCS5)




Plot 7-613. Antenna 5T (Pk, Ch.136, 802.11n, MCS0)




Plot 7-616. Antenna 5T (Pk, Ch.140, 802.11n, MCS0)


FCC ID: BCGA2378 IC: 579C-A2378	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 248 of 349	




Plot 7-617. Antenna 5T (Pk, Ch.140, 802.11n, MCS3)




Plot 7-620. Antenna 5T (Pk, Ch.149, 802.11n, MCS3)




Plot 7-618. Antenna 5T (Pk, Ch.140, 802.11n, MCS5)



Plot 7-621. Antenna 5T (Pk, Ch.149, 802.11n, MCS5)




Plot 7-619. Antenna 5T (Pk, Ch.149, 802.11n, MCS0)




Plot 7-622. Antenna 5T (Pk, Ch.165, 802.11n, MCS0)

FCC ID: BCGA2378 IC: 579C-A2378	<b>PCTEST</b> Proud to be part of 	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 249 of 349	




Plot 7-623. Antenna 5T (Pk, Ch.165, 802.11n, MCS3)




Plot 7-624. Antenna 5T (Pk, Ch.165, 802.11n, MCS5)


FCC ID: BCGA2378 IC: 579C-A2378	 <b>PCTEST®</b> Proud to be part of  <b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 250 of 349




Plot 7-625. Antenna 5T (Pk & Avg, Ch.36, 802.11ax(SU), MCS0)




Plot 7-628. Antenna 5T (Pk & Avg, Ch.40, 802.11ax(SU), MCS0)




Plot 7-626. Antenna 5T (Pk & Avg, Ch.36, 802.11ax(SU), MCS3)



Plot 7-629. Antenna 5T (Pk & Avg, Ch.40, 802.11ax(SU), MCS3)




Plot 7-627. Antenna 5T (Pk & Avg, Ch.36, 802.11ax(SU), MCS11)




Plot 7-630. Antenna 5T (Pk & Avg, Ch.40, 802.11ax(SU), MCS11)


FCC ID: BCGA2378 IC: 579C-A2378	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device		Page 251 of 349




Plot 7-631. Antenna 5T (Pk & Avg, Ch.44, 802.11ax(SU), MCS11)




Plot 7-634. Antenna 5T (Pk & Avg, Ch.60, 802.11ax(SU), MCS11)




Plot 7-632. Antenna 5T (Pk & Avg, Ch.60, 802.11ax(SU), MCS0)



Plot 7-635. Antenna 5T (Pk & Avg, Ch.64, 802.11ax(SU), MCS0)




Plot 7-633. Antenna 5T (Pk & Avg, Ch.60, 802.11ax(SU), MCS3)




Plot 7-636. Antenna 5T (Pk & Avg, Ch.64, 802.11ax(SU), MCS3)


FCC ID: BCGA2378 IC: 579C-A2378	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 252 of 349	




Plot 7-637. Antenna 5T (Pk & Avg, Ch.64, 802.11ax(SU), MCS11)




Plot 7-640. Antenna 5T (Pk & Avg, Ch.100, 802.11ax(SU), MCS11)




Plot 7-638. Antenna 5T (Pk & Avg, Ch.100, 802.11ax(SU), MCS0)



Plot 7-641. Antenna 5T (Pk & Avg, Ch.104, 802.11ax(SU), MCS0)




Plot 7-639. Antenna 5T (Pk & Avg, Ch.100, 802.11ax(SU), MCS3)




Plot 7-642. Antenna 5T (Pk & Avg, Ch.104, 802.11ax(SU), MCS3)


FCC ID: BCGA2378 IC: 579C-A2378	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 253 of 349	




Plot 7-643. Antenna 5T (Pk & Avg, Ch.104, 802.11ax(SU), MCS11)




Plot 7-646. Antenna 5T (Pk, Ch.132, 802.11ax(SU), MCS11)




Plot 7-644. Antenna 5T (Pk & Avg, Ch.108, 802.11ax(SU), MCS11)



Plot 7-647. Antenna 5T (Pk, Ch.136, 802.11ax(SU), MCS0)




Plot 7-645. Antenna 5T (Pk, Ch.132, 802.11ax(SU), MCS3)




Plot 7-648. Antenna 5T (Pk, Ch.136, 802.11ax(SU), MCS3)


FCC ID: BCGA2378 IC: 579C-A2378	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 254 of 349	




Plot 7-649. Antenna 5T (Pk, Ch.136, 802.11ax(SU), MCS11)




Plot 7-652. Antenna 5T (Pk, Ch.140, 802.11ax(SU), MCS11)




Plot 7-650. Antenna 5T (Pk, Ch.140, 802.11ax(SU), MCS0)



Plot 7-653. Antenna 5T (Pk, Ch.149, 802.11ax(SU), MCS0)




Plot 7-651. Antenna 5T (Pk, Ch.140, 802.11ax(SU), MCS3)




Plot 7-654. Antenna 5T (Pk, Ch.149, 802.11ax(SU), MCS3)


FCC ID: BCGA2378 IC: 579C-A2378	<b>PCTEST®</b> Proud to be part of 	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 255 of 349	




Plot 7-655. Antenna 5T (Pk, Ch.149, 802.11ax(SU), MCS11)



Plot 7-658. Antenna 5T (Pk, Ch.165, 802.11ax(SU), MCS11)



Plot 7-656. Antenna 5T (Pk, Ch.165, 802.11ax(SU), MCS0)



Plot 7-657. Antenna 5T (Pk, Ch.165, 802.11ax(SU), MCS3)

FCC ID: BCGA2378 IC: 579C-A2378	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020004-08.BCG	Test Dates: 02/15/2021 - 3/16/2021	EUT Type: Tablet Device	Page 256 of 349	