



Plot 7-569. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 157)



Plot 7-570. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.157, Pol. H)

FCC ID: BCGA2379 IC: 579C-A2379	PCTEST® Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/20/2020 - 03/2/2021	EUT Type: Tablet Device	Page 226 of 348	



Plot 7-571. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.157, Pol. V)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5785MHz
Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	-	-	-	-81.59	16.73	42.14	53.98	-11.84
* 11570.00	Peak	-	-	-	-69.91	16.73	53.82	73.98	-20.16
17355.00	Peak	-	-	-	-70.72	23.30	59.58	68.20	-8.62

Table 7-178. Radiated Measurements CDD

FCC ID: BCGA2379 IC: 579C-A2379	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 227 of 348	




Plot 7-572. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 165)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11650.00	Average	-	-	-	-81.26	16.58	42.32	53.98	-11.66
* 11650.00	Peak	-	-	-	-69.59	16.58	53.99	73.98	-19.99
17475.00	Peak	-	-	-	-71.40	24.02	59.62	68.20	-8.58

Table 7-179. Radiated Measurements CDD

FCC ID: BCGA2379 IC: 579C-A2379	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 228 of 348	




Plot 7-573. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 36)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5180MHz
Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10360.00	Peak	-	-	-	-68.86	12.71	50.85	68.20	-17.35
* 15540.00	Average	-	-	-	-82.60	18.35	42.75	53.98	-11.23
* 15540.00	Peak	-	-	-	-71.24	18.35	54.11	73.98	-19.87

Table 7-180. Radiated Measurements CDD

FCC ID: BCGA2379 IC: 579C-A2379	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 229 of 348	




Plot 7-574. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 40)



Plot 7-575. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.40, Pol. H)

FCC ID: BCGA2379 IC: 579C-A2379	PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-1R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 230 of 348




Plot 7-576. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.40, Pol. V)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5200MHz
Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10400.00	Peak	-	-	-	-72.27	13.08	47.81	68.20	-20.39
* 15600.00	Average	-	-	-	-85.28	19.11	40.83	53.98	-13.15
* 15600.00	Peak	-	-	-	-74.29	19.11	51.82	73.98	-22.16

Table 7-181. Radiated Measurements CDD

FCC ID: BCGA2379 IC: 579C-A2379	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 231 of 348	




Plot 7-577. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 48)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5240MHz
Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10480.00	Peak	H	-	-	-71.22	14.46	50.24	68.20	-17.96
* 15720.00	Average	H	-	-	-85.95	21.44	42.49	53.98	-11.49
* 15720.00	Peak	H	-	-	-74.43	21.44	54.01	73.98	-19.97

Table 7-182. Radiated Measurements CDD

FCC ID: BCGA2379 IC: 579C-A2379	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 232 of 348	



Plot 7-578. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 52)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10520.00	Peak	H	-	-	-72.37	14.47	49.10	68.20	-19.10
* 15780.00	Average	H	-	-	-86.12	22.02	42.90	53.98	-11.08
* 15780.00	Peak	H	-	-	-74.61	22.02	54.41	73.98	-19.57

Table 7-183. Radiated Measurements CDD

FCC ID: BCGA2379 IC: 579C-A2379	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 233 of 348	




Plot 7-579. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 56)



Plot 7-580. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.56, Pol. H)

FCC ID: BCGA2379 IC: 579C-A2379	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-1R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 234 of 348




Plot 7-581. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.56, Pol. V)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5280MHz
Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-71.64	14.03	49.39	68.20	-18.81
* 15840.00	Average	H	-	-	-86.14	21.91	42.77	53.98	-11.21
* 15840.00	Peak	H	-	-	-74.92	21.91	53.99	73.98	-19.99

Table 7-184. Radiated Measurements CDD

FCC ID: BCGA2379 IC: 579C-A2379	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 235 of 348	



Plot 7-582. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 64)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 10640.00	Average	H	-	-	-83.02	14.23	38.21	53.98	-15.77
* 10640.00	Peak	H	-	-	-72.09	14.23	49.14	73.98	-24.84
* 15960.00	Average	H	-	-	-85.59	21.20	42.61	53.98	-11.37
* 15960.00	Peak	H	-	-	-74.12	21.20	54.08	73.98	-19.90

Table 7-185. Radiated Measurements CDD

FCC ID: BCGA2379 IC: 579C-A2379	 PCTEST® Proud to be part of  MEASUREMENT REPORT (CERTIFICATION)				Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device			



Plot 7-583. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 100)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11000.00	Average	-	-	-	-83.85	15.07	38.22	53.98	-15.76
* 11000.00	Peak	-	-	-	-72.42	15.07	49.65	73.98	-24.33
16500.00	Peak	-	-	-	-72.50	21.13	55.63	68.20	-12.57

Table 7-186. Radiated Measurements CDD

FCC ID: BCGA2379 IC: 579C-A2379	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 237 of 348	




Plot 7-584. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 116)



Plot 7-585. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.116, Pol. H)

FCC ID: BCGA2379 IC: 579C-A2379	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-1R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 238 of 348




Plot 7-586. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.116, Pol. V)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5580MHz
Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-83.86	15.10	38.24	53.98	-15.74
* 11160.00	Peak	H	-	-	-72.75	15.10	49.35	73.98	-24.63
16740.00	Peak	H	-	-	-74.51	22.34	54.83	68.20	-13.37

Table 7-187. Radiated Measurements CDD

FCC ID: BCGA2379 IC: 579C-A2379	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 239 of 348	



Plot 7-587. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 144)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11440.00	Average	H	-	-	-84.26	15.39	38.13	53.98	-15.85
* 11440.00	Peak	H	-	-	-72.74	15.39	49.65	73.98	-24.33
17160.00	Peak	H	-	-	-73.65	21.34	54.69	68.20	-13.51

Table 7-188. Radiated Measurements CDD

FCC ID: BCGA2379 IC: 579C-A2379	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 240 of 348	



Plot 7-588. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 149)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11490.00	Average	-	-	-	-83.35	16.18	39.83	53.98	-14.15
* 11490.00	Peak	-	-	-	-71.72	16.18	51.46	73.98	-22.52
17235.00	Peak	-	-	-	-71.94	21.28	56.34	68.20	-11.86

Table 7-189. Radiated Measurements CDD

FCC ID: BCGA2379 IC: 579C-A2379	 PCTEST® Proud to be part of  MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 241 of 348	




Plot 7-589. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 157)



Plot 7-590. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.157, Pol. H)

FCC ID: BCGA2379 IC: 579C-A2379	PCTEST® Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/20/2020 - 03/2/2021	EUT Type: Tablet Device	Page 242 of 348	




Plot 7-591. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.157, Pol. V)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5785MHz
Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11570.00	Average	-	-	-	-83.31	15.82	39.51	53.98	-14.47
* 11570.00	Peak	-	-	-	-71.85	15.82	50.97	73.98	-23.01
17355.00	Peak	-	-	-	-71.97	21.15	56.18	68.20	-12.02

Table 7-190. Radiated Measurements CDD

FCC ID: BCGA2379 IC: 579C-A2379	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 243 of 348	


Plot 7-592. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 165)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11650.00	Average	-	-	-	-83.23	16.39	40.16	53.98	-13.82
* 11650.00	Peak	-	-	-	-71.65	16.39	51.74	73.98	-22.24
17475.00	Peak	-	-	-	-72.59	21.19	55.60	68.20	-12.60

Table 7-191. Radiated Measurements CDD


FCC ID: BCGA2379 IC: 579C-A2379	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 244 of 348	

7.6.4 Antenna 5b Radiated Band Edge Measurements (20MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]




Plot 7-593. Antenna 5b (Pk & Avg, Ch.36, 802.11n, MCS0)




Plot 7-596. Antenna 5b (Pk & Avg, Ch.40, 802.11n, MCS0)




Plot 7-594. Antenna 5b (Pk & Avg, Ch.36, 802.11n, MCS3)



Plot 7-597. Antenna 5b (Pk & Avg, Ch.40, 802.11n, MCS3)




Plot 7-595. Antenna 5b (Pk & Avg, Ch.36, 802.11n, MCS5)




Plot 7-598. Antenna 5b (Pk & Avg, Ch.40, 802.11n, MCS5)


FCC ID: BCGA2379 IC: 579C-A2379	 PCTEST® Proud to be part of  MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device		Page 245 of 348




Plot 7-599. Antenna 5b (Pk & Avg, Ch.60, 802.11n, MCS3)




Plot 7-602. Antenna 5b (Pk & Avg, Ch.64, 802.11n, MCS3)




Plot 7-600. Antenna 5b (Pk & Avg, Ch.60, 802.11n, MCS5)



Plot 7-603. Antenna 5b (Pk & Avg, Ch.64, 802.11n, MCS5)




Plot 7-601. Antenna 5b (Pk & Avg, Ch.64, 802.11n, MCS0)




Plot 7-604. Antenna 5b (Pk & Avg, Ch.100, 802.11n, MCS0)


FCC ID: BCGA2379 IC: 579C-A2379	PCTEST® Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device		Page 246 of 348




Plot 7-605. Antenna 5b (Pk & Avg, Ch.100, 802.11n, MCS3)




Plot 7-608. Antenna 5b (Pk & Avg, Ch.104, 802.11n, MCS5)




Plot 7-606. Antenna 5b (Pk & Avg, Ch.100, 802.11n, MCS5)



Plot 7-609. Antenna 5b (Pk, Ch.132, 802.11n, MCS5)




Plot 7-607. Antenna 5b (Pk & Avg, Ch.104, 802.11n, MCS3)




Plot 7-610. Antenna 5b (Pk, Ch.136, 802.11n, MCS0)


FCC ID: BCGA2379 IC: 579C-A2379	PCTEST® Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 247 of 348	




Plot 7-611. Antenna 5b (Pk, Ch.136, 802.11n, MCS3)




Plot 7-614. Antenna 5b (Pk, Ch.140, 802.11n, MCS3)




Plot 7-612. Antenna 5b (Pk, Ch.136, 802.11n, MCS5)



Plot 7-615. Antenna 5b (Pk, Ch.140, 802.11n, MCS5)




Plot 7-613. Antenna 5b (Pk, Ch.140, 802.11n, MCS0)




Plot 7-616. Antenna 5b (Pk, Ch.149, 802.11n, MCS0)


FCC ID: BCGA2379 IC: 579C-A2379	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device		Page 248 of 348




Plot 7-617. Antenna 5b (Pk, Ch.149, 802.11n, MCS3)




Plot 7-620. Antenna 5b (Pk, Ch.165, 802.11n, MCS3)



Plot 7-618. Antenna 5b (Pk, Ch.149, 802.11n, MCS5)




Plot 7-621. Antenna 5b (Pk, Ch.165, 802.11n, MCS5)




Plot 7-619. Antenna 5b (Pk, Ch.165, 802.11n, MCS0)


FCC ID: BCGA2379 IC: 579C-A2379	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 249 of 348




Plot 7-622. Antenna 5b (Pk & Avg, Ch.36, 802.11ax(SU), MCS0)




Plot 7-625. Antenna 5b (Pk & Avg, Ch.40, 802.11ax(SU), MCS0)




Plot 7-623. Antenna 5b (Pk & Avg, Ch.36, 802.11ax(SU), MCS3)



Plot 7-626. Antenna 5b (Pk & Avg, Ch.40, 802.11ax(SU), MCS3)




Plot 7-624. Antenna 5b (Pk & Avg, Ch.36, 802.11ax(SU), MCS11)




Plot 7-627. Antenna 5b (Pk & Avg, Ch.40, 802.11ax(SU), MCS11)


FCC ID: BCGA2379 IC: 579C-A2379	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 250 of 348




Plot 7-628. Antenna 5b (Pk & Avg, Ch.60, 802.11ax(SU), MCS0)




Plot 7-631. Antenna 5b (Pk & Avg, Ch.64, 802.11ax(SU), MCS0)




Plot 7-629. Antenna 5b (Pk & Avg, Ch.60, 802.11ax(SU), MCS3)



Plot 7-632. Antenna 5b (Pk & Avg, Ch.64, 802.11ax(SU), MCS3)




Plot 7-630. Antenna 5b (Pk & Avg, Ch.60, 802.11ax(SU), MCS11)




Plot 7-633. Antenna 5b (Pk & Avg, Ch.64, 802.11ax(SU), MCS11)


FCC ID: BCGA2379 IC: 579C-A2379	 PCTEST® Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 251 of 348	




Plot 7-634. Antenna 5b (Pk & Avg, Ch.100, 802.11ax(SU), MCS0)




Plot 7-637. Antenna 5b (Pk & Avg, Ch.104, 802.11ax(SU), MCS0)




Plot 7-635. Antenna 5b (Pk & Avg, Ch.100, 802.11ax(SU), MCS3)



Plot 7-638. Antenna 5b (Pk & Avg, Ch.104, 802.11ax(SU), MCS3)




Plot 7-636. Antenna 5b (Pk & Avg, Ch.100, 802.11ax(SU), MCS11)




Plot 7-639. Antenna 5b (Pk & Avg, Ch.104, 802.11ax(SU), MCS11)


FCC ID: BCGA2379 IC: 579C-A2379	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 252 of 348




Plot 7-640. Antenna 5b (Pk, Ch.132, 802.11ax(SU), MCS0)




Plot 7-643. Antenna 5b (Pk, Ch.136, 802.11ax(SU), MCS0)




Plot 7-641. Antenna 5b (Pk, Ch.132, 802.11ax(SU), MCS3)



Plot 7-644. Antenna 5b (Pk, Ch.136, 802.11ax(SU), MCS3)




Plot 7-642. Antenna 5b (Pk, Ch.132, 802.11ax(SU), MCS11)




Plot 7-645. Antenna 5b (Pk, Ch.136, 802.11ax(SU), MCS11)


FCC ID: BCGA2379 IC: 579C-A2379	PCTEST® Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 253 of 348	




Plot 7-646. Antenna 5b (Pk, Ch.140, 802.11ax(SU), MCS0)




Plot 7-649. Antenna 5b (Pk, Ch.149, 802.11ax(SU), MCS0)




Plot 7-647. Antenna 5b (Pk, Ch.140, 802.11ax(SU), MCS3)



Plot 7-650. Antenna 5b (Pk, Ch.149, 802.11ax(SU), MCS3)




Plot 7-648. Antenna 5b (Pk, Ch.140, 802.11ax(SU), MCS11)




Plot 7-651. Antenna 5b (Pk, Ch.149, 802.11ax(SU), MCS11)


FCC ID: BCGA2379 IC: 579C-A2379	PCTEST® Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device		Page 254 of 348



Plot 7-652. Antenna 5b (Pk, Ch.165, 802.11ax(SU), MCS0)



Plot 7-653. Antenna 5b (Pk, Ch.165, 802.11ax(SU), MCS3)



Plot 7-654. Antenna 5b (Pk, Ch.165, 802.11ax(SU), MCS11)

FCC ID: BCGA2379 IC: 579C-A2379	PCTEST® Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-15-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 255 of 348	