







Plot 7-97. PSD Antenna 5b (20MHz BW 11ax Index 0 - RU26 - Ch.40)




Plot 7-100. PSD Antenna 5b (20MHz BW 11ax - RU242 - Ch.40)




Plot 7-98. PSD Antenna 5b (20MHz BW 11ax Index 4 - RU26 - Ch.40)



Plot 7-101. PSD Antenna 5b (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-99. PSD Antenna 5b (20MHz BW 11ax Index 8 - RU26 - Ch.40)




Plot 7-102. PSD Antenna 5b (40MHz BW 11ax Index 8 - RU26 - Ch.46)


FCC ID: BCGA2379 IC: 579C-A2379	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-16-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 75 of 249




Plot 7-103. PSD Antenna 5b (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-106. PSD Antenna 5b (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-104. PSD Antenna 5b (40MHz BW 11ax – RU484 – Ch.46)



Plot 7-107. PSD Antenna 5b (80MHz BW 11ax Index 36 – RU26 – Ch.42)









Plot 7-105. PSD Antenna 5b (80MHz BW 11ax Index 0 – RU26 – Ch.42)




Plot 7-108. PSD Antenna 5b (80MHz BW 11ax – RU996 – Ch.42)


FCC ID: BCGA2379 IC: 579C-A2379	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-16-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 76 of 249




FCC ID: BCGA2379 IC: 579C-A2379	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-16-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 77 of 249




Plot 7-115. PSD Antenna 5b (40MHz BW 11ax Index 17 – RU26 – Ch.54)




Plot 7-118. PSD Antenna 5b (80MHz BW 11ax Index 18 – RU26 – Ch.58)




Plot 7-116. PSD Antenna 5b (40MHz BW 11ax – RU484 – Ch.54)



Plot 7-119. PSD Antenna 5b (80MHz BW 11ax Index 36 – RU26 – Ch.58)









Plot 7-117. PSD Antenna 5b (80MHz BW 11ax Index 0 – RU26 – Ch.58)




Plot 7-120. PSD Antenna 5b (80MHz BW 11ax – RU996 – Ch.58)


FCC ID: BCGA2379 IC: 579C-A2379	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-16-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 78 of 249




FCC ID: BCGA2379 IC: 579C-A2379	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-16-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 79 of 249




Plot 7-127. PSD Antenna 5b (40MHz BW 11ax Index 17 – RU26 – Ch.110)




Plot 7-130. PSD Antenna 5b (80MHz BW 11ax Index 18 – RU26 – Ch.106)




Plot 7-128. PSD Antenna 5b (40MHz BW 11ax – RU484 – Ch.110)



Plot 7-131. PSD Antenna 5b (80MHz BW 11ax Index 36 – RU26 – Ch.106)



Plot 7-129. PSD Antenna 5b (80MHz BW 11ax Index 0 – RU26 – Ch.106)



Plot 7-132. PSD Antenna 5b (80MHz BW 11ax – RU996 – Ch.106)

FCC ID: BCGA2379 IC: 579C-A2379	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-16-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 80 of 249


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	26	0	135/143.4 (MCS11)	15.23	30.00	-14.77
				26	4	135/143.4 (MCS11)	15.25	30.00	-14.75
				26	8	135/143.4 (MCS11)	15.20	30.00	-14.80
	5785	157	ax (20MHz)	26	0	135/143.4 (MCS11)	14.13	30.00	-15.87
				26	4	135/143.4 (MCS11)	14.84	30.00	-15.16
				26	8	135/143.4 (MCS11)	14.43	30.00	-15.57
	5825	165	ax (20MHz)	26	0	135/143.4 (MCS11)	14.45	30.00	-15.55
				26	4	135/143.4 (MCS11)	14.66	30.00	-15.34
				26	8	135/143.4 (MCS11)	14.30	30.00	-15.70
	5755	151	ax (40MHz)	26	0	271/286.8 (MCS11)	14.58	30.00	-15.42
				26	8	271/286.8 (MCS11)	15.22	30.00	-14.78
				26	17	271/286.8 (MCS11)	14.55	30.00	-15.45
	5795	159	ax (40MHz)	26	0	271/286.8 (MCS11)	14.13	30.00	-15.87
				26	8	271/286.8 (MCS11)	14.98	30.00	-15.02
				26	17	271/286.8 (MCS11)	14.01	30.00	-15.99
	5775	155	ax (80MHz)	26	0	567/600.5 (MCS11)	11.72	30.00	-18.28
				26	18	567/600.5 (MCS11)	11.57	30.00	-18.43
				26	36	567/600.5 (MCS11)	11.83	30.00	-18.17

Table 7-66. Band 3 Power Spectral Density Measurements Antenna 5b (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	242	61	135/143.4 (MCS11)	5.05	30.00	-24.95
	5785	157	ax (20MHz)	242	61	135/143.4 (MCS11)	4.86	30.00	-25.14
	5825	165	ax (20MHz)	242	61	135/143.4 (MCS11)	4.78	30.00	-25.22
	5755	151	ax (40MHz)	484	65	271/286.8 (MCS11)	2.15	30.00	-27.85
	5795	159	ax (40MHz)	484	65	271/286.8 (MCS11)	2.13	30.00	-27.87
	5775	155	ax (80MHz)	996	67	567/600.5 (MCS11)	-2.37	30.00	-32.37

Table 7-67. Band 3 Power Spectral Density Measurements Antenna 5b (Fully-loaded RU)


FCC ID: BCGA2379 IC: 579C-A2379	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2101020005-16-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 81 of 249




Plot 7-133. PSD Antenna 5b (20MHz BW 11ax Index 0 - RU26 - Ch.157)




Plot 7-136. PSD Antenna 5b (20MHz BW 11ax- RU242 - Ch.157)




Plot 7-134. PSD Antenna 5b (20MHz BW 11ax Index 4 - RU26 - Ch.157)



Plot 7-137. PSD Antenna 5b (40MHz BW 11ax Index 0 - RU26 - Ch.151)









Plot 7-135. PSD Antenna 5b (20MHz BW 11ax Index 8 - RU26 - Ch.157)



Plot 7-138. PSD Antenna 5b (40MHz BW 11ax Index 8 - RU26 - Ch.151)

FCC ID: BCGA2379 IC: 579C-A2379	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-16-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 82 of 249



FCC ID: BCGA2379 IC: 579C-A2379	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-16-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 83 of 249


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	135/143.4 (MCS11)	2.92	4.70	7.62	10.0	-2.38
				26	4	135/143.4 (MCS11)	2.32	4.70	7.02	10.0	-2.98
				26	8	135/143.4 (MCS11)	2.76	4.70	7.46	10.0	-2.54
	5200	40	ax (20MHz)	26	0	135/143.4 (MCS11)	2.90	4.70	7.60	10.0	-2.40
				26	4	135/143.4 (MCS11)	2.34	4.70	7.04	10.0	-2.96
				26	8	135/143.4 (MCS11)	2.85	4.70	7.55	10.0	-2.45
	5240	48	ax (20MHz)	26	0	135/143.4 (MCS11)	3.00	4.70	7.70	10.0	-2.30
				26	4	135/143.4 (MCS11)	2.67	4.70	7.37	10.0	-2.63
				26	8	135/143.4 (MCS11)	2.93	4.70	7.63	10.0	-2.37
	5190	38	ax (40MHz)	26	0	271/286.8 (MCS11)	2.85	4.70	7.55	10.0	-2.45
				26	8	271/286.8 (MCS11)	3.35	4.70	8.05	10.0	-1.95
				26	17	271/286.8 (MCS11)	2.69	4.70	7.39	10.0	-2.61
	5230	46	ax (40MHz)	26	0	271/286.8 (MCS11)	2.43	4.70	7.13	10.0	-2.87
				26	8	271/286.8 (MCS11)	3.18	4.70	7.88	10.0	-2.12
				26	17	271/286.8 (MCS11)	2.88	4.70	7.58	10.0	-2.42
	5210	42	ax (80MHz)	26	0	567/600.5 (MCS11)	2.35	4.70	7.05	10.0	-2.95
				26	18	567/600.5 (MCS11)	1.76	4.70	6.46	10.0	-3.54
				26	36	567/600.5 (MCS11)	2.77	4.70	7.47	10.0	-2.53

Table 7-68. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 5b (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	135/143.4 (MCS11)	2.72	4.70	7.42	10.0	-2.58
	5200	40	ax (20MHz)	242	61	135/143.4 (MCS11)	2.47	4.70	7.17	10.0	-2.83
	5240	48	ax (20MHz)	242	61	135/143.4 (MCS11)	2.73	4.70	7.43	10.0	-2.57
	5190	38	ax (40MHz)	484	65	271/286.8 (MCS11)	-3.52	4.70	1.18	10.0	-8.82
	5230	46	ax (40MHz)	484	65	271/286.8 (MCS11)	-0.34	4.70	4.36	10.0	-5.64
	5210	42	ax (80MHz)	996	67	567/600.5 (MCS11)	-6.55	4.70	-1.85	10.0	-11.85

Table 7-69. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 5b (Fully-loaded RU)


FCC ID: BCGA2379 IC: 579C-A2379	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-16-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 84 of 249




Plot 7-145. ISSED PSD Antenna 5b (20MHz BW 11ax Index 0 – RU26 – Ch.40)




Plot 7-148. ISSED PSD Antenna 5b (20MHz BW 11ax– RU242 – Ch.40)




Plot 7-146. ISSED PSD Antenna 5b (20MHz BW 11ax Index 4 – RU26 – Ch.40)



Plot 7-149. ISSED PSD Antenna 5b (40MHz BW 11ax Index 0 – RU26 – Ch.46)




Plot 7-147. ISSED PSD Antenna 5b (20MHz BW 11ax Index 8– RU26 – Ch.40)




Plot 7-150. ISSED PSD Antenna 5b (40MHz BW 11ax Index 8 – RU26 – Ch.46)


FCC ID: BCGA2379 IC: 579C-A2379	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-16-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 85 of 249




Plot 7-151. ISED PSD Antenna 5b (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-154. ISED PSD Antenna 5b (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-152. ISED PSD Antenna 5b (40MHz BW 11ax – RU484 – Ch.46)



Plot 7-155. ISED PSD Antenna 5b (80MHz BW 11ax Index 36 – RU26 – Ch.42)



Plot 7-153. ISED PSD Antenna 5b (80MHz BW 11ax Index 0 – RU26 – Ch.42)



Plot 7-156. ISED PSD Antenna 5b (80MHz BW 11ax – RU996 – Ch.42)

FCC ID: BCGA2379 IC: 579C-A2379	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-16-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 86 of 249

Antenna 4b Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	135/143.4 (MCS11)	8.23	11.0	-2.77
				26	4	135/143.4 (MCS11)	7.69	11.0	-3.31
				26	8	135/143.4 (MCS11)	8.11	11.0	-2.89
	5200	40	ax (20MHz)	26	0	135/143.4 (MCS11)	8.22	11.0	-2.78
				26	4	135/143.4 (MCS11)	8.37	11.0	-2.63
				26	8	135/143.4 (MCS11)	8.37	11.0	-2.63
	5240	48	ax (20MHz)	26	0	135/143.4 (MCS11)	7.80	11.0	-3.20
				26	4	135/143.4 (MCS11)	7.51	11.0	-3.49
				26	8	135/143.4 (MCS11)	7.92	11.0	-3.08
	5190	38	ax (40MHz)	26	0	271/286.8 (MCS11)	8.00	11.0	-3.00
				26	8	271/286.8 (MCS11)	8.69	11.0	-2.31
				26	17	271/286.8 (MCS11)	8.13	11.0	-2.87
	5230	46	ax (40MHz)	26	0	271/286.8 (MCS11)	7.89	11.0	-3.11
				26	8	271/286.8 (MCS11)	8.79	11.0	-2.21
				26	17	271/286.8 (MCS11)	8.16	11.0	-2.84
	5210	42	ax (80MHz)	26	0	567/600.5 (MCS11)	8.04	11.0	-2.96
				26	18	567/600.5 (MCS11)	7.49	11.0	-3.51
				26	36	567/600.5 (MCS11)	7.61	11.0	-3.39
Band 2A	5260	52	ax (20MHz)	26	0	135/143.4 (MCS11)	7.97	11.0	-3.03
				26	4	135/143.4 (MCS11)	7.76	11.0	-3.24
				26	8	135/143.4 (MCS11)	7.80	11.0	-3.20
	5280	56	ax (20MHz)	26	0	135/143.4 (MCS11)	7.83	11.0	-3.17
				26	4	135/143.4 (MCS11)	7.48	11.0	-3.52
				26	8	135/143.4 (MCS11)	8.10	11.0	-2.90
	5320	64	ax (20MHz)	26	0	135/143.4 (MCS11)	7.79	11.0	-3.21
				26	4	135/143.4 (MCS11)	7.44	11.0	-3.56
				26	8	135/143.4 (MCS11)	8.01	11.0	-2.99
	5270	54	ax (40MHz)	26	0	271/286.8 (MCS11)	7.67	11.0	-3.33
				26	8	271/286.8 (MCS11)	8.64	11.0	-2.36
				26	17	271/286.8 (MCS11)	8.09	11.0	-2.91
	5310	62	ax (40MHz)	26	0	271/286.8 (MCS11)	7.56	11.0	-3.44
				26	8	271/286.8 (MCS11)	8.76	11.0	-2.24
				26	17	271/286.8 (MCS11)	7.75	11.0	-3.25
	5290	58	ax (80MHz)	26	0	567/600.5 (MCS11)	7.57	11.0	-3.43
				26	18	567/600.5 (MCS11)	7.26	11.0	-3.74
				26	36	567/600.5 (MCS11)	7.77	11.0	-3.23
Band 2C	5500	100	ax (20MHz)	26	0	135/143.4 (MCS11)	7.67	11.0	-3.33
				26	4	135/143.4 (MCS11)	7.13	11.0	-3.87
				26	8	135/143.4 (MCS11)	7.46	11.0	-3.54
	5580	116	ax (20MHz)	26	0	135/143.4 (MCS11)	8.09	11.0	-2.91
				26	4	135/143.4 (MCS11)	7.52	11.0	-3.48
				26	8	135/143.4 (MCS11)	7.91	11.0	-3.09
	5720	144	ax (20MHz)	26	0	135/143.4 (MCS11)	8.31	11.0	-2.69
				26	4	135/143.4 (MCS11)	7.92	11.0	-3.08
				26	8	135/143.4 (MCS11)	8.84	11.0	-2.16
	5510	102	ax (40MHz)	26	0	271/286.8 (MCS11)	7.54	11.0	-3.46
				26	8	271/286.8 (MCS11)	8.33	11.0	-2.67
				26	17	271/286.8 (MCS11)	7.57	11.0	-3.43
	5550	110	ax (40MHz)	26	0	271/286.8 (MCS11)	7.53	11.0	-3.47
				26	8	271/286.8 (MCS11)	8.41	11.0	-2.59
				26	17	271/286.8 (MCS11)	7.84	11.0	-3.16
	5710	142	ax (40MHz)	26	0	271/286.8 (MCS11)	7.98	11.0	-3.02
				26	8	271/286.8 (MCS11)	9.12	11.0	-1.88
				26	17	271/286.8 (MCS11)	8.45	11.0	-2.55
	5530	106	ax (80MHz)	26	0	567/600.5 (MCS11)	7.45	11.0	-3.55
				26	18	567/600.5 (MCS11)	6.92	11.0	-4.08
				26	36	567/600.5 (MCS11)	7.30	11.0	-3.70
	5690	138	ax (80MHz)	26	0	567/600.5 (MCS11)	7.76	11.0	-3.24
				26	18	567/600.5 (MCS11)	7.41	11.0	-3.59
				26	36	567/600.5 (MCS11)	9.05	11.0	-1.95

Table 7-70. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 4b (RU26)

FCC ID: BCGA2379 IC: 579C-A2379	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2101020005-16-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 87 of 249

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	135/143.4 (MCS11)	1.53	11.0	-9.47
	5200	40	ax (20MHz)	242	61	135/143.4 (MCS11)	7.64	11.0	-3.36
	5240	48	ax (20MHz)	242	61	135/143.4 (MCS11)	7.83	11.0	-3.17
	5190	38	ax (40MHz)	484	65	271/286.8 (MCS11)	-1.23	11.0	-12.23
	5230	46	ax (40MHz)	484	65	271/286.8 (MCS11)	4.99	11.0	-6.01
	5210	42	ax (80MHz)	996	67	567/600.5 (MCS11)	-5.31	11.0	-16.31
Band 2A	5260	52	ax (20MHz)	242	61	135/143.4 (MCS11)	7.87	11.0	-3.13
	5280	56	ax (20MHz)	242	61	135/143.4 (MCS11)	7.62	11.0	-3.38
	5320	64	ax (20MHz)	242	61	135/143.4 (MCS11)	4.61	11.0	-6.39
	5270	54	ax (40MHz)	484	65	271/286.8 (MCS11)	5.01	11.0	-5.99
	5310	62	ax (40MHz)	484	65	271/286.8 (MCS11)	-0.67	11.0	-11.67
	5290	58	ax (80MHz)	996	67	567/600.5 (MCS11)	-3.14	11.0	-14.14
Band 2C	5500	100	ax (20MHz)	242	61	135/143.4 (MCS11)	2.77	11.0	-8.23
	5580	116	ax (20MHz)	242	61	135/143.4 (MCS11)	7.29	11.0	-3.71
	5720	144	ax (20MHz)	242	61	135/143.4 (MCS11)	7.88	11.0	-3.12
	5510	102	ax (40MHz)	484	65	271/286.8 (MCS11)	-2.15	11.0	-13.15
	5550	110	ax (40MHz)	484	65	271/286.8 (MCS11)	3.41	11.0	-7.59
	*5590	118	ax (40MHz)	484	65	271/286.8 (MCS11)	4.49	11.0	-6.51
	5710	142	ax (40MHz)	484	65	271/286.8 (MCS11)	5.07	11.0	-5.93
	5530	106	ax (80MHz)	996	67	567/600.5 (MCS11)	-5.19	11.0	-16.19
	*5610	122	ax (80MHz)	996	67	567/600.5 (MCS11)	-2.11	11.0	-13.11
	5690	138	ax (80MHz)	996	67	567/600.5 (MCS11)	2.31	11.0	-8.69

Table 7-71. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 4b (Fully-loaded RU)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2379 IC: 579C-A2379	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2101020005-16-R1.BCG	Test Dates: 12/12/2020 - 03/2/2021	EUT Type: Tablet Device	Page 88 of 249