




Low Data Rate




Plot 7-233. PSD Antenna 5b (20MHz BW 802.11n – Ch. 157, MCS2)




Plot 7-236. PSD Antenna 5b (40MHz BW 802.11ax(SU) – Ch. 151, MCS4)




Plot 7-234. PSD Antenna 5b (20MHz BW 802.11ax(SU) – Ch. 157, MCS2)



Plot 7-237. PSD Antenna 5b (80MHz BW 802.11ac – Ch. 155, MCS9)



Plot 7-235. PSD Antenna 5b (40MHz BW 802.11n – Ch. 151, MCS4)









Plot 7-238. PSD Antenna 5b (80MHz BW 802.11ax(SU) – Ch. 155, MCS11)

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 113 of 389

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mid Data Rate









FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 114 of 389

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

High Data Rate



FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 115 of 389

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	19.5/21.7 (MCS2)	4.08	3.70	7.78	10.0	-2.22
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	4.23	3.70	7.93	10.0	-2.07
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	4.40	3.70	8.10	10.0	-1.91
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	2.88	3.70	6.58	10.0	-3.42
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	3.08	3.70	6.78	10.0	-3.22
	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	3.33	3.70	7.03	10.0	-2.97
	5190	38	n (40MHz)	40.5/45 (MCS2)	0.43	3.70	4.13	10.0	-5.87
	5230	46	n (40MHz)	40.5/45 (MCS2)	4.16	3.70	7.86	10.0	-2.15
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	-1.08	3.70	2.62	10.0	-7.38
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	3.34	3.70	7.04	10.0	-2.96
	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	-3.33	3.70	0.37	10.0	-9.63
	5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	-4.54	3.70	-0.84	10.0	-10.84
	5210	50	ac (160MHz)	175.5/195 (MCS2)	-9.68	3.70	-5.98	10.0	-15.98
	5210	50	ax (SU) (160MHz)	204.2/216.2 (MCS2)	-11.64	3.70	-7.94	10.0	-17.94

Table 7-122. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 5b (Low Data Rate)

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	39/43.3 (MCS4)	4.45	3.70	8.15	10.0	-1.85
	5200	40	n (20MHz)	39/43.3 (MCS4)	4.41	3.70	8.11	10.0	-1.89
	5240	48	n (20MHz)	39/43.3 (MCS4)	4.49	3.70	8.19	10.0	-1.81
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	3.10	3.70	6.80	10.0	-3.20
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	3.33	3.70	7.03	10.0	-2.97
	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	3.55	3.70	7.25	10.0	-2.75
	5190	38	n (40MHz)	81/90 (MCS4)	0.48	3.70	4.18	10.0	-5.82
	5230	46	n (40MHz)	81/90 (MCS4)	4.25	3.70	7.95	10.0	-2.05
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	-1.17	3.70	2.53	10.0	-7.47
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	3.31	3.70	7.01	10.0	-2.99
	5210	42	ac (80MHz)	175.5/195 (MCS4)	-3.91	3.70	-0.21	10.0	-10.21
	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	-5.06	3.70	-1.36	10.0	-11.36
	5210	50	ac (160MHz)	351/390 (MCS 4)	-10.24	3.70	-6.54	10.0	-16.54
	5210	50	ax (SU) (160MHz)	408.3/432.4 (MCS 4)	-12.55	3.70	-8.85	10.0	-18.85

Table 7-123. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 5b (Mid Data Rate)

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	65/72.2 (MCS7)	3.19	3.70	6.89	10.0	-3.11
	5200	40	n (20MHz)	65/72.2 (MCS7)	3.37	3.70	7.07	10.0	-2.93
	5240	48	n (20MHz)	65/72.2 (MCS7)	3.35	3.70	7.05	10.0	-2.96
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	3.23	3.70	6.93	10.0	-3.07
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	3.48	3.70	7.18	10.0	-2.82
	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	3.85	3.70	7.55	10.0	-2.45
	5190	38	n (40MHz)	135/150 (MCS7)	-1.49	3.70	2.21	10.0	-7.79
	5230	46	n (40MHz)	135/150 (MCS7)	3.11	3.70	6.81	10.0	-3.19
	5190	38	ax (SU) (40MHz)	271/286.8 (MCS11)	-1.79	3.70	1.91	10.0	-8.09
	5230	46	ax (SU) (40MHz)	271/286.8 (MCS11)	3.38	3.70	7.08	10.0	-2.92
	5210	42	ac (80MHz)	390/433.3 (MCS9)	-5.17	3.70	-1.47	10.0	-11.47
	5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	-5.79	3.70	-2.09	10.0	-12.09
	5210	50	ac (160MHz)	781/866.7 (MCS 9)	-11.07	3.70	-7.37	10.0	-17.37
	5210	50	ax (SU) (160MHz)	1134.3/1201 MCS 11	-13.12	3.70	-9.42	10.0	-19.42







Table 7-124. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 5b (High Data Rate)

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 116 of 389

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


Low Data Rate




FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 117 of 389

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-257. ISED PSD Antenna 5b (160MHz BW 11ac- Ch.50 MCS2)









Plot 7-258. ISED PSD Antenna 5b (160MHz BW 11ax (SU) – Ch.50 MCS2)

FCC ID: BCGA2435 IC: 579C-A2435			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device		Page 118 of 389

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


Mid Data Rate




FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 119 of 389

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-265. ISED PSD Antenna 5b (160MHz BW 11ac- Ch.50 MCS4)









Plot 7-266. ISED PSD Antenna 5b (160MHz BW 11ax(SU) – Ch.50 MCS4)

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 120 of 389

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


High Data Rate




FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 121 of 389

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-273. ISED PSD Antenna 5b (160MHz BW 11ac- Ch.50 MCS9)



Plot 7-274. ISED PSD Antenna 5b (160MHz BW 11ax(SU) – Ch.50 MCS11)

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 122 of 389

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.5.2 Antenna 4a Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	19.5/21.7 (MCS2)	7.67	11.0	-3.33
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	9.77	11.0	-1.24
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	9.66	11.0	-1.34
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	6.22	11.0	-4.78
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	8.39	11.0	-2.61
	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	8.32	11.0	-2.68
	5190	38	n (40MHz)	40.5/45 (MCS2)	3.22	11.0	-7.78
	5230	46	n (40MHz)	40.5/45 (MCS2)	8.79	11.0	-2.21
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	1.51	11.0	-9.50
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	6.85	11.0	-4.15
	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	0.06	11.0	-10.94
	5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	-2.13	11.0	-13.13
Band 1/2	5250	50	ax (SU) (160MHz)	183.8/216.2 (MCS2)	-11.78	11.0	-22.78
	5250	50	ac (160MHz)	97.5/195 (MCS2)	-10.20	11.0	-21.20
Band 2A	5260	52	n (20MHz)	19.5/21.7 (MCS2)	9.57	11.0	-1.44
	5280	56	n (20MHz)	19.5/21.7 (MCS2)	9.61	11.0	-1.39
	5320	64	n (20MHz)	19.5/21.7 (MCS2)	9.98	11.0	-1.02
	5260	52	ax (SU) (20MHz)	24/25.8 (MCS2)	8.32	11.0	-2.68
	5280	56	ax (SU) (20MHz)	24/25.8 (MCS2)	8.21	11.0	-2.79
	5320	64	ax (SU) (20MHz)	24/25.8 (MCS2)	7.97	11.0	-3.03
	5270	54	n (40MHz)	40.5/45 (MCS2)	8.63	11.0	-2.37
	5310	62	n (40MHz)	40.5/45 (MCS2)	4.56	11.0	-6.44
	5270	54	ax (SU) (40MHz)	49/51.6 (MCS2)	7.24	11.0	-3.76
	5310	62	ax (SU) (40MHz)	49/51.6 (MCS2)	2.16	11.0	-8.84
	5290	58	ac (80MHz)	87.8/97.5 (MCS2)	1.30	11.0	-9.70
	5290	58	ax (SU) (80MHz)	102/108.1 (MCS2)	-0.79	11.0	-11.79
Band 2C	5500	100	n (20MHz)	19.5/21.7 (MCS2)	8.73	11.0	-2.27
	5580	116	n (20MHz)	19.5/21.7 (MCS2)	9.10	11.0	-1.90
	5720	144	n (20MHz)	19.5/21.7 (MCS2)	10.00	11.0	-1.00
	5500	100	ax (SU) (20MHz)	24/25.8 (MCS2)	6.22	11.0	-4.78
	5580	116	ax (SU) (20MHz)	24/25.8 (MCS2)	7.84	11.0	-3.16
	5720	144	ax (SU) (20MHz)	24/25.8 (MCS2)	8.75	11.0	-2.25
	5510	102	n (40MHz)	40.5/45 (MCS2)	3.44	11.0	-7.56
	5550	110	n (40MHz)	40.5/45 (MCS2)	9.00	11.0	-2.00
	5710	142	n (40MHz)	40.5/45 (MCS2)	8.71	11.0	-2.29
	5510	102	ax (SU) (40MHz)	49/51.6 (MCS2)	1.58	11.0	-9.42
	5550	110	ax (SU) (40MHz)	49/51.6 (MCS2)	7.21	11.0	-3.80
	5710	142	ax (SU) (40MHz)	49/51.6 (MCS2)	7.83	11.0	-3.17
	5530	106	ac (80MHz)	87.8/97.5 (MCS2)	0.94	11.0	-10.06
	5610	*122	ac (80MHz)	87.8/97.5 (MCS2)	2.73	11.0	-8.27
	5690	138	ac (80MHz)	87.8/97.5 (MCS2)	5.80	11.0	-5.20
	5530	106	ax (SU) (80MHz)	102/108.1 (MCS2)	-1.41	11.0	-12.41
	5610	*122	ax (SU) (80MHz)	102/108.1 (MCS2)	0.82	11.0	-10.18
	5690	138	ax (SU) (80MHz)	102/108.1 (MCS2)	4.81	11.0	-6.19
	5570	*114	ax (SU) (160MHz)	183.8/216.2 (MCS2)	-11.03	11.0	-22.03
	5570	*114	ac (160MHz)	97.5/195 (MCS2)	-9.65	11.0	-20.65

Table 7-125. Power Spectral Density Measurements Antenna 4a (Low Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 123 of 389

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	39/43.3 (MCS4)	6.93	11.0	-4.07
	5200	40	n (20MHz)	39/43.3 (MCS4)	9.79	11.0	-1.21
	5240	48	n (20MHz)	39/43.3 (MCS4)	9.80	11.0	-1.21
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	5.54	11.0	-5.46
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	8.53	11.0	-2.47
	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	8.41	11.0	-2.60
	5190	38	n (40MHz)	81/90 (MCS4)	2.99	11.0	-8.01
	5230	46	n (40MHz)	81/90 (MCS4)	8.66	11.0	-2.34
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	1.36	11.0	-9.64
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	6.95	11.0	-4.05
	5210	42	ac (80MHz)	175.5/195 (MCS4)	-1.42	11.0	-12.42
	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	-2.18	11.0	-13.18
Band 1/2	5250	50	ax (SU) (160MHz)	408.3/432.4 (MCS4)	-12.05	11.0	-23.05
	5250	50	ac (160MHz)	351/390 (MCS4)	-10.30	11.0	-21.30
Band 2A	5260	52	n (20MHz)	39/43.3 (MCS4)	9.66	11.0	-1.34
	5280	56	n (20MHz)	39/43.3 (MCS4)	9.94	11.0	-1.06
	5320	64	n (20MHz)	39/43.3 (MCS4)	8.71	11.0	-2.29
	5260	52	ax (SU) (20MHz)	49/51.6 (MCS4)	8.55	11.0	-2.45
	5280	56	ax (SU) (20MHz)	49/51.6 (MCS4)	8.44	11.0	-2.56
	5320	64	ax (SU) (20MHz)	49/51.6 (MCS4)	7.24	11.0	-3.76
	5270	54	n (40MHz)	81/90 (MCS4)	8.77	11.0	-2.23
	5310	62	n (40MHz)	81/90 (MCS4)	4.58	11.0	-6.42
	5270	54	ax (SU) (40MHz)	98/103.2 (MCS4)	7.14	11.0	-3.86
	5310	62	ax (SU) (40MHz)	98/103.2 (MCS4)	2.18	11.0	-8.82
	5290	58	ac (80MHz)	175.5/195 (MCS4)	0.25	11.0	-10.75
	5290	58	ax (SU) (80MHz)	204/216.2 (MCS4)	-1.38	11.0	-12.38
Band 2C	5500	100	n (20MHz)	39/43.3 (MCS4)	7.19	11.0	-3.81
	5580	116	n (20MHz)	39/43.3 (MCS4)	9.32	11.0	-1.68
	5720	144	n (20MHz)	39/43.3 (MCS4)	9.84	11.0	-1.16
	5500	100	ax (SU) (20MHz)	49/51.6 (MCS4)	5.43	11.0	-5.58
	5580	116	ax (SU) (20MHz)	49/51.6 (MCS4)	7.99	11.0	-3.01
	5720	144	ax (SU) (20MHz)	49/51.6 (MCS4)	8.79	11.0	-2.21
	5510	102	n (40MHz)	81/90 (MCS4)	3.20	11.0	-7.80
	5550	110	n (40MHz)	81/90 (MCS4)	8.95	11.0	-2.05
	5710	142	n (40MHz)	81/90 (MCS4)	8.84	11.0	-2.16
	5510	102	ax (SU) (40MHz)	98/103.2 (MCS4)	0.52	11.0	-10.48
	5550	110	ax (SU) (40MHz)	98/103.2 (MCS4)	6.88	11.0	-4.12
	5710	142	ax (SU) (40MHz)	98/103.2 (MCS4)	7.97	11.0	-3.03
	5530	106	ac (80MHz)	175.5/195 (MCS4)	-0.37	11.0	-11.37
	5610	*122	ac (80MHz)	87.8/97.5 (MCS2)	2.26	11.0	-8.74
	5690	138	ac (80MHz)	175.5/195 (MCS4)	6.12	11.0	-4.88
	5530	106	ax (SU) (80MHz)	204/216.2 (MCS4)	-2.27	11.0	-13.27
	5610	*122	ax (SU) (80MHz)	102/108.1 (MCS2)	0.09	11.0	-10.91
	5690	138	ax (SU) (80MHz)	204/216.2 (MCS4)	5.00	11.0	-6.00
	5570	*114	ax (SU) (160MHz)	408.3/432.4 (MCS4)	-11.60	11.0	-22.60
	5570	*114	ac (160MHz)	351/390 (MCS4)	-10.72	11.0	-21.72

Table 7-126. Power Spectral Density Measurements Antenna 4a (Mid Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 124 of 389

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	65/72.2 (MCS7)	5.04	11.0	-5.96
	5200	40	n (20MHz)	65/72.2 (MCS7)	8.22	11.0	-2.78
	5240	48	n (20MHz)	65/72.2 (MCS7)	8.71	11.0	-2.29
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	4.94	11.0	-6.06
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	8.45	11.0	-2.55
	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	8.63	11.0	-2.37
	5190	38	n (40MHz)	135/150 (MCS7)	1.07	11.0	-9.93
	5230	46	n (40MHz)	135/150 (MCS7)	7.56	11.0	-3.44
	5190	38	ax (SU) (40MHz)	271/286.8 (MCS11)	0.74	11.0	-10.26
	5230	46	ax (SU) (40MHz)	271/286.8 (MCS11)	6.71	11.0	-4.29
	5210	42	ac (80MHz)	390/433.3 (MCS9)	-2.53	11.0	-13.53
	5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	-3.01	11.0	-14.01
Band 1/2	5250	50	ax (SU) (160MHz)	544.4/576.5 (MCS 11)	-12.16	11.0	-23.16
	5250	50	ac (160MHz)	468/520 (MCS9)	-12.01	11.0	-23.01
Band 2A	5260	52	n (20MHz)	65/72.2 (MCS7)	8.55	11.0	-2.45
	5280	56	n (20MHz)	65/72.2 (MCS7)	8.43	11.0	-2.57
	5320	64	n (20MHz)	65/72.2 (MCS7)	6.58	11.0	-4.42
	5260	52	ax (SU) (20MHz)	135/143.4 (MCS11)	8.62	11.0	-2.38
	5280	56	ax (SU) (20MHz)	135/143.4 (MCS11)	8.54	11.0	-2.46
	5320	64	ax (SU) (20MHz)	135/143.4 (MCS11)	6.36	11.0	-4.64
	5270	54	n (40MHz)	135/150 (MCS7)	7.53	11.0	-3.48
	5310	62	n (40MHz)	135/150 (MCS7)	1.70	11.0	-9.31
	5270	54	ax (SU) (40MHz)	271/286.8 (MCS11)	7.07	11.0	-3.93
	5310	62	ax (SU) (40MHz)	271/286.8 (MCS11)	1.18	11.0	-9.82
	5290	58	ac (80MHz)	390/433.3 (MCS9)	-1.68	11.0	-12.68
	5290	58	ax (SU) (80MHz)	567/600.5 (MCS11)	-1.82	11.0	-12.82
Band 2C	5500	100	n (20MHz)	65/72.2 (MCS7)	4.50	11.0	-6.50
	5580	116	n (20MHz)	65/72.2 (MCS7)	8.08	11.0	-2.92
	5720	144	n (20MHz)	65/72.2 (MCS7)	8.78	11.0	-2.22
	5500	100	ax (SU) (20MHz)	135/143.4 (MCS11)	4.59	11.0	-6.41
	5580	116	ax (SU) (20MHz)	135/143.4 (MCS11)	8.34	11.0	-2.66
	5720	144	ax (SU) (20MHz)	135/143.4 (MCS11)	9.00	11.0	-2.00
	5510	102	n (40MHz)	135/150 (MCS7)	0.50	11.0	-10.50
	5550	110	n (40MHz)	135/150 (MCS7)	6.44	11.0	-4.56
	5710	142	n (40MHz)	135/150 (MCS7)	7.86	11.0	-3.14
	5510	102	ax (SU) (40MHz)	271/286.8 (MCS11)	-0.19	11.0	-11.19
	5550	110	ax (SU) (40MHz)	271/286.8 (MCS11)	6.30	11.0	-4.70
	5710	142	ax (SU) (40MHz)	271/286.8 (MCS11)	7.83	11.0	-3.17
	5530	106	ac (80MHz)	390/433.3 (MCS9)	-1.40	11.0	-12.40
	5610	*122	ac (80MHz)	390/433.3 (MCS9)	0.61	11.0	-10.39
	5690	138	ac (80MHz)	390/433.3 (MCS9)	5.24	11.0	-5.76
	5530	106	ax (SU) (80MHz)	567/600.5 (MCS11)	-2.35	11.0	-13.35
	5610	*122	ax (SU) (80MHz)	567/600.5 (MCS11)	-0.38	11.0	-11.38
	5690	138	ax (SU) (80MHz)	567/600.5 (MCS11)	5.22	11.0	-5.78
	5570	*114	ax (SU) (160MHz)	544.4/576.5 (MCS 11)	-11.88	11.0	-22.88
	5570	*114	ac (160MHz)	468/520 (MCS9)	-12.40	11.0	-23.40

**Table 7-127. Power Spectral Density Measurements
Antenna 4a (High Data Rate)**


*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 125 of 389


V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


Low Data Rate




Plot 7-275. PSD Antenna 4a (20MHz BW 802.11n - Ch. 40, MCS2)




Plot 7-278. PSD Antenna 4a (40MHz BW 802.11ax(SU) - Ch. 46, MCS2)




Plot 7-276. PSD Antenna 4a (20MHz BW 802.11ax(SU) - Ch. 40, MCS2)



Plot 7-279. PSD Antenna 4a (80MHz BW 802.11ac - Ch. 42, MCS2)




Plot 7-277. PSD Antenna 4a (40MHz BW 802.11n - Ch. 46, MCS2)




Plot 7-280. PSD Antenna 4a (80MHz BW 802.11ax(SU) - Ch. 42, MCS2)


FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG				Page 126 of 389
Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device			




Plot 7-281. PSD Antenna 5b (160MHz BW 802.11ax(SU) – Ch. 50, MCS2)




Plot 7-284. PSD Antenna 4a (20MHz BW 802.11ax(SU) – Ch. 56, MCS2)




Plot 7-282. PSD Antenna 5b (160MHz BW 802.11ac – Ch. 50, MCS2)



Plot 7-285. PSD Antenna 4a (40MHz BW 802.11n – Ch. 54, MCS2)









Plot 7-283. PSD Antenna 4a (20MHz BW 802.11n – Ch. 56, MCS2)



Plot 7-286. PSD Antenna 4a (40MHz BW 802.11ax(SU) – Ch. 54, MCS2)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 127 of 389



FCC ID: BCGA2435 IC: 579C-A2435			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device		Page 128 of 389