



Plot 7-658. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 116)



Plot 7-659. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.116, Pol. H)

FCC ID: BCGA2435 IC: 579C-A2435	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 254 of 389



14:11:13 27.07.2022


Plot 7-660. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.116, Pol. V)

Mode:	802.11n
Data Rate:	MCS8
Distance of Measurements:	3 Meters
Operating Frequency:	5580MHz
Channel:	116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	Average	H	—	—	-82.80	15.72	39.92	53.98	-14.06
*	Peak	H	—	—	-71.25	15.72	51.47	73.98	-22.51
16740.00	Peak	H	—	—	-71.92	21.49	56.57	68.20	-11.63

Table 7-199. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 255 of 389	




Plot 7-661. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 144)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11440.00	Average	H	–	–	-82.88	16.52	40.64	53.98	-13.34
* 11440.00	Peak	H	–	–	-71.74	16.52	51.78	73.98	-22.20
17160.00	Peak	H	–	–	-71.85	21.74	56.89	68.20	-11.31

Table 7-200. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 256 of 389	




Plot 7-662. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 149)

Mode:	802.11n
Data Rate:	MCS8
Distance of Measurements:	3 Meters
Operating Frequency:	5745MHz
Channel:	149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11490.00	Average	H	–	–	-82.53	16.20	40.67	53.98	-13.31
* 11490.00	Peak	H	–	–	-71.14	16.20	52.06	73.98	-21.92
17235.00	Peak	H	–	–	-70.98	21.28	57.30	68.20	-10.90

Table 7-201. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 257 of 389	



Plot 7-663. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 157)



Plot 7-664. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.157, Pol. H)

FCC ID: BCGA2435 IC: 579C-A2435	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 258 of 389



Plot 7-665. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.157, Pol. V)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-82.21	16.28	41.07	53.98	-12.91
* 11570.00	Peak	H	-	-	-70.68	16.28	52.60	73.98	-21.38
17355.00	Peak	H	-	-	-71.56	21.33	56.77	68.20	-11.43

Table 7-202. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 259 of 389	




Plot 7-666. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 165)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
11650.00	Average	H	-	-	-82.35	16.28	40.93	53.98	-13.05
11650.00	Peak	H	-	-	-70.28	16.28	53.00	73.98	-20.98
17475.00	Peak	H	-	-	-71.81	21.33	56.52	68.20	-11.68

Table 7-203. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 260 of 389	




Plot 7-667. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 36)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	H	-	-	-69.74	10.05	47.31	68.20	-20.89
* 15540.00	Average	H	-	-	-80.57	15.23	41.66	53.98	-12.32
* 15540.00	Peak	H	-	-	-68.53	15.23	53.70	73.98	-20.28

Table 7-204. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 261 of 389	



Plot 7-668. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 40)



Plot 7-669. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.40, Pol. H)

FCC ID: BCGA2435 IC: 579C-A2435	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 262 of 389




Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	H	-	-	-69.05	9.87	47.82	68.20	-20.38
* 15600.00	Average	H	-	-	-80.67	14.80	41.13	53.98	-12.85
* 15600.00	Peak	H	-	-	-68.92	14.80	52.88	73.98	-21.10

Table 7-205. Radiated Measurements SDM

FCC ID: BCGA2435 IC: 579C-A2435	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 263 of 389	




Plot 7-671. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 48)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10480.00	Peak	H	-	-	-69.62	10.13	47.51	68.20	-20.69
* 15720.00	Average	H	-	-	-81.93	14.34	39.41	53.98	-14.57
* 15720.00	Peak	H	-	-	-70.31	14.34	51.03	73.98	-22.95

Table 7-206. Radiated Measurements SDM

FCC ID: BCGA2435 IC: 579C-A2435	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 264 of 389	




Plot 7-672. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 52)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10520.00	Peak	H	-	-	-69.89	10.37	47.48	68.20	-20.72
* 15780.00	Average	H	-	-	-82.43	14.19	38.76	53.98	-15.22
* 15780.00	Peak	H	-	-	-71.08	14.19	50.11	73.98	-23.87

Table 7-207. Radiated Measurements SDM

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 265 of 389	



Plot 7-673. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 56)



Plot 7-674. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.56, Pol. H)

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 266 of 389




Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-70.23	9.92	46.69	68.20	-21.51
* 15840.00	Average	H	-	-	-81.95	14.45	39.50	53.98	-14.48
* 15840.00	Peak	H	-	-	-71.47	14.45	49.98	73.98	-24.00

Table 7-208. Radiated Measurements SDM

FCC ID: BCGA2435 IC: 579C-A2435	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 267 of 389	




Plot 7-676. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 64)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 10640.00	Average	H	-	-	-81.18	10.13	35.95	53.98	-18.03
* 10640.00	Peak	H	-	-	-69.39	10.13	47.74	73.98	-26.24
* 15960.00	Average	H	-	-	-82.39	14.94	39.55	53.98	-14.43
* 15960.00	Peak	H	-	-	-71.22	14.94	50.72	73.98	-23.26

Table 7-209. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 268 of 389	




Plot 7-677. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 100)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11000.00	Average	H	-	-	-81.52	10.96	36.44	53.98	-17.54
* 11000.00	Peak	H	-	-	-69.97	10.96	47.99	73.98	-25.99
16500.00	Peak	H	-	-	-72.63	17.98	52.35	68.20	-15.85

Table 7-210. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 269 of 389	



Plot 7-678. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 116)



Plot 7-679. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.116, Pol. H)

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 270 of 389



Plot 7-680. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.116, Pol. V)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-81.34	10.39	36.05	53.98	-17.93
* 11160.00	Peak	H	-	-	-69.70	10.39	47.69	73.98	-26.29
16740.00	Peak	H	-	-	-71.07	17.57	53.50	68.20	-14.70

Table 7-211. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 271 of 389	




Plot 7-681. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 144)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11440.00	Average	H	-	-	-81.41	10.79	36.38	53.98	-17.60
* 11440.00	Peak	H	-	-	-69.49	10.79	48.30	73.98	-25.68
17160.00	Peak	H	-	-	-72.27	18.62	53.35	68.20	-14.85

Table 7-212. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 272 of 389	




Plot 7-682. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 149)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11490.00	Average	H	-	-	-80.56	10.82	37.26	53.98	-16.72
* 11490.00	Peak	H	-	-	-69.43	10.82	48.39	73.98	-25.59
17235.00	Peak	H	-	-	-71.48	18.44	53.96	68.20	-14.24

Table 7-213. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 273 of 389	



Plot 7-683. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 157)



Plot 7-684. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.157, Pol. H)

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 274 of 389




Plot 7-685. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.157, Pol. V)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-80.76	10.97	37.21	53.98	-16.77
* 11570.00	Peak	H	-	-	-69.77	10.97	48.20	73.98	-25.78
17355.00	Peak	H	-	-	-72.16	19.31	54.15	68.20	-14.05

Table 7-214. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 275 of 389	



Plot 7-686. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 165)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11650.00	Average	H	-	-	-80.82	11.13	37.31	53.98	-16.67
* 11650.00	Peak	H	-	-	-69.60	11.13	48.53	73.98	-25.45
17475.00	Peak	H	-	-	-72.68	21.67	55.99	68.20	-12.21

Table 7-215. Radiated Measurements CDD


FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 276 of 389	

7.6.4 Antenna 5b Radiated Band Edge Measurements (20MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]




Plot 7-687. Antenna 5b (Pk & Avg, Ch.36, 802.11n, MCS2)




Plot 7-690. Antenna 5b (Pk & Avg, Ch.40, 802.11n, MCS2)




Plot 7-688. Antenna 5b (Pk & Avg, Ch.36, 802.11n, MCS4)



Plot 7-691. Antenna 5b (Pk & Avg, Ch.40, 802.11n, MCS4)




Plot 7-689. Antenna 5b (Pk & Avg, Ch.36, 802.11n, MCS7)




Plot 7-692. Antenna 5b (Pk & Avg, Ch.40, 802.11n, MCS7)


FCC ID: BCGA2435 IC: 579C-A2435	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 277 of 389




Plot 7-693. Antenna 5b (Pk & Avg, Ch.60, 802.11n, MCS2)




Plot 7-696. Antenna 5b (Pk & Avg, Ch.64, 802.11n, MCS2)




Plot 7-694. Antenna 5b (Pk & Avg, Ch.60, 802.11n, MCS4)



Plot 7-697. Antenna 5b (Pk & Avg, Ch.64, 802.11n, MCS4)




Plot 7-695. Antenna 5b (Pk & Avg, Ch.60, 802.11n, MCS7)




Plot 7-698. Antenna 5b (Pk & Avg, Ch.64, 802.11n, MCS7)


FCC ID: BCGA2435 IC: 579C-A2435	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 278 of 389




Plot 7-699. Antenna 5b (Pk & Avg, Ch.100, 802.11n, MCS2)




Plot 7-702. Antenna 5b (Pk & Avg, Ch.104, 802.11n, MCS4)




Plot 7-700. Antenna 5b (Pk & Avg, Ch.100, 802.11n, MCS4)



Plot 7-703. Antenna 5b (Pk & Avg, Ch.104, 802.11n, MCS7)




Plot 7-701. Antenna 5b (Pk & Avg, Ch.100, 802.11n, MCS7)




Plot 7-704. Antenna 5b (Pk & Avg, Ch.108, 802.11n, MCS7)


FCC ID: BCGA2435 IC: 579C-A2435	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 279 of 389




Plot 7-705. Antenna 5b (Pk, Ch.136, 802.11n, MCS2)




Plot 7-708. Antenna 5b (Pk, Ch.136, 802.11n, MCS7)




Plot 7-706. Antenna 5b (Pk, Ch.136, 802.11n, MCS4)



Plot 7-709. Antenna 5b (Pk, Ch.140, 802.11n, MCS2)




Plot 7-707. Antenna 5b (Pk, Ch.132, 802.11n, MCS7)




Plot 7-710. Antenna 5b (Pk, Ch.140, 802.11n, MCS4)


FCC ID: BCGA2435 IC: 579C-A2435	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 280 of 389




Plot 7-711. Antenna 5b (Pk, Ch.140, 802.11n, MCS7)




Plot 7-714. Antenna 5b (Pk, Ch.149, 802.11n, MCS7)




Plot 7-712. Antenna 5b (Pk, Ch.149, 802.11n, MCS2)



Plot 7-715. Antenna 5b (Pk, Ch.165, 802.11n, MCS2)









Plot 7-713. Antenna 5b (Pk, Ch.149, 802.11n, MCS4)




Plot 7-716. Antenna 5b (Pk, Ch.165, 802.11n, MCS4)


FCC ID: BCGA2435 IC: 579C-A2435	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 281 of 389




FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 282 of 389




Plot 7-723. Antenna 5b (Pk & Avg, Ch.40, 802.11ax(SU), MCS11)




Plot 7-726. Antenna 5b (Pk & Avg, Ch.60, 802.11ax(SU), MCS2)




Plot 7-724. Antenna 5b (Pk & Avg, Ch.44, 802.11ax(SU), MCS11)



Plot 7-727. Antenna 5b (Pk & Avg, Ch.60, 802.11ax(SU), MCS4)




Plot 7-725. Antenna 5b (Pk & Avg, Ch.56, 802.11ax(SU), MCS11)




Plot 7-728. Antenna 5b (Pk & Avg, Ch.60, 802.11ax(SU), MCS11)


FCC ID: BCGA2435 IC: 579C-A2435	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 283 of 389




Plot 7-729. Antenna 5b (Pk & Avg, Ch.64, 802.11ax(SU), MCS2)




Plot 7-732. Antenna 5b (Pk & Avg, Ch.100, 802.11ax(SU), MCS2)




Plot 7-730. Antenna 5b (Pk & Avg, Ch.64, 802.11ax(SU), MCS4)



Plot 7-733. Antenna 5b (Pk & Avg, Ch.100, 802.11ax(SU), MCS4)




Plot 7-731. Antenna 5b (Pk & Avg, Ch.64, 802.11ax(SU), MCS11)




Plot 7-734. Antenna 5b (Pk & Avg, Ch.100, 802.11ax(SU), MCS11)


FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 284 of 389




Plot 7-735. Antenna 5b (Pk & Avg, Ch.104, 802.11ax(SU), MCS2)



Plot 7-738. Antenna 5b (Pk & Avg, Ch.108, 802.11ax(SU), MCS4)



Plot 7-736. Antenna 5b (Pk & Avg, Ch.104, 802.11ax(SU), MCS4)



Plot 7-737. Antenna 5b (Pk & Avg, Ch.104, 802.11ax(SU), MCS11)

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 285 of 389