




High Data Rate




Plot 7-321. PSD Antenna 4a (20MHz BW 802.11n – Ch. 40, MCS7)




Plot 7-324. PSD Antenna 4a (40MHz BW 802.11ax(SU) – Ch. 46, MCS11)




Plot 7-322. PSD Antenna 4a (20MHz BW 802.11ax(SU) – Ch. 40, MCS11)



Plot 7-325. PSD Antenna 4a (80MHz BW 802.11ac – Ch. 42, MCS9)



Plot 7-323. PSD Antenna 4a (40MHz BW 802.11n – Ch. 46, MCS7)




Plot 7-326. PSD Antenna 4a (80MHz BW 802.11ax(SU) – Ch. 42, MCS11)


FCC ID: BCGA2764 IC: 579C-A2764			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 136 of 365	

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-327. PSD Antenna 4a (160MHz BW 802.11ax(SU) – Ch. 50, MCS11)




Plot 7-330. PSD Antenna 4a (20MHz BW 802.11ax(SU) – Ch. 56, MCS11)




Plot 7-328. PSD Antenna 4a (160MHz BW 802.11ac – Ch. 50, MCS9)



Plot 7-331. PSD Antenna 4a (40MHz BW 802.11n – Ch. 54, MCS7)




Plot 7-329. PSD Antenna 4a (20MHz BW 802.11n – Ch. 56, MCS7)




Plot 7-332. PSD Antenna 4a (40MHz BW 802.11ax(SU) – Ch. 54, MCS11)


FCC ID: BCGA2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 137 of 365




Plot 7-333. PSD Antenna 4a (80MHz BW 802.11ac – Ch. 58, MCS9)




Plot 7-336. PSD Antenna 4a (20MHz BW 802.11ax(SU) – Ch. 116, MCS11)




Plot 7-334. PSD Antenna 4a (80MHz BW 802.11ax(SU) – Ch. 58, MCS11)



Plot 7-337. PSD Antenna 4a (40MHz BW 802.11n – Ch. 110, MCS7)




Plot 7-335. PSD Antenna 4a (20MHz BW 802.11n – Ch. 116, MCS7)




Plot 7-338. PSD Antenna 4a (40MHz BW 802.11ax(SU) – Ch. 110, MCS11)


FCC ID: BCGA2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 138 of 365




Plot 7-339. PSD Antenna 4a (80MHz BW 802.11ac – Ch. 122, MCS9 (FCC))



Plot 7-342. PSD Antenna 4a (160MHz BW 802.11ac – Ch. 114, MCS9 (FCC))



Plot 7-340. PSD Antenna 4a (80MHz BW 802.11ax(SU) – Ch. 122, MCS11 (FCC))



Plot 7-341. PSD Antenna 4a (160MHz BW 802.11ax(SU) – Ch. 114, MCS11 (FCC))

FCC ID: BCGA2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 139 of 365

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	19.5/21.7 (MCS2)	5.82	30.0	-24.18
	5785	157	n (20MHz)	19.5/21.7 (MCS2)	6.27	30.0	-23.73
	5825	165	n (20MHz)	19.5/21.7 (MCS2)	5.51	30.0	-24.49
	5745	149	ax (SU) (20MHz)	24/25.8 (MCS2)	3.86	30.0	-26.14
	5785	157	ax (SU) (20MHz)	24/25.8 (MCS2)	4.17	30.0	-25.83
	5825	165	ax (SU) (20MHz)	24/25.8 (MCS2)	0.64	30.0	-29.36
	5755	151	n (40MHz)	40.5/45 (MCS2)	0.19	30.0	-29.81
	5795	159	n (40MHz)	40.5/45 (MCS2)	-0.61	30.0	-30.61
	5755	151	ax (SU) (40MHz)	49/51.6 (MCS2)	-1.59	30.0	-31.59
	5795	159	ax (SU) (40MHz)	49/51.6 (MCS2)	-1.72	30.0	-31.72
	5775	155	ac (80MHz)	87.8/97.5 (MCS2)	-1.28	30.0	-31.28
	5775	155	ax (SU) (80MHz)	102/108.1 (MCS2)	-3.74	30.0	-33.74

Table 7-128. Band 3 Power Spectral Density Measurements Antenna 4a (Low Data Rate)

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	39/43.3 (MCS4)	6.01	30.0	-23.99
	5785	157	n (20MHz)	39/43.3 (MCS4)	6.14	30.0	-23.86
	5825	165	n (20MHz)	39/43.3 (MCS4)	6.17	30.0	-23.83
	5745	149	ax (SU) (20MHz)	49/51.6 (MCS4)	4.42	30.0	-25.58
	5785	157	ax (SU) (20MHz)	49/51.6 (MCS4)	4.18	30.0	-25.82
	5825	165	ax (SU) (20MHz)	49/51.6 (MCS4)	4.32	30.0	-25.68
	5755	151	n (40MHz)	81/90 (MCS4)	3.10	30.0	-26.90
	5795	159	n (40MHz)	81/90 (MCS4)	3.11	30.0	-26.89
	5755	151	ax (SU) (40MHz)	98/103.2 (MCS4)	2.64	30.0	-27.36
	5795	159	ax (SU) (40MHz)	98/103.2 (MCS4)	2.38	30.0	-27.63
	5775	155	ac (80MHz)	175.5/195 (MCS4)	2.54	30.0	-27.46
	5775	155	ax (SU) (80MHz)	204/216.2 (MCS4)	-0.30	30.0	-30.30

Table 7-129. Band 3 Power Spectral Density Measurements Antenna 4a (Mid Data Rate)

FCC ID: BCGA2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 140 of 365

V 10.5 12/15/2021


	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	65/72.2 (MCS7)	5.68	30.0	-24.33
	5785	157	n (20MHz)	65/72.2 (MCS7)	5.52	30.0	-24.48
	5825	165	n (20MHz)	65/72.2 (MCS7)	5.58	30.0	-24.42
	5745	149	ax (SU) (20MHz)	135/143.4 (MCS11)	5.03	30.0	-24.97
	5785	157	ax (SU) (20MHz)	135/143.4 (MCS11)	4.91	30.0	-25.09
	5825	165	ax (SU) (20MHz)	135/143.4 (MCS11)	4.95	30.0	-25.05
	5755	151	n (40MHz)	135/150 (MCS7)	2.36	30.0	-27.64
	5795	159	n (40MHz)	135/150 (MCS7)	1.99	30.0	-28.01
	5755	151	ax (SU) (40MHz)	271/286.8 (MCS11)	-1.25	30.0	-31.25
	5795	159	ax (SU) (40MHz)	271/286.8 (MCS11)	-1.62	30.0	-31.62
	5775	155	ac (80MHz)	390/433.3 (MCS9)	0.40	30.0	-29.60
	5775	155	ax (SU) (80MHz)	567/600.5 (MCS11)	-5.29	30.0	-35.29

Table 7-130. Band 3 Power Spectral Density Measurements Antenna 4a (High Data Rate)


FCC ID: BCGA2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 141 of 365

V 10.5 12/15/2021


Low Date Rate




Plot 7-343. PSD Antenna 4a (20MHz BW 802.11n – Ch. 157, MCS2)




Plot 7-346. PSD Antenna 4a (40MHz BW 802.11ax(SU) – Ch. 151, MCS2)




Plot 7-344. PSD Antenna 4a (20MHz BW 802.11ax(SU) – Ch. 157, MCS2)



Plot 7-347. PSD Antenna 4a (80MHz BW 802.11ac – Ch. 155, MCS2)



Plot 7-345. PSD Antenna 4a (40MHz BW 802.11n – Ch. 151, MCS2)




Plot 7-348. PSD Antenna 4a (80MHz BW 802.11ac – Ch. 155, MCS2)

FCC ID: BCGA2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 142 of 365


V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


Mid Data Rate




Plot 7-349. PSD Antenna 4a (20MHz BW 802.11n – Ch. 157, MCS4)




Plot 7-352. PSD Antenna 4a (40MHz BW 802.11ax(SU) – Ch. 151, MCS4)




Plot 7-350. PSD Antenna 4a (20MHz BW 802.11ax(SU) – Ch. 157, MCS4)



Plot 7-353. PSD Antenna 4a (80MHz BW 802.11ac – Ch. 155, MCS4)



Plot 7-351. PSD Antenna 4a (40MHz BW 802.11n – Ch. 151, MCS4)




Plot 7-354. PSD Antenna 4a (80MHz BW 802.11ax(SU) – Ch. 155, MCS4)

FCC ID: BCGA2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 143 of 365


V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


High Data Rate




Plot 7-355. PSD Antenna 4a (20MHz BW 802.11n – Ch. 157, MCS7)




Plot 7-358. PSD Antenna 4a (40MHz BW 802.11ax(SU) – Ch. 151, MCS7)




Plot 7-356. PSD Antenna 4a (20MHz BW 802.11ax(SU) – Ch. 157, MCS11)



Plot 7-359. PSD Antenna 4a (80MHz BW 802.11ac – Ch. 155, MCS9)



Plot 7-357. PSD Antenna 4a (40MHz BW 802.11n – Ch. 151, MCS7)



Plot 7-360. PSD Antenna 4a (80MHz BW 802.11ax(SU) – Ch. 155, MCS11)

FCC ID: BCGA2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 144 of 365

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density	Margin [dB]
Band 1	5180	36	n (20MHz)	19.5/21.7 (MCS2)	7.51	0.40	7.91	10.0	-2.09
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	7.35	0.40	7.75	10.0	-2.25
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	6.65	0.40	7.05	10.0	-2.95
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	5.18	0.40	5.58	10.0	-4.42
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	5.96	0.40	6.36	10.0	-3.64
	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	5.37	0.40	5.77	10.0	-4.23
	5190	38	n (40MHz)	40.5/45 (MCS2)	0.97	0.40	1.37	10.0	-8.63
	5230	46	n (40MHz)	40.5/45 (MCS2)	6.31	0.40	6.71	10.0	-3.29
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	-0.75	0.40	-0.35	10.0	-10.35
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	5.17	0.40	5.57	10.0	-4.43
	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	-3.60	0.40	-3.20	10.0	-13.20
Band 1/2	5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	-4.90	0.40	-4.50	10.0	-14.50
	5250	50	ac (160MHz)	175.5/195 (MCS2)	-10.39	0.40	-9.99	10.0	-19.99
	5250	50	ax (SU) (160MHz)	204.2/216.2 (MCS2)	-11.64	0.40	-11.24	10.0	-21.24

Table 7-131. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 4a (Low Data Rate)

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density	Margin [dB]
Band 1	5180	36	n (20MHz)	39/43.3 (MCS4)	7.71	0.40	8.11	10.0	-1.89
	5200	40	n (20MHz)	39/43.3 (MCS4)	7.49	0.40	7.89	10.0	-2.11
	5240	48	n (20MHz)	39/43.3 (MCS4)	6.77	0.40	7.17	10.0	-2.84
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	5.34	0.40	5.74	10.0	-4.26
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	6.32	0.40	6.72	10.0	-3.28
	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	5.53	0.40	5.93	10.0	-4.07
	5190	38	n (40MHz)	81/90 (MCS4)	1.03	0.40	1.43	10.0	-8.57
	5230	46	n (40MHz)	81/90 (MCS4)	4.29	0.40	4.69	10.0	-5.31
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	-0.70	0.40	-0.30	10.0	-10.30
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	3.08	0.40	3.48	10.0	-6.52
	5210	42	ac (80MHz)	175.5/195 (MCS4)	-4.09	0.40	-3.69	10.0	-13.69
Band 1/2	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	-5.62	0.40	-5.22	10.0	-15.22
	5250	50	ac (160MHz)	351/390 (MCS4)	-10.48	0.40	-10.08	10.0	-20.08
	5250	50	ax (SU) (160MHz)	408.3/432.4 (MCS4)	-11.11	0.40	-10.71	10.0	-20.71


Table 7-132. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 4a (Mid Data Rate)

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density	Margin [dB]
Band 1	5180	36	n (20MHz)	65/72.2 (MCS7)	6.04	0.40	6.44	10.0	-3.56
	5200	40	n (20MHz)	65/72.2 (MCS7)	6.19	0.40	6.59	10.0	-3.41
	5240	48	n (20MHz)	65/72.2 (MCS7)	5.74	0.40	6.14	10.0	-3.86
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	5.14	0.40	5.54	10.0	-4.46
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	6.37	0.40	6.77	10.0	-3.23
	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	5.88	0.40	6.28	10.0	-3.72
	5190	38	n (40MHz)	135/150 (MCS7)	-1.19	0.40	-0.79	10.0	-10.79
	5230	46	n (40MHz)	135/150 (MCS7)	3.07	0.40	3.47	10.0	-6.53
	5190	38	ax (SU) (40MHz)	271/286.8 (MCS11)	-1.53	0.40	-1.13	10.0	-11.13
	5230	46	ax (SU) (40MHz)	271/286.8 (MCS11)	3.45	0.40	3.85	10.0	-6.15
	5210	42	ac (80MHz)	390/433.3 (MCS9)	-5.76	0.40	-5.36	10.0	-15.36
Band 1/2	5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	-6.16	0.40	-5.76	10.0	-15.76
	5250	50	ac (160MHz)	780/866.7 (MCS9)	-11.45	0.40	-11.05	10.0	-21.05
	5250	50	ax (SU) (160MHz)	1134.3/1201 (MCS11)	-11.78	0.40	-11.38	10.0	-21.38


Table 7-133. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 4a (High Data Rate)

FCC ID: BCGA2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 145 of 365


Low Data Rate




Plot 7-361. ISED PSD Antenna 4a (20MHz BW 11n – Ch.40, MCS2)




Plot 7-364. ISED PSD Antenna 4a (40MHz BW 11ax(SU) – Ch.46, MCS2)




Plot 7-362. ISED PSD Antenna 4a (20MHz BW 11ax(SU) – Ch.40, MCS2)



Plot 7-365. ISED PSD Antenna 4a (80MHz BW 11ac – Ch.42, MCS2)



Plot 7-363. ISED PSD Antenna 4a (40MHz BW 11n – Ch.46, MCS2)




Plot 7-366. ISED PSD Antenna 4a (80MHz BW 11ax (SU) – Ch.42, MCS2)

FCC ID: BCGA2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 146 of 365







V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 147 of 365


Mid Data Rate




FCC ID: BCGA2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 148 of 365

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-375. ISED PSD Antenna 4a (160MHz BW 11ac-- Ch.50 MCS4)




Plot 7-376. ISED PSD Antenna 4a (160MHz BW 11ax(SU) – Ch.50 MCS4)

FCC ID: BCGA2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 149 of 365

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


High Data Rate




Plot 7-377. ISED PSD Antenna 4a (20MHz BW 11n - Ch.40, MCS5)




Plot 7-380. ISED PSD Antenna 4a (40MHz BW 11ax(SU) - Ch.46, MCS11)




Plot 7-378. ISED PSD Antenna 4a (20MHz BW 11ax(SU) - Ch.40, MCS11)



Plot 7-381. ISED PSD Antenna 4a (80MHz BW 11ac - Ch.42, MCS5)



Plot 7-379. ISED PSD Antenna 4a (40MHz BW 11n - Ch.46, MCS5)




Plot 7-382. ISED PSD Antenna 4a (80MHz BW 11ax(SU) - Ch.42, MCS11)


FCC ID: BCGA2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 150 of 365

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-383. ISSED PSD Antenna 4a (160MHz BW 11ac-- Ch.50 MCS9)



Plot 7-384. ISSED PSD Antenna 4a (160MHz BW 11ax(SU) – Ch.50 MCS11)

FCC ID: BCGA2764 IC: 579C-A2764			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device		Page 151 of 365

7.5.3 Summed CDD/SDM Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	Data Rate [Mbps]	Antenna 5b Power Density [dBm/MHz]	Antenna 4a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	CDD	39/43.3 (MCS10)	6.29	6.93	9.63	11.0	-1.37
	5200	40	n (20MHz)	CDD	39/43.3 (MCS10)	6.22	6.98	9.63	11.0	-1.37
	5240	48	n (20MHz)	CDD	39/43.3 (MCS10)	6.38	7.05	9.74	11.0	-1.26
	5180	36	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.16	3.75	6.97	11.0	-4.03
	5200	40	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.10	4.48	7.81	11.0	-3.19
	5240	48	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.07	4.46	7.78	11.0	-3.22
	5190	38	n (40MHz)	CDD	81/90 (MCS10)	0.47	0.58	3.54	11.0	-7.46
	5230	46	n (40MHz)	CDD	81/90 (MCS10)	6.06	6.43	9.26	11.0	-1.74
	5190	38	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	-1.55	-1.25	1.61	11.0	-9.39
	5230	46	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	4.91	5.11	8.02	11.0	-2.98
	5210	42	ac (80MHz)	CDD	175.5/195 (MCS2)	-2.69	-3.47	-0.05	11.0	-11.05
Band 1/2	5210	42	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-4.65	-5.29	-1.94	11.0	-12.94
	5250	50	ac (160MHz)	CDD	351/390 (MCS2)	-9.97	-10.31	-7.13	11.0	-18.13
Band 2A	5250	50	ax (SU) (160MHz)	CDD	408.3/432.4 (MCS2)	-11.20	-11.38	-8.28	11.0	-19.28
	5260	52	n (20MHz)	CDD	39/43.3 (MCS10)	6.37	6.88	9.64	11.0	-1.36
	5280	56	n (20MHz)	CDD	39/43.3 (MCS10)	6.32	6.58	9.46	11.0	-1.54
	5320	64	n (20MHz)	CDD	39/43.3 (MCS10)	6.16	6.73	9.46	11.0	-1.54
	5260	52	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.04	4.30	7.70	11.0	-3.30
	5280	56	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.16	4.21	7.72	11.0	-3.28
	5320	64	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.96	4.13	7.57	11.0	-3.43
	5270	54	n (40MHz)	CDD	81/90 (MCS10)	5.97	5.96	8.97	11.0	-2.03
	5310	62	n (40MHz)	CDD	81/90 (MCS10)	2.97	2.51	5.75	11.0	-5.25
	5270	54	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	4.69	4.68	7.70	11.0	-3.30
	5310	62	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	0.18	-0.13	3.04	11.0	-7.96
	5290	58	ac (80MHz)	CDD	175.5/195 (MCS2)	-1.65	-1.96	1.21	11.0	-9.79
	5290	58	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-3.35	-3.67	-0.50	11.0	-11.50
	5500	100	n (20MHz)	CDD	39/43.3 (MCS10)	6.22	6.80	9.53	11.0	-1.47
	5580	116	n (20MHz)	CDD	39/43.3 (MCS10)	5.86	6.55	9.23	11.0	-1.77
Band 2C	5720	144	n (20MHz)	CDD	39/43.3 (MCS10)	6.60	7.48	10.08	11.0	-0.92
	5500	100	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.82	4.22	7.54	11.0	-3.46
	5580	116	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.80	4.58	7.70	11.0	-3.30
	5720	144	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.11	5.99	8.58	11.0	-2.42
	5510	102	n (40MHz)	CDD	81/90 (MCS10)	0.36	-0.53	2.95	11.0	-8.05
	5550	110	n (40MHz)	CDD	81/90 (MCS10)	5.66	4.99	8.35	11.0	-2.65
	5710	142	n (40MHz)	CDD	81/90 (MCS10)	6.00	5.84	8.93	11.0	-2.07
	5510	102	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	-0.87	-1.68	1.76	11.0	-9.24
	5550	110	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	4.29	3.53	6.93	11.0	-4.07
	5710	142	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	4.53	4.21	7.38	11.0	-3.62
	5530	106	ac (80MHz)	CDD	175.5/195 (MCS2)	-2.93	-3.73	-0.30	11.0	-11.30
	*5610	122	ac (80MHz)	CDD	175.5/195 (MCS2)	2.59	1.91	5.27	11.0	-5.73
	5690	138	ac (80MHz)	CDD	175.5/195 (MCS2)	2.77	2.41	5.60	11.0	-5.40
	5530	106	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-4.13	-4.75	-1.42	11.0	-12.42
	*5610	122	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	1.50	0.58	4.07	11.0	-6.93
	5690	138	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	1.57	1.32	4.46	11.0	-6.54
	*5570	114	ac (160MHz)	CDD	351/390 (MCS2)	-9.98	-10.35	-7.15	10.34	-17.49
	*5570	114	ax (SU) (160MHz)	CDD	408.3/432.4 (MCS2)	-8.29	-9.29	-5.75	10.34	-16.09

Table 7-134. Bands 1, 2A, 2C CDD/SDM Power Spectral Density Measurements (Low Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 152 of 365

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	Data Rate [Mbps]	Antenna 5b Power Density [dBm/MHz]	Antenna 4a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	CDD	78/86.7 (MCS12)	6.78	7.20	10.00	11.0	-1.00
	5200	40	n (20MHz)	CDD	78/86.7 (MCS12)	6.32	6.79	9.57	11.0	-1.43
	5240	48	n (20MHz)	CDD	78/86.7 (MCS12)	6.36	6.94	9.67	11.0	-1.33
	5180	36	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.16	5.02	7.62	11.0	-3.38
	5200	40	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.98	5.86	8.45	11.0	-2.55
	5240	48	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	5.12	5.71	8.44	11.0	-2.56
	5190	38	n (40MHz)	CDD	162/180 (MCS12)	0.36	0.68	3.54	11.0	-7.46
	5230	46	n (40MHz)	CDD	162/180 (MCS12)	6.22	6.28	9.26	11.0	-1.74
	5190	38	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	-1.55	-1.58	1.44	11.0	-9.56
	5230	46	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	5.07	5.15	8.12	11.0	-2.88
	5210	42	ac (80MHz)	CDD	351/390 (MCS4)	-5.10	-4.29	-1.67	11.0	-12.67
	5210	42	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-6.48	-6.06	-3.25	11.0	-14.25
Band 1/2	5250	50	ac (160MHz)	CDD	702/780 (MCS4)	-9.48	-10.07	-6.75	11.00	-17.75
	5250	50	ax (SU) (160MHz)	CDD	816.7/864.7 (MCS4)	-10.86	-11.09	-7.96	11.00	-18.96
Band 2A	5260	52	n (20MHz)	CDD	78/86.7 (MCS12)	6.44	6.84	9.65	11.0	-1.35
	5280	56	n (20MHz)	CDD	78/86.7 (MCS12)	6.59	6.30	9.46	11.0	-1.54
	5320	64	n (20MHz)	CDD	78/86.7 (MCS12)	6.41	6.87	9.66	11.0	-1.34
	5260	52	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	5.18	5.89	8.56	11.0	-2.44
	5280	56	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	5.38	5.81	8.61	11.0	-2.39
	5320	64	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.57	5.40	8.02	11.0	-2.98
	5270	54	n (40MHz)	CDD	162/180 (MCS12)	6.25	6.05	9.16	11.0	-1.84
	5310	62	n (40MHz)	CDD	162/180 (MCS12)	1.79	1.52	4.67	11.0	-6.33
	5270	54	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	4.79	4.82	7.81	11.0	-3.19
	5310	62	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	-0.07	-0.74	2.62	11.0	-8.38
	5290	58	ac (80MHz)	CDD	351/390 (MCS4)	-1.83	-2.45	0.88	11.0	-10.12
	5290	58	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-4.12	-4.29	-1.19	11.0	-12.19
Band 2C	5500	100	n (20MHz)	CDD	78/86.7 (MCS12)	6.51	6.75	9.64	11.0	-1.36
	5580	116	n (20MHz)	CDD	78/86.7 (MCS12)	6.17	6.93	9.58	11.0	-1.42
	5720	144	n (20MHz)	CDD	78/86.7 (MCS12)	6.42	7.26	9.87	11.0	-1.13
	5500	100	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.21	4.75	7.50	11.0	-3.50
	5580	116	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.79	5.52	8.18	11.0	-2.82
	5720	144	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	5.64	6.30	8.99	11.0	-2.01
	5510	102	n (40MHz)	CDD	162/180 (MCS12)	1.01	0.08	3.58	11.0	-7.42
	5550	110	n (40MHz)	CDD	162/180 (MCS12)	5.35	4.70	8.04	11.0	-2.96
	5710	142	n (40MHz)	CDD	162/180 (MCS12)	6.18	6.22	9.21	11.0	-1.79
	5510	102	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	-0.86	-1.56	1.82	11.0	-9.18
	5550	110	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	3.24	3.02	6.14	11.0	-4.86
	5710	142	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	5.03	4.61	7.84	11.0	-3.16
	5530	106	ac (80MHz)	CDD	351/390 (MCS4)	-3.08	-3.79	-0.41	11.0	-11.41
	*5610	122	ac (80MHz)	CDD	351/390 (MCS4)	2.10	1.17	4.67	11.0	-6.33
	5690	138	ac (80MHz)	CDD	351/390 (MCS4)	2.99	2.51	5.76	11.0	-5.24
	5530	106	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-4.40	-5.12	-1.73	11.0	-12.73
	*5610	122	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	1.29	0.20	3.79	11.0	-7.21
	5690	138	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	1.78	1.66	4.73	11.0	-6.27
	*5570	114	ac (160MHz)	CDD	702/780 (MCS4)	-8.77	-11.25	-6.82	10.34	-17.16
	*5570	114	ax (SU) (160MHz)	CDD	816.7/864.7 (MCS4)	-10.25	-10.84	-7.52	10.34	-17.86

Table 7-135. Bands 1, 2A, 2C CDD/SDM Power Spectral Density Measurements (Mid Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 153 of 365

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	Data Rate [Mbps]	Antenna 5b Power Density [dBm/MHz]	Antenna 4a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	CDD	130/144.4 (MCS15)	4.78	5.53	8.18	11.0	-2.82
	5200	40	n (20MHz)	CDD	130/144.4 (MCS15)	5.47	5.99	8.75	11.0	-2.25
	5240	48	n (20MHz)	CDD	130/144.4 (MCS15)	5.25	5.53	8.40	11.0	-2.60
	5180	36	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	3.77	3.97	6.88	11.0	-4.12
	5200	40	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	5.36	5.34	8.36	11.0	-2.64
	5240	48	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	5.28	5.20	8.25	11.0	-2.75
	5190	38	n (40MHz)	CDD	270/300 (MCS15)	-1.72	-1.16	1.58	11.0	-9.42
	5230	46	n (40MHz)	CDD	270/300 (MCS15)	5.04	5.29	8.18	11.0	-2.82
	5190	38	ax (SU) (40MHz)	CDD	540/573.5 (MCS11)	-2.10	-2.42	0.75	11.0	-10.25
	5230	46	ax (SU) (40MHz)	CDD	540/573.5 (MCS11)	5.24	5.43	8.34	11.0	-2.66
Band 1/2	5210	42	ac (80MHz)	CDD	780/866.7 (MCS9)	-6.47	-6.13	-3.29	11.0	-14.29
	5210	42	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-6.38	-5.64	-2.98	11.0	-13.98
Band 2A	5250	50	ac (160MHz)	CDD	1560/1733.3 (MCS9)	-11.38	-11.74	-8.54	11.0	-19.54
	5250	50	ax (SU) (160MHz)	CDD	2268.5/2402 (MCS11)	-10.94	-11.90	-8.38	11.0	-19.38
	5260	52	n (20MHz)	CDD	130/144.4 (MCS15)	5.48	5.53	8.51	11.0	-2.49
	5280	56	n (20MHz)	CDD	130/144.4 (MCS15)	5.51	5.56	8.54	11.0	-2.46
	5320	64	n (20MHz)	CDD	130/144.4 (MCS15)	5.53	5.46	8.51	11.0	-2.49
	5260	52	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	5.37	5.54	8.47	11.0	-2.53
	5280	56	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	5.52	5.10	8.32	11.0	-2.68
	5320	64	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	4.94	4.52	7.75	11.0	-3.25
	5270	54	n (40MHz)	CDD	270/300 (MCS15)	5.29	4.93	8.12	11.0	-2.88
	5310	62	n (40MHz)	CDD	270/300 (MCS15)	0.15	-0.58	2.81	11.0	-8.19
	5270	54	ax (SU) (40MHz)	CDD	540/573.5 (MCS11)	5.48	4.96	8.23	11.0	-2.77
	5310	62	ax (SU) (40MHz)	CDD	540/573.5 (MCS11)	-1.04	-1.40	1.80	11.0	-9.20
	5290	58	ac (80MHz)	CDD	780/866.7 (MCS9)	-3.72	-4.40	-1.04	11.0	-12.04
	5290	58	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-4.43	-4.56	-1.48	11.0	-12.48
Band 2C	5500	100	n (20MHz)	CDD	130/144.4 (MCS15)	3.41	4.09	6.77	11.0	-4.23
	5580	116	n (20MHz)	CDD	130/144.4 (MCS15)	4.75	5.53	8.17	11.0	-2.83
	5720	144	n (20MHz)	CDD	270/286.8 (MCS11)	5.12	6.02	8.60	11.0	-2.40
	5500	100	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	3.32	3.83	6.59	11.0	-4.41
	5580	116	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	5.19	5.63	8.43	11.0	-2.57
	5720	144	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	5.67	6.49	9.11	11.0	-1.89
	5510	102	n (40MHz)	CDD	270/300 (MCS15)	-1.38	-1.98	1.34	11.0	-9.66
	5550	110	n (40MHz)	CDD	270/300 (MCS15)	3.63	3.16	6.41	11.0	-4.59
	5710	142	n (40MHz)	CDD	270/300 (MCS15)	4.96	5.06	8.02	11.0	-2.98
	5510	102	ax (SU) (40MHz)	CDD	540/573.5 (MCS11)	-1.60	-2.28	1.08	11.0	-9.92
	5550	110	ax (SU) (40MHz)	CDD	540/573.5 (MCS11)	3.07	2.20	5.66	11.0	-5.34
	5710	142	ax (SU) (40MHz)	CDD	540/573.5 (MCS11)	5.07	4.48	7.79	11.0	-3.21
	5530	106	ac (80MHz)	CDD	780/866.7 (MCS9)	-4.59	-5.27	-1.91	11.0	-12.91
	*5610	122	ac (80MHz)	CDD	780/866.7 (MCS9)	-0.08	-0.76	2.60	11.0	-8.40
	5690	138	ac (80MHz)	CDD	780/866.7 (MCS9)	1.95	2.24	5.11	11.0	-5.89
	5530	106	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-4.82	-5.46	-2.12	11.0	-13.12
	*5610	122	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	1.28	-0.14	3.64	11.0	-7.36
	5690	138	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	2.12	2.01	5.07	11.0	-5.93
	*5570	114	ac (160MHz)	CDD	1560/1733.3 (MCS9)	-10.97	-11.71	-8.31	10.34	-18.65
	*5570	114	ax (SU) (160MHz)	CDD	2268.5/2402 (MCS11)	-9.35	-9.08	-6.20	10.34	-16.54

Table 7-136. Bands 1, 2A, 2C CDD/SDM Power Spectral Density Measurements (High Data Rate)


*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 154 of 365


V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


Low Data Rate




Plot 7-385. PSD SDM Antenna 5b (20MHz BW 802.11n - Ch. 40, MCS10)




Plot 7-388. PSD SDM Antenna 4a (20MHz BW 802.11ax(SU) - Ch. 40, MCS2)




Plot 7-386. PSD SDM Antenna 4a (20MHz BW 802.11n - Ch. 40, MCS10)



Plot 7-389. PSD SDM Antenna 5b (40MHz BW 802.11n - Ch. 46, MCS10)



Plot 7-387. PSD SDM Antenna 5b (20MHz BW 802.11ax(SU) - Ch. 40, MCS2)



Plot 7-390. PSD SDM Antenna 4a (40MHz BW 802.11n - Ch. 46, MCS10)

FCC ID: BCGA2764 IC: 579C-A2764			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device		Page 155 of 365

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.