

Plot 7-474. RSE above 1GHz CDD (11ax – Ch.64 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 10640.00	Average	H	-	-	-81.56	10.13	35.57	53.98	-18.41
* 10640.00	Peak	H	-	-	-70.02	10.13	47.11	73.98	-26.87
* 15960.00	Average	H	-	-	-82.38	14.94	39.56	53.98	-14.42
* 15960.00	Peak	H	-	-	-71.11	14.94	50.83	73.98	-23.15

Table 7-184. Radiated Measurements CDD (RU242)

FCC ID: BCG2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 223 of 278



Plot 7-475. RSE above 1GHz CDD (11ax – Ch.100 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11000.00	Average	H	-	-	-80.48	10.96	37.48	53.98	-16.50
* 11000.00	Peak	H	-	-	-68.89	10.96	49.07	73.98	-24.91
16500.00	Peak	H	-	-	-71.08	17.98	53.90	68.20	-14.30

Table 7-185. Radiated Measurements CDD (RU242)

FCC ID: BCG2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 224 of 278




Plot 7-476. RSE above 1GHz CDD (11ax – Ch.116 – RU242)



Plot 7-477. RSE 18GHz – 40 GHz CDD (11ax Ch.116 — RU242, Pol. H)

FCC ID: BCG2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 225 of 278




Plot 7-478. RSE 18 GHz - 40GHz CDD (11ax Ch.116 — RU242, Pol. V)

Mode:	802.11ax (20MHz BW)
Data Rate:	MCS11
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5580MHz
Channel:	116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
11160.00	Average	H	-	-	-80.47	10.39	36.92	53.98	-17.06
11160.00	Peak	H	-	-	-68.95	10.39	48.44	73.98	-25.54
16740.00	Peak	H	-	-	-70.20	17.57	54.37	68.20	-13.83

Table 7-186. Radiated Measurements CDD (RU242)

FCC ID: BCG2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 226 of 278



Plot 7-479. RSE above 1GHz CDD (11ax – Ch.144 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11440.00	Average	H	-	-	-81.40	10.79	36.39	53.98	-17.59
* 11440.00	Peak	H	-	-	-69.33	10.79	48.46	73.98	-25.52
17160.00	Peak	H	-	-	-72.93	18.62	52.69	68.20	-15.51

Table 7-187. Radiated Measurements CDD (RU242)

FCC ID: BCG2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 227 of 278




Plot 7-480. RSE above 1GHz CDD (11ax – Ch.149 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11490.00	Average	H	-	-	-81.48	10.82	36.34	53.98	-17.64
* 11490.00	Peak	H	-	-	-70.11	10.82	47.71	73.98	-26.27
17235.00	Peak	H	-	-	-72.44	18.44	53.00	68.20	-15.20

Table 7-188. Radiated Measurements CDD (RU242)

FCC ID: BCG2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 228 of 278



Plot 7-481. RSE above 1GHz CDD (11ax – Ch.157 – RU242)



Plot 7-482. RSE 18GHz – 40 GHz CDD (11ax Ch.157 — RU242, Pol. H)

FCC ID: BCG2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 229 of 278




Plot 7-483. RSE 18 GHz - 40GHz CDD (11ax Ch.157 — RU242, Pol. V)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
11570.00	Average	H	-	-	-81.72	10.97	36.25	53.98	-17.73
11570.00	Peak	H	-	-	-70.03	10.97	47.94	73.98	-26.04
17355.00	Peak	H	-	-	-73.24	19.31	53.07	68.20	-15.13

Table 7-189. Radiated Measurements CDD (RU242)

FCC ID: BCG2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 230 of 278


Plot 7-484. RSE above 1GHz CDD (11ax – Ch.165 – RU242)

Mode:	802.11ax (20MHz BW)
Data Rate:	MCS11
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5825MHz
Channel:	165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
11650.00	Average	H	-	-	-81.75	11.13	36.38	53.98	-17.60
11650.00	Peak	H	-	-	-69.74	11.13	48.39	73.98	-25.59
17475.00	Peak	H	-	-	-73.71	21.67	54.96	68.20	-13.24


Table 7-190. Radiated Measurements CDD (RU242)

FCC ID: BCG2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 231 of 278


7.6.4 Antenna WF5b Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]


RU26/RU52




Plot 7-485. Antenna WF5b (Pk & Avg, RU26, Index 0, Ch.36, MCS11)




Plot 7-488. Antenna WF5b (Pk, RU52, Index 37, Ch.140, MCS11)




Plot 7-486. Antenna WF5b (Pk & Avg, RU52, Index 40, Ch.64, MCS11)



Plot 7-489. Antenna WF5b (Pk, RU26, Index 0, Ch.149, MCS11)




Plot 7-487. Antenna WF5b (Pk & Avg, RU52, Index 37, Ch.100, MCS11)




Plot 7-490. Antenna WF5b (Pk, RU26, Index 8, Ch.165, MCS11)


FCC ID: BCG2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 232 of 278

RU242



Plot 7-491. Antenna WF5b (Pk & Avg, RU242, Index 61, Ch.36, MCS11)




Plot 7-494. Antenna WF5b (Pk & Avg, RU242, Index 61, Ch.64, MCS11)




Plot 7-492. Antenna WF5b (Pk & Avg, RU242, Index 61, Ch.40, MCS11)



Plot 7-495. Antenna WF5b (Pk & Avg, RU242, Index 61, Ch.100, MCS11)




Plot 7-493. Antenna WF5b (Pk & Avg, RU242, Index 61, Ch.60, MCS11)




Plot 7-496. Antenna WF5b (Pk & Avg, RU242, Index 61, Ch.104, MCS11)


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 233 of 278




Plot 7-497. Antenna WF5b (Pk & Avg, RU242, Index 61, Ch.108, MCS11)




Plot 7-500. Antenna WF5b (Pk, RU242, Index 61, Ch.140, MCS11)




Plot 7-498. Antenna WF5b (Pk, RU242, Index 61, Ch.132, MCS11)



Plot 7-501. Antenna WF5b (Pk, RU242, Index 61, Ch.149, MCS11)



Plot 7-499. Antenna WF5b (Pk, RU242, Index 61, Ch.136, MCS11)




Plot 7-502. Antenna WF5b (Pk, RU242, Index 61, Ch.165, MCS11)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 234 of 278


7.6.6 Antenna WF5b Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26/52




Plot 7-503. Antenna WF5b (Pk & Avg, RU26, Index 0, Ch.38, MCS11)




Plot 7-506. Antenna WF5b (Pk, RU52, Index 37, Ch.134, MCS11)




Plot 7-504. Antenna WF5b (Pk & Avg, RU52, Index 37, Ch.62, MCS11)



Plot 7-507. Antenna WF5b (Pk, RU26, Index 0, Ch.151, MCS11)




Plot 7-505. Antenna WF5b (Pk & Avg, RU52, Index 37, Ch.102, MCS11)




Plot 7-508. Antenna WF5b (Pk, RU26, Index 17, Ch.159, MCS11)


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 235 of 278

RU484



Plot 7-509. Antenna WF5b (Pk & Avg, RU484, Index 65, Ch.38, MCS11)




Plot 7-512. Antenna WF5b (Pk & Avg, RU484, Index 65, Ch.62, MCS11)




Plot 7-510. Antenna WF5b (Pk & Avg, RU484, Index 65, Ch.46, MCS11)



Plot 7-513. Antenna WF5b (Pk & Avg, RU484, Index 65, Ch.102, MCS11)




Plot 7-511. Antenna WF5b (Pk & Avg, RU484, Index 65, Ch.54, MCS11)




Plot 7-514. Antenna WF5b (Pk & Avg, RU484, Index 65, Ch.110, MCS11)


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 236 of 278




Plot 7-515. (FCC Only) Antenna WF5b (Pk & Avg, RU484, Index 65, Ch.118, MCS11)




Plot 7-518. Antenna WF5b (Pk, RU484, Index 65, Ch.134, MCS11)




Plot 7-516. (FCC Only) Antenna WF5b (Pk, RU484, Index 65, Ch.118, MCS11)



Plot 7-519. Antenna WF5b (Pk, RU484, Index 65, Ch.151, MCS11)



Plot 7-517. (FCC Only) Antenna WF5b (Pk, RU484, Index 65, Ch.126, MCS11)




Plot 7-520. Antenna WF5b (Pk, RU484, Index 65, Ch.159, MCS11)


FCC ID: BCG2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 237 of 278

7.6.7 Antenna WF5b Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26/RU52




Plot 7-521. Antenna WF5b (Pk & Avg, RU26, Index 0, Ch.42, MCS11)




Plot 7-524. (FCC Only) Antenna WF5b (Pk & Avg, RU52, Index 37, Ch.122, MCS11)




Plot 7-522. Antenna WF5b (Pk & Avg, RU52, Index 52, Ch.58, MCS11)



Plot 7-525. (FCC Only) Antenna WF5b (Pk, RU52, Index 52, Ch.122, MCS11)




Plot 7-523. Antenna WF5b (Pk & Avg, RU52, Index 37, Ch.106, MCS11)



Plot 7-526. Antenna WF5b (Pk, RU26, Index 0, Ch.155, MCS11)

FCC ID: BCG2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 238 of 278




Plot 7-527. Antenna WF5b (Pk, RU26, Index 36, Ch.155, MCS11)

FCC ID: BCG2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 239 of 278


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

RU996



Plot 7-528. Antenna WF5b (Pk & Avg, RU996, Index 67, Ch.42, MCS11)




Plot 7-531. (FCC Only) Antenna WF5b (Pk & Avg, RU996, Index 67, Ch.122, MCS11)




Plot 7-529. Antenna WF5b (Pk & Avg, RU996, Index 67, Ch.58, MCS11)



Plot 7-532. (FCC Only) Antenna WF5b (Pk, RU996, Index 67, Ch.122, MCS11)




Plot 7-530. Antenna WF5b (Pk & Avg, RU996, Index 67, Ch.106, MCS11)



Plot 7-533. Antenna WF5b (Pk, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 240 of 278



Plot 7-534. Antenna WF5b (Pk, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCG2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device


V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.8 Antenna WF5b Radiated Band Edge Measurements (160MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU52



Plot 7-535. Antenna WF5b (Pk & Avg, RU52, Index 37, Ch.50, MCS11)




Plot 7-536. Antenna WF5b (Pk & Avg, RU52, Index 52, Ch.50, MCS11)




Plot 7-537. (FCC Only) Antenna WF5b (Pk & Avg, RU52, Index 37, Ch.114, MCS11)


FCC ID: BCG2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 242 of 278

RU996x2


Plot 7-538. Antenna WF5b (Pk & Avg, RU996x2, Index 68, Ch.50, MCS11)



Plot 7-539. Antenna WF5b (Pk & Avg, RU996x2, Index 68, Ch.50, MCS11)




Plot 7-540. (FCC Only) Antenna WF5b (Pk & Avg, RU996x2, Index 68, Ch.114, MCS11)

FCC ID: BCG2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 243 of 278


7.6.9 Antenna WF4a Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26/RU52




Plot 7-541. Antenna WF4a (Pk & Avg, RU26, Index 0, Ch.36, MCS11)




Plot 7-544. Antenna WF4a (Pk, RU52, Index 37, Ch.140, MCS11)




Plot 7-542. Antenna WF4a (Pk & Avg, RU52, Index 40, Ch.64, MCS11)



Plot 7-545. Antenna WF4a (Pk, RU26, Index 0, Ch.149, MCS11)




Plot 7-543. Antenna WF4a (Pk & Avg, RU52, Index 37, Ch.100, MCS11)




Plot 7-546. Antenna WF4a (Pk, RU26, Index 8, Ch.165, MCS11)


FCC ID: BCG2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 244 of 278 V 10.5 12/15/2021

RU242



Plot 7-547. Antenna WF4a (Pk & Avg, RU242, Index 61, Ch.36, MCS11)




Plot 7-550. Antenna WF4a (Pk & Avg, RU242, Index 61, Ch.64, MCS11)




Plot 7-548. Antenna WF4a (Pk & Avg, RU242, Index 61, Ch.40, MCS11)



Plot 7-551. Antenna WF4a (Pk & Avg, RU242, Index 61, Ch.100, MCS11)




Plot 7-549. Antenna WF4a (Pk & Avg, RU242, Index 61, Ch.60, MCS11)




Plot 7-552. Antenna WF4a (Pk & Avg, RU242, Index 61, Ch.104, MCS11)


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 245 of 278




Plot 7-553. Antenna WF4a (Pk & Avg, RU242, Index 61, Ch.108, MCS11)




Plot 7-556. Antenna WF4a (Pk, RU242, Index 61, Ch.140, MCS11)




Plot 7-554. Antenna WF4a (Pk, RU242, Index 61, Ch.132, MCS11)



Plot 7-557. Antenna WF4a (Pk, RU242, Index 61, Ch.149, MCS11)



Plot 7-555. Antenna WF4a (Pk, RU242, Index 61, Ch.136, MCS11)



Plot 7-558. Antenna WF4a (Pk, RU242, Index 61, Ch.165, MCS11)

FCC ID: BCG2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 246 of 278