



Plot 7-39. 26dB & 99% Bandwidth Plot Antenna 5b (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS4)




Plot 7-40. 26dB & 99% Bandwidth Plot Antenna 5b (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS4)

FCC ID: BCGA2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-21-R2.BCG	Test Dates: 5/30/2022 - 9/16/2022	EUT Type: Tablet Device	Page 28 of 282

**High Data Rate**



**Plot 7-41. 26dB & 99% Bandwidth Plot Antenna 5b (20MHz) 802.11a (UNII Band 5) – Ch. 45, MCS11)**




**Plot 7-44. 26dB & 99% Bandwidth Plot Antenna 5b (80MHz) 802.11ax (UNII Band 5) – Ch. 39, MCS11)**




**Plot 7-42. 26dB & 99% Bandwidth Plot Antenna 5b (20MHz) 802.11ax (UNII Band 5) – Ch. 45, MCS11)**



**Plot 7-45. 26dB & 99% Bandwidth Plot Antenna 5b (160MHz) 802.11ax (UNII Band 5) – Ch. 47, MCS11)**









**Plot 7-43. 26dB & 99% Bandwidth Plot Antenna 5b (40MHz) 802.11ax (UNII Band 5) – Ch. 43, MCS11)**









**Plot 7-46. 26dB & 99% Bandwidth Plot Antenna 5b (20MHz) 802.11a (UNII Band 6) – Ch. 105, MCS11)**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-21-R2.BCG	Test Dates: 5/30/2022 - 9/16/2022	EUT Type: Tablet Device	Page 29 of 282



FCC ID: BCGA2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-21-R2.BCG	Test Dates: 5/30/2022 - 9/16/2022	EUT Type: Tablet Device	Page 30 of 282



FCC ID: BCGA2764	
IC: 579C-A2764	
Test Report S/N:	Test Dates:
1C2205090028-21-R2.BCG	5/30/2022 - 9/16/2022


**MEASUREMENT REPORT  
(CERTIFICATION)**

**Approved by:**  
Technical Manager

Page 31 of 282



Plot 7-59. 26dB & 99% Bandwidth Plot Antenna 5b (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS11)



Plot 7-60. 26dB & 99% Bandwidth Plot Antenna 5b (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS11)

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-21-R2.BCG	Test Dates: 5/30/2022 - 9/16/2022	EUT Type: Tablet Device	Page 32 of 282

## 7.2.2 Antenna 4a 26dB & 99% Bandwidth Measurements

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]	Maximum Bandwidth Limit [MHz]	Pass / Fail
Band 5	5955	1	a	12	16.49	20.54	320	Pass
	6175	45	a	12	16.58	20.92	320	Pass
	6415	93	a	12	16.60	20.68	320	Pass
	5955	1	ax (20MHz)	24/25.8 (MCS2)	19.06	21.39	320	Pass
	6175	45	ax (20MHz)	24/25.8 (MCS2)	19.01	21.15	320	Pass
	6415	93	ax (20MHz)	24/25.8 (MCS2)	19.02	21.24	320	Pass
	5965	3	ax (40MHz)	49/51.6 (MCS2)	37.92	41.25	320	Pass
	6165	43	ax (40MHz)	49/51.6 (MCS2)	37.91	41.30	320	Pass
	6405	91	ax (40MHz)	49/51.6 (MCS2)	37.91	41.26	320	Pass
	5985	7	ax (80MHz)	102/108.1 (MCS2)	77.20	81.94	320	Pass
	6145	39	ax (80MHz)	102/108.1 (MCS2)	77.22	81.48	320	Pass
	6385	87	ax (80MHz)	102/108.1 (MCS2)	77.16	81.90	320	Pass
	6025	15	ax (160MHz)	183.8/216.2 (MCS2)	156.41	166.39	320	Pass
	6185	47	ax (160MHz)	183.8/216.2 (MCS2)	156.52	167.61	320	Pass
	6345	79	ax (160MHz)	183.8/216.2 (MCS2)	156.46	166.95	320	Pass
Band 6	6435	97	a	12	16.54	20.81	320	Pass
	6475	105	a	12	16.56	20.89	320	Pass
	6515	113	a	12	16.56	20.47	320	Pass
	6435	97	ax (20MHz)	24/25.8 (MCS2)	19.02	21.30	320	Pass
	6475	105	ax (20MHz)	24/25.8 (MCS2)	19.07	21.09	320	Pass
	6515	113	ax (20MHz)	24/25.8 (MCS2)	19.06	21.33	320	Pass
	6445	99	ax (40MHz)	49/51.6 (MCS2)	37.93	41.59	320	Pass
	6485	107	ax (40MHz)	49/51.6 (MCS2)	37.93	41.39	320	Pass
	6525	115	ax (40MHz)	49/51.6 (MCS2)	37.89	41.22	320	Pass
	6465	103	ax (80MHz)	102/108.1 (MCS2)	77.21	81.81	320	Pass
	6505	111	ax (160MHz)	183.8/216.2 (MCS2)	156.74	166.31	320	Pass
	6535	117	a	12	16.55	20.63	320	Pass
Band 7	6695	149	a	12	16.55	20.83	320	Pass
	6875	185	a	12	16.59	20.67	320	Pass
	6535	117	ax (20MHz)	24/25.8 (MCS2)	19.02	21.15	320	Pass
	6695	149	ax (20MHz)	24/25.8 (MCS2)	19.04	21.09	320	Pass
	6875	185	ax (20MHz)	24/25.8 (MCS2)	19.04	20.95	320	Pass
	6565	123	ax (40MHz)	49/51.6 (MCS2)	37.89	41.39	320	Pass
	6725	155	ax (40MHz)	49/51.6 (MCS2)	37.92	41.51	320	Pass
	6845	179	ax (40MHz)	49/51.6 (MCS2)	37.94	41.52	320	Pass
	6545	119	ax (80MHz)	102/108.1 (MCS2)	77.16	81.75	320	Pass
	6705	151	ax (80MHz)	102/108.1 (MCS2)	77.16	81.69	320	Pass
	6865	183	ax (80MHz)	102/108.1 (MCS2)	77.11	81.87	320	Pass
	6665	143	ax (160MHz)	183.8/216.2 (MCS2)	156.22	166.59	320	Pass
	6825	175	ax (160MHz)	183.8/216.2 (MCS2)	156.34	166.28	320	Pass
Band 8	6895	189	a	12	16.58	20.65	320	Pass
	6995	209	a	12	16.59	20.83	320	Pass
	7115	233	a	12	16.60	20.48	320	Pass
	6895	189	ax (20MHz)	24/25.8 (MCS2)	19.08	21.18	320	Pass
	6995	209	ax (20MHz)	24/25.8 (MCS2)	19.04	21.42	320	Pass
	7115	233	ax (20MHz)	24/25.8 (MCS2)	19.06	21.05	320	Pass
	6885	187	ax (40MHz)	49/51.6 (MCS2)	37.92	41.42	320	Pass
	7005	211	ax (40MHz)	49/51.6 (MCS2)	37.97	41.55	320	Pass
	7085	227	ax (40MHz)	49/51.6 (MCS2)	37.90	41.52	320	Pass
	6945	199	ax (80MHz)	102/108.1 (MCS2)	77.27	81.94	320	Pass
	7025	215	ax (80MHz)	102/108.1 (MCS2)	77.15	81.85	320	Pass
	6985	207	ax (160MHz)	183.8/216.2 (MCS2)	156.53	166.37	320	Pass

Table 7-5. Conducted Bandwidth Measurements Antenna 4a (Low Data Rate)

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-21-R2.BCG	Test Dates: 5/30/2022 - 9/16/2022	EUT Type: Tablet Device	Page 33 of 282

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [MHz]	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]	Maximum Bandwidth Limit [MHz]	Pass / Fail
Band 5	5955	1	a	24	16.52	20.48	320	Pass
	6175	45	a	24	16.55	20.43	320	Pass
	6415	93	a	24	16.50	20.41	320	Pass
	5955	1	ax (20MHz)	49/51.6 (MCS4)	19.02	20.86	320	Pass
	6175	45	ax (20MHz)	49/51.6 (MCS4)	19.01	21.09	320	Pass
	6415	93	ax (20MHz)	49/51.6 (MCS4)	19.02	21.24	320	Pass
	5965	3	ax (40MHz)	98/103.2 (MCS4)	37.89	41.55	320	Pass
	6165	43	ax (40MHz)	98/103.2 (MCS4)	37.92	41.58	320	Pass
	6405	91	ax (40MHz)	98/103.2 (MCS4)	37.90	41.50	320	Pass
	5985	7	ax (80MHz)	204/216.2 (MCS4)	77.09	81.70	320	Pass
	6145	39	ax (80MHz)	204/216.2 (MCS4)	77.12	81.94	320	Pass
	6385	87	ax (80MHz)	204/216.2 (MCS4)	77.22	81.06	320	Pass
	6025	15	ax (160MHz)	367.5/432.4 (MCS4)	156.09	165.25	320	Pass
	6185	47	ax (160MHz)	367.5/432.4 (MCS4)	156.86	167.94	320	Pass
	6345	79	ax (160MHz)	367.5/432.4 (MCS4)	156.44	165.59	320	Pass
Band 6	6435	97	a	24	16.53	20.23	320	Pass
	6475	105	a	24	16.55	20.43	320	Pass
	6515	113	a	24	16.56	20.24	320	Pass
	6435	97	ax (20MHz)	49/51.6 (MCS4)	19.01	21.20	320	Pass
	6475	105	ax (20MHz)	49/51.6 (MCS4)	19.02	21.13	320	Pass
	6515	113	ax (20MHz)	49/51.6 (MCS4)	19.03	21.19	320	Pass
	6445	99	ax (40MHz)	98/103.2 (MCS4)	37.92	41.83	320	Pass
	6485	107	ax (40MHz)	98/103.2 (MCS4)	37.92	41.50	320	Pass
	6525	115	ax (40MHz)	98/103.2 (MCS4)	37.94	41.62	320	Pass
	6465	103	ax (80MHz)	204/216.2 (MCS4)	77.23	81.81	320	Pass
	6505	111	ax (160MHz)	367.5/432.4 (MCS4)	156.42	166.10	320	Pass
Band 7	6535	117	a	24	16.55	20.34	320	Pass
	6695	149	a	24	16.55	20.51	320	Pass
	6875	185	a	24	16.56	20.46	320	Pass
	6535	117	ax (20MHz)	49/51.6 (MCS4)	19.02	21.23	320	Pass
	6695	149	ax (20MHz)	49/51.6 (MCS4)	19.02	21.23	320	Pass
	6875	185	ax (20MHz)	49/51.6 (MCS4)	19.06	21.27	320	Pass
	6565	123	ax (40MHz)	98/103.2 (MCS4)	37.95	41.53	320	Pass
	6725	155	ax (40MHz)	98/103.2 (MCS4)	37.89	41.51	320	Pass
	6845	179	ax (40MHz)	98/103.2 (MCS4)	37.94	41.60	320	Pass
	6545	119	ax (80MHz)	204/216.2 (MCS4)	77.10	81.85	320	Pass
	6705	151	ax (80MHz)	204/216.2 (MCS4)	77.26	81.73	320	Pass
	6865	183	ax (80MHz)	204/216.2 (MCS4)	77.24	81.78	320	Pass
	6665	143	ax (160MHz)	367.5/432.4 (MCS4)	156.45	165.62	320	Pass
	6825	175	ax (160MHz)	367.5/432.4 (MCS4)	156.03	165.77	320	Pass
Band 8	6895	189	a	24	16.56	20.28	320	Pass
	6995	209	a	24	16.56	20.42	320	Pass
	7115	233	a	24	16.55	20.49	320	Pass
	6895	189	ax (20MHz)	49/51.6 (MCS4)	19.04	21.02	320	Pass
	6995	209	ax (20MHz)	49/51.6 (MCS4)	19.00	21.21	320	Pass
	7115	233	ax (20MHz)	49/51.6 (MCS4)	19.04	21.17	320	Pass
	6885	187	ax (40MHz)	98/103.2 (MCS4)	37.88	41.62	320	Pass
	7005	211	ax (40MHz)	98/103.2 (MCS4)	37.94	41.51	320	Pass
	7085	227	ax (40MHz)	98/103.2 (MCS4)	37.90	41.60	320	Pass
	6945	199	ax (80MHz)	204/216.2 (MCS4)	77.14	81.72	320	Pass
	7025	215	ax (80MHz)	204/216.2 (MCS4)	77.09	81.93	320	Pass
	6985	207	ax (160MHz)	367.5/432.4 (MCS4)	156.39	165.10	320	Pass






**Table 7-6. Conducted Bandwidth Measurements Antenna 4a (Mid Data Rate)**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-21-R2.BCG	Test Dates: 5/30/2022 - 9/16/2022	EUT Type: Tablet Device	Page 34 of 282

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [MHz]	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]	Maximum Bandwidth Limit [MHz]	Pass / Fail
Band 5	5955	1	a	54	16.68	20.71	320	Pass
	6175	45	a	54	16.68	20.67	320	Pass
	6415	93	a	54	16.66	20.72	320	Pass
	5955	1	ax (20MHz)	135/143.4 (MCS11)	19.00	21.24	320	Pass
	6175	45	ax (20MHz)	135/143.4 (MCS11)	19.01	21.24	320	Pass
	6415	93	ax (20MHz)	135/143.4 (MCS11)	19.05	21.11	320	Pass
	5965	3	ax (40MHz)	271/286.8 (MCS11)	37.87	41.27	320	Pass
	6165	43	ax (40MHz)	271/286.8 (MCS11)	37.88	41.38	320	Pass
	6405	91	ax (40MHz)	271/286.8 (MCS11)	37.92	41.40	320	Pass
	5985	7	ax (80MHz)	567/600.5 (MCS11)	76.98	80.79	320	Pass
	6145	39	ax (80MHz)	567/600.5 (MCS11)	77.24	81.71	320	Pass
	6385	87	ax (80MHz)	567/600.5 (MCS11)	76.96	81.47	320	Pass
	6025	15	ax (160MHz)	1020.8/1201 (MCS11)	156.38	165.63	320	Pass
	6185	47	ax (160MHz)	1020.8/1201 (MCS11)	156.32	166.03	320	Pass
	6345	79	ax (160MHz)	1020.8/1201 (MCS11)	156.17	165.54	320	Pass
Band 6	6435	97	a	54	16.65	20.72	320	Pass
	6475	105	a	54	16.70	20.70	320	Pass
	6515	113	a	54	16.68	20.67	320	Pass
	6435	97	ax (20MHz)	135/143.4 (MCS11)	19.08	21.42	320	Pass
	6475	105	ax (20MHz)	135/143.4 (MCS11)	19.05	21.05	320	Pass
	6515	113	ax (20MHz)	135/143.4 (MCS11)	19.04	21.12	320	Pass
	6445	99	ax (40MHz)	271/286.8 (MCS11)	37.93	41.55	320	Pass
	6485	107	ax (40MHz)	271/286.8 (MCS11)	37.88	41.37	320	Pass
	6525	115	ax (40MHz)	271/286.8 (MCS11)	37.92	41.27	320	Pass
	6465	103	ax (80MHz)	567/600.5 (MCS11)	77.10	81.27	320	Pass
	6505	111	ax (160MHz)	1020.8/1201 (MCS11)	156.46	165.44	320	Pass
Band 7	6535	117	a	54	16.67	20.70	320	Pass
	6695	149	a	54	16.69	20.88	320	Pass
	6875	185	a	54	16.69	20.74	320	Pass
	6535	117	ax (20MHz)	135/143.4 (MCS11)	19.06	20.99	320	Pass
	6695	149	ax (20MHz)	135/143.4 (MCS11)	19.01	21.17	320	Pass
	6875	185	ax (20MHz)	135/143.4 (MCS11)	19.02	21.06	320	Pass
	6565	123	ax (40MHz)	271/286.8 (MCS11)	37.87	41.19	320	Pass
	6725	155	ax (40MHz)	271/286.8 (MCS11)	37.88	41.15	320	Pass
	6845	179	ax (40MHz)	271/286.8 (MCS11)	37.82	41.17	320	Pass
	6545	119	ax (80MHz)	567/600.5 (MCS11)	76.89	81.43	320	Pass
	6705	151	ax (80MHz)	567/600.5 (MCS11)	77.05	81.26	320	Pass
	6865	183	ax (80MHz)	567/600.5 (MCS11)	77.22	81.28	320	Pass
	6665	143	ax (160MHz)	1020.8/1201 (MCS11)	156.26	165.59	320	Pass
	6825	175	ax (160MHz)	1020.8/1201 (MCS11)	156.35	165.47	320	Pass
Band 8	6895	189	a	54	16.62	20.72	320	Pass
	6995	209	a	54	16.64	20.69	320	Pass
	7115	233	a	54	16.65	20.45	320	Pass
	6895	189	ax (20MHz)	135/143.4 (MCS11)	19.03	21.16	320	Pass
	6995	209	ax (20MHz)	135/143.4 (MCS11)	19.01	21.48	320	Pass
	7115	233	ax (20MHz)	135/143.4 (MCS11)	19.01	21.20	320	Pass
	6885	187	ax (40MHz)	271/286.8 (MCS11)	37.93	41.30	320	Pass
	7005	211	ax (40MHz)	271/286.8 (MCS11)	37.87	41.27	320	Pass
	7085	227	ax (40MHz)	271/286.8 (MCS11)	37.93	41.30	320	Pass
	6945	199	ax (80MHz)	567/600.5 (MCS11)	77.14	81.25	320	Pass
	7025	215	ax (80MHz)	567/600.5 (MCS11)	77.17	81.47	320	Pass
	6985	207	ax (160MHz)	1020.8/1201 (MCS11)	156.39	211.97	320	Pass

**Table 7-7. Conducted Bandwidth Measurements Antenna 4a (High Data Rate)**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-21-R2.BCG	Test Dates: 5/30/2022 - 9/16/2022	EUT Type: Tablet Device	Page 35 of 282

**Low Data Rate**


FCC ID: BCGA2764  
IC: 579C-A2764



MEASUREMENT REPORT  
(CERTIFICATION)

Approved by:  
Technical Manager

Test Report S/N:  
1C2205090028-21-R2.BCG






Test Dates:  
5/30/2022 - 9/16/2022

EUT Type:  
Tablet Device





Page 36 of 282

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-21-R2.BCG	Test Dates: 5/30/2022 - 9/16/2022	EUT Type: Tablet Device	Page 37 of 282



FCC ID: BCGA2764	
IC: 579C-A2764	
Test Report S/N:	Test Dates: 5/30/2022 - 9/16/2022
1C2205090028-21-R2.BCG	EUT Type: Tablet Device

**MEASUREMENT REPORT  
(CERTIFICATION)**
**Approved by:**  
Technical Manager

Page 38 of 282

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



**Plot 7-79. 26dB & 99% Bandwidth Plot Antenna 4a (80MHz)  
802.11ax (UNII Band 8) – Ch. 199, MCS2)**



**Plot 7-80. 26dB & 99% Bandwidth Plot Antenna 4a (160MHz)  
802.11ax (UNII Band 8) – Ch. 207, MCS2)**


FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-21-R2.BCG	Test Dates: 5/30/2022 - 9/16/2022	EUT Type: Tablet Device	Page 39 of 282

**Mid Data Rate**



**Plot 7-81. 26dB & 99% Bandwidth Plot Antenna 4a (20MHz 802.11a (UNII Band 5) – Ch. 45, MCS4)**




**Plot 7-84. 26dB & 99% Bandwidth Plot Antenna 4a (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS4)**



**Plot 7-82. 26dB & 99% Bandwidth Plot Antenna 4a (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS4)**



**Plot 7-85. 26dB & 99% Bandwidth Plot Antenna 4a (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS4)**








**Plot 7-83. 26dB & 99% Bandwidth Plot Antenna 4a (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS4)**



**Plot 7-86. 26dB & 99% Bandwidth Plot Antenna 4a (20MHz 802.11a (UNII Band 6) – Ch. 105, MCS4)**

FCC ID: BCGA2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-21-R2.BCG	Test Dates: 5/30/2022 - 9/16/2022	EUT Type: Tablet Device	Page 40 of 282




FCC ID: BCGA2764	
IC: 579C-A2764	
Test Report S/N: 1C2205090028-21-R2.BCG	Test Dates: 5/30/2022 - 9/16/2022

**MEASUREMENT REPORT (CERTIFICATION)**

**Approved by:**  
Technical Manager

EUT Type:  
Tablet Device


Page 41 of 282




**Plot 7-93. 26dB & 99% Bandwidth Plot Antenna 4a (40MHz)  
802.11ax (UNII Band 7) – Ch. 155, MCS4**



**Plot 7-96. 26dB & 99% Bandwidth Plot Antenna 4a (20MHz)  
802.11a (UNII Band 8) – Ch. 209, MCS4**



**Plot 7-94. 26dB & 99% Bandwidth Plot Antenna 4a (80MHz)  
802.11ax (UNII Band 7) – Ch. 151, MCS4**



**Plot 7-97. 26dB & 99% Bandwidth Plot Antenna 4a (20MHz)  
802.11ax (UNII Band 8) – Ch. 209, MCS4**



**Plot 7-95. 26dB & 99% Bandwidth Plot Antenna 4a (160MHz)  
802.11ax (UNII Band 7) – Ch. 143, MCS4**



**Plot 7-98. 26dB & 99% Bandwidth Plot Antenna 4a (40MHz)  
802.11ax (UNII Band 8) – Ch. 211, MCS4**

FCC ID: BCGA2764	
IC: 579C-A2764	
Test Report S/N: 1C2205090028-21-R2.BCG	Test Dates: 5/30/2022 - 9/16/2022


**MEASUREMENT REPORT  
(CERTIFICATION)**

**Approved by:  
Technical Manager**

Page 42 of 282

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



**Plot 7-99. 26dB & 99% Bandwidth Plot Antenna 4a (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS4)**



**Plot 7-100. 26dB & 99% Bandwidth Plot Antenna 4a (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS4)**

FCC ID: BCGA2764 IC: 579C-A2764	 <b>element</b>	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2205090028-21-R2.BCG	<b>Test Dates:</b> 5/30/2022 - 9/16/2022	<b>EUT Type:</b> Tablet Device	Page 43 of 282

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).