



NR Band n12




Plot 7-85. Occupied Bandwidth Plot (NR Band n12 - 15.0MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-86. Occupied Bandwidth Plot (NR Band n12 - 15.0MHz CP-OFDM QPSK - Full RB)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 58 of 270



Plot 7-87. Occupied Bandwidth Plot (NR Band n12 - 15.0MHz CP-OFDM 16QAM - Full RB)




Plot 7-88. Occupied Bandwidth Plot (NR Band n12 - 15.0MHz CP-OFDM 64QAM - Full RB)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 59 of 270




Plot 7-89. Occupied Bandwidth Plot (NR Band n12 - 15.0MHz CP-OFDM 256QAM - Full RB)




Plot 7-90. Occupied Bandwidth Plot (NR Band n12 - 10.0MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)

FCC ID: BCGA2301	PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 60 of 270




Plot 7-91. Occupied Bandwidth Plot (NR Band n12 - 10.0MHz CP-OFDM QPSK - Full RB)




Plot 7-92. Occupied Bandwidth Plot (NR Band n12 - 10.0MHz CP-OFDM 16QAM - Full RB)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 61 of 270




Plot 7-93. Occupied Bandwidth Plot (NR Band n12 - 10.0MHz CP-OFDM 64QAM - Full RB)




Plot 7-94. Occupied Bandwidth Plot (NR Band n12 - 10.0MHz CP-OFDM 256QAM - Full RB)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 62 of 270




Plot 7-95. Occupied Bandwidth Plot (NR Band n12 - 5.0MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-96. Occupied Bandwidth Plot (NR Band n12 - 5.0MHz CP-OFDM QPSK - Full RB)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 63 of 270




Plot 7-97. Occupied Bandwidth Plot (NR Band n12 - 5.0MHz CP-OFDM 16QAM - Full RB)



Plot 7-98. Occupied Bandwidth Plot (NR Band n12 - 5.0MHz CP-OFDM 64QAM - Full RB)


FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 64 of 270




Plot 7-99. Occupied Bandwidth Plot (NR Band n12 - 5.0MHz CP-OFDM 256QAM - Full RB)

FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 65 of 270

NR Band n71




Plot 7-100. Occupied Bandwidth Plot (NR Band n71 - 20.0MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-101. Occupied Bandwidth Plot (NR Band n71 - 20.0MHz CP-OFDM QPSK - Full RB)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 66 of 270




Plot 7-102. Occupied Bandwidth Plot (NR Band n71 - 20.0MHz CP-OFDM 16QAM - Full RB)




Plot 7-103. Occupied Bandwidth Plot (NR Band n71 - 20.0MHz CP-OFDM 64QAM - Full RB)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 67 of 270




Plot 7-104. Occupied Bandwidth Plot (NR Band n71 - 20.0MHz CP-OFDM 256QAM - Full RB)




Plot 7-105. Occupied Bandwidth Plot (NR Band n71 - 15.0MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 68 of 270





Plot 7-106. Occupied Bandwidth Plot (NR Band n71 - 15.0MHz CP-OFDM QPSK - Full RB)



Plot 7-107. Occupied Bandwidth Plot (NR Band n71 - 15.0MHz CP-OFDM 16QAM - Full RB)


FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 69 of 270



FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 70 of 270




Plot 7-110. Occupied Bandwidth Plot (NR Band n71 - 10.0MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-111. Occupied Bandwidth Plot (NR Band n71 - 10.0MHz CP-OFDM QPSK - Full RB)

FCC ID: BCGA2301	PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 71 of 270




Plot 7-112. Occupied Bandwidth Plot (NR Band n71 - 10.0MHz CP-OFDM 16QAM - Full RB)




Plot 7-113. Occupied Bandwidth Plot (NR Band n71 - 10.0MHz CP-OFDM 64QAM - Full RB)


FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 72 of 270



FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 73 of 270




Plot 7-116. Occupied Bandwidth Plot (NR Band n71 - 5.0MHz CP-OFDM QPSK - Full RB)




Plot 7-117. Occupied Bandwidth Plot (NR Band n71 - 5.0MHz CP-OFDM 16QAM - Full RB)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 74 of 270




Plot 7-118. Occupied Bandwidth Plot (NR Band n71 - 5.0MHz CP-OFDM 64QAM - Full RB)



Plot 7-119. Occupied Bandwidth Plot (NR Band n71 - 5.0MHz CP-OFDM 256QAM - Full RB)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 75 of 270

WCDMA AWS



Plot 7-120. Occupied Bandwidth Plot (WCDMA, Ch. 1413)

FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 76 of 270

7.3 Spurious and Harmonic Emissions at Antenna Terminal

§2.1051, §27.53

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section. All ports were tested and only the worst case data were reported.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 6.0

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 18GHz (separated into at least two plots per channel)
2. RBW $\geq$ 100kHz
3. VBW $\geq$ 3 x RBW
4. Detector = RMS
5. Trace mode = max hold
6. Sweep time = auto couple
7. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-2. Test Instrument & Measurement Setup


FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 77 of 270

Test Notes


1. Per Part 27, compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth 100 kHz or greater for measurements below 1GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.
2. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 78 of 270

LTE Band 66/4




Plot 7-121. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-122. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: BCGA2301	PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 79 of 270




Plot 7-123. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-124. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 80 of 270



Plot 7-125. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-126. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 81 of 270




Plot 7-127. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-128. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)


FCC ID: BCGA2301	PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 82 of 270




Plot 7-129. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: BCGA2301	PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 83 of 270

LTE Band 12/17




Plot 7-130. CSE (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-131. CSE (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 84 of 270




Plot 7-132. CSE (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-133. CSE (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 85 of 270




Plot 7-134. CSE (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-135. CSE (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 86 of 270




Plot 7-136. CSE (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-137. CSE (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - High Channel)


FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 87 of 270




Plot 7-138. CSE (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: BCGA2301	PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 88 of 270

LTE Band 13




Plot 7-139. CSE (LTE Band 13 - 10MHz QPSK - RB Size 1, RB Offset 0)



Plot 7-140. CSE (LTE Band 13 - 10MHz QPSK - RB Size 1, RB Offset 0)


FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 89 of 270




Plot 7-141. CSE (LTE Band 13 - 10MHz QPSK - RB Size 1, RB Offset 0)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 90 of 270

LTE Band 71




Plot 7-142. CSE (LTE Band 71 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-143. CSE (LTE Band 71 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 91 of 270




Plot 7-144. CSE (LTE Band 71 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-145. CSE (LTE Band 71 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: BCGA2301	PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 92 of 270




Plot 7-146. CSE (LTE Band 71 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-147. CSE (LTE Band 71 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: BCGA2301	PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 93 of 270




Plot 7-148. CSE (LTE Band 71 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-149. CSE (LTE Band 71 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)


FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 94 of 270




Plot 7-150. CSE (LTE Band 71 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 95 of 270

NR Band n66




Plot 7-151. CSE (NR Band n66 -20.0MHz DFT-s OFDM $\pi/2$ BPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-152. CSE (NR Band n66 - 20.0MHz DFT-s OFDM $\pi/2$ BPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 96 of 270




Plot 7-153. CSE (NR Band n66 - 20.0MHz DFT-s OFDM $\pi/2$ BPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-154. CSE (NR Band n66 - 20.0MHz DFT-s OFDM $\pi/2$ BPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 97 of 270




Plot 7-155. CSE (NR Band n66 - 20.0MHz DFT-s OFDM $\pi/2$ BPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-156. CSE (NR Band n66 - 20.0MHz DFT-s OFDM $\pi/2$ BPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 98 of 270




Plot 7-157. CSE (NR Band n66 - 20.0MHz DFT-s OFDM $\pi/2$ BPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-158. CSE (NR Band n66 - 20.0MHz DFT-s OFDM $\pi/2$ BPSK - RB Size 1, RB Offset 0 - High Channel)



FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 99 of 270




Plot 7-159. CSE (NR Band n66 - 20.0MHz DFT-s OFDM $\pi/2$ BPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 100 of 270


NR Band n12



FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 101 of 270




Plot 7-162. CSE (NR Band n12 - 15.0MHz DFT-s OFDM $\pi/2$ BPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-163. CSE (NR Band n12 - 15.0MHz DFT-s OFDM $\pi/2$ BPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 102 of 270




Plot 7-164. CSE (NR Band n12 - 15.0MHz DFT-s OFDM $\pi/2$ BPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-165. CSE (NR Band n12 - 15.0MHz DFT-s OFDM $\pi/2$ BPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: BCGA2301	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 103 of 270




Plot 7-166. CSE (NR Band n12 - 15.0MHz DFT-s OFDM $\pi/2$ BPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-167. CSE (NR Band n12 - 15.0MHz DFT-s OFDM $\pi/2$ BPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 104 of 270



Plot 7-168. CSE (NR Band n12 - 15.0MHz DFT-s OFDM $\pi/2$ BPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: BCGA2301	 PART 27 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1C2101020002-04-R1.BCG	Test Dates: 12/23/2020 - 03/05/2021	EUT Type: Tablet Device	Page 105 of 270