







Plot 7-319. ISED PSD Antenna WF2 (20MHz BW 11n – Ch.40, MCS5)




Plot 7-322. ISED PSD Antenna WF2 (40MHz BW 11ax(SU) – Ch.46, MCS5)




Plot 7-320. ISED PSD Antenna WF2 (20MHz BW 11ax(SU) – Ch.40, MCS5)



Plot 7-323. ISED PSD Antenna WF2 (80MHz BW 11ac – Ch.42, MCS5)



Plot 7-321. ISED PSD Antenna WF2 (40MHz BW 11n – Ch.46, MCS5)



Plot 7-324. ISED PSD Antenna WF2 (80MHz BW 11ax(SU) – Ch.42, MCS5)

FCC ID: BCGA2567 IC: 579C-A2567	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-07.BCG	Test Dates: 6/2/2021 - 8/7/2021	EUT Type: Tablet Device	Page 126 of 351

7.5.3 Summed CDD/SDM Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	Data Rate [Mbps]	Antenna WF5T Power Density [dBm/MHz]	Antenna WF2 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	CDD	39/43.3 (MCS10)	3.84	4.11	6.99	11.0	-4.01
	5200	40	n (20MHz)	SDM	39/43.3 (MCS10)	4.30	4.47	7.40	11.0	-3.60
	5240	48	n (20MHz)	SDM	39/43.3 (MCS10)	3.71	4.49	7.13	11.0	-3.87
	5180	36	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.40	5.77	8.60	11.0	-2.40
	5200	40	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	6.16	6.28	9.23	11.0	-1.77
	5240	48	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	5.51	5.86	8.70	11.0	-2.30
	5190	38	n (40MHz)	CDD	81/90 (MCS10)	-0.50	0.18	2.86	11.0	-8.12
	5230	46	n (40MHz)	SDM	81/90 (MCS10)	4.48	4.62	7.56	11.0	-3.44
	5190	38	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	-0.54	-0.43	2.53	11.0	-8.45
	5230	46	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	4.29	4.59	7.45	11.0	-3.55
	5210	42	ac (80MHz)	CDD	175.5/195 (MCS2)	-2.15	-1.43	1.24	11.0	-9.75
	5210	42	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-5.06	-4.79	-1.91	11.0	-12.89
Band 2A	5260	52	n (20MHz)	SDM	39/43.3 (MCS10)	4.04	4.59	7.33	11.0	-3.67
	5280	56	n (20MHz)	SDM	39/43.3 (MCS10)	4.00	4.61	7.33	11.0	-3.67
	5320	64	n (20MHz)	SDM	39/43.3 (MCS10)	3.71	4.15	6.95	11.0	-4.05
	5260	52	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	5.42	5.78	8.61	11.0	-2.39
	5280	56	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	5.73	6.07	8.92	11.0	-2.08
	5320	64	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.41	5.75	8.60	11.0	-2.40
	5270	54	n (40MHz)	SDM	81/90 (MCS10)	4.26	4.87	7.59	11.0	-3.41
	5310	62	n (40MHz)	CDD	81/90 (MCS10)	-1.50	-1.11	1.71	10.6	-8.86
	5270	54	ax (SU) (40MHz)	SDM	98/103.2 (MCS2)	4.67	4.73	7.71	11.0	-3.29
	5310	62	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	-1.33	-1.31	1.69	10.6	-8.87
	5290	58	ac (80MHz)	CDD	175.5/195 (MCS2)	-3.22	-1.85	0.53	10.6	-10.03
	5290	58	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-5.21	-4.73	-1.95	10.6	-12.52
Band 2C	5500	100	n (20MHz)	CDD	39/43.3 (MCS10)	3.02	3.57	6.31	11.0	-4.69
	5580	116	n (20MHz)	SDM	39/43.3 (MCS10)	4.44	4.80	7.63	11.0	-3.37
	5720	144	n (20MHz)	SDM	39/43.3 (MCS10)	4.31	4.36	7.34	11.0	-3.66
	5500	100	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.56	4.71	7.64	11.0	-3.36
	5580	116	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	6.14	6.74	9.46	11.0	-1.54
	5720	144	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	6.14	6.23	9.20	11.0	-1.80
	5510	102	n (40MHz)	CDD	81/90 (MCS10)	-2.46	-1.52	1.04	10.5	-9.43
	5550	110	n (40MHz)	SDM	81/90 (MCS10)	5.06	5.81	8.46	11.0	-2.54
	5710	142	n (40MHz)	SDM	81/90 (MCS10)	4.39	4.72	7.57	11.0	-3.43
	5510	102	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	-1.96	-1.59	1.24	10.5	-9.24
	5550	110	ax (SU) (40MHz)	SDM	98/103.2 (MCS2)	5.30	5.31	8.32	11.0	-2.68
	5710	142	ax (SU) (40MHz)	SDM	98/103.2 (MCS2)	4.51	5.10	7.83	11.0	-3.17
	5530	106	ac (80MHz)	CDD	175.5/195 (MCS2)	-3.65	-1.76	0.41	10.5	-10.07
	*5610	122	ac (80MHz)	CDD	175.5/195 (MCS2)	2.29	2.08	5.20	10.5	-5.28
	5690	138	ac (80MHz)	SDM	175.5/195 (MCS2)	4.24	4.91	7.60	11.0	-3.40
	5530	106	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-4.82	-4.44	-1.61	10.5	-12.09
	*5610	122	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	0.33	0.22	3.29	10.5	-7.19
	5690	138	ax (SU) (80MHz)	SDM	204/216.2 (MCS2)	2.93	3.70	6.34	11.0	-4.66

Table 7-110. Bands 1, 2A, 2C CDD/SDM Power Spectral Density Measurements (Low Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2567 IC: 579C-A2567	 PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-07.BCG	Test Dates: 6/2/2021 - 8/7/2021	EUT Type: Tablet Device	Page 127 of 351

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	Data Rate [Mbps]	Antenna WF5T Power Density [dBm/MHz]	Antenna WF2 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	CDD	52/57.8 (MCS11)	5.91	7.34	9.69	11.0	-1.31
	5200	40	n (20MHz)	SDM	52/57.8 (MCS11)	6.38	7.72	10.11	11.0	-0.89
	5240	48	n (20MHz)	SDM	52/57.8 (MCS11)	6.88	7.87	10.41	11.0	-0.59
	5180	36	ax (SU) (20MHz)	CDD	66/68.8 (MCS3)	6.04	6.66	9.37	11.0	-1.63
	5200	40	ax (SU) (20MHz)	SDM	66/68.8 (MCS3)	6.79	7.64	10.24	11.0	-0.76
	5240	48	ax (SU) (20MHz)	SDM	66/68.8 (MCS3)	6.46	7.06	9.78	11.0	-1.22
	5190	38	n (40MHz)	CDD	108/120 (MCS11)	1.55	3.08	5.39	11.0	-5.61
	5230	46	n (40MHz)	SDM	108/120 (MCS11)	6.57	7.41	10.02	11.0	-0.98
	5190	38	ax (SU) (40MHz)	CDD	130/137.6 (MCS3)	-0.79	0.33	2.81	11.0	-8.19
	5230	46	ax (SU) (40MHz)	CDD	130/137.6 (MCS3)	6.45	5.56	9.04	11.0	-1.96
Band 2A	5210	42	ac (80MHz)	CDD	234/260 (MCS3)	-2.56	-2.85	0.31	11.0	-10.69
	5210	42	ax (SU) (80MHz)	CDD	272/288.2 (MCS3)	-4.21	-4.22	-1.20	11.0	-12.20
	5260	52	n (20MHz)	SDM	52/57.8 (MCS11)	6.52	7.41	10.00	11.0	-1.00
	5280	56	n (20MHz)	SDM	52/57.8 (MCS11)	6.06	7.33	9.75	11.0	-1.25
	5320	64	n (20MHz)	SDM	52/57.8 (MCS11)	5.52	6.78	9.20	11.0	-1.80
	5260	52	ax (SU) (20MHz)	SDM	66/68.8 (MCS3)	6.45	7.00	9.74	11.0	-1.26
	5280	56	ax (SU) (20MHz)	SDM	66/68.8 (MCS3)	6.44	6.59	9.52	11.0	-1.48
	5320	64	ax (SU) (20MHz)	CDD	66/68.8 (MCS3)	5.04	5.72	8.40	11.0	-2.60
	5270	54	n (40MHz)	SDM	108/120 (MCS11)	5.96	6.88	9.45	11.0	-1.55
	5310	62	n (40MHz)	CDD	108/120 (MCS11)	-0.50	0.88	3.26	11.0	-7.74
Band 2C	5270	54	ax (SU) (40MHz)	SDM	130/137.6 (MCS3)	5.54	5.35	8.46	11.0	-2.54
	5310	62	ax (SU) (40MHz)	CDD	130/137.6 (MCS3)	-0.84	-0.86	2.16	11.0	-8.84
	5290	58	ac (80MHz)	CDD	234/260 (MCS3)	-2.81	-2.68	0.27	11.0	-10.73
	5290	58	ax (SU) (80MHz)	CDD	272/288.2 (MCS3)	-5.33	-4.24	-1.74	11.0	-12.74
	5500	100	n (20MHz)	CDD	52/57.8 (MCS11)	4.17	6.44	8.46	11.0	-2.54
	5580	116	n (20MHz)	SDM	52/57.8 (MCS11)	4.05	6.32	8.34	11.0	-2.66
	5720	144	n (20MHz)	SDM	52/57.8 (MCS11)	5.57	7.09	9.41	11.0	-1.59
	5500	100	ax (SU) (20MHz)	CDD	66/68.8 (MCS3)	3.88	5.25	7.62	11.0	-3.38
	5580	116	ax (SU) (20MHz)	SDM	66/68.8 (MCS3)	5.56	6.54	9.09	11.0	-1.91
	5720	144	ax (SU) (20MHz)	SDM	66/68.8 (MCS3)	6.07	7.01	9.58	11.0	-1.42
	5510	102	n (40MHz)	CDD	108/120 (MCS11)	-1.27	1.11	3.09	11.0	-7.91
	5550	110	n (40MHz)	SDM	108/120 (MCS11)	4.16	6.48	8.48	11.0	-2.52
	5710	142	n (40MHz)	SDM	108/120 (MCS11)	4.82	6.93	9.01	11.0	-1.99
	5510	102	ax (SU) (40MHz)	CDD	130/137.6 (MCS3)	-1.68	-2.03	1.16	11.0	-9.84
	5550	110	ax (SU) (40MHz)	SDM	130/137.6 (MCS3)	5.30	4.63	7.99	11.0	-3.01
	5710	142	ax (SU) (40MHz)	SDM	130/137.6 (MCS3)	5.62	5.55	8.60	11.0	-2.40
	5530	106	ac (80MHz)	CDD	234/260 (MCS3)	-3.65	-1.76	0.41	11.0	-10.59
	*5610	122	ac (80MHz)	CDD	234/260 (MCS3)	1.89	1.78	4.85	11.0	-6.15
	5690	138	ac (80MHz)	SDM	234/260 (MCS3)	2.88	5.06	7.12	11.0	-3.88
	5530	106	ax (SU) (80MHz)	CDD	272/288.2 (MCS3)	-4.26	-4.94	-1.57	11.0	-12.57
	*5610	122	ax (SU) (80MHz)	CDD	272/288.2 (MCS3)	-0.44	-0.27	2.65	11.0	-8.35
	5690	138	ax (SU) (80MHz)	SDM	272/288.2 (MCS3)	3.48	2.85	6.19	11.0	-4.81

Table 7-111. Bands 1, 2A, 2C CDD/SDM Power Spectral Density Measurements (Mid Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)


FCC ID: BCGA2567 IC: 579C-A2567	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-07.BCG	Test Dates: 6/2/2021 - 8/7/2021	EUT Type: Tablet Device	Page 128 of 351

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	Data Rate [Mbps]	Antenna WF5T Power Density [dBm/MHz]	Antenna WF2 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	CDD	104/115.6 (MCS13)	5.62	5.59	8.61	11.0	-2.39
	5200	40	n (20MHz)	SDM	104/115.6 (MCS13)	5.61	5.62	8.62	11.0	-2.38
	5240	48	n (20MHz)	SDM	104/115.6 (MCS13)	5.70	4.74	8.26	11.0	-2.74
	5180	36	ax (SU) (20MHz)	CDD	130/137.6 (MCS5)	5.98	4.96	8.51	11.0	-2.49
	5200	40	ax (SU) (20MHz)	SDM	130/137.6 (MCS5)	6.68	6.66	9.68	11.0	-1.32
	5240	48	ax (SU) (20MHz)	SDM	130/137.6 (MCS5)	6.15	6.35	9.26	11.0	-1.74
	5190	38	n (40MHz)	CDD	216/240 (MCS13)	-0.32	-0.08	2.81	11.0	-8.19
	5230	46	n (40MHz)	SDM	216/240 (MCS13)	5.52	5.55	8.55	11.0	-2.45
	5190	38	ax (SU) (40MHz)	CDD	260/275.3 (MCS5)	-0.76	0.03	2.67	11.0	-8.33
	5230	46	ax (SU) (40MHz)	CDD	260/275.3 (MCS5)	6.13	6.15	9.15	11.0	-1.85
Band 2A	5210	42	ac (80MHz)	CDD	468/520 (MCS5)	-3.91	-3.96	-0.92	11.0	-11.92
	5210	42	ax (SU) (80MHz)	CDD	574/576.5 (MCS5)	-4.21	-4.15	-1.16	11.0	-12.16
	5260	52	n (20MHz)	SDM	104/115.6 (MCS13)	5.33	5.44	8.40	11.0	-2.60
	5280	56	n (20MHz)	SDM	104/115.6 (MCS13)	5.31	5.44	8.39	11.0	-2.61
	5320	64	n (20MHz)	SDM	104/115.6 (MCS13)	5.19	5.20	8.21	11.0	-2.79
	5260	52	ax (SU) (20MHz)	SDM	130/137.6 (MCS5)	6.01	6.14	9.09	11.0	-1.91
	5280	56	ax (SU) (20MHz)	SDM	130/137.6 (MCS5)	5.67	5.74	8.72	11.0	-2.28
	5320	64	ax (SU) (20MHz)	CDD	130/137.6 (MCS5)	4.12	4.22	7.18	11.0	-3.82
	5270	54	n (40MHz)	SDM	216/240 (MCS13)	5.38	5.13	8.27	11.0	-2.73
	5310	62	n (40MHz)	CDD	216/240 (MCS13)	-0.62	-0.65	2.38	11.0	-8.62
Band 2C	5270	54	ax (SU) (40MHz)	SDM	260/275.3 (MCS5)	5.74	5.57	8.67	11.0	-2.33
	5310	62	ax (SU) (40MHz)	CDD	260/275.3 (MCS5)	-0.90	0.28	2.74	11.0	-8.26
	5290	58	ac (80MHz)	CDD	468/520 (MCS5)	-4.29	-3.85	-1.05	11.0	-12.05
	5290	58	ax (SU) (80MHz)	CDD	574/576.5 (MCS5)	-4.24	-4.61	-1.41	11.0	-12.41
	5500	100	n (20MHz)	CDD	104/115.6 (MCS13)	1.38	3.04	5.30	11.0	-5.70
	5580	116	n (20MHz)	SDM	104/115.6 (MCS13)	5.31	5.14	8.23	11.0	-2.77
	5720	144	n (20MHz)	SDM	104/115.6 (MCS13)	5.46	5.26	8.37	11.0	-2.63
	5500	100	ax (SU) (20MHz)	CDD	130/137.6 (MCS5)	2.78	2.95	5.87	11.0	-5.13
	5580	116	ax (SU) (20MHz)	SDM	130/137.6 (MCS5)	5.57	5.31	8.45	11.0	-2.55
	5720	144	ax (SU) (20MHz)	SDM	130/137.6 (MCS5)	5.92	5.91	8.92	11.0	-2.08
	5510	102	n (40MHz)	CDD	216/240 (MCS13)	-1.40	-0.94	1.85	11.0	-9.15
	5550	110	n (40MHz)	SDM	216/240 (MCS13)	5.20	5.34	8.28	11.0	-2.72
	*5590	118	n (40MHz)	CDD	216/240 (MCS13)	5.43	5.49	8.47	11.0	-2.53
	5710	142	n (40MHz)	SDM	216/240 (MCS13)	5.16	5.38	8.28	11.0	-2.72
	5510	102	ax (SU) (40MHz)	CDD	260/275.3 (MCS5)	-1.85	-2.00	1.09	11.0	-9.91
	5550	110	ax (SU) (40MHz)	SDM	260/275.3 (MCS5)	4.53	3.93	7.25	11.0	-3.75
	*5590	118	ax (SU) (40MHz)	CDD	260/275.3 (MCS5)	6.93	6.80	9.87	11.0	-1.13
	5710	142	ax (SU) (40MHz)	SDM	260/275.3 (MCS5)	5.40	6.30	8.88	11.0	-2.12
	5530	106	ac (80MHz)	CDD	468/520 (MCS5)	-4.14	-4.28	-1.20	11.0	-12.20
	*5610	122	ac (80MHz)	CDD	468/520 (MCS5)	0.04	-0.17	2.95	11.0	-8.05
	5690	138	ac (80MHz)	SDM	468/520 (MCS5)	3.16	3.34	6.26	11.0	-4.74
	5530	106	ax (SU) (80MHz)	CDD	574/576.5 (MCS5)	-5.25	-4.91	-2.07	11.0	-13.07
	*5610	122	ax (SU) (80MHz)	CDD	574/576.5 (MCS5)	-0.12	-0.42	2.74	11.0	-8.26
	5690	138	ax (SU) (80MHz)	SDM	574/576.5 (MCS5)	3.66	4.81	7.28	11.0	-3.72


Table 7-112. Bands 1, 2A, 2C CDD/SDM Power Spectral Density Measurements (High Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)


FCC ID: BCGA2567 IC: 579C-A2567	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-07.BCG	Test Dates: 6/2/2021 - 8/7/2021	EUT Type: Tablet Device
Page 129 of 351		




Plot 7-325. PSD SDM Antenna WF5T (20MHz BW 802.11n – Ch. 40, MCS10)




Plot 7-328. PSD SDM Antenna WF2 (20MHz BW 802.11ax(SU) – Ch. 40, MCS2)



Plot 7-326. PSD SDM Antenna WF2 (20MHz BW 802.11n – Ch. 40, MCS10)



Plot 7-329. PSD CDD Antenna WF5T (40MHz BW 802.11n – Ch. 46, MCS10)




Plot 7-327. PSD SDM Antenna WF5T (20MHz BW 802.11ax(SU) – Ch. 40, MCS2)




Plot 7-330. PSD CDD Antenna WF2 (40MHz BW 802.11n – Ch. 46, MCS10)


FCC ID: BCGA2567 IC: 579C-A2567	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-07.BCG	Test Dates: 6/2/2021 - 8/7/2021	EUT Type: Tablet Device	Page 130 of 351




Plot 7-331. PSD CDD Antenna WF5T (40MHz BW 802.11ax(SU) – Ch. 46, MCS2)




Plot 7-334. PSD CDD Antenna WF2 (80MHz BW 802.11ac – Ch. 42, MCS2)




Plot 7-332. PSD CDD Antenna WF2 (40MHz BW 802.11ax(SU) – Ch. 46, MCS2)



Plot 7-335. PSD CDD Antenna WF5T (80MHz BW 802.11ax(SU) – Ch. 42, MCS2)




Plot 7-333. PSD CDD Antenna WF5T (80MHz BW 802.11ac – Ch. 42, MCS2)




Plot 7-336. PSD CDD Antenna WF2 (80MHz BW 802.11ax(SU) – Ch. 42, MCS2)


FCC ID: BCGA2567 IC: 579C-A2567	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-07.BCG	Test Dates: 6/2/2021 - 8/7/2021	EUT Type: Tablet Device	Page 131 of 351




Plot 7-337. PSD SDM Antenna WF5T (20MHz BW 802.11n – Ch. 56, MCS10)




Plot 7-340. PSD SDM Antenna WF2 (20MHz BW 802.11ax(SU) – Ch. 56, MCS2)




Plot 7-338. PSD SDM Antenna WF2 (20MHz BW 802.11n – Ch. 56, MCS10)



Plot 7-341. PSD SDM Antenna WF5T (40MHz BW 802.11n – Ch. 54, MCS10)









Plot 7-339. PSD SDM Antenna WF5T (20MHz BW 802.11ax(SU) – Ch. 56, MCS2)









Plot 7-342. PSD SDM Antenna WF2 (40MHz BW 802.11n – Ch. 54, MCS10)


FCC ID: BCGA2567 IC: 579C-A2567	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-07.BCG	Test Dates: 6/2/2021 - 8/7/2021	EUT Type: Tablet Device	Page 132 of 351




FCC ID: BCGA2567 IC: 579C-A2567		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-07.BCG	Test Dates: 6/2/2021 - 8/7/2021	EUT Type: Tablet Device	Page 133 of 351




FCC ID: BCGA2567 IC: 579C-A2567	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-07.BCG	Test Dates: 6/2/2021 - 8/7/2021	EUT Type: Tablet Device	Page 134 of 351




Plot 7-355. PSD SDM Antenna WF5T (40MHz BW 802.11ax(SU) – Ch. 110, MCS2)




Plot 7-358. PSD CDD Antenna WF2 (80MHz BW 802.11ac – Ch. 106, MCS2)




Plot 7-356. PSD SDM Antenna WF2 (40MHz BW 802.11ax(SU) – Ch. 110, MCS2)



Plot 7-359. PSD CDD Antenna WF5T (80MHz BW 802.11ax(SU) – Ch. 106, MCS2)




Plot 7-357. PSD CDD Antenna WF5T (80MHz BW 802.11ac – Ch. 106, MCS2)




Plot 7-360. PSD CDD Antenna WF2 (80MHz BW 802.11ax(SU) – Ch. 106, MCS2)


FCC ID: BCGA2567 IC: 579C-A2567	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-07.BCG	Test Dates: 6/2/2021 - 8/7/2021	EUT Type: Tablet Device	Page 135 of 351




Plot 7-361. PSD SDM Antenna WF5T (20MHz BW 802.11n – Ch. 40, MCS11)




Plot 7-364. PSD SDM Antenna WF2 (20MHz BW 802.11ax(SU) – Ch. 40, MCS3)




Plot 7-362. PSD SDM Antenna WF2 (20MHz BW 802.11n – Ch. 40, MCS11)



Plot 7-365. PSD SDM Antenna WF5T (40MHz BW 802.11n – Ch. 46, MCS11)




Plot 7-363. PSD SDM Antenna WF5T (20MHz BW 802.11ax(SU) – Ch. 40, MCS3)




Plot 7-366. PSD SDM Antenna WF2 (40MHz BW 802.11n – Ch. 46, MCS11)


FCC ID: BCGA2567 IC: 579C-A2567		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-07.BCG	Test Dates: 6/2/2021 - 8/7/2021	EUT Type: Tablet Device	Page 136 of 351




Plot 7-367. PSD SDM Antenna WF5T (40MHz BW 802.11ax(SU) – Ch. 46, MCS3)




Plot 7-370. PSD CDD Antenna WF2 (80MHz BW 802.11ac – Ch. 42, MCS3)




Plot 7-368. PSD SDM Antenna WF2 (40MHz BW 802.11ax(SU) – Ch. 46, MCS3)



Plot 7-371. PSD CDD Antenna WF5T (80MHz BW 802.11ax(SU) – Ch. 42, MCS3)




Plot 7-369. PSD CDD Antenna WF5T (80MHz BW 802.11ac – Ch. 42, MCS3)




Plot 7-372. PSD CDD Antenna WF2 (80MHz BW 802.11ax(SU) – Ch. 42, MCS3)


FCC ID: BCGA2567 IC: 579C-A2567	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-07.BCG	Test Dates: 6/2/2021 - 8/7/2021	EUT Type: Tablet Device	Page 137 of 351




Plot 7-373. PSD SDM Antenna WF5T (20MHz BW 802.11n – Ch. 56, MCS11)




Plot 7-376. PSD SDM Antenna WF2 (20MHz BW 802.11ax(SU) – Ch. 56, MCS3)




Plot 7-374. PSD SDM Antenna WF2 (20MHz BW 802.11n – Ch. 56, MCS11)



Plot 7-377. PSD SDM Antenna WF5T (40MHz BW 802.11n – Ch. 54, MCS11)




Plot 7-375. PSD SDM Antenna WF5T (20MHz BW 802.11ax(SU) – Ch. 56, MCS3)




Plot 7-378. PSD SDM Antenna WF2 (40MHz BW 802.11n – Ch. 54, MCS11)


FCC ID: BCGA2567 IC: 579C-A2567	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-07.BCG	Test Dates: 6/2/2021 - 8/7/2021	EUT Type: Tablet Device	Page 138 of 351




Plot 7-379. PSD SDM Antenna WF5T (40MHz BW 802.11ax(SU) – Ch. 54, MCS3)




Plot 7-382. PSD CDD Antenna WF2 (80MHz BW 802.11ac – Ch. 58, MCS3)




Plot 7-380. PSD SDM Antenna WF2 (40MHz BW 802.11ax(SU) – Ch. 54, MCS3)



Plot 7-383. PSD CDD Antenna WF5T (80MHz BW 802.11ax(SU) – Ch. 58, MCS3)



Plot 7-381. PSD CDD Antenna WF5T (80MHz BW 802.11ac – Ch. 58, MCS3)



Plot 7-384. PSD CDD Antenna WF2 (80MHz BW 802.11ax(SU) – Ch. 58, MCS3)

FCC ID: BCGA2567 IC: 579C-A2567	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-07.BCG	Test Dates: 6/2/2021 - 8/7/2021	EUT Type: Tablet Device	Page 139 of 351