

Plot 7-413. RSE 18 GHz - 40GHz SDM (11ax Ch.56 — RU242, Pol. V)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5280MHz
Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	V	-	-	-69.74	15.47	52.73	68.20	-15.47
* 15840.00	Average	V	-	-	-80.72	20.34	46.62	53.98	-7.35
* 15840.00	Peak	V	-	-	-69.89	20.34	57.45	73.98	-16.52

Table 7-147. Radiated Measurements SDM (RU242)

FCC ID: BCGA2567 IC: 579C-A2567	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device			Page 200 of 248




Plot 7-414. RSE above 1GHz CDD (11ax – Ch.64 – RU242)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 10640.00	Average	V	-	-	-80.74	15.75	42.01	53.98	-11.97
* 10640.00	Peak	V	-	-	-69.74	15.75	53.01	73.98	-20.97
* 15960.00	Average	V	-	-	-80.29	21.28	47.99	53.98	-5.99
* 15960.00	Peak	V	-	-	-68.98	21.28	59.30	73.98	-14.68

Table 7-148. Radiated Measurements CDD (RU242)

FCC ID: BCGA2567 IC: 579C-A2567	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device	Page 201 of 248	




Plot 7-415. RSE above 1GHz CDD (11ax – Ch.100 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11000.00	Average	V	-	-	-81.46	16.10	41.64	53.98	-12.34
* 11000.00	Peak	V	-	-	-69.23	16.10	53.87	73.98	-20.11
16500.00	Peak	V	-	-	-69.18	21.77	59.59	68.20	-8.61

Table 7-149. Radiated Measurements CDD (RU242)

FCC ID: BCGA2567 IC: 579C-A2567	PCTEST® Proud to be part of 			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device			




Plot 7-416. RSE above 1GHz SDM (11ax – Ch.116 – RU242)



Plot 7-417. RSE 18GHz – 40 GHz SDM (11ax Ch.116 — RU242, Pol. H)

FCC ID: BCGA2567 IC: 579C-A2567	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device	Page 203 of 248



Plot 7-418. RSE 18 GHz - 40GHz SDM (11ax Ch.116 — RU242, Pol. V)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5580MHz
Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	V	-	-	-80.99	15.67	41.68	53.98	-12.30
* 11160.00	Peak	V	-	-	-69.60	15.67	53.07	73.98	-20.91
16740.00	Peak	V	-	-	-68.94	22.01	60.07	68.20	-8.13

Table 7-150. Radiated Measurements SDM (RU242)

FCC ID: BCGA2567 IC: 579C-A2567	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device			Page 204 of 248




Plot 7-419. RSE above 1GHz SDM (11ax – Ch.144 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11440.00	Average	V	-	-	-81.15	16.35	42.20	53.98	-11.77
* 11440.00	Peak	V	-	-	-69.74	16.35	53.61	73.98	-20.36
17160.00	Peak	V	-	-	-69.59	21.45	58.86	68.20	-9.34

Table 7-151. Radiated Measurements SDM (RU242)

FCC ID: BCGA2567 IC: 579C-A2567	PCTEST® Proud to be part of 			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device			




Plot 7-420. RSE above 1GHz CDD (11ax – Ch.149 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	V	-	-	-80.61	16.29	42.68	53.98	-11.30
* 11490.00	Peak	V	-	-	-69.01	16.29	54.28	73.98	-19.70
17235.00	Peak	V	-	-	-68.99	21.52	59.53	68.20	-8.67

Table 7-152. Radiated Measurements CDD (RU242)

FCC ID: BCGA2567 IC: 579C-A2567	PCTEST® Proud to be part of 			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device			




Plot 7-421. RSE above 1GHz CDD (11ax – Ch.157 – RU242)



Plot 7-422. RSE 18GHz – 40 GHz CDD (11ax Ch.157 — RU242, Pol. H)

FCC ID: BCGA2567 IC: 579C-A2567	PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device	Page 207 of 248



Plot 7-423. RSE 18 GHz - 40GHz CDD (11ax Ch.157 — RU242, Pol. V)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5785MHz
Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
11570.00	Average	V	-	-	-80.43	16.18	42.75	53.98	-11.23
11570.00	Peak	V	-	-	-69.32	16.18	53.86	73.98	-20.12
17355.00	Peak	V	-	-	-68.28	21.50	60.22	68.20	-7.98

Table 7-153. Radiated Measurements CDD (RU242)

FCC ID: BCGA2567 IC: 579C-A2567	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device	Page 208 of 248	


Plot 7-424. RSE above 1GHz CDD (11ax – Ch.165 – RU242)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11650.00	Average	V	-	-	-80.29	16.84	43.55	53.98	-10.43
* 11650.00	Peak	V	-	-	-69.21	16.84	54.63	73.98	-19.35
17475.00	Peak	V	-	-	-69.31	21.37	59.06	68.20	-9.14


Table 7-154. Radiated Measurements CDD (RU242)

FCC ID: BCGA2567 IC: 579C-A2567	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device	Page 209 of 248	


7.6.4 Antenna WF5T Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]


RU26




Plot 7-425. Antenna WF5T (Pk & Avg, RU26, Index 0, Ch.36, MCS11)




Plot 7-428. Antenna WF5T (Pk, RU26, Index 8, Ch.140, MCS11)




Plot 7-426. Antenna WF5T (Pk & Avg, RU26, Index 8, Ch.64, MCS11)



Plot 7-429. Antenna WF5T (Pk, RU26, Index 0, Ch.149, MCS11)




Plot 7-427. Antenna WF5T (Pk & Avg, RU26, Index 0, Ch.100, MCS11)




Plot 7-430. Antenna WF5T (Pk, RU26, Index 8, Ch.165, MCS11)


FCC ID: BCGA2567 IC: 579C-A2567	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device	Page 210 of 248

RU242



Plot 7-431. Antenna WF5T (Pk & Avg, RU242, Index 61, Ch.36, MCS11)




Plot 7-434. Antenna WF5T (Pk & Avg, RU242, Index 61, Ch.64, MCS11)




Plot 7-432. Antenna WF5T (Pk & Avg, RU242, Index 61, Ch.40, MCS11)



Plot 7-435. Antenna WF5T (Pk & Avg, RU242, Index 61, Ch.100, MCS11)




Plot 7-433. Antenna WF5T (Pk & Avg, RU242, Index 61, Ch.60, MCS11)




Plot 7-436. Antenna WF5T (Pk & Avg, RU242, Index 61, Ch.104, MCS11)

FCC ID: BCGA2567	 PCTEST® Proud to be part of 
IC: 579C-A2567	


PCTEST®
Proud to be part of 
**MEASUREMENT REPORT
(CERTIFICATION)**
Approved by:
Quality Manager




Plot 7-437. Antenna WF5T (Pk & Avg, RU242, Index 61, Ch.108, MCS11)




Plot 7-440. Antenna WF5T (Pk, RU242, Index 61, Ch.140, MCS11)




Plot 7-438. Antenna WF5T (Pk, RU242, Index 61, Ch.132, MCS11)



Plot 7-441. Antenna WF5T (Pk, RU242, Index 61, Ch.149, MCS11)



Plot 7-439. Antenna WF5T (Pk, RU242, Index 61, Ch.136, MCS11)




Plot 7-442. Antenna WF5T (Pk, RU242, Index 61, Ch.165, MCS11)

FCC ID: BCGA2567 IC: 579C-A2567	PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device	Page 212 of 248


7.6.5 Antenna WF5T Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26




Plot 7-443. Antenna WF5T (Pk & Avg, RU26, Index 0, Ch.38, MCS11)




Plot 7-446. Antenna WF5T (Pk, RU26, Index 17, Ch.134, MCS11)




Plot 7-444. Antenna WF5T (Pk & Avg, RU26, Index 17, Ch.62, MCS11)



Plot 7-447. Antenna WF5T (Pk, RU26, Index 0, Ch.151, MCS11)




Plot 7-445. Antenna WF5T (Pk & Avg, RU26, Index 0, Ch.102, MCS11)




Plot 7-448. Antenna WF5T (Pk, RU26, Index 17, Ch.159, MCS11)


FCC ID: BCGA2567 IC: 579C-A2567	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device	Page 213 of 248

RU484



Plot 7-449. Antenna WF5T (Pk & Avg, RU484, Index 65, Ch.38, MCS11)




Plot 7-452. Antenna WF5T (Pk & Avg, RU484, Index 65, Ch.62, MCS11)




Plot 7-450. Antenna WF5T (Pk & Avg, RU484, Index 65, Ch.46, MCS11)



Plot 7-453. Antenna WF5T (Pk & Avg, RU484, Index 65, Ch.102, MCS11)




Plot 7-451. Antenna WF5T (Pk & Avg, RU484, Index 65, Ch.54, MCS11)




Plot 7-454. Antenna WF5T (Pk & Avg, RU484, Index 65, Ch.110, MCS11)


FCC ID: BCGA2567 IC: 579C-A2567	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device	Page 214 of 248




Plot 7-455. (FCC Only) Antenna WF5T (Pk & Avg, RU484, Index 65, Ch.118, MCS11)




Plot 7-456. (FCC Only) Antenna WF5T (Pk & Avg, RU484, Index 65, Ch.118, MCS11)




Plot 7-457. (FCC Only) Antenna WF5T (Pk, RU484, Index 65, Ch.126, MCS11)



Plot 7-458. Antenna WF5T (Pk, RU484, Index 65, Ch.134, MCS11)



Plot 7-459. Antenna WF5T (Pk, RU484, Index 65, Ch.151, MCS11)




Plot 7-460. Antenna WF5T (Pk, RU484, Index 65, Ch.159, MCS11)

FCC ID: BCGA2567 IC: 579C-A2567	PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device		Page 215 of 248


7.6.6 Antenna WF5T Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26




Plot 7-461. Antenna WF5T (Pk & Avg, RU26, Index 0, Ch.42, MCS11)




Plot 7-464. (FCC Only) Antenna WF5T (Pk & Avg, RU26, Index 36, Ch.122, MCS11)




Plot 7-462. Antenna WF5T (Pk & Avg, RU26, Index 36, Ch.58, MCS11)



Plot 7-465. (FCC Only) Antenna WF5T (Pk, RU26, Index 36, Ch.122, MCS11)




Plot 7-463. Antenna WF5T (Pk & Avg, RU26, Index 0, Ch.106, MCS11)




Plot 7-466. Antenna WF5T (Pk, RU26, Index 0, Ch.155, MCS11)

FCC ID: BCGA2567 IC: 579C-A2567	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device	Page 216 of 248




Plot 7-467. Antenna WF5T (Pk, RU26, Index 36, Ch.155, MCS11)


FCC ID: BCGA2567 IC: 579C-A2567	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device	Page 217 of 248

RU996



Plot 7-468. Antenna WF5T (Pk & Avg, RU996, Index 67, Ch.42, MCS11)




Plot 7-471. (FCC Only) Antenna WF5T (Pk & Avg, RU996, Index 67, Ch.122, MCS11)




Plot 7-469. Antenna WF5T (Pk & Avg, RU996, Index 67, Ch.58, MCS11)



Plot 7-472. (FCC Only) Antenna WF5T (Pk, RU996, Index 67, Ch.122, MCS11)




Plot 7-470. Antenna WF5T (Pk & Avg, RU996, Index 67, Ch.106, MCS11)



Plot 7-473. Antenna WF5T (Pk, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA2567 IC: 579C-A2567	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device	Page 218 of 248




Plot 7-474. Antenna WF5T (Pk, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA2567 IC: 579C-A2567	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device	Page 219 of 248


7.6.7 Antenna WF2 Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26




Plot 7-475. Antenna WF2 (Pk & Avg, RU26, Index 0, Ch.36, MCS11)




Plot 7-478. Antenna WF2 (Pk, RU26, Index 8, Ch.140, MCS11)




Plot 7-476. Antenna WF2 (Pk & Avg, RU26, Index 8, Ch.64, MCS11)



Plot 7-479. Antenna WF2 (Pk, RU26, Index 0, Ch.149, MCS11)




Plot 7-477. Antenna WF2 (Pk & Avg, RU26, Index 0, Ch.100, MCS11)




Plot 7-480. Antenna WF2 (Pk, RU26, Index 8, Ch.165, MCS11)


FCC ID: BCGA2567 IC: 579C-A2567	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device	Page 220 of 248

RU242



Plot 7-481. Antenna WF2 (Pk & Avg, RU242, Index 61, Ch.36, MCS11)




Plot 7-484. Antenna WF2 (Pk & Avg, RU242, Index 61, Ch.64, MCS11)




Plot 7-482. Antenna WF2 (Pk & Avg, RU242, Index 61, Ch.40, MCS11)



Plot 7-485. Antenna WF2 (Pk & Avg, RU242, Index 61, Ch.100, MCS11)




Plot 7-483. Antenna WF2 (Pk & Avg, RU242, Index 61, Ch.60, MCS11)




Plot 7-486. Antenna WF2 (Pk & Avg, RU242, Index 61, Ch.104, MCS11)


FCC ID: BCGA2567 IC: 579C-A2567	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device	Page 221 of 248




Plot 7-487. Antenna WF2 (Pk & Avg, RU242, Index 61, Ch.108, MCS11)




Plot 7-490. Antenna WF2 (Pk, RU242, Index 61, Ch.140, MCS11)




Plot 7-488 Antenna WF2 (Pk, RU242, Index 61, Ch.132, MCS11)



Plot 7-491. Antenna WF2 (Pk, RU242, Index 61, Ch.149, MCS11)



Plot 7-489. Antenna WF2 (Pk, RU242, Index 61, Ch.136, MCS11)




Plot 7-492. Antenna WF2 (Pk, RU242, Index 61, Ch.165, MCS11)

FCC ID: BCGA2567 IC: 579C-A2567	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device	Page 222 of 248


7.6.8 Antenna WF2 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26




Plot 7-493. Antenna WF2 (Pk & Avg, RU26, Index 0, Ch.38, MCS11)




Plot 7-496. Antenna WF2 (Pk, RU26, Index 17, Ch.134, MCS11)




Plot 7-494. Antenna WF2 (Pk & Avg, RU26, Index 17, Ch.62, MCS11)



Plot 7-497. Antenna WF2 (Pk, RU26, Index 0, Ch.151, MCS11)



Plot 7-495. Antenna WF2 (Pk & Avg, RU26, Index 0, Ch.102, MCS11)



Plot 7-498. Antenna WF2 (Pk, RU26, Index 17, Ch.159, MCS11)

FCC ID: BCGA2567 IC: 579C-A2567	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-08.BCG	Test Dates: 6/2/2021 - 8/10/2021	EUT Type: Tablet Device	Page 223 of 248