




Plot 7-394. Band Edge Plot Antenna WF7 (802.11g – Ch. 10) – 36Mbps




Plot 7-395. Band Edge Plot Antenna WF7 (802.11g – Ch. 11) – 36Mbps

FCC ID: BCGA2567 IC: 579C-A2567	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 247 of 429




Plot 7-396. Band Edge Plot Antenna WF7 (802.11g – Ch. 12) – 36Mbps




Plot 7-397. Band Edge Plot Antenna WF7 (802.11g – Ch. 13) – 36Mbps

FCC ID: BCGA2567 IC: 579C-A2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 248 of 429




Plot 7-398. Band Edge Plot Antenna WF7 (802.11n (2.4GHz) – Ch. 1) – MCS5




Plot 7-399. Band Edge Plot Antenna WF7 (802.11n (2.4GHz) – Ch. 2) – MCS5

FCC ID: BCGA2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 249 of 429




Plot 7-400. Band Edge Plot Antenna WF7 (802.11n (2.4GHz) – Ch. 3) – MCS5




Plot 7-401. Band Edge Plot Antenna WF7 (802.11n (2.4GHz) – Ch. 4) – MCS5

FCC ID: BCGA2567 IC: 579C-A2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 250 of 429




Plot 7-402. Band Edge Plot Antenna WF7 (802.11n (2.4GHz) – Ch. 5) – MCS5




Plot 7-403. Band Edge Plot Antenna WF7 (802.11n (2.4GHz) – Ch. 6(Low)) – MCS5

FCC ID: BCGA2567 IC: 579C-A2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 251 of 429




Plot 7-404. Band Edge Plot Antenna WF7 (802.11n (2.4GHz) – Ch. 6(High)) – MCS5




Plot 7-405. Band Edge Plot Antenna WF7 (802.11n (2.4GHz) – Ch. 7) – MCS5

FCC ID: BCGA2567	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
IC: 579C-A2567	Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device




Plot 7-406. Band Edge Plot Antenna WF7 (802.11n (2.4GHz) – Ch. 8) – MCS5




Plot 7-407. Band Edge Plot Antenna WF7 (802.11n (2.4GHz) – Ch. 9) – MCS5

FCC ID: BCGA2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 253 of 429




Plot 7-408. Band Edge Plot Antenna WF7 (802.11n (2.4GHz) – Ch. 10) – MCS5




Plot 7-409. Band Edge Plot Antenna WF7 (802.11n (2.4GHz) – Ch. 11) – MCS5

FCC ID: BCGA2567 IC: 579C-A2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 254 of 429




Plot 7-410. Band Edge Plot Antenna WF7 (802.11n (2.4GHz) – Ch. 12) – MCS5




Plot 7-411. Band Edge Plot Antenna WF7 (802.11n (2.4GHz) – Ch. 13) – MCS5

FCC ID: BCGA2567 IC: 579C-A2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 255 of 429




Plot 7-412. Band Edge Plot Antenna WF7 (802.11ax (SU - 2.4GHz) – Ch. 1) – MCS5




Plot 7-413. Band Edge Plot Antenna WF7 (802.11ax (SU - 2.4GHz) – Ch. 2) – MCS5

FCC ID: BCGA2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
IC: 579C-A2567	Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device




Plot 7-414. Band Edge Plot Antenna WF7 (802.11ax (SU - 2.4GHz) – Ch. 3) – MCS5



Plot 7-415. Band Edge Plot Antenna WF7 (802.11ax (SU - 2.4GHz) – Ch. 4) – MCS5

FCC ID: BCGA2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
IC: 579C-A2567	Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device





Plot 7-416. Band Edge Plot Antenna WF7 (802.11ax (SU - 2.4GHz) – Ch. 5) – MCS5





Plot 7-417. Band Edge Plot Antenna WF7 (802.11ax (SU - 2.4GHz) – Ch. 6 (Low)) – MCS5


FCC ID: BCGA2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 258 of 429




FCC ID: BCGA2567 IC: 579C-A2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 259 of 429



FCC ID: BCGA2567 IC: 579C-A2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 260 of 429




Plot 7-422. Band Edge Plot Antenna WF7 (802.11ax (SU - 2.4GHz) – Ch. 10) – MCS5



Plot 7-423. Band Edge Plot Antenna WF7 (802.11ax (SU - 2.4GHz) – Ch. 11) – MCS5

FCC ID: BCGA2567 IC: 579C-A2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 261 of 429



Plot 7-424. Band Edge Plot Antenna WF7 (802.11ax (SU - 2.4GHz) – Ch. 12) – MCS5

FCC ID: BCGA2567 IC: 579C-A2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 262 of 429

## 7.6 Conducted Spurious Emissions

§15.247(d); RSS-247 [5.5]

### Test Overview and Limit

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. For the following out of band conducted spurious emissions plots, the EUT was investigated in all available data rates for "b", "g", "n", "ax-SU" modes. The worst case spurious emissions for the 2.4GHz band were found while transmitting in "b" mode at 11 Mbps and are shown in the plots below.

***The limit for out-of-band spurious emissions at the band edge is 20dB below the fundamental emission level, as determined from the in-band power measurement of the DTS channel performed in a 100kHz bandwidth per the procedure in Section 11.11 of ANSI C63.10-2013 and KDB 558074 D01 v05r02.***

### Test Procedure Used

ANSI C63.10-2013 – Section 11.11.3  
 KDB 558074 D01 v05r02 – Section 8.5  
 ANSI C63.10-2013 – Section 14.3.3  
 KDB 662911 D01 v02r01 – Section E(3)b)

### Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 25GHz (separated into two plots per channel)
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = Peak
5. Trace mode = max hold
6. Sweep time = auto couple
7. The trace was allowed to stabilize

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-5. Test Instrument & Measurement Setup**


FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST</b> <sup>®</sup> Proud to be part of element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 263 of 429	

## Test Notes


1. RBW was set to 1MHz rather than 100kHz in order to increase the measurement speed.
2. The display line shown in the following plots denotes the limit at 20dB below the fundamental emission level measured in a 100kHz bandwidth. However, since the traces in the following plots are measured with a 1MHz RBW, the display line may not necessarily appear to be 20dB below the level of the fundamental in a 1MHz bandwidth.
3. For plots showing conducted spurious emissions near the limit, the frequencies were investigated with a reduced RBW to ensure that no emissions were present.
4. The conducted spurious emissions were measured to relative limits. Therefore, in accordance with ANSI C63.10-2013 and KDB 662911 D01 v02r01 Section E)3)b), it was unnecessary to show compliance through the summation of test results of the individual outputs.
5. All antenna configurations and data rates were investigated and only the worst case is reported..

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST</b> <sup>®</sup> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 264 of 429

## Antenna WF8 Conducted Spurious Emission




Plot 7-425. Conducted Spurious Plot Antenna WF8 (802.11b – Ch. 1)




Plot 7-426. Conducted Spurious Plot Antenna WF8 (802.11b – Ch. 1)

FCC ID: BCGA2567	 <b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 265 of 429




Plot 7-427. Conducted Spurious Plot Antenna WF8 (802.11b – Ch. 6)




Plot 7-428. Conducted Spurious Plot Antenna WF8 (802.11b – Ch. 6)

FCC ID: BCGA2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 266 of 429




Plot 7-429. Conducted Spurious Plot Antenna WF8 (802.11b – Ch. 11)




Plot 7-430. Conducted Spurious Plot Antenna WF8 (802.11b – Ch. 11)

FCC ID: BCGA2567 IC: 579C-A2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 267 of 429

## Antenna WF7 Conducted Spurious Emissions




Plot 7-431. Conducted Spurious Plot Antenna WF7 (802.11b – Ch. 1)




Plot 7-432. Conducted Spurious Plot Antenna WF7 (802.11b – Ch. 1)

FCC ID: BCGA2567	 <b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 268 of 429	




Plot 7-433. Conducted Spurious Plot Antenna WF7 (802.11b – Ch. 6)




Plot 7-434. Conducted Spurious Plot Antenna WF7 (802.11b – Ch. 6)

FCC ID: BCGA2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 269 of 429



Plot 7-435. Conducted Spurious Plot Antenna WF7 (802.11b – Ch. 11)



Plot 7-436. Conducted Spurious Plot Antenna WF7 (802.11b – Ch. 11)

FCC ID: BCGA2567 IC: 579C-A2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 270 of 429

## 7.7 Radiated Spurious Emissions – Above 1 GHz

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]

### Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

***All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-47 per Section 15.209 and RSS-Gen (8.9).***

Frequency	Field Strength [ $\mu$ V/m]	Measured Distance [Meters]
Above 960.0 MHz	500	3

**Table 7-47. Radiated Limits**

### Test Procedures Used

ANSI C63.10-2013 – Section 6.6.4.3

KDB 558074 D01 v05r02 – Sections 8.6, 8.7

### Test Settings

#### Average Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = power average (RMS)
5. Number of measurement points = 1001 (Number of points must be  $\geq 2 \times$  span/RBW)
6. Sweep time = auto
7. Trace (RMS) averaging was performed over at least 100 traces


#### Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 271 of 429

## Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-6. Radiated Measurement Setup**

## Test Notes

1. The optional test procedures for antenna port conducted measurements of unwanted emissions per the guidance of KDB 558074 D01 v05r02 were not used to evaluate this device for compliance to radiated limits. All Radiated Spurious Emissions levels were measured in a radiated test setup.
2. All emissions lying in restricted bands specified in Section 15.205 and Section 8.10 of RSS-Gen are below the limit shown in Table 7-47.
3. The antenna is manipulated through typical positions, polarity and length during the tests. The EUT is manipulated through three orthogonal planes.
4. This unit was tested with its standard battery.
5. The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter using CISPR quasi peak detector below 1GHz. Above 1 GHz, average and peak measurements were taken using linearly polarized horn antennas.
6. D is the measurement test distance and emissions 1-18GHz were measured at a 3 meters test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.
7. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification. Any emissions found to be within 20dB of the limit are fully investigated and the results are shown in this section.
8. The "-" shown in the following RSE tables are used to denote a noise floor measurement.
9. All antenna configurations were investigated and only the worst case is reported.
10. The unit was tested with all possible modes and only the highest emission is reported.
11. The data rates have been classified into three different groups; low data rate, middle data rate, and high data rate. All three data rate groups have been investigated and only the worst case data rate per group is reported.

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 272 of 429

## Sample Calculations

### Determining Spurious Emissions Levels

- Field Strength Level  $[\text{dB}_{\mu\text{V/m}}]$  = Analyzer Level  $[\text{dBm}] + 107 + \text{AFCL} [\text{dB/m}]$
- AFCL  $[\text{dB/m}]$  = Antenna Factor  $[\text{dB/m}] + \text{Cable Loss} [\text{dB}] - \text{Preamplifier Gain} [\text{dB}]$
- Margin  $[\text{dB}]$  = Field Strength Level  $[\text{dB}_{\mu\text{V/m}}]$  – Limit  $[\text{dB}_{\mu\text{V/m}}]$

### Radiated Band Edge Measurement Offset


- The amplitude offset shown in the radiated restricted band edge plots in Section 7.7 was calculated using the formula:  

$$\text{Offset (dB)} = (\text{Antenna Factor} + \text{Cable Loss} + \text{Attenuator}) - \text{Preamplifier Gain}$$

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST</b> <sup>®</sup> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 273 of 429

### 7.7.1 Antenna WF8 Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]




Plot 7-437. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11b – Ch. 1)

Mode: 802.11b  
Data Rate: 11Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 2412MHz  
Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4824.00	Avg	H	293	122	-75.95	4.68	35.73	53.98	-18.25
4824.00	Peak	H	293	122	-65.88	4.68	45.80	73.98	-28.18
12060.00	Avg	H	-	-	-84.12	17.65	40.53	53.98	-13.45
12060.00	Peak	H	-	-	-72.84	17.65	51.81	73.98	-22.17

Table 7-48. Radiated Measurements Antenna WF8

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST®</b> Proud to be part of  <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 274 of 429	




**Plot 7-438. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11b – Ch. 6)**

Mode:	802.11b
Data Rate:	11Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4874.00	Avg	H	-	-	-78.13	5.18	34.05	53.98	-19.93
4874.00	Peak	H	-	-	-66.90	5.18	45.28	73.98	-28.70
7311.00	Avg	V	127	210	-77.96	8.91	37.95	53.98	-16.03
7311.00	Peak	V	127	210	-66.98	8.91	48.93	73.98	-25.05
12185.00	Avg	H	-	-	-84.52	18.22	40.70	53.98	-13.28
12185.00	Peak	H	-	-	-72.74	18.22	52.48	73.98	-21.50

**Table 7-49. Radiated Measurements Antenna WF8**

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST®</b> Proud to be part of 			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device			




**Plot 7-439. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11b – Ch. 11)**

Mode: 802.11b  
Data Rate: 11Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 2462MHz  
Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Avg	V	112	209	-73.77	4.71	37.94	53.98	-16.04
4924.00	Peak	V	112	209	-65.36	4.71	46.35	73.98	-27.63
7386.00	Avg	V	198	213	-77.04	9.11	39.07	53.98	-14.91
7386.00	Peak	V	198	213	-67.01	9.11	49.10	73.98	-24.88
12310.00	Avg	H	-	-	-84.67	18.08	40.41	53.98	-13.57
12310.00	Peak	H	-	-	-73.71	18.08	51.37	73.98	-22.61

**Table 7-50. Radiated Measurements Antenna WF8**

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 276 of 429




**Plot 7-440. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax(SU) – Ch. 1)**

Mode: 802.11ax(SU)  
Data Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 2412MHz  
Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4824.00	Avg	V	-	-	-77.87	4.68	33.81	53.98	-20.17
4824.00	Peak	V	-	-	-67.39	4.68	44.29	73.98	-29.69
12060.00	Avg	V	-	-	-84.39	17.65	40.26	53.98	-13.72
12060.00	Peak	V	-	-	-72.72	17.65	51.93	73.98	-22.05

**Table 7-51. Radiated Measurements Antenna WF8**

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST®</b> Proud to be part of 			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device			




**Plot 7-441. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax(SU) – Ch. 6)**

Mode:	802.11ax(SU)
Data Rate:	MCS2
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4874.00	Avg	V	-	-	-78.36	5.18	33.82	53.98	-20.16
4874.00	Peak	V	-	-	-66.75	5.18	45.43	73.98	-28.55
7311.00	Avg	V	-	-	-79.71	8.91	36.20	53.98	-17.78
7311.00	Peak	V	-	-	-68.42	8.91	47.49	73.98	-26.49
12185.00	Avg	V	-	-	-84.39	18.22	40.83	53.98	-13.15
12185.00	Peak	V	-	-	-73.58	18.22	51.64	73.98	-22.34

**Table 7-52. Radiated Measurements Antenna WF8**

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 278 of 429




**Plot 7-442. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax(SU) – Ch. 11)**

Mode: 802.11ax(SU)  
Data Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 2462MHz  
Channel: 11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Avg	V	-	-	-78.29	4.71	33.42	53.98	-20.56
4924.00	Peak	V	-	-	-66.88	4.71	44.83	73.98	-29.15
7386.00	Avg	V	-	-	-79.89	9.11	36.22	53.98	-17.76
7386.00	Peak	V	-	-	-68.58	9.11	47.53	73.98	-26.45
12310.00	Avg	V	-	-	-84.86	18.08	40.22	53.98	-13.76
12310.00	Peak	V	-	-	-73.92	18.08	51.16	73.98	-22.82

**Table 7-53. Radiated Measurements Antenna WF8**

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST®</b> Proud to be part of 			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device			

## 7.7.2 Antenna WF7 Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]





Plot 7-443. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11b – Ch. 1)

Mode: 802.11b  
Data Rate: 11Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 2412MHz  
Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4824.00	Avg	-	-	-	-80.79	8.01	34.22	53.98	-19.76
4824.00	Peak	-	-	-	-68.86	8.01	46.15	73.98	-27.83
12060.00	Avg	-	-	-	-80.74	17.60	43.86	53.98	-10.12
12060.00	Peak	-	-	-	-69.23	17.60	55.37	73.98	-18.61

Table 7-54. Radiated Measurements Antenna WF7

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST®</b> Proud to be part of 			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device			




**Plot 7-444. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11b – Ch. 6)**

Mode: 802.11b  
Data Rate: 11Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 2437MHz  
Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4874.00	Avg	V	144	210	-75.65	5.18	36.53	53.98	-17.45
4874.00	Peak	V	144	210	-67.54	5.18	44.64	73.98	-29.34
7311.00	Avg	V	104	226	-68.21	8.91	47.70	53.98	-6.28
7311.00	Peak	V	104	226	-54.50	8.91	61.41	73.98	-12.57
12185.00	Avg	V	139	146	-83.75	18.22	41.47	53.98	-12.51
12185.00	Peak	V	139	146	-74.06	18.22	51.16	73.98	-22.82

**Table 7-55. Radiated Measurements Antenna WF7**

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 281 of 429




**Plot 7-445. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11b – Ch. 11)**

Mode: 802.11b  
Data Rate: 11Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 2462MHz  
Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Avg	V	113	189	-77.91	4.71	33.80	53.98	-20.18
4924.00	Peak	V	113	189	-67.12	4.71	44.59	73.98	-29.39
7386.00	Avg	V	150	151	-74.90	9.11	41.21	53.98	-12.77
7386.00	Peak	V	150	151	-66.12	9.11	49.99	73.98	-23.99
12310.00	Avg	V	128	148	-82.53	18.08	42.55	53.98	-11.43
12310.00	Peak	V	128	148	-73.77	18.08	51.31	73.98	-22.67

**Table 7-56. Radiated Measurements Antenna WF7**

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST®</b> Proud to be part of 			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device			




**Plot 7-446. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax(SU) – Ch. 1)**

Mode: 802.11ax(SU)  
Data Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 2412MHz  
Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4824.00	Avg	V	-	-	-77.98	4.68	33.70	53.98	-20.28
4824.00	Peak	V	-	-	-67.04	4.68	44.64	73.98	-29.34
12060.00	Avg	V	-	-	-84.43	17.65	40.22	53.98	-13.76
12060.00	Peak	V	-	-	-73.36	17.65	51.29	73.98	-22.69

**Table 7-57. Radiated Measurements Antenna WF7**

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST®</b> Proud to be part of 			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device			




**Plot 7-447. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax(SU) – Ch. 6)**

Mode:	802.11ax(SU)
Data Rate:	MCS2
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4874.00	Avg	V	-	-	-78.29	5.18	33.89	53.98	-20.09
4874.00	Peak	V	-	-	-67.77	5.18	44.41	73.98	-29.57
7311.00	Avg	V	-	-	-79.86	8.91	36.05	53.98	-17.93
7311.00	Peak	V	-	-	-68.54	8.91	47.37	73.98	-26.61
12185.00	Avg	V	-	-	-84.35	18.22	40.87	53.98	-13.11
12185.00	Peak	V	-	-	-73.49	18.22	51.73	73.98	-22.25

**Table 7-58. Radiated Measurements Antenna WF7**

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST</b> <sup>®</sup> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 284 of 429



**Plot 7-448. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax(SU) – Ch. 11)**

Mode:	<u>802.11ax(SU)</u>
Data Rate:	<u>MCS2</u>
Distance of Measurements:	<u>3 Meters</u>
Operating Frequency:	<u>2462MHz</u>
Channel:	<u>11</u>


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Avg	V	-	-	-78.05	4.71	33.66	53.98	-20.32
4924.00	Peak	V	-	-	-67.44	4.71	44.27	73.98	-29.71
7386.00	Avg	V	-	-	-79.49	9.11	36.62	53.98	-17.36
7386.00	Peak	V	-	-	-67.99	9.11	48.12	73.98	-25.86
12310.00	Avg	V	-	-	-84.87	18.08	40.21	53.98	-13.77
12310.00	Peak	V	-	-	-72.86	18.08	52.22	73.98	-21.76

**Table 7-59. Radiated Measurements Antenna WF7**

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST®</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 285 of 429

### 7.7.3 CDD Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]




Plot 7-449. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 1)

Mode: 802.11n  
 Data Rate: MCS10  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 01


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4824.00	Avg	-	-	-	-78.11	4.68	33.57	53.98	-20.41
4824.00	Peak	-	-	-	-66.38	4.68	45.30	73.98	-28.68
12060.00	Avg	-	-	-	-84.21	17.65	40.44	53.98	-13.54
12060.00	Peak	-	-	-	-73.52	17.65	51.13	73.98	-22.85

Table 7-60. Radiated Measurements CDD

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST®</b> <small>Proud to be part of element</small>			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device			




Plot 7-450. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 6)



Plot 7-451. Radiated Spurious Emissions above 18GHz CDD (802.11n – Ch.6, Pol H)

FCC ID: BCGA2567 IC: 579C-A2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 287 of 429




Plot 7-452. Radiated Spurious Emissions above 18GHz CDD (802.11n – Ch.6, Pol V)

Mode: 802.11n  
Data Rate: MCS10  
Distance of Measurements: 3 Meters  
Operating Frequency: 2437MHz  
Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Avg	-	-	-	-78.34	5.18	33.84	53.98	-20.14
4874.00	Peak	-	-	-	-66.27	5.18	45.91	73.98	-28.07
7311.00	Avg	V	275	217	-76.33	8.91	39.58	53.98	-14.40
7311.00	Peak	V	275	217	-64.67	8.91	51.24	73.98	-22.74
12185.00	Avg	-	-	-	-83.55	18.22	41.67	53.98	-12.31
12185.00	Peak	-	-	-	-72.48	18.22	52.74	73.98	-21.24

Table 7-61. Radiated Measurements CDD

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST®</b> Proud to be part of 			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device			





**Plot 7-453. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 11)**

Mode: 802.11n  
Data Rate: MCS10  
Distance of Measurements: 3 Meters  
Operating Frequency: 2462MHz  
Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Avg	-	-	-	-77.88	4.71	33.83	53.98	-20.15
4924.00	Peak	-	-	-	-66.38	4.71	45.33	73.98	-28.65
7386.00	Avg	V	272	147	-75.06	9.11	41.05	53.98	-12.93
7386.00	Peak	V	272	147	-63.71	9.11	52.40	73.98	-21.58
12310.00	Avg	V	247	242	-83.25	18.08	41.83	53.98	-12.15
12310.00	Peak	V	247	242	-71.97	18.08	53.11	73.98	-20.87

**Table 7-62. Radiated Measurements CDD**

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST</b> <sup>®</sup> Proud to be part of  <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 289 of 429	




**Plot 7-454. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 1)**

Mode: 802.11ax (SU)  
Data Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 2412MHz  
Channel: 01


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4824.00	Avg	H	-	-	-78.09	4.68	33.59	53.98	-20.39
4824.00	Peak	H	-	-	-67.24	4.68	44.44	73.98	-29.54
12060.00	Avg	H	-	-	-84.58	17.65	40.07	53.98	-13.91
12060.00	Peak	H	-	-	-73.14	17.65	51.51	73.98	-22.47

**Table 7-63. Radiated Measurements CDD**


FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST®</b> Proud to be part of 			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device			



**Plot 7-455. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 6)**



Plot 7-456. Radiated Spurious Emissions above 18GHz CDD (802.11ax (SU) – Ch.6, Pol H)




**Plot 7-457. Radiated Spurious Emissions above 18GHz CDD (802.11ax (SU) – Ch.6, Pol V)**


FCC ID: BCGA2567 IC: 579C-A2567	 PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 291 of 429

Mode:	802.11ax (SU)
Data Rate:	MCS2
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4874.00	Avg	H	-	-	-78.73	5.18	33.45	53.98	-20.53
4874.00	Peak	H	-	-	-67.09	5.18	45.09	73.98	-28.89
7311.00	Avg	H	-	-	-79.59	8.91	36.32	53.98	-17.66
7311.00	Peak	H	-	-	-68.12	8.91	47.79	73.98	-26.19
12185.00	Avg	H	-	-	-82.65	18.22	42.57	53.98	-11.41
12185.00	Peak	H	-	-	-72.96	18.22	52.26	73.98	-21.72

**Table 7-64. Radiated Measurements CDD**

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST</b> <sup>®</sup> Proud to be part of  <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 292 of 429	




**Plot 7-458. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 11)**

Mode: 802.11ax (SU)  
Data Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 2462MHz  
Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Avg	H	-	-	-78.24	4.71	33.47	53.98	-20.51
4924.00	Peak	H	-	-	-67.17	4.71	44.54	73.98	-29.44
7386.00	Avg	H	-	-	-79.72	9.11	36.39	53.98	-17.59
7386.00	Peak	H	-	-	-68.56	9.11	47.55	73.98	-26.43
12310.00	Avg	H	-	-	-84.75	18.08	40.33	53.98	-13.65
12310.00	Peak	H	-	-	-73.58	18.08	51.50	73.98	-22.48


**Table 7-65. Radiated Measurements CDD**

FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST®</b> Proud to be part of 			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device			

### 7.7.4 Antenna WF8 Radiated Restricted Band Edge Measurements


[§15.205 §15.209; RSS-Gen \[8.9\]](#)

Mode: 802.11b  
Data Rate: 11Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 2412MHz  
Channel: 1



**Plot 7-459. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11b  
Data Rate: 11Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 2417MHz  
Channel: 2



**Plot 7-460. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2567 IC: 579C-A2567	 <b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 294 of 429	

Mode: 802.11b  
Data Rate: 11Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 2422MHz  
Channel: 3



**Plot 7-461. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11b  
Data Rate: 11Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 2427MHz  
Channel: 4



**Plot 7-462. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2567	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 295 of 429	

Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2452MHz  
 Channel: 9



**Plot 7-463. Radiated Restricted Upper Band Edge Measurement Antenna WF8**

Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2457MHz  
 Channel: 10



**Plot 7-464. Radiated Restricted Upper Band Edge Measurement Antenna WF8**

FCC ID: BCGA2567 IC: 579C-A2567	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080048-01-R1.BCG	Test Dates: 6/2/2021 - 8/11/2021	EUT Type: Tablet Device	Page 296 of 429