







Plot 7-217. PSD Antenna 3b (20MHz BW 11ax Index 0 - RU26 - Ch.56)




Plot 7-220. PSD Antenna 3b (20MHz BW 11ax- RU242 - Ch.56)




Plot 7-218. PSD Antenna 3b (20MHz BW 11ax Index 4 - RU26 - Ch.56)



Plot 7-221. PSD Antenna 3b (40MHz BW 11ax Index 0 - RU26 - Ch.54)




Plot 7-219. PSD Antenna 3b (20MHz BW 11ax Index 8- RU26 - Ch.56)




Plot 7-222. PSD Antenna 3b (40MHz BW 11ax Index 8 - RU26 - Ch.54)


FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 123 of 397




Plot 7-223. PSD Antenna 3b (40MHz BW 11ax Index 17 - RU26 - Ch.54)




Plot 7-226. PSD Antenna 3b (80MHz BW 11ax Index 18 - RU26 - Ch.58)




Plot 7-224. PSD Antenna 3b (40MHz BW 11ax - RU484 - Ch.54)



Plot 7-227. PSD Antenna 3b (80MHz BW 11ax Index 36 - RU26 - Ch.58)




Plot 7-225. PSD Antenna 3b (80MHz BW 11ax Index 0 - RU26 - Ch.58)




Plot 7-228. PSD Antenna 3b (80MHz BW 11ax - RU996 - Ch.58)


FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 124 of 397




Plot 7-229. PSD Antenna 3b (20MHz BW 11ax Index 0 – RU26 – Ch.116)




Plot 7-232. PSD Antenna 3b (20MHz BW 11ax– RU242 – Ch.116)




Plot 7-230. PSD Antenna 3b (20MHz BW 11ax Index 4 – RU26 – Ch.116)



Plot 7-233. PSD Antenna 3b (40MHz BW 11ax Index 0 – RU26 – Ch.110)









Plot 7-231. PSD Antenna 3b (20MHz BW 11ax Index 8– RU26 – Ch.116)



Plot 7-234. PSD Antenna 3b (40MHz BW 11ax Index 8 – RU26 – Ch.110)

FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 125 of 397



FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 126 of 397


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	26	0	135/143.4 (MCS11)	6.68	30.00	-23.32
				26	4	135/143.4 (MCS11)	7.92	30.00	-22.08
				26	8	135/143.4 (MCS11)	7.74	30.00	-22.26
	5785	157	ax (20MHz)	26	0	135/143.4 (MCS11)	7.46	30.00	-22.54
				26	4	135/143.4 (MCS11)	7.00	30.00	-23.00
				26	8	135/143.4 (MCS11)	7.33	30.00	-22.67
	5825	165	ax (20MHz)	26	0	135/143.4 (MCS11)	6.80	30.00	-23.20
				26	4	135/143.4 (MCS11)	6.51	30.00	-23.49
				26	8	135/143.4 (MCS11)	6.81	30.00	-23.19
	5755	151	ax (40MHz)	26	0	271/286.8 (MCS11)	7.45	30.00	-22.55
				26	8	271/286.8 (MCS11)	7.28	30.00	-22.72
				26	17	271/286.8 (MCS11)	7.22	30.00	-22.78
	5795	159	ax (40MHz)	26	0	271/286.8 (MCS11)	7.23	30.00	-22.77
				26	8	271/286.8 (MCS11)	7.27	30.00	-22.73
				26	17	271/286.8 (MCS11)	7.35	30.00	-22.65
	5775	155	ax (80MHz)	26	0	567/600.5 (MCS11)	6.48	30.00	-23.52
				26	18	567/600.5 (MCS11)	6.47	30.00	-23.53
				26	36	567/600.5 (MCS11)	7.11	30.00	-22.89

Table 7-112. Band 3 Power Spectral Density Measurements Antenna 3b (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	242	61	135/143.4 (MCS11)	7.16	30.00	-22.84
	5785	157	ax (20MHz)	242	61	135/143.4 (MCS11)	7.80	30.00	-22.20
	5825	165	ax (20MHz)	242	61	135/143.4 (MCS11)	7.10	30.00	-22.91
	5755	151	ax (40MHz)	484	65	271/286.8 (MCS11)	2.19	30.00	-27.82
	5795	159	ax (40MHz)	484	65	271/286.8 (MCS11)	2.32	30.00	-27.68
	5775	155	ax (80MHz)	996	67	567/600.5 (MCS11)	-2.60	30.00	-32.60

Table 7-113. Band 3 Power Spectral Density Measurements Antenna 3b (Fully-loaded RU)


FCC ID: BCGA2568 IC: 579C-A2568	 PCTEST [®] Proud to be part of element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device		Page 127 of 397




Plot 7-241. PSD Antenna 3b (20MHz BW 11ax Index 0 - RU26 - Ch.157)




Plot 7-244. PSD Antenna 3b (20MHz BW 11ax- RU242 - Ch.157)




Plot 7-242. PSD Antenna 3b (20MHz BW 11ax Index 4 - RU26 - Ch.157)



Plot 7-245. PSD Antenna 3b (40MHz BW 11ax Index 0 - RU26 - Ch.151)









Plot 7-243. PSD Antenna 3b (20MHz BW 11ax Index 8 - RU26 - Ch.157)



Plot 7-246. PSD Antenna 3b (40MHz BW 11ax Index 8 - RU26 - Ch.151)

FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 128 of 397



FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 129 of 397

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	135/143.4 (MCS11)	4.61	3.40	8.01	10.0	-1.99
				26	4	135/143.4 (MCS11)	4.21	3.40	7.61	10.0	-2.39
				26	8	135/143.4 (MCS11)	5.11	3.40	8.51	10.0	-1.49
	5200	40	ax (20MHz)	26	0	135/143.4 (MCS11)	4.63	3.40	8.03	10.0	-1.97
				26	4	135/143.4 (MCS11)	4.69	3.40	8.09	10.0	-1.91
				26	8	135/143.4 (MCS11)	5.09	3.40	8.49	10.0	-1.51
	5240	48	ax (20MHz)	26	0	135/143.4 (MCS11)	4.88	3.40	8.28	10.0	-1.73
				26	4	135/143.4 (MCS11)	4.34	3.40	7.74	10.0	-2.26
				26	8	135/143.4 (MCS11)	4.78	3.40	8.18	10.0	-1.82
	5190	38	ax (40MHz)	26	0	271/286.8 (MCS11)	4.23	3.40	7.63	10.0	-2.37
				26	8	271/286.8 (MCS11)	5.43	3.40	8.83	10.0	-1.17
				26	17	271/286.8 (MCS11)	4.63	3.40	8.03	10.0	-1.97
	5230	46	ax (40MHz)	26	0	271/286.8 (MCS11)	4.20	3.40	7.60	10.0	-2.40
				26	8	271/286.8 (MCS11)	5.38	3.40	8.78	10.0	-1.22
				26	17	271/286.8 (MCS11)	4.75	3.40	8.15	10.0	-1.85
	5210	42	ax (80MHz)	26	0	567/600.5 (MCS11)	4.10	3.40	7.50	10.0	-2.50
				26	18	567/600.5 (MCS11)	4.19	3.40	7.59	10.0	-2.41
				26	36	567/600.5 (MCS11)	4.87	3.40	8.27	10.0	-1.73

Table 7-114. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 3b (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	135/143.4 (MCS11)	5.54	3.40	8.94	10.0	-1.06
	5200	40	ax (20MHz)	242	61	135/143.4 (MCS11)	5.58	3.40	8.98	10.0	-1.02
	5240	48	ax (20MHz)	242	61	135/143.4 (MCS11)	5.51	3.40	8.91	10.0	-1.09
	5190	38	ax (40MHz)	484	65	271/286.8 (MCS11)	0.42	3.40	3.82	10.0	-6.18
	5230	46	ax (40MHz)	484	65	271/286.8 (MCS11)	4.12	3.40	7.52	10.0	-2.48
	5210	42	ax (80MHz)	996	67	567/600.5 (MCS11)	-3.50	3.40	-0.10	10.0	-10.10

Table 7-115. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 3b (Fully-loaded RU)


FCC ID: BCGA2568 IC: 579C-A2568	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 130 of 397




Plot 7-253. ISED PSD Antenna 3b (20MHz BW 11ax Index 0 - RU26 - Ch.40)




Plot 7-256. ISED PSD Antenna 3b (20MHz BW 11ax- RU242 - Ch.40)




Plot 7-254. ISED PSD Antenna 3b (20MHz BW 11ax Index 4 - RU26 - Ch.40)



Plot 7-257. ISED PSD Antenna 3b (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-255. ISED PSD Antenna 3b (20MHz BW 11ax Index 8- RU26 - Ch.40)




Plot 7-258. ISED PSD Antenna 3b (40MHz BW 11ax Index 8 - RU26 - Ch.46)


FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 131 of 397




Plot 7-259. ISED PSD Antenna 3b (40MHz BW 11ax Index 17 - RU26 - Ch.46)




Plot 7-262. ISED PSD Antenna 3b (80MHz BW 11ax Index 18 - RU26 - Ch.42)




Plot 7-260. ISED PSD Antenna 3b (40MHz BW 11ax - RU484 - Ch.46)



Plot 7-263. ISED PSD Antenna 3b (80MHz BW 11ax Index 36 - RU26 - Ch.42)



Plot 7-261. ISED PSD Antenna 3b (80MHz BW 11ax Index 0 - RU26 - Ch.42)



Plot 7-264. ISED PSD Antenna 3b (80MHz BW 11ax - RU996 - Ch.42)

FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 132 of 397

Antenna 1b Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	135/143.4 (MCS11)	7.96	11.0	-3.04
				26	4	135/143.4 (MCS11)	8.48	11.0	-2.52
				26	8	135/143.4 (MCS11)	9.03	11.0	-1.98
	5200	40	ax (20MHz)	26	0	135/143.4 (MCS11)	8.77	11.0	-2.23
				26	4	135/143.4 (MCS11)	8.71	11.0	-2.29
				26	8	135/143.4 (MCS11)	9.21	11.0	-1.79
	5240	48	ax (20MHz)	26	0	135/143.4 (MCS11)	9.71	11.0	-1.29
				26	4	135/143.4 (MCS11)	9.38	11.0	-1.62
				26	8	135/143.4 (MCS11)	9.74	11.0	-1.26
	5190	38	ax (40MHz)	26	0	271/286.8 (MCS11)	7.91	11.0	-3.09
				26	8	271/286.8 (MCS11)	9.24	11.0	-1.76
				26	17	271/286.8 (MCS11)	9.29	11.0	-1.71
	5230	46	ax (40MHz)	26	0	271/286.8 (MCS11)	8.17	11.0	-2.83
				26	8	271/286.8 (MCS11)	10.18	11.0	-0.82
				26	17	271/286.8 (MCS11)	8.52	11.0	-2.48
	5210	42	ax (80MHz)	26	0	567/600.5 (MCS11)	6.85	11.0	-4.16
				26	18	567/600.5 (MCS11)	7.36	11.0	-3.65
				26	36	567/600.5 (MCS11)	8.44	11.0	-2.56
Band 2A	5260	52	ax (20MHz)	26	0	135/143.4 (MCS11)	8.62	11.0	-2.38
				26	4	135/143.4 (MCS11)	8.48	11.0	-2.53
				26	8	135/143.4 (MCS11)	8.79	11.0	-2.21
	5280	56	ax (20MHz)	26	0	135/143.4 (MCS11)	8.78	11.0	-2.22
				26	4	135/143.4 (MCS11)	8.23	11.0	-2.77
				26	8	135/143.4 (MCS11)	8.98	11.0	-2.02
	5320	64	ax (20MHz)	26	0	135/143.4 (MCS11)	8.85	11.0	-2.15
				26	4	135/143.4 (MCS11)	8.14	11.0	-2.86
				26	8	135/143.4 (MCS11)	9.00	11.0	-2.00
	5270	54	ax (40MHz)	26	0	271/286.8 (MCS11)	8.83	11.0	-2.17
				26	8	271/286.8 (MCS11)	9.56	11.0	-1.44
				26	17	271/286.8 (MCS11)	9.02	11.0	-1.98
	5310	62	ax (40MHz)	26	0	271/286.8 (MCS11)	8.52	11.0	-2.48
				26	8	271/286.8 (MCS11)	9.39	11.0	-1.61
				26	17	271/286.8 (MCS11)	8.07	11.0	-2.93
	5290	58	ax (80MHz)	26	0	567/600.5 (MCS11)	9.75	11.0	-1.25
				26	18	567/600.5 (MCS11)	7.45	11.0	-3.55
				26	36	567/600.5 (MCS11)	7.10	11.0	-3.90
Band 2C	5500	100	ax (20MHz)	26	0	135/143.4 (MCS11)	10.13	11.0	-0.87
				26	4	135/143.4 (MCS11)	8.75	11.0	-2.26
				26	8	135/143.4 (MCS11)	9.86	11.0	-1.14
	5580	116	ax (20MHz)	26	0	135/143.4 (MCS11)	8.71	11.0	-2.29
				26	4	135/143.4 (MCS11)	8.20	11.0	-2.80
				26	8	135/143.4 (MCS11)	8.92	11.0	-2.08
	5720	144	ax (20MHz)	26	0	135/143.4 (MCS11)	8.77	11.0	-2.23
				26	4	135/143.4 (MCS11)	8.97	11.0	-2.03
				26	8	135/143.4 (MCS11)	9.42	11.0	-1.58
	5510	102	ax (40MHz)	26	0	271/286.8 (MCS11)	8.12	11.0	-2.88
				26	8	271/286.8 (MCS11)	9.35	11.0	-1.65
				26	17	271/286.8 (MCS11)	8.55	11.0	-2.45
	5550	110	ax (40MHz)	26	0	271/286.8 (MCS11)	8.87	11.0	-2.13
				26	8	271/286.8 (MCS11)	9.28	11.0	-1.72
				26	17	271/286.8 (MCS11)	8.53	11.0	-2.47
	5710	142	ax (40MHz)	26	0	271/286.8 (MCS11)	8.38	11.0	-2.62
				26	8	271/286.8 (MCS11)	9.91	11.0	-1.09
				26	17	271/286.8 (MCS11)	9.52	11.0	-1.48
	5530	106	ax (80MHz)	26	0	567/600.5 (MCS11)	8.08	11.0	-2.92
				26	18	567/600.5 (MCS11)	5.68	11.0	-5.32
				26	36	567/600.5 (MCS11)	6.24	11.0	-4.76
	*5610	122	ax (80MHz)	26	0	567/600.5 (MCS11)	7.31	11.0	-3.69
				26	18	567/600.5 (MCS11)	6.04	11.0	-4.96
				26	36	567/600.5 (MCS11)	7.46	11.0	-3.54
	5690	138	ax (80MHz)	26	0	567/600.5 (MCS11)	8.35	11.0	-2.65
				26	18	567/600.5 (MCS11)	6.63	11.0	-4.37
				26	36	567/600.5 (MCS11)	8.33	11.0	-2.67

Table 7-116. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 1b (RU26)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)


FCC ID: BCGA2568 IC: 579C-A2568		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 133 of 397

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	135/143.4 (MCS11)	3.45	11.0	-7.55
	5200	40	ax (20MHz)	242	61	135/143.4 (MCS11)	7.82	11.0	-3.18
	5240	48	ax (20MHz)	242	61	135/143.4 (MCS11)	7.69	11.0	-3.31
	5190	38	ax (40MHz)	484	65	271/286.8 (MCS11)	-3.18	11.0	-14.18
	5230	46	ax (40MHz)	484	65	271/286.8 (MCS11)	3.01	11.0	-7.99
	5210	42	ax (80MHz)	996	67	567/600.5 (MCS11)	-5.46	11.0	-16.46
Band 2A	5260	52	ax (20MHz)	242	61	135/143.4 (MCS11)	7.94	11.0	-3.06
	5280	56	ax (20MHz)	242	61	135/143.4 (MCS11)	7.82	11.0	-3.18
	5320	64	ax (20MHz)	242	61	135/143.4 (MCS11)	4.23	11.0	-6.77
	5270	54	ax (40MHz)	484	65	271/286.8 (MCS11)	2.25	11.0	-8.75
	5310	62	ax (40MHz)	484	65	271/286.8 (MCS11)	-3.68	11.0	-14.68
	5290	58	ax (80MHz)	996	67	567/600.5 (MCS11)	-5.76	11.0	-16.76
Band 2C	5500	100	ax (20MHz)	242	61	135/143.4 (MCS11)	2.65	11.0	-8.35
	5580	116	ax (20MHz)	242	61	135/143.4 (MCS11)	7.96	11.0	-3.04
	5720	144	ax (20MHz)	242	61	135/143.4 (MCS11)	7.89	11.0	-3.11
	5510	102	ax (40MHz)	484	65	271/286.8 (MCS11)	-3.20	11.0	-14.20
	5550	110	ax (40MHz)	484	65	271/286.8 (MCS11)	2.36	11.0	-8.64
	*5590	118	ax (40MHz)	484	65	271/286.8 (MCS11)	3.83	11.0	-7.17
	5710	142	ax (40MHz)	484	65	271/286.8 (MCS11)	4.84	11.0	-6.16
	5530	106	ax (80MHz)	996	67	567/600.5 (MCS11)	-6.20	11.0	-17.20
	*5610	122	ax (80MHz)	996	67	567/600.5 (MCS11)	-2.86	11.0	-13.86
	5690	138	ax (80MHz)	996	67	567/600.5 (MCS11)	-0.77	11.0	-11.77


Table 7-117. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 1b (Fully-loaded RU)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)


FCC ID: BCGA2568 IC: 579C-A2568	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 134 of 397




Plot 7-265. PSD Antenna 1b (20MHz BW 11ax Index 0 – RU26 – Ch.40)




Plot 7-268. PSD Antenna 1b (20MHz BW 11ax– RU242 – Ch.40)




Plot 7-266. PSD Antenna 1b (20MHz BW 11ax Index 4 – RU26 – Ch.40)



Plot 7-269. PSD Antenna 1b (40MHz BW 11ax Index 0 – RU26 – Ch.46)




Plot 7-267. PSD Antenna 1b (20MHz BW 11ax Index 8– RU26 – Ch.40)




Plot 7-270. PSD Antenna 1b (40MHz BW 11ax Index 8 – RU26 – Ch.46)


FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 135 of 397




Plot 7-271. PSD Antenna 1b (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-274. PSD Antenna 1b (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-272. PSD Antenna 1b (40MHz BW 11ax – RU484 – Ch.46)



Plot 7-275. PSD Antenna 1b (80MHz BW 11ax Index 36 – RU26 – Ch.42)




Plot 7-273. PSD Antenna 1b (80MHz BW 11ax Index 0 – RU26 – Ch.42)




Plot 7-276. PSD Antenna 1b (80MHz BW 11ax – RU996 – Ch.42)


FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 136 of 397




Plot 7-277. PSD Antenna 1b (20MHz BW 11ax Index 0 - RU26 - Ch.56)




Plot 7-280. PSD Antenna 1b (20MHz BW 11ax- RU242 - Ch.56)




Plot 7-278. PSD Antenna 1b (20MHz BW 11ax Index 4 - RU26 - Ch.56)



Plot 7-281. PSD Antenna 1b (40MHz BW 11ax Index 0 - RU26 - Ch.54)









Plot 7-279. PSD Antenna 1b (20MHz BW 11ax Index 8- RU26 - Ch.56)









Plot 7-282. PSD Antenna 1b (40MHz BW 11ax Index 8 - RU26 - Ch.54)

FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 137 of 397



FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 138 of 397



FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 139 of 397