







Plot 7-163. PSD Antenna 2b (40MHz BW 11ax Index 17 – RU26 – Ch.54)




Plot 7-166. PSD Antenna 2b (80MHz BW 11ax Index 18 – RU26 – Ch.58)




Plot 7-164. PSD Antenna 2b (40MHz BW 11ax – RU484 – Ch.54)



Plot 7-167. PSD Antenna 2b (80MHz BW 11ax Index 36 – RU26 – Ch.58)




Plot 7-165. PSD Antenna 2b (80MHz BW 11ax Index 0 – RU26 – Ch.58)




Plot 7-168. PSD Antenna 2b (80MHz BW 11ax – RU996 – Ch.58)


FCC ID: BCGA2589 IC: 579C-A2589	 PCTEST [®] Proud to be part of element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 110 of 397	




Plot 7-169. PSD Antenna 2b (20MHz BW 11ax Index 0 – RU26 – Ch.116)




Plot 7-172. PSD Antenna 2b (20MHz BW 11ax– RU242 – Ch.116)




Plot 7-170. PSD Antenna 2b (20MHz BW 11ax Index 4 – RU26 – Ch.116)



Plot 7-173. PSD Antenna 2b (40MHz BW 11ax Index 0 – RU26 – Ch.110)




Plot 7-171. PSD Antenna 2b (20MHz BW 11ax Index 8 – RU26 – Ch.116)




Plot 7-174. PSD Antenna 2b (40MHz BW 11ax Index 8 – RU26 – Ch.110)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG			Page 111 of 397




Plot 7-175. PSD Antenna 2b (40MHz BW 11ax Index 17 – RU26 – Ch.110)




Plot 7-178. PSD Antenna 2b (80MHz BW 11ax Index 18 – RU26 – Ch.122)




Plot 7-176. PSD Antenna 2b (40MHz BW 11ax – RU484 – Ch.110)



Plot 7-179. PSD Antenna 2b (80MHz BW 11ax Index 36 – RU26 – Ch.122)



Plot 7-177. PSD Antenna 2b (80MHz BW 11ax Index 0 – RU26 – Ch.122)



Plot 7-180. PSD Antenna 2b (80MHz BW 11ax – RU996 – Ch.122)

FCC ID: BCGA2589 IC: 579C-A2589	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 112 of 397


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	26	0	135/143.4 (MCS11)	4.25	30.00	-25.75
				26	4	135/143.4 (MCS11)	4.67	30.00	-25.33
				26	8	135/143.4 (MCS11)	4.12	30.00	-25.88
	5785	157	ax (20MHz)	26	0	135/143.4 (MCS11)	3.71	30.00	-26.29
				26	4	135/143.4 (MCS11)	4.18	30.00	-25.82
				26	8	135/143.4 (MCS11)	3.67	30.00	-26.33
	5825	165	ax (20MHz)	26	0	135/143.4 (MCS11)	3.39	30.00	-26.61
				26	4	135/143.4 (MCS11)	3.64	30.00	-26.36
				26	8	135/143.4 (MCS11)	3.87	30.00	-26.13
	5755	151	ax (40MHz)	26	0	271/286.8 (MCS11)	3.94	30.00	-26.06
				26	8	271/286.8 (MCS11)	4.72	30.00	-25.28
				26	17	271/286.8 (MCS11)	4.13	30.00	-25.87
	5795	159	ax (40MHz)	26	0	271/286.8 (MCS11)	3.46	30.00	-26.55
				26	8	271/286.8 (MCS11)	4.04	30.00	-25.96
				26	17	271/286.8 (MCS11)	3.37	30.00	-26.63
	5775	155	ax (80MHz)	26	0	567/600.5 (MCS11)	5.94	30.00	-24.06
				26	18	567/600.5 (MCS11)	5.70	30.00	-24.30
				26	36	567/600.5 (MCS11)	5.40	30.00	-24.60

Table 7-106. Band 3 Power Spectral Density Measurements Antenna 2b (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	242	61	135/143.4 (MCS11)	4.83	30.00	-25.17
	5785	157	ax (20MHz)	242	61	135/143.4 (MCS11)	4.85	30.00	-25.15
	5825	165	ax (20MHz)	242	61	135/143.4 (MCS11)	5.10	30.00	-24.90
	5755	151	ax (40MHz)	484	65	271/286.8 (MCS11)	0.87	30.00	-29.13
	5795	159	ax (40MHz)	484	65	271/286.8 (MCS11)	0.85	30.00	-29.15
	5775	155	ax (80MHz)	996	67	567/600.5 (MCS11)	-2.39	30.00	-32.39

Table 7-107. Band 3 Power Spectral Density Measurements Antenna 2b (Fully-loaded RU)


FCC ID: BCGA2589 IC: 579C-A2589	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 113 of 397




Plot 7-181. PSD Antenna 2b (20MHz BW 11ax Index 0 – RU26 – Ch.157)




Plot 7-184. PSD Antenna 2b (20MHz BW 11ax– RU242 – Ch.157)




Plot 7-182. PSD Antenna 2b (20MHz BW 11ax Index 4 – RU26 – Ch.157)



Plot 7-185. PSD Antenna 2b (40MHz BW 11ax Index 0 – RU26 – Ch.151)




Plot 7-183. PSD Antenna 2b (20MHz BW 11ax Index 8 – RU26 – Ch.157)




Plot 7-186. PSD Antenna 2b (40MHz BW 11ax Index 8 – RU26 – Ch.151)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG			Page 114 of 397




Plot 7-187. PSD Antenna 2b (40MHz BW 11ax Index 17 – RU26 – Ch.151)




Plot 7-190. PSD Antenna 2b (80MHz BW 11ax Index 18 – RU26 – Ch.155)




Plot 7-188. PSD Antenna 2b (40MHz BW 11ax – RU484 – Ch.151)



Plot 7-191. PSD Antenna 2b (80MHz BW 11ax Index 36 – RU26 – Ch.155)



Plot 7-189. PSD Antenna 2b (80MHz BW 11ax Index 0 – RU26 – Ch.155)



Plot 7-192. PSD Antenna 2b (80MHz BW 11ax – RU996 – Ch.155)

FCC ID: BCGA2589 IC: 579C-A2589	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 115 of 397


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	135/143.4 (MCS11)	4.09	-1.10	2.99	10.0	-7.01
				26	4	135/143.4 (MCS11)	4.61	-1.10	3.51	10.0	-6.49
				26	8	135/143.4 (MCS11)	5.59	-1.10	4.49	10.0	-5.51
	5200	40	ax (20MHz)	26	0	135/143.4 (MCS11)	4.86	-1.10	3.76	10.0	-6.24
				26	4	135/143.4 (MCS11)	4.23	-1.10	3.13	10.0	-6.87
				26	8	135/143.4 (MCS11)	5.01	-1.10	3.91	10.0	-6.09
	5240	48	ax (20MHz)	26	0	135/143.4 (MCS11)	5.40	-1.10	4.30	10.0	-5.70
				26	4	135/143.4 (MCS11)	4.87	-1.10	3.77	10.0	-6.23
				26	8	135/143.4 (MCS11)	6.06	-1.10	4.96	10.0	-5.04
	5190	38	ax (40MHz)	26	0	271/286.8 (MCS11)	4.50	-1.10	3.40	10.0	-6.60
				26	8	271/286.8 (MCS11)	5.50	-1.10	4.40	10.0	-5.60
				26	17	271/286.8 (MCS11)	4.73	-1.10	3.63	10.0	-6.37
	5230	46	ax (40MHz)	26	0	271/286.8 (MCS11)	4.27	-1.10	3.17	10.0	-6.83
				26	8	271/286.8 (MCS11)	5.46	-1.10	4.36	10.0	-5.64
				26	17	271/286.8 (MCS11)	5.07	-1.10	3.97	10.0	-6.03
	5210	42	ax (80MHz)	26	0	567/600.5 (MCS11)	4.56	-1.10	3.46	10.0	-6.54
				26	18	567/600.5 (MCS11)	4.55	-1.10	3.45	10.0	-6.55
				26	36	567/600.5 (MCS11)	5.64	-1.10	4.54	10.0	-5.46

Table 7-108. ISD Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 2b (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	135/143.4 (MCS11)	5.25	-1.10	4.15	10.0	-5.85
	5200	40	ax (20MHz)	242	61	135/143.4 (MCS11)	5.57	-1.10	4.47	10.0	-5.53
	5240	48	ax (20MHz)	242	61	135/143.4 (MCS11)	5.79	-1.10	4.69	10.0	-5.31
	5190	38	ax (40MHz)	484	65	271/286.8 (MCS11)	-0.46	-1.10	-1.56	10.0	-11.56
	5230	46	ax (40MHz)	484	65	271/286.8 (MCS11)	5.42	-1.10	4.32	10.0	-5.68
	5210	42	ax (80MHz)	996	67	567/600.5 (MCS11)	-2.49	-1.10	-3.59	10.0	-13.59

Table 7-109. ISD Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 2b (Fully-loaded RU)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 116 of 397




Plot 7-193. ISED PSD Antenna 2b (20MHz BW 11ax Index 0 – RU26 – Ch.40)




Plot 7-196. ISED PSD Antenna 2b (20MHz BW 11ax – RU242 – Ch.40)




Plot 7-194. ISED PSD Antenna 2b (20MHz BW 11ax Index 4 – RU26 – Ch.40)



Plot 7-197. ISED PSD Antenna 2b (40MHz BW 11ax Index 0 – RU26 – Ch.46)




Plot 7-195. ISED PSD Antenna 2b (20MHz BW 11ax Index 8 – RU26 – Ch.40)




Plot 7-198. ISED PSD Antenna 2b (40MHz BW 11ax Index 8 – RU26 – Ch.46)


FCC ID: BCGA2589 IC: 579C-A2589	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 117 of 397




Plot 7-199. ISED PSD Antenna 2b (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-202. ISED PSD Antenna 2b (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-200. ISED PSD Antenna 2b (40MHz BW 11ax – RU484 – Ch.46)



Plot 7-203. ISED PSD Antenna 2b (80MHz BW 11ax Index 36 – RU26 – Ch.42)



Plot 7-201. ISED PSD Antenna 2b (80MHz BW 11ax Index 0 – RU26 – Ch.42)



Plot 7-204. ISED PSD Antenna 2b (80MHz BW 11ax – RU996 – Ch.42)

FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG			Page 118 of 397

Antenna 1b Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	135/143.4 (MCS11)	5.98	11.0	-5.02
				26	4	135/143.4 (MCS11)	5.72	11.0	-5.28
				26	8	135/143.4 (MCS11)	6.22	11.0	-4.78
				26	0	135/143.4 (MCS11)	6.12	11.0	-4.88
	5200	40	ax (20MHz)	26	4	135/143.4 (MCS11)	5.80	11.0	-5.20
				26	8	135/143.4 (MCS11)	6.30	11.0	-4.70
				26	0	135/143.4 (MCS11)	6.63	11.0	-4.37
				26	4	135/143.4 (MCS11)	6.14	11.0	-4.86
	5240	48	ax (20MHz)	26	8	135/143.4 (MCS11)	6.63	11.0	-4.37
				26	0	271/286.8 (MCS11)	5.64	11.0	-5.36
				26	8	271/286.8 (MCS11)	6.77	11.0	-4.23
				26	17	271/286.8 (MCS11)	6.42	11.0	-4.58
	5190	38	ax (40MHz)	26	0	271/286.8 (MCS11)	6.10	11.0	-4.90
				26	8	271/286.8 (MCS11)	6.88	11.0	-4.12
				26	17	271/286.8 (MCS11)	6.71	11.0	-4.29
				26	0	567/600.5 (MCS11)	5.69	11.0	-5.31
	5230	46	ax (40MHz)	26	18	567/600.5 (MCS11)	5.63	11.0	-5.37
				26	36	567/600.5 (MCS11)	6.14	11.0	-4.86
				26	0	135/143.4 (MCS11)	6.53	11.0	-4.47
				26	4	135/143.4 (MCS11)	6.32	11.0	-4.68
Band 2A	5260	52	ax (20MHz)	26	8	135/143.4 (MCS11)	6.64	11.0	-4.36
				26	0	135/143.4 (MCS11)	6.96	11.0	-4.04
				26	4	135/143.4 (MCS11)	6.66	11.0	-4.34
				26	8	135/143.4 (MCS11)	7.05	11.0	-3.95
	5280	56	ax (20MHz)	26	0	135/143.4 (MCS11)	7.23	11.0	-3.77
				26	4	135/143.4 (MCS11)	6.64	11.0	-4.36
				26	8	135/143.4 (MCS11)	7.17	11.0	-3.83
				26	0	271/286.8 (MCS11)	6.38	11.0	-4.62
	5320	64	ax (20MHz)	26	8	271/286.8 (MCS11)	7.25	11.0	-3.75
				26	17	271/286.8 (MCS11)	6.62	11.0	-4.38
				26	0	271/286.8 (MCS11)	6.92	11.0	-4.08
				26	8	271/286.8 (MCS11)	7.78	11.0	-3.22
	5270	54	ax (40MHz)	26	17	271/286.8 (MCS11)	6.94	11.0	-4.06
				26	0	271/286.8 (MCS11)	6.69	11.0	-4.31
				26	18	567/600.5 (MCS11)	6.17	11.0	-4.83
				26	36	567/600.5 (MCS11)	7.15	11.0	-3.85
Band 2C	5500	100	ax (20MHz)	26	0	135/143.4 (MCS11)	6.66	11.0	-4.34
				26	4	135/143.4 (MCS11)	5.84	11.0	-5.16
				26	8	135/143.4 (MCS11)	6.27	11.0	-4.74
				26	0	135/143.4 (MCS11)	6.36	11.0	-4.64
	5580	116	ax (20MHz)	26	4	135/143.4 (MCS11)	6.06	11.0	-4.94
				26	8	135/143.4 (MCS11)	6.28	11.0	-4.72
				26	0	135/143.4 (MCS11)	6.90	11.0	-4.11
				26	4	135/143.4 (MCS11)	6.07	11.0	-4.93
	5720	144	ax (20MHz)	26	8	135/143.4 (MCS11)	7.45	11.0	-3.55
				26	0	271/286.8 (MCS11)	6.16	11.0	-4.84
				26	8	271/286.8 (MCS11)	6.80	11.0	-4.21
				26	17	271/286.8 (MCS11)	6.42	11.0	-4.58
	5510	102	ax (40MHz)	26	0	271/286.8 (MCS11)	6.09	11.0	-4.91
				26	8	271/286.8 (MCS11)	7.05	11.0	-3.95
				26	17	271/286.8 (MCS11)	6.34	11.0	-4.66
				26	0	271/286.8 (MCS11)	5.96	11.0	-5.04
	5550	110	ax (40MHz)	26	8	271/286.8 (MCS11)	7.34	11.0	-3.66
				26	17	271/286.8 (MCS11)	6.54	11.0	-4.46
				26	0	567/600.5 (MCS11)	6.15	11.0	-4.86
				26	18	567/600.5 (MCS11)	5.01	11.0	-5.99
	5710	142	ax (40MHz)	26	36	567/600.5 (MCS11)	6.61	11.0	-4.39
				26	0	567/600.5 (MCS11)	6.15	11.0	-4.85
				26	18	567/600.5 (MCS11)	5.30	11.0	-5.70
				26	36	567/600.5 (MCS11)	6.61	11.0	-4.39
	*5610	122	ax (80MHz)	26	0	567/600.5 (MCS11)	6.30	11.0	-4.70
				26	18	567/600.5 (MCS11)	5.82	11.0	-5.19
				26	36	567/600.5 (MCS11)	6.21	11.0	-4.80
				26	0	567/600.5 (MCS11)	6.30	11.0	-4.70

Table 7-110. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 1b (RU26)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)


FCC ID: BCGA2589 IC: 579C-A2589	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 119 of 397

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	135/143.4 (MCS11)	5.47	11.0	-5.53
	5200	40	ax (20MHz)	242	61	135/143.4 (MCS11)	6.03	11.0	-4.97
	5240	48	ax (20MHz)	242	61	135/143.4 (MCS11)	5.91	11.0	-5.09
	5190	38	ax (40MHz)	484	65	271/286.8 (MCS11)	-0.57	11.0	-11.57
	5230	46	ax (40MHz)	484	65	271/286.8 (MCS11)	5.27	11.0	-5.73
	5210	42	ax (80MHz)	996	67	567/600.5 (MCS11)	-3.77	11.0	-14.77
Band 2A	5260	52	ax (20MHz)	242	61	135/143.4 (MCS11)	7.01	11.0	-3.99
	5280	56	ax (20MHz)	242	61	135/143.4 (MCS11)	7.27	11.0	-3.73
	5320	64	ax (20MHz)	242	61	135/143.4 (MCS11)	5.54	11.0	-5.46
	5270	54	ax (40MHz)	484	65	271/286.8 (MCS11)	4.06	11.0	-6.95
	5310	62	ax (40MHz)	484	65	271/286.8 (MCS11)	-1.35	11.0	-12.35
	5290	58	ax (80MHz)	996	67	567/600.5 (MCS11)	-5.66	11.0	-16.66
Band 2C	5500	100	ax (20MHz)	242	61	135/143.4 (MCS11)	3.40	11.0	-7.61
	5580	116	ax (20MHz)	242	61	135/143.4 (MCS11)	6.49	11.0	-4.51
	5720	144	ax (20MHz)	242	61	135/143.4 (MCS11)	6.96	11.0	-4.04
	5510	102	ax (40MHz)	484	65	271/286.8 (MCS11)	-3.46	11.0	-14.46
	5550	110	ax (40MHz)	484	65	271/286.8 (MCS11)	2.55	11.0	-8.45
	5710	142	ax (40MHz)	484	65	271/286.8 (MCS11)	3.70	11.0	-7.30
	5530	106	ax (80MHz)	996	67	567/600.5 (MCS11)	-6.51	11.0	-17.51
	*5610	122	ax (80MHz)	996	67	567/600.5 (MCS11)	-1.75	11.0	-12.75
	5690	138	ax (80MHz)	996	67	567/600.5 (MCS11)	3.59	11.0	-7.41


Table 7-111. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 1b (Fully-loaded RU)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 120 of 397




Plot 7-205. PSD Antenna 1b (20MHz BW 11ax Index 0 – RU26 – Ch.40)




Plot 7-208. PSD Antenna 1b (20MHz BW 11ax– RU242 – Ch.40)




Plot 7-206. PSD Antenna 1b (20MHz BW 11ax Index 4 – RU26 – Ch.40)



Plot 7-209. PSD Antenna 1b (40MHz BW 11ax Index 0 – RU26 – Ch.46)




Plot 7-207. PSD Antenna 1b (20MHz BW 11ax Index 8– RU26 – Ch.40)




Plot 7-210. PSD Antenna 1b (40MHz BW 11ax Index 8 – RU26 – Ch.46)


FCC ID: BCGA2589 IC: 579C-A2589	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 121 of 397




Plot 7-211. PSD Antenna 1b (40MHz BW 11ax Index 17 - RU26 - Ch.46)




Plot 7-214. PSD Antenna 1b (80MHz BW 11ax Index 18 - RU26 - Ch.42)




Plot 7-212. PSD Antenna 1b (40MHz BW 11ax - RU484 - Ch.46)



Plot 7-215. PSD Antenna 1b (80MHz BW 11ax Index 36 - RU26 - Ch.42)




Plot 7-213. PSD Antenna 1b (80MHz BW 11ax Index 0 - RU26 - Ch.42)




Plot 7-216. PSD Antenna 1b (80MHz BW 11ax - RU996 - Ch.42)

FCC ID: BCGA2589 IC: 579C-A2589	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 122 of 397




Plot 7-217. PSD Antenna 1b (20MHz BW 11ax Index 0 – RU26 – Ch.56)




Plot 7-220. PSD Antenna 1b (20MHz BW 11ax– RU242 – Ch.56)




Plot 7-218. PSD Antenna 1b (20MHz BW 11ax Index 4 – RU26 – Ch.56)



Plot 7-221. PSD Antenna 1b (40MHz BW 11ax Index 0 – RU26 – Ch.54)



Plot 7-219. PSD Antenna 1b (20MHz BW 11ax Index 8– RU26 – Ch.56)



Plot 7-222. PSD Antenna 1b (40MHz BW 11ax Index 8 – RU26 – Ch.54)

FCC ID: BCGA2589 IC: 579C-A2589	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 123 of 397