







Plot 7-409. PSD CDD Primary Antenna 2b (40MHz BW 11ax Index 17 - RU26 - Ch.151)




Plot 7-412. PSD CDD Primary Antenna 1b (40MHz BW 11ax - RU484 - Ch.151)




Plot 7-410. PSD CDD Primary Antenna 1b (40MHz BW 11ax Index 17 - RU26 - Ch.151)



Plot 7-413. PSD CDD Primary Antenna 2b (80MHz BW 11ax Index 0 - RU26 - Ch.155)



Plot 7-411. PSD CDD Primary Antenna 2b (40MHz BW 11ax - RU484 - Ch.151)




Plot 7-414. PSD CDD Primary Antenna 1b (80MHz BW 11ax Index 0 - RU26 - Ch.155)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 164 of 397




Plot 7-415. PSD CDD Primary Antenna 2b (80MHz BW 11ax Index 18 – RU26 – Ch.155)




Plot 7-418. PSD CDD Primary Antenna 1b (80MHz BW 11ax Index 36 – RU26 – Ch.155)




Plot 7-416. PSD CDD Primary Antenna 1b (80MHz BW 11ax Index 18 – RU26 – Ch.155)



Plot 7-419. PSD CDD Primary Antenna 2b (80MHz BW 11ax – RU996 – Ch.155)



Plot 7-417. PSD CDD Primary Antenna 2b (80MHz BW 11ax Index 36 – RU26 – Ch.155)



Plot 7-420. PSD CDD Primary Antenna 1b (80MHz BW 11ax – RU996 – Ch.155)

FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 165 of 397


	Frequency [MHz]	Channel No.	802.11 Mode	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 2b Power Density [dBm/MHz]	Antenna 1b Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	SDM	26	0	270/286.8 (MCS11)	4.09	4.31	7.21	-0.57	6.64	10.0	-3.36
					26	4	270/286.8 (MCS11)	3.49	3.80	6.66	-0.57	6.09	10.0	-3.91
					26	8	270/286.8 (MCS11)	4.41	4.37	7.40	-0.57	6.83	10.0	-3.17
	5200	40	ax (20MHz)	SDM	26	0	270/286.8 (MCS11)	4.33	4.43	7.39	-0.57	6.82	10.0	-3.18
					26	4	270/286.8 (MCS11)	3.96	4.00	6.99	-0.57	6.42	10.0	-3.58
					26	8	270/286.8 (MCS11)	4.64	5.04	7.85	-0.57	7.28	10.0	-2.72
	5240	48	ax (20MHz)	SDM	26	0	270/286.8 (MCS11)	5.47	4.79	8.15	-0.57	7.58	10.0	-2.42
					26	4	270/286.8 (MCS11)	4.46	5.04	7.77	-0.57	7.20	10.0	-2.80
					26	8	270/286.8 (MCS11)	5.22	5.52	8.38	-0.57	7.81	10.0	-2.19
	5190	38	ax (40MHz)	SDM	26	0	540/573.5 (MCS11)	4.05	4.00	7.04	-0.57	6.46	10.0	-3.54
					26	8	540/573.5 (MCS11)	5.15	5.03	8.10	-0.57	7.53	10.0	-2.47
					26	17	540/573.5 (MCS11)	4.69	4.59	7.65	-0.57	7.08	10.0	-2.92
	5230	46	ax (40MHz)	SDM	26	0	540/573.5 (MCS11)	4.57	4.27	7.43	-0.57	6.86	10.0	-3.14
					26	8	540/573.5 (MCS11)	4.72	5.82	8.32	-0.57	7.74	10.0	-2.26
					26	17	540/573.5 (MCS11)	4.17	5.13	7.69	-0.57	7.12	10.0	-2.88
	5210	42	ax (80MHz)	SDM	26	0	1134/1201 (MCS11)	3.09	3.76	6.45	-0.57	5.88	10.0	-4.12
					26	18	1134/1201 (MCS11)	2.86	3.85	6.39	-0.57	5.82	10.0	-4.18
					26	36	1134/1201 (MCS11)	4.24	4.79	7.53	-0.57	6.96	10.0	-3.04

Table 7-126. ISED Band 1 e.i.r.p. Power Spectral Density Measurements CDD Primary (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 2b Power Density [dBm/MHz]	Antenna 1b Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	SDM	242	61	270/286.8 (MCS11)	3.97	3.75	6.87	-0.57	6.30	10.0	-3.70
	5200	40	ax (20MHz)	SDM	242	61	270/286.8 (MCS11)	2.91	2.91	5.92	-0.57	5.35	10.0	-4.65
	5240	48	ax (20MHz)	SDM	242	61	270/286.8 (MCS11)	3.51	3.40	6.47	-0.57	5.89	10.0	-4.11
	5190	38	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	-3.12	-2.79	0.06	2.42	2.48	10.0	-7.52
	5230	46	ax (40MHz)	SDM	484	65	540/573.5 (MCS11)	1.89	1.41	4.67	-0.57	4.10	10.0	-5.90
	5210	42	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	-5.62	-5.71	-2.65	2.42	-0.23	10.0	-10.23

Table 7-127. ISED Band 1 e.i.r.p. Power Spectral Density Measurements CDD Primary (Fully-loaded RU)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 166 of 397




Plot 7-421. ISED PSD SDM Primary Antenna 2b (20MHz BW 11ax Index 0 – RU26 – Ch.40)




Plot 7-424. ISED PSD SDM Primary Antenna 1b (20MHz BW 11ax Index 4 – RU26 – Ch.40)




Plot 7-422. ISED PSD SDM Primary Antenna 1b (20MHz BW 11ax Index 0 – RU26 – Ch.40)



Plot 7-425. ISED PSD SDM Primary Antenna 2b (20MHz BW 11ax Index 8 – RU26 – Ch.40)




Plot 7-423. ISED PSD SDM Primary Antenna 2b (20MHz BW 11ax Index 4 – RU26 – Ch.40)




Plot 7-426. ISED PSD SDM Primary Antenna 1b (20MHz BW 11ax Index 8 – RU26 – Ch.40)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022		Page 167 of 397




Plot 7-427. ISED PSD SDM Primary Antenna 2b (20MHz BW 11ax- RU242 - Ch.40)




Plot 7-430. ISED PSD SDM Primary Antenna 1b (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-428. ISED PSD SDM Primary Antenna 1b (20MHz BW 11ax- RU242 - Ch.40)



Plot 7-431. ISED PSD SDM Primary Antenna 2b (40MHz BW 11ax Index 8 - RU26 - Ch.46)




Plot 7-429. ISED PSD SDM Primary Antenna 2b (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-432. ISED PSD SDM Primary Antenna 1b (40MHz BW 11ax Index 8 - RU26 - Ch.46)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG			Page 168 of 397




Plot 7-433. ISED PSD SDM Primary Antenna 2b (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-436. ISED PSD SDM Primary Antenna 1b (40MHz BW 11ax – RU484 – Ch.46)




Plot 7-434. ISED PSD SDM Primary Antenna 1b (40MHz BW 11ax Index 17 – RU26 – Ch.46)



Plot 7-437. ISED PSD SDM Primary Antenna 2b (80MHz BW 11ax Index 0 – RU26 – Ch.42)




Plot 7-435. ISED PSD SDM Primary Antenna 2b (40MHz BW 11ax – RU484 – Ch.46)




Plot 7-438. ISED PSD SDM Primary Antenna 1b (80MHz BW 11ax Index 0 – RU26 – Ch.42)


FCC ID: BCGA2589 IC: 579C-A2589	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 169 of 397




Plot 7-439. ISED PSD SDM Primary Antenna 2b (80MHz BW 11ax Index 18 - RU26 - Ch.42)




Plot 7-442. ISED PSD SDM Primary Antenna 1b (80MHz BW 11ax Index 36 - RU26 - Ch.42)




Plot 7-440. ISED PSD SDM Primary Antenna 1b (80MHz BW 11ax Index 18 - RU26 - Ch.42)



Plot 7-443. ISED PSD CDD Primary Antenna 2b (80MHz BW 11ax - RU996 - Ch.42)



Plot 7-441. ISED PSD SDM Primary Antenna 2b (80MHz BW 11ax Index 36 - RU26 - Ch.42)



Plot 7-444. ISED PSD CDD Primary Antenna 1b (80MHz BW 11ax - RU996 - Ch.42)

FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 170 of 397

Summed CDD Diversity Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 2b Power Density [dBm/MHz]	Antenna 3a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	CDD	26	0	270/286.8 (MCS11)	5.80	4.60	8.25	11.00	-2.75
					26	4	270/286.8 (MCS11)	5.33	4.33	7.87	11.00	-3.13
					26	8	270/286.8 (MCS11)	6.18	5.33	8.79	11.00	-2.21
	5200	40	ax (20MHz)	CDD	26	0	270/286.8 (MCS11)	6.09	4.74	8.48	11.00	-2.52
					26	4	270/286.8 (MCS11)	5.90	4.65	8.33	11.00	-2.67
					26	8	270/286.8 (MCS11)	6.41	5.31	8.91	11.00	-2.09
	5240	48	ax (20MHz)	CDD	26	0	270/286.8 (MCS11)	6.33	5.24	8.83	11.00	-2.17
					26	4	270/286.8 (MCS11)	5.90	4.56	8.29	11.00	-2.71
					26	8	270/286.8 (MCS11)	6.85	5.78	9.36	11.00	-1.64
	5190	38	ax (40MHz)	CDD	26	0	540/573.5 (MCS11)	5.62	4.63	8.16	11.00	-2.84
					26	8	540/573.5 (MCS11)	6.86	5.93	9.43	11.00	-1.57
					26	17	540/573.5 (MCS11)	6.10	5.36	8.76	11.00	-2.24
	5230	46	ax (40MHz)	CDD	26	0	540/573.5 (MCS11)	5.97	5.08	8.56	11.00	-2.44
					26	8	540/573.5 (MCS11)	7.04	6.29	9.69	11.00	-1.31
					26	17	540/573.5 (MCS11)	6.64	5.47	9.10	11.00	-1.90
	5210	42	ax (80MHz)	CDD	26	0	1134/1201 (MCS11)	3.68	4.72	7.24	11.00	-3.76
					26	18	1134/1201 (MCS11)	3.37	4.66	7.08	11.00	-3.92
					26	36	1134/1201 (MCS11)	4.39	5.06	7.75	11.00	-3.25
Band 2A	5260	52	ax (20MHz)	CDD	26	0	270/286.8 (MCS11)	4.50	4.68	7.60	11.00	-3.40
					26	4	270/286.8 (MCS11)	3.99	4.52	7.28	11.00	-3.72
					26	8	270/286.8 (MCS11)	4.50	4.81	7.67	11.00	-3.33
	5280	56	ax (20MHz)	CDD	26	0	270/286.8 (MCS11)	4.80	4.71	7.77	11.00	-3.23
					26	4	270/286.8 (MCS11)	4.11	4.45	7.30	11.00	-3.70
					26	8	270/286.8 (MCS11)	4.96	4.75	7.87	11.00	-3.13
	5320	64	ax (20MHz)	CDD	26	0	270/286.8 (MCS11)	4.83	5.44	8.15	11.00	-2.85
					26	4	270/286.8 (MCS11)	4.47	4.98	7.74	11.00	-3.26
					26	8	270/286.8 (MCS11)	4.79	5.41	8.12	11.00	-2.88
	5270	54	ax (40MHz)	CDD	26	0	540/573.5 (MCS11)	4.14	5.09	7.65	11.00	-3.35
					26	8	540/573.5 (MCS11)	4.85	6.19	8.58	11.00	-2.42
					26	17	540/573.5 (MCS11)	3.98	4.55	7.29	11.00	-3.71
	5310	62	ax (40MHz)	CDD	26	0	540/573.5 (MCS11)	4.54	5.63	8.13	11.00	-2.87
					26	8	540/573.5 (MCS11)	5.23	6.35	8.83	11.00	-2.17
					26	17	540/573.5 (MCS11)	4.88	6.06	8.52	11.00	-2.48
	5290	58	ax (80MHz)	CDD	26	0	1134/1201 (MCS11)	4.16	4.59	7.39	11.00	-3.61
					26	18	1134/1201 (MCS11)	4.16	5.02	7.62	11.00	-3.38
					26	36	1134/1201 (MCS11)	5.00	6.34	8.73	11.00	-2.27
Band 2C	5500	100	ax (20MHz)	CDD	26	0	270/286.8 (MCS11)	4.50	4.87	7.70	11.00	-3.30
					26	4	270/286.8 (MCS11)	4.27	4.63	7.46	11.00	-3.54
					26	8	270/286.8 (MCS11)	4.43	4.85	7.66	11.00	-3.34
	5580	116	ax (20MHz)	CDD	26	0	270/286.8 (MCS11)	4.24	4.41	7.34	11.00	-3.66
					26	4	270/286.8 (MCS11)	3.60	3.89	6.76	11.00	-4.24
					26	8	270/286.8 (MCS11)	4.52	4.26	7.40	11.00	-3.60
	5720	144	ax (20MHz)	CDD	26	0	270/286.8 (MCS11)	4.68	3.84	7.29	11.00	-3.71
					26	4	270/286.8 (MCS11)	4.35	3.53	6.97	11.00	-4.03
					26	8	270/286.8 (MCS11)	4.35	4.19	7.28	11.00	-3.72
	5510	102	ax (40MHz)	CDD	26	0	540/573.5 (MCS11)	4.49	5.68	8.13	11.00	-2.87
					26	8	540/573.5 (MCS11)	5.16	6.49	8.89	11.00	-2.11
					26	17	540/573.5 (MCS11)	4.50	5.46	8.02	11.00	-2.98
	5550	110	ax (40MHz)	CDD	26	0	540/573.5 (MCS11)	3.98	5.03	7.54	11.00	-3.46
					26	8	540/573.5 (MCS11)	5.27	5.92	8.62	11.00	-2.38
					26	17	540/573.5 (MCS11)	4.56	5.32	7.97	11.00	-3.03
	5710	142	ax (40MHz)	CDD	26	0	540/573.5 (MCS11)	4.18	4.47	7.34	11.00	-3.66
					26	8	540/573.5 (MCS11)	4.73	5.42	8.10	11.00	-2.90
					26	17	540/573.5 (MCS11)	4.16	4.63	7.41	11.00	-3.59
	5530	106	ax (80MHz)	CDD	26	0	1134/1201 (MCS11)	4.14	4.92	7.56	11.00	-3.44
					26	18	1134/1201 (MCS11)	3.35	4.36	6.89	11.00	-4.11
					26	36	1134/1201 (MCS11)	4.66	4.82	7.75	11.00	-3.25
	*5610	122	ax (80MHz)	CDD	26	0	1134/1201 (MCS11)	3.90	4.88	7.43	11.00	-3.57
					26	18	1134/1201 (MCS11)	3.65	4.23	6.96	11.00	-4.04
					26	36	1134/1201 (MCS11)	4.29	4.46	7.39	11.00	-3.61
	5690	138	ax (80MHz)	CDD	26	0	1134/1201 (MCS11)	3.81	5.16	7.55	11.00	-3.45
					26	18	1134/1201 (MCS11)	3.37	1.98	5.74	11.00	-5.26
					26	36	1134/1201 (MCS11)	4.19	5.42	7.86	11.00	-3.14

Table 7-128. Bands 1, 2A, 2C Power Spectral Density Measurements CDD Diversity (RU26)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 171 of 397

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 2b Power Density [dBm/MHz]	Antenna 3a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	5.54	4.22	7.94	11.00	-3.06
	5200	40	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	5.70	5.13	8.43	11.00	-2.57
	5240	48	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	5.76	5.42	8.60	11.00	-2.40
	5190	38	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	-0.85	-1.46	1.87	11.00	-9.13
	5230	46	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	5.20	4.41	7.83	11.00	-3.17
	5210	42	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	-3.28	-4.53	-0.85	11.00	-11.85
Band 2A	5260	52	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	6.20	5.26	8.77	11.00	-2.23
	5280	56	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	6.40	5.46	8.97	11.00	-2.03
	5320	64	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	6.38	5.28	8.88	11.00	-2.12
	5270	54	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	5.57	4.19	7.94	11.00	-3.06
	5310	62	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	-0.06	-1.44	2.32	11.00	-8.68
	5290	58	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	-3.97	-4.49	-1.21	11.00	-12.21
Band 2C	5500	100	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	5.01	3.99	7.54	11.00	-3.46
	5580	116	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	5.63	4.35	8.05	11.00	-2.95
	5720	144	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	6.34	4.94	8.71	11.00	-2.29
	5510	102	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	-1.94	-2.70	0.71	11.00	-10.29
	5550	110	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	4.37	3.83	7.12	11.00	-3.88
	5710	142	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	5.55	4.52	8.07	11.00	-2.93
	5530	106	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	-4.44	-5.03	-1.72	11.00	-12.72
	*5610	122	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	-0.05	-0.21	2.88	11.00	-8.12
	5690	138	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	3.73	2.38	6.12	11.00	-4.88


Table 7-129. Bands 1, 2A, 2C Power Spectral Density Measurements CDD Diversity (Fully-loaded RU)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 172 of 397




Plot 7-445. PSD CDD Diversity Antenna 2b (20MHz BW 11ax Index 0 – RU26 – Ch.40)




Plot 7-448. PSD CDD Diversity Antenna 3a (20MHz BW 11ax Index 4 – RU26 – Ch.40)




Plot 7-446. PSD CDD Diversity Antenna 3a (20MHz BW 11ax Index 0 – RU26 – Ch.40)



Plot 7-449. PSD CDD Diversity Antenna 2b (20MHz BW 11ax Index 8 – RU26 – Ch.40)




Plot 7-447. PSD CDD Diversity Antenna 2b (20MHz BW 11ax Index 4 – RU26 – Ch.40)




Plot 7-450. PSD CDD Diversity Antenna 3a (20MHz BW 11ax Index 8 – RU26 – Ch.40)


FCC ID: BCGA2589 IC: 579C-A2589	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 173 of 397




Plot 7-451. PSD CDD Diversity Antenna 2b (20MHz BW 11ax - RU242 - Ch.40)




Plot 7-454. PSD CDD Diversity Antenna 3a (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-452. PSD CDD Diversity Antenna 3a (20MHz BW 11ax - RU242 - Ch.40)



Plot 7-455. PSD CDD Diversity Antenna 2b (40MHz BW 11ax Index 8 - RU26 - Ch.46)




Plot 7-453. PSD CDD Diversity Antenna 2b (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-456. PSD CDD Diversity Antenna 3a (40MHz BW 11ax Index 8 - RU26 - Ch.46)


FCC ID: BCGA2589 IC: 579C-A2589	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 174 of 397




Plot 7-457. PSD CDD Diversity Antenna 2b (40MHz BW 11ax Index 17 - RU26 - Ch.46)




Plot 7-460. PSD CDD Diversity Antenna 3a (40MHz BW 11ax - RU484 - Ch.46)




Plot 7-458. PSD CDD Diversity Antenna 3a (40MHz BW 11ax Index 17 - RU26 - Ch.46)



Plot 7-461. PSD CDD Diversity Antenna 2b (80MHz BW 11ax Index 0 - RU26 - Ch.42)




Plot 7-459. PSD CDD Diversity Antenna 2b (40MHz BW 11ax - RU484 - Ch.46)




Plot 7-462. PSD CDD Diversity Antenna 3a (80MHz BW 11ax Index 0 - RU26 - Ch.42)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 175 of 397




Plot 7-463. PSD CDD Diversity Antenna 2b (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-466. PSD CDD Diversity Antenna 3a (80MHz BW 11ax Index 36 – RU26 – Ch.42)




Plot 7-464. PSD CDD Diversity Antenna 3a (80MHz BW 11ax Index 18 – RU26 – Ch.42)



Plot 7-467. PSD CDD Diversity Antenna 2b (80MHz BW 11ax – RU996 – Ch.42)



Plot 7-465. PSD CDD Diversity Antenna 2b (80MHz BW 11ax Index 36 – RU26 – Ch.42)



Plot 7-468. PSD CDD Diversity Antenna 3a (80MHz BW 11ax – RU996 – Ch.42)

FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 176 of 397