



### 7.6.7 Antenna A Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]



Plot 7-152. Antenna A (Pk & Avg, Ch.42, 802.11ac, MCS9)



Plot 7-153. Antenna A (Pk & Avg, Ch.58, 802.11ac, MCS9)

FCC ID: BCGA2603 IC: 579C-A2603	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 114 of 156	


**PASS**

Average Trace  
Peak Trace

Avg. Offset: 19.0dB  
Peak Offset: 17.6dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

Peak: 5465.44 MHz, 62.43 dB $\mu$ V/m  
Avg: 5453.94 MHz, 51.16 dB $\mu$ V/m



Plot 7-154. Antenna A (Pk & Avg, Ch.106, 802.11ac, MCS9)


**PASS**

Average Trace  
Peak Trace

Avg. Offset: 19.0dB  
Peak Offset: 17.6dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

Peak: 5464.73 MHz, 60.06 dB $\mu$ V/m  
Avg: 5455.85 MHz, 50.70 dB $\mu$ V/m



Plot 7-155. (FCC Only) Antenna A (Pk & Avg, Ch.122 (Low), 802.11ac, MCS9)


FCC ID: BCGA2603 IC: 579C-A2603	<b>PCTEST</b> <sup>®</sup> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 115 of 156

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 19.2dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

5725.91 MHz  
63.44 dB $\mu$ V/m




Plot 7-156. (FCC Only) Antenna A (Pk & Avg, Ch.122 (High), 802.11ac, MCS9)

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 17.4dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

5650.01 MHz  
63.25 dB $\mu$ V/m



Plot 7-157. Antenna A (Pk, Ch.155 (Low), 802.11ac, MCS9)


FCC ID: BCGA2603 IC: 579C-A2603	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 116 of 156

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 18.5dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms


5937.51 MHz  
62.99 dB $\mu$ V/m




FCC ID: BCGA2603 IC: 579C-A2603	<b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 117 of 156

### 7.6.8 Antenna B Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]



Plot 7-159. Antenna B (Pk & Avg, Ch.36, 802.11n, MCS7)



Plot 7-160. Antenna B (Pk & Avg, Ch.40, 802.11n, MCS7)

FCC ID: BCGA2603 IC: 579C-A2603	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 118 of 156

**PASS**

Average Trace

Peak Trace

Avg. Offset: 17.5dB

Peak Offset: 17.1dB


RBW: 1 MHz

VBW: 3 MHz

SWT: 1.01ms

Peak: 5350.91 MHz, 63.53 dB $\mu$ V/m

Avg: 5352.83 MHz, 51.30 dB $\mu$ V/m



Plot 7-161. Antenna B (Pk & Avg, Ch.60, 802.11n, MCS7)

**PASS**

Average Trace

Peak Trace

Avg. Offset: 17.5dB

Peak Offset: 17.1dB


RBW: 1 MHz

VBW: 3 MHz

SWT: 1.01ms

Peak: 5350.75 MHz, 66.19 dB $\mu$ V/m

Avg: 5352.51 MHz, 51.01 dB $\mu$ V/m



Plot 7-162. Antenna B (Pk & Avg, Ch.64, 802.11n, MCS7)

FCC ID: BCGA2603 IC: 579C-A2603	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 119 of 156


**PASS**

Average Trace  
Peak Trace

Avg. Offset: 18.1dB  
Peak Offset: 17.4dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

Peak: 5469.68 MHz, 63.26 dB $\mu$ V/m  
Avg: 5458.48 MHz, 49.51 dB $\mu$ V/m



Plot 7-163. Antenna B (Pk & Avg, Ch.100, 802.11n, MCS7)


**PASS**

Average Trace

Peak Trace  
Avg. Offset: 18.2dB  
Peak Offset: 17.5dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

Peak: 5465.88 MHz, 63.31 dB $\mu$ V/m  
Avg: 5456.96 MHz, 50.29 dB $\mu$ V/m



Plot 7-164. Antenna B (Pk & Avg, Ch.104, 802.11n, MCS7)


FCC ID: BCGA2603 IC: 579C-A2603	<b>PCTEST</b> <sup>®</sup> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 18.0dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

5725.29 MHz  
63.22 dB $\mu$ V/m




Plot 7-165. Antenna B (Pk, Ch.136, 802.11n, MCS7)

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 18.0dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

5726.09 MHz  
63.21 dB $\mu$ V/m



Plot 7-166. Antenna B (Pk, Ch.140, 802.11n, MCS7)


FCC ID: BCGA2603 IC: 579C-A2603	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 121 of 156

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 17.5dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

5625.63 MHz  
61.38 dB $\mu$ V/m




Plot 7-167. Antenna B (Pk, Ch.149, 802.11n, MCS7)

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 18.6dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

5924.94 MHz  
62.03 dB $\mu$ V/m




Plot 7-168. Antenna B (Pk, Ch.165, 802.11n, MCS7)


FCC ID: BCGA2603 IC: 579C-A2603	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 122 of 156

### 7.6.9 Antenna B Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]



Plot 7-169. Antenna B (Pk & Avg, Ch.38, 802.11n, MCS7)



Plot 7-170. Antenna B (Pk & Avg, Ch.46, 802.11n, MCS7)


FCC ID: BCGA2603 IC: 579C-A2603	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 123 of 156

**PASS**

Average Trace  
Peak Trace  
Avg. Offset: 17.8dB  
Peak Offset: 17.1dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

Peak: 5351.76 MHz, 64.29 dB $\mu$ V/m  
Avg: 5356.81 MHz, 51.29 dB $\mu$ V/m




Plot 7-171. Antenna B (Pk & Avg, Ch.54, 802.11n, MCS7)

**PASS**

Average Trace  
Peak Trace  
Avg. Offset: 17.8dB  
Peak Offset: 17.1dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

Peak: 5353.28 MHz, 64.91 dB $\mu$ V/m  
Avg: 5350.58 MHz, 51.07 dB $\mu$ V/m



Plot 7-172. Antenna B (Pk & Avg, Ch.62, 802.11n, MCS7)


FCC ID: BCGA2603 IC: 579C-A2603	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 124 of 156

**PASS**

Average Trace  
Peak Trace  
Avg. Offset: 18.4dB  
Peak Offset: 17.5dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

Peak: 5467.99 MHz, 63.02 dB $\mu$ V/m  
Avg: 5457.88 MHz, 50.32 dB $\mu$ V/m




Plot 7-173. Antenna B (Pk & Avg, Ch.102, 802.11n, MCS7)

**PASS**

Average Trace  
Peak Trace  
Avg. Offset: 18.5dB  
Peak Offset: 17.5dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

Peak: 5467.84 MHz, 62.98 dB $\mu$ V/m  
Avg: 5453.94 MHz, 50.28 dB $\mu$ V/m



Plot 7-174. Antenna B (Pk & Avg, Ch.110, 802.11n, MCS7)


FCC ID: BCGA2603 IC: 579C-A2603	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 125 of 156

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 18.0dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

5726.45 MHz  
63.29 dB $\mu$ V/m




Plot 7-175. (FCC Only) Antenna B (Pk, Ch.126, 802.11n, MCS7)

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 18.0dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

5726.81 MHz  
63.13 dB $\mu$ V/m



Plot 7-176. Antenna B (Pk, Ch.134, 802.11n, MCS7)


FCC ID: BCGA2603 IC: 579C-A2603	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 126 of 156

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 17.4dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

5647.46 MHz  
63.02 dB $\mu$ V/m




Plot 7-177. Antenna B (Pk, Ch.151, 802.11n, MCS7)

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 18.6dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

5926.09 MHz  
63.17 dB $\mu$ V/m




Plot 7-178. Antenna B (Pk, Ch.159, 802.11n, MCS7)


FCC ID: BCGA2603 IC: 579C-A2603	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 127 of 156

### 7.6.10 Antenna B Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]



Plot 7-179. Antenna B (Pk & Avg, Ch.42, 802.11ac, MCS9)



Plot 7-180. Antenna B (Pk & Avg, Ch.58, 802.11ac, MCS9)


FCC ID: BCGA2603 IC: 579C-A2603	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 128 of 156

**PASS**

Average Trace  
Peak Trace  
Avg. Offset: 18.8dB  
Peak Offset: 17.5dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

Peak: 5466.40 MHz, 64.83 dB $\mu$ V/m  
Avg: 5447.70 MHz, 51.24 dB $\mu$ V/m




Plot 7-181. Antenna B (Pk & Avg, Ch.106, 802.11ac, MCS9)

**PASS**

Average Trace  
Peak Trace  
Avg. Offset: 18.9dB  
Peak Offset: 17.5dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

Peak: 5467.12 MHz, 60.98 dB $\mu$ V/m  
Avg: 5451.06 MHz, 50.87 dB $\mu$ V/m



Plot 7-182. (FCC Only) Antenna B (Pk & Avg, Ch.122 (Low), 802.11ac, MCS9)


FCC ID: BCGA2603 IC: 579C-A2603	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 129 of 156

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 17.9dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

5771.41 MHz  
63.04 dB $\mu$ V/m




Plot 7-183. (FCC Only) Antenna B (Pk & Avg, Ch.122 (High), 802.11ac, MCS9)

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 17.4dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

5641.48 MHz  
63.26 dB $\mu$ V/m



Plot 7-184. Antenna B (Pk, Ch.155 (Low), 802.11ac, MCS9)


FCC ID: BCGA2603 IC: 579C-A2603	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 130 of 156

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 18.6dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

5924.89 MHz  
63.50 dB $\mu$ V/m




Plot 7-185. Antenna B (Pk, Ch.155 (High), 802.11ac, MCS9)


FCC ID: BCGA2603 IC: 579C-A2603	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 131 of 156	

### 7.6.11 CDD/SDM Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]



Plot 7-186. CDD (Pk & Avg, Ch.36, 802.11n, MCS15)



Plot 7-187. CDD (Pk & Avg, Ch.40, 802.11n, MCS15)


FCC ID: BCGA2603 IC: 579C-A2603	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 132 of 156

**PASS**

Average Trace  
Peak Trace  
Avg. Offset: 17.7dB  
Peak Offset: 17.1dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

Peak: 5354.43 MHz, 61.28 dB $\mu$ V/m  
Avg: 5352.51 MHz, 50.83 dB $\mu$ V/m




Plot 7-188. SDM (Pk & Avg, Ch.60, 802.11n, MCS15)

**PASS**

Average Trace  
Peak Trace  
Avg. Offset: 17.8dB  
Peak Offset: 17.1dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

Peak: 5351.07 MHz, 62.98 dB $\mu$ V/m  
Avg: 5350.11 MHz, 51.19 dB $\mu$ V/m



Plot 7-189. CDD (Pk & Avg, Ch.64, 802.11n, MCS15)


FCC ID: BCGA2603 IC: 579C-A2603	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 133 of 156

**PASS**

Average Trace  
Peak Trace  
Avg. Offset: 18.4dB  
Peak Offset: 17.5dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

Peak: 5467.02 MHz, 63.53 dB $\mu$ V/m  
Avg: 5455.44 MHz, 50.71 dB $\mu$ V/m




Plot 7-190. CDD (Pk & Avg, Ch.100, 802.11n, MCS15)

**PASS**

Average Trace  
Peak Trace  
Avg. Offset: 18.4dB  
Peak Offset: 17.5dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

Peak: 5467.21 MHz, 62.67 dB $\mu$ V/m  
Avg: 5458.29 MHz, 51.23 dB $\mu$ V/m



Plot 7-191. SDM (Pk & Avg, Ch.104, 802.11n, MCS15)


FCC ID: BCGA2603 IC: 579C-A2603	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 134 of 156

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 18.7dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

5725.79 MHz  
63.40 dB $\mu$ V/m




Plot 7-192. SDM (Pk, Ch.136, 802.11n, MCS15)

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 18.6dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

5731.49 MHz  
63.40 dB $\mu$ V/m



Plot 7-193. CDD (Pk, Ch.140, 802.11n, MCS15)


FCC ID: BCGA2603 IC: 579C-A2603	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 17.5dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

5630.94 MHz  
61.64 dB $\mu$ V/m




Plot 7-194. CDD (Pk, Ch.149, 802.11n, MCS15)

**PASS**

Trace: MaxHold  
Detector: PK  
Offset: 18.5dB

RBW: 1 MHz  
VBW: 3 MHz  
SWT: 1.01ms

5940.88 MHz  
61.42 dB $\mu$ V/m




Plot 7-195. CDD (Pk, Ch.165, 802.11n, MCS15)


FCC ID: BCGA2603 IC: 579C-A2603	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 136 of 156	

### 7.6.12 CDD Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]



Plot 7-196. CDD (Pk & Avg, Ch.38, 802.11n, MCS15)



Plot 7-197. CDD (Pk & Avg, Ch.46, 802.11n, MCS15)

FCC ID: BCGA2603 IC: 579C-A2603	<b>PCTEST</b> Proud to be part of 		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080051-10.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device		Page 137 of 156